Burkina Faso

Institut National de la Statistique et de la Démographie, Ministère de l'économie et des finances

Enquête sur les Indicateurs du Paludisme (EIPBF) 2014

Study Documentation

May 2, 2025

Metadata Production

Metadata Producer(s)	Institut national de la statistique et de la démographie (INSD) , Ministère de l'Economie et des Finances , Documentation de l'Etude
Production Date	May 30, 2025
Version	Version finale
Identification	DDI-BFA-INSD-EIPBF-2014-v1

Table of Contents

Overview 4
Scope & Coverage 4
Producers & Sponsors 4
Sampling 5
Data Collection 5
Data Processing & Appraisal 6
Accessibility 6
Rights & Disclaimer 7
Files Description 8
- BFHR71FL 8
- BFIR71FL 8
- BFKR71FL 8
- BFPR71FL 9

Variables List 10
- BFHR71FL 10
- BFIR71FL 141
- BFKR71FL 251
- BFPR71FL 277

Variables Description 290
- BFHR71FL 291
- BFIR71FL 1293
- BFKR71FL 1982
- BFPR71FL 2151

Enquête sur les Indicateurs du Paludisme (EIPBF) 2014 (EIPBF 2014)

Overview

Type	Demographic and Health Survey [hh/dhs]
Identification	DDI-BFA-INSD-EIPBF-2014-v1
Version	Production Date: 2015-07 Version finale

Abstract
Ce rapport présente les principaux résultats de l'Enquête sur les Indicateurs du Paludisme effectuée au Burkina Faso du 28 septembre au 28 novembre 2014 (EIPBF 2014). Il a été préparé par l'Institut National de la Statistique et de la Démographie, Direction de la Démographie (INSD/DD), le Programme National de Lutte contre le Paludisme (PNLP) et le laboratoire du Centre National de Recherche et de Formation sur le Paludisme (CNRFP) en coordination avec ICF International. Le financement a été assuré par l'USAID pour l'assistance technique d'ICF et les achats de matériels, et par le Fonds Mondial pour les coûts locaux.

Kind of Data	Sample survey data [ssd]
Unit of Analysis	- Ménages ; - Femmes de 15 - 49 ans ; - Enfants de moins de 05 ans.

Scope & Coverage

Scope
· Prévalence du paludisme chez les enfants de 6-59 mois et examens de laboratoire pour la détermination de la prévalence;
· Prévalence de l'anémie chez les enfants de 6-59 mois;
· Accès des ménages aux Moustiquaires Imprégnées d'Insecticide (MII) et les Moustiquaires Imprégnées d'Insecticide à Longue Durée d'Action (MILDA);
· Utilisation des MII et des MIILDA par les enfants de moins de 5 ans et des femmes enceintes ;
· Utilisation du traitement préventif du paludisme durant la grossesse pour les femmes enceintes;
· Prévalence de la fièvre chez les enfants de moins de 5 ans;
· Types de traitement de la fièvre et les délais de prise en charge chez les enfants de moins de 5 ans;
· Connaissance ainsi que les comportements en matière de traitement et de prévention de paludisme;
· Exposition de la population aux messages sur le paludisme.

Keywords	Paludisme, Moustiquaires, Fièvre, Connaissance, Exposition
Time Period(s)	2014
Countries	Burkina Faso

Geographic Coverage
Nationale

Universe
L'enquête a couvert tous les membres de droit du ménage (résidents habituels), toutes les femmes âgées de 15 à 49 ans résidant dans le ménage, tous les enfants âgés de 0 à 4 ans (moins de 5 ans) résidant dans le ménage.

Producers & Sponsors

Primary Investigator(s)	Institut National de la Statistique et de la Démographie, Ministère de l'économie et des finances
Other Producer(s)	Programme National de Lutte contre le Paludisme (PNLP) , Ministère de la santé , Assistance

	Laboratoire du Centre National de Recherche et de Formation sur le Paludisme (CNRFP) , Ministère de la santé , Assistance ICF International (ICF) , Assistance technique
Funding Agency/ies	Etat du Burkina Faso (BFA) , Personnels et Financement local Agence des Etats Unis pour le Développement (USAID) , Financement Fonds Mondial , Financement

Sampling

Sampling Procedure

L'échantillon de l'EIPBF 2014 sera un échantillon aléatoire, stratifié et tiré à 2 degrés. L'unité primaire de sondage est la ZD telle que définie au recensement en 2006. Chaque région est répartie en milieu urbain et milieu rural pour former les deux strates d'échantillonnage dans la région et l'échantillon sera tiré indépendamment dans chaque strate. Au total vingt-six strates d'échantillonnage ont été créées. Au premier degré, 252 ZDs ont été tirées avec une probabilité proportionnelle à la taille ; la taille étant le nombre de ménages dans la ZD pendant l'opération de cartographie pour le recensement de 2006. Avant le tirage de ZDs du premier dégrée, la base de sondage a été triée selon les unités administratives à l'intérieur de chaque strate. Cette opération introduira une stratification implicite au niveau de toutes les unités administratives au-dessous de région avec une allocation de l'échantillon proportionnelle à la taille de l'unité. Les 252 ZDs tirées ont constitué les 252 grappes échantillons de l'EIPBF 2014.

Après le tirage des ZDs et avant l'enquête principale, un dénombrement des ménages et une mise à jour de la carte ont été effectués dans chaque ZD sélectionnée. Cette opération permettra d'obtenir une liste de ménages complète dans chacune ZD tirée et qui a été utilisé plus tard pour sélectionner des ménages au deuxième degré pour les interviews. Pendant le dénombrement et la mise à jour, les ZDs tirées ayant plus de 200 ménages ont été divisées en segments dont un seul a été retenu dans l'échantillon. Cette dernière étape n'est pas considérée comme un degré de tirage, car la segmentation a pour seul objectif de limiter le travail de dénombrement à l'intérieur de la ZD. Au second degré et dans chacune des ZD sélectionnées au premier degré, 26 ménages ont été sélectionnés avec un tirage systématique à probabilité égale, à partir des listes nouvellement établies au moment du dénombrement.

Response Rate

- Taux de réponse des ménages est de 99,7 %.
- Taux de réponse des femmes est de 98,7 %.
- Taux de réponse pour le test de paludisme pour les enfants de moins de cinq ans est de 95 %.

Weighting

Voir annexe A du rapport final.

Data Collection

Data Collection Dates	start 2014-09-28 end 2014-11-28
Data Collection Mode	Face-to-face [f2f]

Questionnaires

- Questionnaire ménage ;
- Questionnaire individuel pour les femmes.

Data Collector(s)	Institut national de la statistique et de la démographie (INSD) , Ministère de l'Economie et des Finances

Supervision

L'EIPBF 2014 a été exécutée par l'Institut National de la Statistique et la Démographie (INSD) en collaboration avec le Programme National de Lutte contre le Paludisme (PNLP), et les partenaires techniques et financiers intervenant dans la lutte contre le paludisme.

Pour la bonne marche de l'EIPBF 2014 et pour une meilleure coordination, un Comité de pilotage comprenant des représentants des institutions, parties-prenantes de l'enquête, a été constitué en vue d'orienter, de coordonner et d'assurer le suivi de l'enquête. Ce comité a été consulté sur les grandes orientations du projet et a été informé régulièrement de l'avancement du projet, en particulier sur le plan de travail de l'EIPBF 2014, le protocole des tests, ainsi que le contenu final des questionnaires.

Data Processing & Appraisal

Data Editing

La collecte des données de l'EIPBF 2014 a été effectuée au moyen de questionnaires en papier. Les données collectées ont été saisies sur CSPro. Un programme de contrôle de qualité a permis de détecter pour chaque équipe et même, le cas échéant, pour chaque enquêtrice, les principales erreurs de collecte. Ces informations étaient communiquées aux équipes de terrain lors des missions de supervision afin d'améliorer la qualité des données. La vérification de la cohérence interne des réponses a été réalisée d'octobre à décembre 2014.

Estimates of Sampling Error

Voir annexe B du rapport final.

Accessibility

Access Authority	Direction de l'Informatique du Management de l'Information Statistique (DIMIS) (INSD)
Contact(s)	Institut national de la statistique et de la démographie (Ministère de l'Economie et des Finances) , https://www.insd.bf , insd@insd.bf
Distributor(s)	Insttut Nationale de la statitistique et de la demographie

Confidentiality

L'accès aux données est soumis aux principes de confidentialité et de protection des informations. Toute personne, institution ou organisation autorisée à accéder à ces données s'engage à respecter les dispositions suivantes :
1. Utilisation limitée des données: les données fournies doivent être utilisées exclusivement aux fins pour lesquelles elles ont été obtenues. Toute utilisation non autorisée, notamment à des fins commerciales, est strictement interdite sans l'accord préalable des responsables concernés.
2. Protection de la confidentialité: les utilisateurs doivent accorder une attention particulière à la confidentialité des informations individuelles ou sensibles contenues dans les données. En aucun cas, les données ne doivent être utilisées pour identifier ou divulguer des informations personnelles sur les individus ou les entités concernées.
3. Partage et diffusion: les données ne peuvent être partagées, publiées ou transmises à d'autres niveaux sans une autorisation explicite préalable. Toute publication impliquant ces données doit garantir l'anonymat des informations sensibles et respecter scrupuleusement les droits des personnes concernées.
4. Sécurité des données: les utilisateurs doivent prendre toutes les mesures nécessaires pour protéger leurs données contre tout accès non autorisé, toute perte ou tout dommage.
5. Responsabilité légale: tout manquement aux conditions d'accès ou d'utilisation des données peut entraîner des sanctions, notamment la révocation des droits d'accès, des poursuites judiciaires et l'obligation de réparation.
6. Engagement : les utilisateurs doivent signer un engagement de confidentialité avant d'accéder aux données, attestant ainsi de leur compréhension et de leur respect des conditions liées à leur utilisation.

Access Conditions

L'ensemble de données a été rendu anonyme et est disponible en tant qu'ensemble de données à usage public. Il est accessible à tous à des fins statistiques et de recherche uniquement, selon les conditions suivantes :
1. Les données et autres matériels ne seront pas redistribués ou vendus à d'autres personnes, institutions ou organisations sans l'accord écrit l'INSD.
2. Les données ne seront utilisées qu'à des fins statistiques et de recherche scientifique. Elles ne serviront qu'à communiquer des informations agrégées et non à enquêter sur des personnes ou des organisations spécifiques.
3. Aucune tentative ne sera faite pour réidentifier les répondants et aucune utilisation ne sera faite de l'identité d'une personne ou d'un établissement découverte par inadvertance. Toute découverte de ce type sera immédiatement signalée à l'INSD.
4. Aucune tentative ne sera faite pour établir des liens entre les ensembles de données fournis par l'INSD et d'autres ensembles de données qui pourraient permettre d'identifier des personnes ou des organisations.

5. Tout livre, article, document de conférence, thèse, mémoire, rapport ou autre publication utilisant des données obtenues à partir du Catalogue central de données citera la source des données conformément à l'exigence de citation fournie avec chaque ensemble de données.
6. Une copie électronique de tous les rapports et publications basés sur les données demandées sera envoyée à l'INSD via le mail fabrice.kambou@insd.bf <mailto:fabrice.kambou@insd.bf>.

Rights & Disclaimer

Disclaimer

L'utilisateur des données reconnaît que l'INSD, le distributeur autorisé des données et l'organisme de financement concerné ne sont pas responsables de l'utilisation des données ou des interprétations ou déductions basées sur ces utilisations.

Copyright	(c) 2024, INSD

Files Description

Dataset contains 4 file(s)

BFHR71FL	
# Cases	6448
# Variable(s)	3595
File Content Cette base de données fournit les informations sur les ménages enquêtés	
Producer INSD	
Version Version finale anonymisée	
Processing Checks Voir rapport	

BFIR71FL	
# Cases	8111
# Variable(s)	3084
File Content Base de données relative aux femmes	
Producer INSD	
Version Version finale anonymisée	
Processing Checks Voir rapport	

BFKR71FL	
# Cases	6841
# Variable(s)	706
File Content Base de données des enfants de moins de 5 ans	
Producer INSD	
Version Version finale anonymisée	
Processing Checks Voir rapport	

BFPR71FL	
# Cases	39529
# Variable(s)	339
File Content Base de données des membres du ménages	
Producer INSD	
Version Version finale anonymisée	
Processing Checks Voir rapport	

Variables List

Dataset contains 7724 variable(s)

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1	hhid	case identification	discrete	character-12	6448	0	-
2	hv000	country code and phase	discrete	character-3	6448	0	-
3	hv001	cluster number	continuous	numeric-8.0	6448	0	-
4	hv004	ultimate area unit	continuous	numeric-8.0	6448	0	-
5	hv005	household sample weight (6 decimals)	continuous	numeric-12.0	6448	0	-
6	hv006	month of interview	discrete	numeric-8.0	6448	0	-
7	hv007	year of interview	discrete	numeric-8.0	6448	0	-
8	hv008	date of interview (cmc)	discrete	numeric-8.0	6448	0	-
9	hv010	number of eligible women in household	discrete	numeric-8.0	6448	0	-
10	hv011	na - number of eligible men in household	discrete	numeric-8.0	0	6448	-
11	hv012	number of de jure members	continuous	numeric-8.0	6448	0	-
12	hv013	number of de facto members	continuous	numeric-8.0	6448	0	-
13	hv014	number of children 5 and under (de jure)	discrete	numeric-8.0	6448	0	-
14	hv015	result of household interview	discrete	numeric-8.0	6448	0	-
15	hv016	day of interview	continuous	numeric-8.0	6448	0	-
16	hv017	number of visits	discrete	numeric-8.0	6448	0	-
17	hv020	ever-married sample	discrete	numeric-8.0	6448	0	-
18	hv021	primary sampling unit	continuous	numeric-8.0	6448	0	-
19	hv022	sample strata for sampling errors	discrete	numeric-8.0	6448	0	-
20	hv023	stratification used in sample design	discrete	numeric-8.0	6448	0	-
21	hv024	region	discrete	numeric-8.0	6448	0	-
22	hv025	type of place of residence	discrete	numeric-8.0	6448	0	-
23	hv026	place of residence	discrete	numeric-8.0	6448	0	-
24	hv027	na - household selected for male interview	discrete	numeric-8.0	0	6448	-
25	hv028	na - household weight for male subsample (6 decimals)	discrete	numeric-8.0	0	6448	-
26	hv035	number of eligible children for height and weight	discrete	numeric-8.0	6448	0	-
27	hv040	na - cluster altitude in meters	discrete	numeric-8.0	0	6448	-
28	hv041	na - total adults measured	discrete	numeric-8.0	0	6448	-
29	hv042	household selected for hemoglobin	discrete	numeric-8.0	6448	0	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
30	hv044	na - household selected for domestic violence module	discrete	numeric-8.0	0	6448	-
31	hv201	source of drinking water	discrete	numeric-8.0	6447	1	-
32	hv202	na - source of non-drinking water	discrete	numeric-8.0	0	6448	-
33	hv204	time to get to water source (minutes)	discrete	numeric-8.0	6400	48	-
34	hv205	type of toilet facility	discrete	numeric-8.0	6439	9	-
35	hv206	has electricity	discrete	numeric-8.0	6440	8	-
36	hv207	has radio	discrete	numeric-8.0	6440	8	-
37	hv208	has television	discrete	numeric-8.0	6437	11	-
38	hv209	has refrigerator	discrete	numeric-8.0	6432	16	-
39	hv210	has bicycle	discrete	numeric-8.0	6437	11	-
40	hv211	has motorcycle/scooter	discrete	numeric-8.0	6436	12	-
41	hv212	has car/truck	discrete	numeric-8.0	6442	6	-
42	hv213	main floor material	discrete	numeric-8.0	6440	8	-
43	hv214	main wall material	discrete	numeric-8.0	6443	5	-
44	hv215	main roof material	discrete	numeric-8.0	6443	5	-
45	hv216	number of rooms used for sleeping	continuous	numeric-8.0	6421	27	-
46	hv217	relationship structure	discrete	numeric-8.0	6448	0	-
47	hv218	line number of head of household	discrete	numeric-8.0	6448	0	-
48	hv219	sex of head of household	discrete	numeric-8.0	6448	0	-
49	hv220	age of head of household	discrete	numeric-8.0	6445	3	-
50	hv221	has telephone (land-line)	discrete	numeric-8.0	6438	10	-
51	hv225	share toilet with other households	discrete	numeric-8.0	2899	3549	-
52	hv226	type of cooking fuel	discrete	numeric-8.0	6441	7	-
53	hv227	has mosquito bed net for sleeping	discrete	numeric-8.0	6448	0	-
54	hv228	children under 5 slept under mosquito bed net last night	discrete	numeric-8.0	4129	2319	-
55	hv230a	na - place where household members wash their hands	discrete	numeric-8.0	0	6448	-
56	hv230b	na - presence of water at hand washing place	discrete	numeric-8.0	0	6448	-
57	hv232	na - items present: soap or detergent	discrete	numeric-8.0	0	6448	-
58	hv232b	na - items present: ash, mud, sand	discrete	numeric-8.0	0	6448	-
59	hv232c	na - items present: cs	discrete	numeric-8.0	0	6448	-
60	hv232d	na - items present: cs	discrete	numeric-8.0	0	6448	-
61	hv232e	na - items present: cs	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
62	hv232y	na - items present: none	discrete	numeric-8.0	0	6448	-
63	hv234	na - result of salt test for iodine (ppm)	discrete	numeric-8.0	0	6448	-
64	hv234a	na - result of salt test for iodine	discrete	numeric-8.0	0	6448	-
65	hv235	location of source for water	discrete	numeric-8.0	5913	535	-
66	hv236	na - person fetching water	discrete	numeric-8.0	0	6448	-
67	hv237	na - anything done to water to make safe to drink	discrete	numeric-8.0	0	6448	-
68	hv237a	na - water usually treated by: boil	discrete	numeric-8.0	0	6448	-
69	hv237b	na - water usually treated by: add bleach/chlorine	discrete	numeric-8.0	0	6448	-
70	hv237c	na - water usually treated by: strain through a cloth	discrete	numeric-8.0	0	6448	-
71	hv237d	na - water usually treated by: use water filter	discrete	numeric-8.0	0	6448	-
72	hv237e	na - water usually treated by: solar disinfection	discrete	numeric-8.0	0	6448	-
73	hv237f	na - water usually treated by: let it stand and settle	discrete	numeric-8.0	0	6448	-
74	hv237g	na - water usually treated by: cs	discrete	numeric-8.0	0	6448	-
75	hv237h	na - water usually treated by: cs	discrete	numeric-8.0	0	6448	-
76	hv237i	na - water usually treated by: cs	discrete	numeric-8.0	0	6448	-
77	hv237j	na - water usually treated by: cs	discrete	numeric-8.0	0	6448	-
78	hv237k	na - water usually treated by: cs	discrete	numeric-8.0	0	6448	-
79	hv237x	na - water usually treated by: other	discrete	numeric-8.0	0	6448	-
80	hv237z	na - water usually treated by: don't know	discrete	numeric-8.0	0	6448	-
81	hv238	number of households sharing toilet	discrete	numeric-8.0	1697	4751	-
82	hv239	na - food cooked on stove or open fire	discrete	numeric-8.0	0	6448	-
83	hv240	na - household has a chimney, hood or neither	discrete	numeric-8.0	0	6448	-
84	hv241	na - food cooked in the house/ separate building/ outdoors	discrete	numeric-8.0	0	6448	-
85	hv242	na - household has separate room used as kitchen	discrete	numeric-8.0	0	6448	-
86	hv243a	has mobile telephone	discrete	numeric-8.0	6438	10	-
87	hv243b	has watch	discrete	numeric-8.0	6437	11	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
88	hv243c	has animal-drawn cart	discrete	numeric-8.0	6437	11	-
89	hv243d	has boat with a motor	discrete	numeric-8.0	6437	11	-
90	hv244	owns land usable for agriculture	discrete	numeric-8.0	6446	2	-
91	hv245	hectares of agricultural land (1 decimal)	discrete	numeric-8.0	5246	1202	-
92	hv246	owns livestock, herds or farm animals	discrete	numeric-8.0	6448	0	-
93	hv246a	na - owns cattle	discrete	numeric-8.0	0	6448	-
94	hv246b	owns cows/ bulls	discrete	numeric-8.0	6447	1	-
95	hv246c	owns horses/ donkeys/ mules	discrete	numeric-8.0	6447	1	-
96	hv246d	owns goats	discrete	numeric-8.0	6447	1	-
97	hv246e	owns sheep	discrete	numeric-8.0	6447	1	-
98	hv246f	owns chickens	discrete	numeric-8.0	6440	8	-
99	hv246g	owns pigs	discrete	numeric-8.0	6447	1	-
100	hv246h	na - owns cs	discrete	numeric-8.0	0	6448	-
101	hv246i	na - owns cs	discrete	numeric-8.0	0	6448	-
102	hv246j	na - owns cs	discrete	numeric-8.0	0	6448	-
103	hv246k	na - owns cs	discrete	numeric-8.0	0	6448	-
104	hv247	has bank account	discrete	numeric-8.0	6400	48	-
105	hv252	na - frequency household members smoke inside the house	discrete	numeric-8.0	0	6448	-
106	hv253	has dwelling been sprayed against mosquitoes in last 12 months	discrete	numeric-8.0	6436	12	-
107	hv253a	dwelling sprayed by: government worker/program	discrete	numeric-8.0	6432	16	-
108	hv253b	dwelling sprayed by: private company	discrete	numeric-8.0	6432	16	-
109	hv253c	dwelling sprayed by: ngo	discrete	numeric-8.0	6432	16	-
110	hv253d	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	6448	-
111	hv253e	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	6448	-
112	hv253f	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	6448	-
113	hv253g	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	6448	-
114	hv253h	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	6448	-
115	hv253x	dwelling sprayed by: other	discrete	numeric-8.0	6432	16	-
116	hv253z	dwelling sprayed by: don't know	discrete	numeric-8.0	6432	16	-
117	hv270	wealth index	discrete	numeric-8.0	6448	0	-
118	hv271	wealth index factor score (5 decimals)	continuous	numeric-12.0	6448	0	-
119	hml1	number of mosquito bed nets	discrete	numeric-8.0	6448	0	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
120	hml1a	number of mosquito bed nets with specific information	discrete	numeric-8.0	6448	0	-
121	hml2	number of children under mosquito bed net previous night	discrete	numeric-8.0	6448	0	-
122	chl0	na - number of de-jure children 5-14 for child labor module	discrete	numeric-8.0	0	6448	-
123	shconces	concession	continuous	numeric-8.0	6448	0	-
124	sh110g	table	discrete	numeric-8.0	6436	12	-
125	sh110h	chair	discrete	numeric-8.0	6439	9	-
126	sh110i	cupboard/library	discrete	numeric-8.0	6436	12	-
127	sh110j	stove/cooker	discrete	numeric-8.0	6439	9	-
128	sh110k	freezer	discrete	numeric-8.0	6438	10	-
129	sh110l	shotgun	discrete	numeric-8.0	6440	8	-
130	sh110m	plow	discrete	numeric-8.0	6434	14	-
131	sh118a	has canoe	discrete	numeric-8.0	6438	10	-
132	sh125a	mosquitoes reduced since the sprayed?	discrete	numeric-8.0	45	6403	-
133	sh137	has mosquito nets before 2013 distribution campaign	discrete	numeric-8.0	6447	1	-
134	sh138	number of nets before the campaign	discrete	numeric-8.0	4827	1621	-
135	sh140	the net from the campaign was used	discrete	numeric-8.0	1490	4958	-
136	sh141a	reason not used: net not powerfull	discrete	numeric-8.0	6443	5	-
137	sh141b	reason not used: members don't like mosquito	discrete	numeric-8.0	6443	5	-
138	sh141c	reason not used: size not satisfy	discrete	numeric-8.0	6443	5	-
139	sh141d	reason not used: form not satify	discrete	numeric-8.0	6443	5	-
140	sh141e	reason not used: bad odor	discrete	numeric-8.0	6443	5	-
141	sh141f	reason not used: causes irritation/cough	discrete	numeric-8.0	6443	5	-
142	sh141g	reason not used: make sick	discrete	numeric-8.0	6443	5	-
143	sh141h	reason not used: gives nausea	discrete	numeric-8.0	6443	5	-
144	sh141i	reason not used: hazardous chemical	discrete	numeric-8.0	6443	5	-
145	sh141j	reason not used: can suffocate/breathing difficult	discrete	numeric-8.0	6443	5	-
146	sh141k	reason not used: heat	discrete	numeric-8.0	6443	5	-
147	sh141l	reason not used: mosquito dirty quickly	discrete	numeric-8.0	6443	5	-
148	sh141m	reason not used : no raison	discrete	numeric-8.0	6443	5	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
149	sh141x	reason not used: other	discrete	numeric-8.0	6443	5	-
150	sh141z	reason not used: don't now	discrete	numeric-8.0	6443	5	-
151	sh142	are all these mosquito nets used?	discrete	numeric-8.0	3334	3114	-
152	sh143a	reason not using all campaign nets : net not powerfull	discrete	numeric-8.0	6423	25	-
153	sh143b	reason not using all campaign nets : members don't like mosquito	discrete	numeric-8.0	6423	25	-
154	sh143c	reason not using all campaign nets : size not satisfy	discrete	numeric-8.0	6423	25	-
155	sh143d	reason not using all campaign nets : form not satify	discrete	numeric-8.0	6423	25	-
156	sh143e	reason not using all campaign nets : bad odor	discrete	numeric-8.0	6423	25	-
157	sh143f	reason not using all campaign nets : causes irritation/cough	discrete	numeric-8.0	6423	25	-
158	sh143g	reason not using all campaign nets : make sick	discrete	numeric-8.0	6423	25	-
159	sh143h	reason not using all campaign nets : gives nausea	discrete	numeric-8.0	6423	25	-
160	sh143i	reason not using all campaign nets : hazardous chemical	discrete	numeric-8.0	6423	25	-
161	sh143j	reason not using all campaign nets : can suffocate/breathing difficult	discrete	numeric-8.0	6423	25	-
162	sh143k	reason not using all campaign nets : heat	discrete	numeric-8.0	6423	25	-
163	sh143l	reason not using all campaign nets :mosquito dirty quickly	discrete	numeric-8.0	6423	25	-
164	sh143m	reason not using all campaign nets : no reason	discrete	numeric-8.0	6423	25	-
165	sh143x	reason not using all campaign nets : other	discrete	numeric-8.0	6423	25	-
166	sh143z	reason not using all campaign nets : don't now	discrete	numeric-8.0	6423	25	-
167	sh144	received nets during the distribution campaign 2013-2014	discrete	numeric-8.0	6447	1	-
168	sh145	number of nets received	discrete	numeric-8.0	5198	1250	-
169	sh146	does anyone have visited your household after the campaign to talk about nets?	discrete	numeric-8.0	6436	12	-
170	sh147a	showed how to suspend the net?	discrete	numeric-8.0	381	6067	-
171	sh147b	explained the importance of sleeping each night under a llin	discrete	numeric-8.0	388	6060	-
172	hvidx_01	line number	discrete	numeric-8.0	6448	0	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
173	hvidx_02	line number	discrete	numeric-8.0	6071	377	-
174	hvidx_03	line number	discrete	numeric-8.0	5593	855	-
175	hvidx_04	line number	discrete	numeric-8.0	4882	1566	-
176	hvidx_05	line number	discrete	numeric-8.0	4021	2427	-
177	hvidx_06	line number	discrete	numeric-8.0	3172	3276	-
178	hvidx_07	line number	discrete	numeric-8.0	2405	4043	-
179	hvidx_08	line number	discrete	numeric-8.0	1820	4628	-
180	hvidx_09	line number	discrete	numeric-8.0	1359	5089	-
181	hvidx_10	line number	discrete	numeric-8.0	1007	5441	-
182	hvidx_11	line number	discrete	numeric-8.0	747	5701	-
183	hvidx_12	line number	discrete	numeric-8.0	559	5889	-
184	hvidx_13	line number	discrete	numeric-8.0	411	6037	-
185	hvidx_14	line number	discrete	numeric-8.0	294	6154	-
186	hvidx_15	line number	discrete	numeric-8.0	205	6243	-
187	hvidx_16	line number	discrete	numeric-8.0	147	6301	-
188	hvidx_17	line number	discrete	numeric-8.0	110	6338	-
189	hvidx_18	line number	discrete	numeric-8.0	84	6364	-
190	hvidx_19	line number	discrete	numeric-8.0	60	6388	-
191	hvidx_20	line number	discrete	numeric-8.0	39	6409	-
192	hvidx_21	line number	discrete	numeric-8.0	26	6422	-
193	hvidx_22	line number	discrete	numeric-8.0	18	6430	-
194	hvidx_23	line number	discrete	numeric-8.0	11	6437	-
195	hvidx_24	line number	discrete	numeric-8.0	8	6440	-
196	hvidx_25	line number	discrete	numeric-8.0	6	6442	-
197	hvidx_26	line number	discrete	numeric-8.0	4	6444	-
198	hvidx_27	line number	discrete	numeric-8.0	4	6444	-
199	hvidx_28	line number	discrete	numeric-8.0	3	6445	-
200	hvidx_29	line number	discrete	numeric-8.0	2	6446	-
201	hvidx_30	line number	discrete	numeric-8.0	2	6446	-
202	hvidx_31	line number	discrete	numeric-8.0	2	6446	-
203	hvidx_32	line number	discrete	numeric-8.0	1	6447	-
204	hvidx_33	line number	discrete	numeric-8.0	1	6447	-
205	hvidx_34	line number	discrete	numeric-8.0	1	6447	-
206	hvidx_35	line number	discrete	numeric-8.0	1	6447	-
207	hvidx_36	line number	discrete	numeric-8.0	1	6447	-
208	hvidx_37	line number	discrete	numeric-8.0	1	6447	-
209	hvidx_38	line number	discrete	numeric-8.0	1	6447	-
210	hvidx_39	line number	discrete	numeric-8.0	1	6447	-
211	hvidx_40	line number	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
212	hv101_01	relationship to head	discrete	numeric-8.0	6448	0	-
213	hv101_02	relationship to head	discrete	numeric-8.0	6070	378	-
214	hv101_03	relationship to head	discrete	numeric-8.0	5593	855	-
215	hv101_04	relationship to head	discrete	numeric-8.0	4882	1566	-
216	hv101_05	relationship to head	discrete	numeric-8.0	4021	2427	-
217	hv101_06	relationship to head	discrete	numeric-8.0	3172	3276	-
218	hv101_07	relationship to head	discrete	numeric-8.0	2405	4043	-
219	hv101_08	relationship to head	discrete	numeric-8.0	1819	4629	-
220	hv101_09	relationship to head	discrete	numeric-8.0	1357	5091	-
221	hv101_10	relationship to head	discrete	numeric-8.0	1006	5442	-
222	hv101_11	relationship to head	discrete	numeric-8.0	747	5701	-
223	hv101_12	relationship to head	discrete	numeric-8.0	559	5889	-
224	hv101_13	relationship to head	discrete	numeric-8.0	411	6037	-
225	hv101_14	relationship to head	discrete	numeric-8.0	294	6154	-
226	hv101_15	relationship to head	discrete	numeric-8.0	205	6243	-
227	hv101_16	relationship to head	discrete	numeric-8.0	147	6301	-
228	hv101_17	relationship to head	discrete	numeric-8.0	110	6338	-
229	hv101_18	relationship to head	discrete	numeric-8.0	84	6364	-
230	hv101_19	relationship to head	discrete	numeric-8.0	60	6388	-
231	hv101_20	relationship to head	discrete	numeric-8.0	39	6409	-
232	hv101_21	relationship to head	discrete	numeric-8.0	26	6422	-
233	hv101_22	relationship to head	discrete	numeric-8.0	18	6430	-
234	hv101_23	relationship to head	discrete	numeric-8.0	11	6437	-
235	hv101_24	relationship to head	discrete	numeric-8.0	8	6440	-
236	hv101_25	relationship to head	discrete	numeric-8.0	6	6442	-
237	hv101_26	relationship to head	discrete	numeric-8.0	4	6444	-
238	hv101_27	relationship to head	discrete	numeric-8.0	4	6444	-
239	hv101_28	relationship to head	discrete	numeric-8.0	3	6445	-
240	hv101_29	relationship to head	discrete	numeric-8.0	2	6446	-
241	hv101_30	relationship to head	discrete	numeric-8.0	2	6446	-
242	hv101_31	relationship to head	discrete	numeric-8.0	2	6446	-
243	hv101_32	relationship to head	discrete	numeric-8.0	1	6447	-
244	hv101_33	relationship to head	discrete	numeric-8.0	1	6447	-
245	hv101_34	relationship to head	discrete	numeric-8.0	1	6447	-
246	hv101_35	relationship to head	discrete	numeric-8.0	1	6447	-
247	hv101_36	relationship to head	discrete	numeric-8.0	1	6447	-
248	hv101_37	relationship to head	discrete	numeric-8.0	1	6447	-
249	hv101_38	relationship to head	discrete	numeric-8.0	1	6447	-
250	hv101_39	relationship to head	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
251	hv101_40	relationship to head	discrete	numeric-8.0	1	6447	-
252	hv102_01	usual resident	discrete	numeric-8.0	6447	1	-
253	hv102_02	usual resident	discrete	numeric-8.0	6071	377	-
254	hv102_03	usual resident	discrete	numeric-8.0	5592	856	-
255	hv102_04	usual resident	discrete	numeric-8.0	4880	1568	-
256	hv102_05	usual resident	discrete	numeric-8.0	4021	2427	-
257	hv102_06	usual resident	discrete	numeric-8.0	3172	3276	-
258	hv102_07	usual resident	discrete	numeric-8.0	2405	4043	-
259	hv102_08	usual resident	discrete	numeric-8.0	1820	4628	-
260	hv102_09	usual resident	discrete	numeric-8.0	1359	5089	-
261	hv102_10	usual resident	discrete	numeric-8.0	1006	5442	-
262	hv102_11	usual resident	discrete	numeric-8.0	747	5701	-
263	hv102_12	usual resident	discrete	numeric-8.0	559	5889	-
264	hv102_13	usual resident	discrete	numeric-8.0	411	6037	-
265	hv102_14	usual resident	discrete	numeric-8.0	294	6154	-
266	hv102_15	usual resident	discrete	numeric-8.0	205	6243	-
267	hv102_16	usual resident	discrete	numeric-8.0	147	6301	-
268	hv102_17	usual resident	discrete	numeric-8.0	110	6338	-
269	hv102_18	usual resident	discrete	numeric-8.0	84	6364	-
270	hv102_19	usual resident	discrete	numeric-8.0	60	6388	-
271	hv102_20	usual resident	discrete	numeric-8.0	39	6409	-
272	hv102_21	usual resident	discrete	numeric-8.0	26	6422	-
273	hv102_22	usual resident	discrete	numeric-8.0	18	6430	-
274	hv102_23	usual resident	discrete	numeric-8.0	11	6437	-
275	hv102_24	usual resident	discrete	numeric-8.0	8	6440	-
276	hv102_25	usual resident	discrete	numeric-8.0	6	6442	-
277	hv102_26	usual resident	discrete	numeric-8.0	4	6444	-
278	hv102_27	usual resident	discrete	numeric-8.0	4	6444	-
279	hv102_28	usual resident	discrete	numeric-8.0	3	6445	-
280	hv102_29	usual resident	discrete	numeric-8.0	2	6446	-
281	hv102_30	usual resident	discrete	numeric-8.0	2	6446	-
282	hv102_31	usual resident	discrete	numeric-8.0	2	6446	-
283	hv102_32	usual resident	discrete	numeric-8.0	1	6447	-
284	hv102_33	usual resident	discrete	numeric-8.0	1	6447	-
285	hv102_34	usual resident	discrete	numeric-8.0	1	6447	-
286	hv102_35	usual resident	discrete	numeric-8.0	1	6447	-
287	hv102_36	usual resident	discrete	numeric-8.0	1	6447	-
288	hv102_37	usual resident	discrete	numeric-8.0	1	6447	-
289	hv102_38	usual resident	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
290	hv102_39	usual resident	discrete	numeric-8.0	1	6447	-
291	hv102_40	usual resident	discrete	numeric-8.0	1	6447	-
292	hv103_01	slept last night	discrete	numeric-8.0	6429	19	-
293	hv103_02	slept last night	discrete	numeric-8.0	6051	397	-
294	hv103_03	slept last night	discrete	numeric-8.0	5573	875	-
295	hv103_04	slept last night	discrete	numeric-8.0	4869	1579	-
296	hv103_05	slept last night	discrete	numeric-8.0	4003	2445	-
297	hv103_06	slept last night	discrete	numeric-8.0	3158	3290	-
298	hv103_07	slept last night	discrete	numeric-8.0	2393	4055	-
299	hv103_08	slept last night	discrete	numeric-8.0	1808	4640	-
300	hv103_09	slept last night	discrete	numeric-8.0	1351	5097	-
301	hv103_10	slept last night	discrete	numeric-8.0	997	5451	-
302	hv103_11	slept last night	discrete	numeric-8.0	743	5705	-
303	hv103_12	slept last night	discrete	numeric-8.0	555	5893	-
304	hv103_13	slept last night	discrete	numeric-8.0	408	6040	-
305	hv103_14	slept last night	discrete	numeric-8.0	291	6157	-
306	hv103_15	slept last night	discrete	numeric-8.0	205	6243	-
307	hv103_16	slept last night	discrete	numeric-8.0	147	6301	-
308	hv103_17	slept last night	discrete	numeric-8.0	110	6338	-
309	hv103_18	slept last night	discrete	numeric-8.0	84	6364	-
310	hv103_19	slept last night	discrete	numeric-8.0	59	6389	-
311	hv103_20	slept last night	discrete	numeric-8.0	38	6410	-
312	hv103_21	slept last night	discrete	numeric-8.0	26	6422	-
313	hv103_22	slept last night	discrete	numeric-8.0	18	6430	-
314	hv103_23	slept last night	discrete	numeric-8.0	11	6437	-
315	hv103_24	slept last night	discrete	numeric-8.0	8	6440	-
316	hv103_25	slept last night	discrete	numeric-8.0	6	6442	-
317	hv103_26	slept last night	discrete	numeric-8.0	4	6444	-
318	hv103_27	slept last night	discrete	numeric-8.0	4	6444	-
319	hv103_28	slept last night	discrete	numeric-8.0	3	6445	-
320	hv103_29	slept last night	discrete	numeric-8.0	2	6446	-
321	hv103_30	slept last night	discrete	numeric-8.0	2	6446	-
322	hv103_31	slept last night	discrete	numeric-8.0	2	6446	-
323	hv103_32	slept last night	discrete	numeric-8.0	1	6447	-
324	hv103_33	slept last night	discrete	numeric-8.0	1	6447	-
325	hv103_34	slept last night	discrete	numeric-8.0	1	6447	-
326	hv103_35	slept last night	discrete	numeric-8.0	1	6447	-
327	hv103_36	slept last night	discrete	numeric-8.0	1	6447	-
328	hv103_37	slept last night	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
329	hv103_38	slept last night	discrete	numeric-8.0	1	6447	-
330	hv103_39	slept last night	discrete	numeric-8.0	1	6447	-
331	hv103_40	slept last night	discrete	numeric-8.0	1	6447	-
332	hv104_01	sex of household member	discrete	numeric-8.0	6448	0	-
333	hv104_02	sex of household member	discrete	numeric-8.0	6071	377	-
334	hv104_03	sex of household member	discrete	numeric-8.0	5593	855	-
335	hv104_04	sex of household member	discrete	numeric-8.0	4882	1566	-
336	hv104_05	sex of household member	discrete	numeric-8.0	4021	2427	-
337	hv104_06	sex of household member	discrete	numeric-8.0	3172	3276	-
338	hv104_07	sex of household member	discrete	numeric-8.0	2405	4043	-
339	hv104_08	sex of household member	discrete	numeric-8.0	1820	4628	-
340	hv104_09	sex of household member	discrete	numeric-8.0	1359	5089	-
341	hv104_10	sex of household member	discrete	numeric-8.0	1007	5441	-
342	hv104_11	sex of household member	discrete	numeric-8.0	747	5701	-
343	hv104_12	sex of household member	discrete	numeric-8.0	559	5889	-
344	hv104_13	sex of household member	discrete	numeric-8.0	411	6037	-
345	hv104_14	sex of household member	discrete	numeric-8.0	294	6154	-
346	hv104_15	sex of household member	discrete	numeric-8.0	205	6243	-
347	hv104_16	sex of household member	discrete	numeric-8.0	147	6301	-
348	hv104_17	sex of household member	discrete	numeric-8.0	110	6338	-
349	hv104_18	sex of household member	discrete	numeric-8.0	84	6364	-
350	hv104_19	sex of household member	discrete	numeric-8.0	60	6388	-
351	hv104_20	sex of household member	discrete	numeric-8.0	39	6409	-
352	hv104_21	sex of household member	discrete	numeric-8.0	26	6422	-
353	hv104_22	sex of household member	discrete	numeric-8.0	18	6430	-
354	hv104_23	sex of household member	discrete	numeric-8.0	11	6437	-
355	hv104_24	sex of household member	discrete	numeric-8.0	8	6440	-
356	hv104_25	sex of household member	discrete	numeric-8.0	6	6442	-
357	hv104_26	sex of household member	discrete	numeric-8.0	4	6444	-
358	hv104_27	sex of household member	discrete	numeric-8.0	4	6444	-
359	hv104_28	sex of household member	discrete	numeric-8.0	3	6445	-
360	hv104_29	sex of household member	discrete	numeric-8.0	2	6446	-
361	hv104_30	sex of household member	discrete	numeric-8.0	2	6446	-
362	hv104_31	sex of household member	discrete	numeric-8.0	2	6446	-
363	hv104_32	sex of household member	discrete	numeric-8.0	1	6447	-
364	hv104_33	sex of household member	discrete	numeric-8.0	1	6447	-
365	hv104_34	sex of household member	discrete	numeric-8.0	1	6447	-
366	hv104_35	sex of household member	discrete	numeric-8.0	1	6447	-
367	hv104_36	sex of household member	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
368	hv104_37	sex of household member	discrete	numeric-8.0	1	6447	-
369	hv104_38	sex of household member	discrete	numeric-8.0	1	6447	-
370	hv104_39	sex of household member	discrete	numeric-8.0	1	6447	-
371	hv104_40	sex of household member	discrete	numeric-8.0	1	6447	-
372	hv105_01	age of household members	discrete	numeric-8.0	6445	3	-
373	hv105_02	age of household members	discrete	numeric-8.0	6071	377	-
374	hv105_03	age of household members	discrete	numeric-8.0	5593	855	-
375	hv105_04	age of household members	discrete	numeric-8.0	4882	1566	-
376	hv105_05	age of household members	discrete	numeric-8.0	4021	2427	-
377	hv105_06	age of household members	discrete	numeric-8.0	3172	3276	-
378	hv105_07	age of household members	discrete	numeric-8.0	2405	4043	-
379	hv105_08	age of household members	discrete	numeric-8.0	1819	4629	-
380	hv105_09	age of household members	discrete	numeric-8.0	1359	5089	-
381	hv105_10	age of household members	discrete	numeric-8.0	1007	5441	-
382	hv105_11	age of household members	discrete	numeric-8.0	747	5701	-
383	hv105_12	age of household members	discrete	numeric-8.0	559	5889	-
384	hv105_13	age of household members	discrete	numeric-8.0	411	6037	-
385	hv105_14	age of household members	discrete	numeric-8.0	294	6154	-
386	hv105_15	age of household members	discrete	numeric-8.0	205	6243	-
387	hv105_16	age of household members	discrete	numeric-8.0	147	6301	-
388	hv105_17	age of household members	discrete	numeric-8.0	110	6338	-
389	hv105_18	age of household members	discrete	numeric-8.0	84	6364	-
390	hv105_19	age of household members	discrete	numeric-8.0	60	6388	-
391	hv105_20	age of household members	discrete	numeric-8.0	39	6409	-
392	hv105_21	age of household members	discrete	numeric-8.0	26	6422	-
393	hv105_22	age of household members	discrete	numeric-8.0	18	6430	-
394	hv105_23	age of household members	discrete	numeric-8.0	11	6437	-
395	hv105_24	age of household members	discrete	numeric-8.0	8	6440	-
396	hv105_25	age of household members	discrete	numeric-8.0	6	6442	-
397	hv105_26	age of household members	discrete	numeric-8.0	4	6444	-
398	hv105_27	age of household members	discrete	numeric-8.0	4	6444	-
399	hv105_28	age of household members	discrete	numeric-8.0	3	6445	-
400	hv105_29	age of household members	discrete	numeric-8.0	2	6446	-
401	hv105_30	age of household members	discrete	numeric-8.0	2	6446	-
402	hv105_31	age of household members	discrete	numeric-8.0	2	6446	-
403	hv105_32	age of household members	discrete	numeric-8.0	1	6447	-
404	hv105_33	age of household members	discrete	numeric-8.0	1	6447	-
405	hv105_34	age of household members	discrete	numeric-8.0	1	6447	-
406	hv105_35	age of household members	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
407	hv105_36	age of household members	discrete	numeric-8.0	1	6447	-
408	hv105_37	age of household members	discrete	numeric-8.0	1	6447	-
409	hv105_38	age of household members	discrete	numeric-8.0	1	6447	-
410	hv105_39	age of household members	discrete	numeric-8.0	1	6447	-
411	hv105_40	age of household members	discrete	numeric-8.0	1	6447	-
412	hv106_01	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
413	hv106_02	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
414	hv106_03	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
415	hv106_04	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
416	hv106_05	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
417	hv106_06	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
418	hv106_07	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
419	hv106_08	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
420	hv106_09	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
421	hv106_10	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
422	hv106_11	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
423	hv106_12	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
424	hv106_13	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
425	hv106_14	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
426	hv106_15	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
427	hv106_16	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
428	hv106_17	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
429	hv106_18	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
430	hv106_19	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
431	hv106_20	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
432	hv106_21	na - highest educational level attained	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
433	hv106_22	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
434	hv106_23	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
435	hv106_24	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
436	hv106_25	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
437	hv106_26	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
438	hv106_27	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
439	hv106_28	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
440	hv106_29	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
441	hv106_30	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
442	hv106_31	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
443	hv106_32	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
444	hv106_33	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
445	hv106_34	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
446	hv106_35	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
447	hv106_36	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
448	hv106_37	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
449	hv106_38	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
450	hv106_39	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
451	hv106_40	na - highest educational level attained	discrete	numeric-8.0	0	6448	-
452	hv107_01	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
453	hv107_02	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
454	hv107_03	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
455	hv107_04	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
456	hv107_05	na - highest year of education completed	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
457	hv107_06	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
458	hv107_07	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
459	hv107_08	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
460	hv107_09	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
461	hv107_10	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
462	hv107_11	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
463	hv107_12	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
464	hv107_13	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
465	hv107_14	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
466	hv107_15	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
467	hv107_16	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
468	hv107_17	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
469	hv107_18	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
470	hv107_19	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
471	hv107_20	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
472	hv107_21	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
473	hv107_22	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
474	hv107_23	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
475	hv107_24	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
476	hv107_25	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
477	hv107_26	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
478	hv107_27	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
479	hv107_28	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
480	hv107_29	na - highest year of education completed	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
481	hv107_30	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
482	hv107_31	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
483	hv107_32	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
484	hv107_33	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
485	hv107_34	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
486	hv107_35	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
487	hv107_36	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
488	hv107_37	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
489	hv107_38	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
490	hv107_39	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
491	hv107_40	na - highest year of education completed	discrete	numeric-8.0	0	6448	-
492	hv108_01	na - education completed in single years	discrete	numeric-8.0	0	6448	-
493	hv108_02	na - education completed in single years	discrete	numeric-8.0	0	6448	-
494	hv108_03	na - education completed in single years	discrete	numeric-8.0	0	6448	-
495	hv108_04	na - education completed in single years	discrete	numeric-8.0	0	6448	-
496	hv108_05	na - education completed in single years	discrete	numeric-8.0	0	6448	-
497	hv108_06	na - education completed in single years	discrete	numeric-8.0	0	6448	-
498	hv108_07	na - education completed in single years	discrete	numeric-8.0	0	6448	-
499	hv108_08	na - education completed in single years	discrete	numeric-8.0	0	6448	-
500	hv108_09	na - education completed in single years	discrete	numeric-8.0	0	6448	-
501	hv108_10	na - education completed in single years	discrete	numeric-8.0	0	6448	-
502	hv108_11	na - education completed in single years	discrete	numeric-8.0	0	6448	-
503	hv108_12	na - education completed in single years	discrete	numeric-8.0	0	6448	-
504	hv108_13	na - education completed in single years	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
505	hv108_14	na - education completed in single years	discrete	numeric-8.0	0	6448	-
506	hv108_15	na - education completed in single years	discrete	numeric-8.0	0	6448	-
507	hv108_16	na - education completed in single years	discrete	numeric-8.0	0	6448	-
508	hv108_17	na - education completed in single years	discrete	numeric-8.0	0	6448	-
509	hv108_18	na - education completed in single years	discrete	numeric-8.0	0	6448	-
510	hv108_19	na - education completed in single years	discrete	numeric-8.0	0	6448	-
511	hv108_20	na - education completed in single years	discrete	numeric-8.0	0	6448	-
512	hv108_21	na - education completed in single years	discrete	numeric-8.0	0	6448	-
513	hv108_22	na - education completed in single years	discrete	numeric-8.0	0	6448	-
514	hv108_23	na - education completed in single years	discrete	numeric-8.0	0	6448	-
515	hv108_24	na - education completed in single years	discrete	numeric-8.0	0	6448	-
516	hv108_25	na - education completed in single years	discrete	numeric-8.0	0	6448	-
517	hv108_26	na - education completed in single years	discrete	numeric-8.0	0	6448	-
518	hv108_27	na - education completed in single years	discrete	numeric-8.0	0	6448	-
519	hv108_28	na - education completed in single years	discrete	numeric-8.0	0	6448	-
520	hv108_29	na - education completed in single years	discrete	numeric-8.0	0	6448	-
521	hv108_30	na - education completed in single years	discrete	numeric-8.0	0	6448	-
522	hv108_31	na - education completed in single years	discrete	numeric-8.0	0	6448	-
523	hv108_32	na - education completed in single years	discrete	numeric-8.0	0	6448	-
524	hv108_33	na - education completed in single years	discrete	numeric-8.0	0	6448	-
525	hv108_34	na - education completed in single years	discrete	numeric-8.0	0	6448	-
526	hv108_35	na - education completed in single years	discrete	numeric-8.0	0	6448	-
527	hv108_36	na - education completed in single years	discrete	numeric-8.0	0	6448	-
528	hv108_37	na - education completed in single years	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
529	hv108_38	na - education completed in single years	discrete	numeric-8.0	0	6448	-
530	hv108_39	na - education completed in single years	discrete	numeric-8.0	0	6448	-
531	hv108_40	na - education completed in single years	discrete	numeric-8.0	0	6448	-
532	hv109_01	na - educational attainment	discrete	numeric-8.0	0	6448	-
533	hv109_02	na - educational attainment	discrete	numeric-8.0	0	6448	-
534	hv109_03	na - educational attainment	discrete	numeric-8.0	0	6448	-
535	hv109_04	na - educational attainment	discrete	numeric-8.0	0	6448	-
536	hv109_05	na - educational attainment	discrete	numeric-8.0	0	6448	-
537	hv109_06	na - educational attainment	discrete	numeric-8.0	0	6448	-
538	hv109_07	na - educational attainment	discrete	numeric-8.0	0	6448	-
539	hv109_08	na - educational attainment	discrete	numeric-8.0	0	6448	-
540	hv109_09	na - educational attainment	discrete	numeric-8.0	0	6448	-
541	hv109_10	na - educational attainment	discrete	numeric-8.0	0	6448	-
542	hv109_11	na - educational attainment	discrete	numeric-8.0	0	6448	-
543	hv109_12	na - educational attainment	discrete	numeric-8.0	0	6448	-
544	hv109_13	na - educational attainment	discrete	numeric-8.0	0	6448	-
545	hv109_14	na - educational attainment	discrete	numeric-8.0	0	6448	-
546	hv109_15	na - educational attainment	discrete	numeric-8.0	0	6448	-
547	hv109_16	na - educational attainment	discrete	numeric-8.0	0	6448	-
548	hv109_17	na - educational attainment	discrete	numeric-8.0	0	6448	-
549	hv109_18	na - educational attainment	discrete	numeric-8.0	0	6448	-
550	hv109_19	na - educational attainment	discrete	numeric-8.0	0	6448	-
551	hv109_20	na - educational attainment	discrete	numeric-8.0	0	6448	-
552	hv109_21	na - educational attainment	discrete	numeric-8.0	0	6448	-
553	hv109_22	na - educational attainment	discrete	numeric-8.0	0	6448	-
554	hv109_23	na - educational attainment	discrete	numeric-8.0	0	6448	-
555	hv109_24	na - educational attainment	discrete	numeric-8.0	0	6448	-
556	hv109_25	na - educational attainment	discrete	numeric-8.0	0	6448	-
557	hv109_26	na - educational attainment	discrete	numeric-8.0	0	6448	-
558	hv109_27	na - educational attainment	discrete	numeric-8.0	0	6448	-
559	hv109_28	na - educational attainment	discrete	numeric-8.0	0	6448	-
560	hv109_29	na - educational attainment	discrete	numeric-8.0	0	6448	-
561	hv109_30	na - educational attainment	discrete	numeric-8.0	0	6448	-
562	hv109_31	na - educational attainment	discrete	numeric-8.0	0	6448	-
563	hv109_32	na - educational attainment	discrete	numeric-8.0	0	6448	-
564	hv109_33	na - educational attainment	discrete	numeric-8.0	0	6448	-
565	hv109_34	na - educational attainment	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
566	hv109_35	na - educational attainment	discrete	numeric-8.0	0	6448	-
567	hv109_36	na - educational attainment	discrete	numeric-8.0	0	6448	-
568	hv109_37	na - educational attainment	discrete	numeric-8.0	0	6448	-
569	hv109_38	na - educational attainment	discrete	numeric-8.0	0	6448	-
570	hv109_39	na - educational attainment	discrete	numeric-8.0	0	6448	-
571	hv109_40	na - educational attainment	discrete	numeric-8.0	0	6448	-
572	hv110_01	na - member still in school	discrete	numeric-8.0	0	6448	-
573	hv110_02	na - member still in school	discrete	numeric-8.0	0	6448	-
574	hv110_03	na - member still in school	discrete	numeric-8.0	0	6448	-
575	hv110_04	na - member still in school	discrete	numeric-8.0	0	6448	-
576	hv110_05	na - member still in school	discrete	numeric-8.0	0	6448	-
577	hv110_06	na - member still in school	discrete	numeric-8.0	0	6448	-
578	hv110_07	na - member still in school	discrete	numeric-8.0	0	6448	-
579	hv110_08	na - member still in school	discrete	numeric-8.0	0	6448	-
580	hv110_09	na - member still in school	discrete	numeric-8.0	0	6448	-
581	hv110_10	na - member still in school	discrete	numeric-8.0	0	6448	-
582	hv110_11	na - member still in school	discrete	numeric-8.0	0	6448	-
583	hv110_12	na - member still in school	discrete	numeric-8.0	0	6448	-
584	hv110_13	na - member still in school	discrete	numeric-8.0	0	6448	-
585	hv110_14	na - member still in school	discrete	numeric-8.0	0	6448	-
586	hv110_15	na - member still in school	discrete	numeric-8.0	0	6448	-
587	hv110_16	na - member still in school	discrete	numeric-8.0	0	6448	-
588	hv110_17	na - member still in school	discrete	numeric-8.0	0	6448	-
589	hv110_18	na - member still in school	discrete	numeric-8.0	0	6448	-
590	hv110_19	na - member still in school	discrete	numeric-8.0	0	6448	-
591	hv110_20	na - member still in school	discrete	numeric-8.0	0	6448	-
592	hv110_21	na - member still in school	discrete	numeric-8.0	0	6448	-
593	hv110_22	na - member still in school	discrete	numeric-8.0	0	6448	-
594	hv110_23	na - member still in school	discrete	numeric-8.0	0	6448	-
595	hv110_24	na - member still in school	discrete	numeric-8.0	0	6448	-
596	hv110_25	na - member still in school	discrete	numeric-8.0	0	6448	-
597	hv110_26	na - member still in school	discrete	numeric-8.0	0	6448	-
598	hv110_27	na - member still in school	discrete	numeric-8.0	0	6448	-
599	hv110_28	na - member still in school	discrete	numeric-8.0	0	6448	-
600	hv110_29	na - member still in school	discrete	numeric-8.0	0	6448	-
601	hv110_30	na - member still in school	discrete	numeric-8.0	0	6448	-
602	hv110_31	na - member still in school	discrete	numeric-8.0	0	6448	-
603	hv110_32	na - member still in school	discrete	numeric-8.0	0	6448	-
604	hv110_33	na - member still in school	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
605	hv110_34	na - member still in school	discrete	numeric-8.0	0	6448	-
606	hv110_35	na - member still in school	discrete	numeric-8.0	0	6448	-
607	hv110_36	na - member still in school	discrete	numeric-8.0	0	6448	-
608	hv110_37	na - member still in school	discrete	numeric-8.0	0	6448	-
609	hv110_38	na - member still in school	discrete	numeric-8.0	0	6448	-
610	hv110_39	na - member still in school	discrete	numeric-8.0	0	6448	-
611	hv110_40	na - member still in school	discrete	numeric-8.0	0	6448	-
612	hv111_01	na - mother alive	discrete	numeric-8.0	0	6448	-
613	hv111_02	na - mother alive	discrete	numeric-8.0	0	6448	-
614	hv111_03	na - mother alive	discrete	numeric-8.0	0	6448	-
615	hv111_04	na - mother alive	discrete	numeric-8.0	0	6448	-
616	hv111_05	na - mother alive	discrete	numeric-8.0	0	6448	-
617	hv111_06	na - mother alive	discrete	numeric-8.0	0	6448	-
618	hv111_07	na - mother alive	discrete	numeric-8.0	0	6448	-
619	hv111_08	na - mother alive	discrete	numeric-8.0	0	6448	-
620	hv111_09	na - mother alive	discrete	numeric-8.0	0	6448	-
621	hv111_10	na - mother alive	discrete	numeric-8.0	0	6448	-
622	hv111_11	na - mother alive	discrete	numeric-8.0	0	6448	-
623	hv111_12	na - mother alive	discrete	numeric-8.0	0	6448	-
624	hv111_13	na - mother alive	discrete	numeric-8.0	0	6448	-
625	hv111_14	na - mother alive	discrete	numeric-8.0	0	6448	-
626	hv111_15	na - mother alive	discrete	numeric-8.0	0	6448	-
627	hv111_16	na - mother alive	discrete	numeric-8.0	0	6448	-
628	hv111_17	na - mother alive	discrete	numeric-8.0	0	6448	-
629	hv111_18	na - mother alive	discrete	numeric-8.0	0	6448	-
630	hv111_19	na - mother alive	discrete	numeric-8.0	0	6448	-
631	hv111_20	na - mother alive	discrete	numeric-8.0	0	6448	-
632	hv111_21	na - mother alive	discrete	numeric-8.0	0	6448	-
633	hv111_22	na - mother alive	discrete	numeric-8.0	0	6448	-
634	hv111_23	na - mother alive	discrete	numeric-8.0	0	6448	-
635	hv111_24	na - mother alive	discrete	numeric-8.0	0	6448	-
636	hv111_25	na - mother alive	discrete	numeric-8.0	0	6448	-
637	hv111_26	na - mother alive	discrete	numeric-8.0	0	6448	-
638	hv111_27	na - mother alive	discrete	numeric-8.0	0	6448	-
639	hv111_28	na - mother alive	discrete	numeric-8.0	0	6448	-
640	hv111_29	na - mother alive	discrete	numeric-8.0	0	6448	-
641	hv111_30	na - mother alive	discrete	numeric-8.0	0	6448	-
642	hv111_31	na - mother alive	discrete	numeric-8.0	0	6448	-
643	hv111_32	na - mother alive	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
644	hv111_33	na - mother alive	discrete	numeric-8.0	0	6448	-
645	hv111_34	na - mother alive	discrete	numeric-8.0	0	6448	-
646	hv111_35	na - mother alive	discrete	numeric-8.0	0	6448	-
647	hv111_36	na - mother alive	discrete	numeric-8.0	0	6448	-
648	hv111_37	na - mother alive	discrete	numeric-8.0	0	6448	-
649	hv111_38	na - mother alive	discrete	numeric-8.0	0	6448	-
650	hv111_39	na - mother alive	discrete	numeric-8.0	0	6448	-
651	hv111_40	na - mother alive	discrete	numeric-8.0	0	6448	-
652	hv112_01	na - mother's line number	discrete	numeric-8.0	0	6448	-
653	hv112_02	na - mother's line number	discrete	numeric-8.0	0	6448	-
654	hv112_03	na - mother's line number	discrete	numeric-8.0	0	6448	-
655	hv112_04	na - mother's line number	discrete	numeric-8.0	0	6448	-
656	hv112_05	na - mother's line number	discrete	numeric-8.0	0	6448	-
657	hv112_06	na - mother's line number	discrete	numeric-8.0	0	6448	-
658	hv112_07	na - mother's line number	discrete	numeric-8.0	0	6448	-
659	hv112_08	na - mother's line number	discrete	numeric-8.0	0	6448	-
660	hv112_09	na - mother's line number	discrete	numeric-8.0	0	6448	-
661	hv112_10	na - mother's line number	discrete	numeric-8.0	0	6448	-
662	hv112_11	na - mother's line number	discrete	numeric-8.0	0	6448	-
663	hv112_12	na - mother's line number	discrete	numeric-8.0	0	6448	-
664	hv112_13	na - mother's line number	discrete	numeric-8.0	0	6448	-
665	hv112_14	na - mother's line number	discrete	numeric-8.0	0	6448	-
666	hv112_15	na - mother's line number	discrete	numeric-8.0	0	6448	-
667	hv112_16	na - mother's line number	discrete	numeric-8.0	0	6448	-
668	hv112_17	na - mother's line number	discrete	numeric-8.0	0	6448	-
669	hv112_18	na - mother's line number	discrete	numeric-8.0	0	6448	-
670	hv112_19	na - mother's line number	discrete	numeric-8.0	0	6448	-
671	hv112_20	na - mother's line number	discrete	numeric-8.0	0	6448	-
672	hv112_21	na - mother's line number	discrete	numeric-8.0	0	6448	-
673	hv112_22	na - mother's line number	discrete	numeric-8.0	0	6448	-
674	hv112_23	na - mother's line number	discrete	numeric-8.0	0	6448	-
675	hv112_24	na - mother's line number	discrete	numeric-8.0	0	6448	-
676	hv112_25	na - mother's line number	discrete	numeric-8.0	0	6448	-
677	hv112_26	na - mother's line number	discrete	numeric-8.0	0	6448	-
678	hv112_27	na - mother's line number	discrete	numeric-8.0	0	6448	-
679	hv112_28	na - mother's line number	discrete	numeric-8.0	0	6448	-
680	hv112_29	na - mother's line number	discrete	numeric-8.0	0	6448	-
681	hv112_30	na - mother's line number	discrete	numeric-8.0	0	6448	-
682	hv112_31	na - mother's line number	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
683	hv112_32	na - mother's line number	discrete	numeric-8.0	0	6448	-
684	hv112_33	na - mother's line number	discrete	numeric-8.0	0	6448	-
685	hv112_34	na - mother's line number	discrete	numeric-8.0	0	6448	-
686	hv112_35	na - mother's line number	discrete	numeric-8.0	0	6448	-
687	hv112_36	na - mother's line number	discrete	numeric-8.0	0	6448	-
688	hv112_37	na - mother's line number	discrete	numeric-8.0	0	6448	-
689	hv112_38	na - mother's line number	discrete	numeric-8.0	0	6448	-
690	hv112_39	na - mother's line number	discrete	numeric-8.0	0	6448	-
691	hv112_40	na - mother's line number	discrete	numeric-8.0	0	6448	-
692	hv113_01	na - father alive	discrete	numeric-8.0	0	6448	-
693	hv113_02	na - father alive	discrete	numeric-8.0	0	6448	-
694	hv113_03	na - father alive	discrete	numeric-8.0	0	6448	-
695	hv113_04	na - father alive	discrete	numeric-8.0	0	6448	-
696	hv113_05	na - father alive	discrete	numeric-8.0	0	6448	-
697	hv113_06	na - father alive	discrete	numeric-8.0	0	6448	-
698	hv113_07	na - father alive	discrete	numeric-8.0	0	6448	-
699	hv113_08	na - father alive	discrete	numeric-8.0	0	6448	-
700	hv113_09	na - father alive	discrete	numeric-8.0	0	6448	-
701	hv113_10	na - father alive	discrete	numeric-8.0	0	6448	-
702	hv113_11	na - father alive	discrete	numeric-8.0	0	6448	-
703	hv113_12	na - father alive	discrete	numeric-8.0	0	6448	-
704	hv113_13	na - father alive	discrete	numeric-8.0	0	6448	-
705	hv113_14	na - father alive	discrete	numeric-8.0	0	6448	-
706	hv113_15	na - father alive	discrete	numeric-8.0	0	6448	-
707	hv113_16	na - father alive	discrete	numeric-8.0	0	6448	-
708	hv113_17	na - father alive	discrete	numeric-8.0	0	6448	-
709	hv113_18	na - father alive	discrete	numeric-8.0	0	6448	-
710	hv113_19	na - father alive	discrete	numeric-8.0	0	6448	-
711	hv113_20	na - father alive	discrete	numeric-8.0	0	6448	-
712	hv113_21	na - father alive	discrete	numeric-8.0	0	6448	-
713	hv113_22	na - father alive	discrete	numeric-8.0	0	6448	-
714	hv113_23	na - father alive	discrete	numeric-8.0	0	6448	-
715	hv113_24	na - father alive	discrete	numeric-8.0	0	6448	-
716	hv113_25	na - father alive	discrete	numeric-8.0	0	6448	-
717	hv113_26	na - father alive	discrete	numeric-8.0	0	6448	-
718	hv113_27	na - father alive	discrete	numeric-8.0	0	6448	-
719	hv113_28	na - father alive	discrete	numeric-8.0	0	6448	-
720	hv113_29	na - father alive	discrete	numeric-8.0	0	6448	-
721	hv113_30	na - father alive	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
722	hv113_31	na - father alive	discrete	numeric-8.0	0	6448	-
723	hv113_32	na - father alive	discrete	numeric-8.0	0	6448	-
724	hv113_33	na - father alive	discrete	numeric-8.0	0	6448	-
725	hv113_34	na - father alive	discrete	numeric-8.0	0	6448	-
726	hv113_35	na - father alive	discrete	numeric-8.0	0	6448	-
727	hv113_36	na - father alive	discrete	numeric-8.0	0	6448	-
728	hv113_37	na - father alive	discrete	numeric-8.0	0	6448	-
729	hv113_38	na - father alive	discrete	numeric-8.0	0	6448	-
730	hv113_39	na - father alive	discrete	numeric-8.0	0	6448	-
731	hv113_40	na - father alive	discrete	numeric-8.0	0	6448	-
732	hv114_01	na - father's line number	discrete	numeric-8.0	0	6448	-
733	hv114_02	na - father's line number	discrete	numeric-8.0	0	6448	-
734	hv114_03	na - father's line number	discrete	numeric-8.0	0	6448	-
735	hv114_04	na - father's line number	discrete	numeric-8.0	0	6448	-
736	hv114_05	na - father's line number	discrete	numeric-8.0	0	6448	-
737	hv114_06	na - father's line number	discrete	numeric-8.0	0	6448	-
738	hv114_07	na - father's line number	discrete	numeric-8.0	0	6448	-
739	hv114_08	na - father's line number	discrete	numeric-8.0	0	6448	-
740	hv114_09	na - father's line number	discrete	numeric-8.0	0	6448	-
741	hv114_10	na - father's line number	discrete	numeric-8.0	0	6448	-
742	hv114_11	na - father's line number	discrete	numeric-8.0	0	6448	-
743	hv114_12	na - father's line number	discrete	numeric-8.0	0	6448	-
744	hv114_13	na - father's line number	discrete	numeric-8.0	0	6448	-
745	hv114_14	na - father's line number	discrete	numeric-8.0	0	6448	-
746	hv114_15	na - father's line number	discrete	numeric-8.0	0	6448	-
747	hv114_16	na - father's line number	discrete	numeric-8.0	0	6448	-
748	hv114_17	na - father's line number	discrete	numeric-8.0	0	6448	-
749	hv114_18	na - father's line number	discrete	numeric-8.0	0	6448	-
750	hv114_19	na - father's line number	discrete	numeric-8.0	0	6448	-
751	hv114_20	na - father's line number	discrete	numeric-8.0	0	6448	-
752	hv114_21	na - father's line number	discrete	numeric-8.0	0	6448	-
753	hv114_22	na - father's line number	discrete	numeric-8.0	0	6448	-
754	hv114_23	na - father's line number	discrete	numeric-8.0	0	6448	-
755	hv114_24	na - father's line number	discrete	numeric-8.0	0	6448	-
756	hv114_25	na - father's line number	discrete	numeric-8.0	0	6448	-
757	hv114_26	na - father's line number	discrete	numeric-8.0	0	6448	-
758	hv114_27	na - father's line number	discrete	numeric-8.0	0	6448	-
759	hv114_28	na - father's line number	discrete	numeric-8.0	0	6448	-
760	hv114_29	na - father's line number	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
761	hv114_30	na - father's line number	discrete	numeric-8.0	0	6448	-
762	hv114_31	na - father's line number	discrete	numeric-8.0	0	6448	-
763	hv114_32	na - father's line number	discrete	numeric-8.0	0	6448	-
764	hv114_33	na - father's line number	discrete	numeric-8.0	0	6448	-
765	hv114_34	na - father's line number	discrete	numeric-8.0	0	6448	-
766	hv114_35	na - father's line number	discrete	numeric-8.0	0	6448	-
767	hv114_36	na - father's line number	discrete	numeric-8.0	0	6448	-
768	hv114_37	na - father's line number	discrete	numeric-8.0	0	6448	-
769	hv114_38	na - father's line number	discrete	numeric-8.0	0	6448	-
770	hv114_39	na - father's line number	discrete	numeric-8.0	0	6448	-
771	hv114_40	na - father's line number	discrete	numeric-8.0	0	6448	-
772	hv115_01	current marital status	discrete	numeric-8.0	6429	19	-
773	hv115_02	current marital status	discrete	numeric-8.0	5619	829	-
774	hv115_03	current marital status	discrete	numeric-8.0	2453	3995	-
775	hv115_04	current marital status	discrete	numeric-8.0	1495	4953	-
776	hv115_05	current marital status	discrete	numeric-8.0	998	5450	-
777	hv115_06	current marital status	discrete	numeric-8.0	791	5657	-
778	hv115_07	current marital status	discrete	numeric-8.0	620	5828	-
779	hv115_08	current marital status	discrete	numeric-8.0	447	6001	-
780	hv115_09	current marital status	discrete	numeric-8.0	294	6154	-
781	hv115_10	current marital status	discrete	numeric-8.0	200	6248	-
782	hv115_11	current marital status	discrete	numeric-8.0	177	6271	-
783	hv115_12	current marital status	discrete	numeric-8.0	112	6336	-
784	hv115_13	current marital status	discrete	numeric-8.0	92	6356	-
785	hv115_14	current marital status	discrete	numeric-8.0	61	6387	-
786	hv115_15	current marital status	discrete	numeric-8.0	44	6404	-
787	hv115_16	current marital status	discrete	numeric-8.0	31	6417	-
788	hv115_17	current marital status	discrete	numeric-8.0	12	6436	-
789	hv115_18	current marital status	discrete	numeric-8.0	19	6429	-
790	hv115_19	current marital status	discrete	numeric-8.0	11	6437	-
791	hv115_20	current marital status	discrete	numeric-8.0	8	6440	-
792	hv115_21	current marital status	discrete	numeric-8.0	5	6443	-
793	hv115_22	current marital status	discrete	numeric-8.0	7	6441	-
794	hv115_23	current marital status	discrete	numeric-8.0	5	6443	-
795	hv115_24	current marital status	discrete	numeric-8.0	2	6446	-
796	hv115_25	current marital status	discrete	numeric-8.0	2	6446	-
797	hv115_26	current marital status	discrete	numeric-8.0	2	6446	-
798	hv115_27	current marital status	discrete	numeric-8.0	1	6447	-
799	hv115_28	current marital status	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
800	hv115_29	current marital status	discrete	numeric-8.0	1	6447	-
801	hv115_30	current marital status	discrete	numeric-8.0	0	6448	-
802	hv115_31	current marital status	discrete	numeric-8.0	0	6448	-
803	hv115_32	current marital status	discrete	numeric-8.0	0	6448	-
804	hv115_33	current marital status	discrete	numeric-8.0	0	6448	-
805	hv115_34	current marital status	discrete	numeric-8.0	1	6447	-
806	hv115_35	current marital status	discrete	numeric-8.0	1	6447	-
807	hv115_36	current marital status	discrete	numeric-8.0	1	6447	-
808	hv115_37	current marital status	discrete	numeric-8.0	1	6447	-
809	hv115_38	current marital status	discrete	numeric-8.0	0	6448	-
810	hv115_39	current marital status	discrete	numeric-8.0	0	6448	-
811	hv115_40	current marital status	discrete	numeric-8.0	1	6447	-
812	hv116_01	currently, formerly, never married	discrete	numeric-8.0	6429	19	-
813	hv116_02	currently, formerly, never married	discrete	numeric-8.0	5619	829	-
814	hv116_03	currently, formerly, never married	discrete	numeric-8.0	2453	3995	-
815	hv116_04	currently, formerly, never married	discrete	numeric-8.0	1495	4953	-
816	hv116_05	currently, formerly, never married	discrete	numeric-8.0	998	5450	-
817	hv116_06	currently, formerly, never married	discrete	numeric-8.0	791	5657	-
818	hv116_07	currently, formerly, never married	discrete	numeric-8.0	620	5828	-
819	hv116_08	currently, formerly, never married	discrete	numeric-8.0	447	6001	-
820	hv116_09	currently, formerly, never married	discrete	numeric-8.0	294	6154	-
821	hv116_10	currently, formerly, never married	discrete	numeric-8.0	200	6248	-
822	hv116_11	currently, formerly, never married	discrete	numeric-8.0	177	6271	-
823	hv116_12	currently, formerly, never married	discrete	numeric-8.0	112	6336	-
824	hv116_13	currently, formerly, never married	discrete	numeric-8.0	92	6356	-
825	hv116_14	currently, formerly, never married	discrete	numeric-8.0	61	6387	-
826	hv116_15	currently, formerly, never married	discrete	numeric-8.0	44	6404	-
827	hv116_16	currently, formerly, never married	discrete	numeric-8.0	31	6417	-
828	hv116_17	currently, formerly, never married	discrete	numeric-8.0	12	6436	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
829	hv116_18	currently, formerly, never married	discrete	numeric-8.0	19	6429	-
830	hv116_19	currently, formerly, never married	discrete	numeric-8.0	11	6437	-
831	hv116_20	currently, formerly, never married	discrete	numeric-8.0	8	6440	-
832	hv116_21	currently, formerly, never married	discrete	numeric-8.0	5	6443	-
833	hv116_22	currently, formerly, never married	discrete	numeric-8.0	7	6441	-
834	hv116_23	currently, formerly, never married	discrete	numeric-8.0	5	6443	-
835	hv116_24	currently, formerly, never married	discrete	numeric-8.0	2	6446	-
836	hv116_25	currently, formerly, never married	discrete	numeric-8.0	2	6446	-
837	hv116_26	currently, formerly, never married	discrete	numeric-8.0	2	6446	-
838	hv116_27	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
839	hv116_28	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
840	hv116_29	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
841	hv116_30	currently, formerly, never married	discrete	numeric-8.0	0	6448	-
842	hv116_31	currently, formerly, never married	discrete	numeric-8.0	0	6448	-
843	hv116_32	currently, formerly, never married	discrete	numeric-8.0	0	6448	-
844	hv116_33	currently, formerly, never married	discrete	numeric-8.0	0	6448	-
845	hv116_34	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
846	hv116_35	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
847	hv116_36	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
848	hv116_37	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
849	hv116_38	currently, formerly, never married	discrete	numeric-8.0	0	6448	-
850	hv116_39	currently, formerly, never married	discrete	numeric-8.0	0	6448	-
851	hv116_40	currently, formerly, never married	discrete	numeric-8.0	1	6447	-
852	hv117_01	eligibility for female interview	discrete	numeric-8.0	6448	0	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
853	hv117_02	eligibility for female interview	discrete	numeric-8.0	6071	377	-
854	hv117_03	eligibility for female interview	discrete	numeric-8.0	5593	855	-
855	hv117_04	eligibility for female interview	discrete	numeric-8.0	4882	1566	-
856	hv117_05	eligibility for female interview	discrete	numeric-8.0	4021	2427	-
857	hv117_06	eligibility for female interview	discrete	numeric-8.0	3172	3276	-
858	hv117_07	eligibility for female interview	discrete	numeric-8.0	2405	4043	-
859	hv117_08	eligibility for female interview	discrete	numeric-8.0	1820	4628	-
860	hv117_09	eligibility for female interview	discrete	numeric-8.0	1359	5089	-
861	hv117_10	eligibility for female interview	discrete	numeric-8.0	1007	5441	-
862	hv117_11	eligibility for female interview	discrete	numeric-8.0	747	5701	-
863	hv117_12	eligibility for female interview	discrete	numeric-8.0	559	5889	-
864	hv117_13	eligibility for female interview	discrete	numeric-8.0	411	6037	-
865	hv117_14	eligibility for female interview	discrete	numeric-8.0	294	6154	-
866	hv117_15	eligibility for female interview	discrete	numeric-8.0	205	6243	-
867	hv117_16	eligibility for female interview	discrete	numeric-8.0	147	6301	-
868	hv117_17	eligibility for female interview	discrete	numeric-8.0	110	6338	-
869	hv117_18	eligibility for female interview	discrete	numeric-8.0	84	6364	-
870	hv117_19	eligibility for female interview	discrete	numeric-8.0	60	6388	-
871	hv117_20	eligibility for female interview	discrete	numeric-8.0	39	6409	-
872	hv117_21	eligibility for female interview	discrete	numeric-8.0	26	6422	-
873	hv117_22	eligibility for female interview	discrete	numeric-8.0	18	6430	-
874	hv117_23	eligibility for female interview	discrete	numeric-8.0	11	6437	-
875	hv117_24	eligibility for female interview	discrete	numeric-8.0	8	6440	-
876	hv117_25	eligibility for female interview	discrete	numeric-8.0	6	6442	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
877	hv117_26	eligibility for female interview	discrete	numeric-8.0	4	6444	-
878	hv117_27	eligibility for female interview	discrete	numeric-8.0	4	6444	-
879	hv117_28	eligibility for female interview	discrete	numeric-8.0	3	6445	-
880	hv117_29	eligibility for female interview	discrete	numeric-8.0	2	6446	-
881	hv117_30	eligibility for female interview	discrete	numeric-8.0	2	6446	-
882	hv117_31	eligibility for female interview	discrete	numeric-8.0	2	6446	-
883	hv117_32	eligibility for female interview	discrete	numeric-8.0	1	6447	-
884	hv117_33	eligibility for female interview	discrete	numeric-8.0	1	6447	-
885	hv117_34	eligibility for female interview	discrete	numeric-8.0	1	6447	-
886	hv117_35	eligibility for female interview	discrete	numeric-8.0	1	6447	-
887	hv117_36	eligibility for female interview	discrete	numeric-8.0	1	6447	-
888	hv117_37	eligibility for female interview	discrete	numeric-8.0	1	6447	-
889	hv117_38	eligibility for female interview	discrete	numeric-8.0	1	6447	-
890	hv117_39	eligibility for female interview	discrete	numeric-8.0	1	6447	-
891	hv117_40	eligibility for female interview	discrete	numeric-8.0	1	6447	-
892	hv118_01	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
893	hv118_02	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
894	hv118_03	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
895	hv118_04	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
896	hv118_05	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
897	hv118_06	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
898	hv118_07	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
899	hv118_08	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
900	hv118_09	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
901	hv118_10	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
902	hv118_11	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
903	hv118_12	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
904	hv118_13	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
905	hv118_14	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
906	hv118_15	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
907	hv118_16	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
908	hv118_17	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
909	hv118_18	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
910	hv118_19	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
911	hv118_20	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
912	hv118_21	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
913	hv118_22	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
914	hv118_23	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
915	hv118_24	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
916	hv118_25	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
917	hv118_26	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
918	hv118_27	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
919	hv118_28	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
920	hv118_29	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
921	hv118_30	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
922	hv118_31	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
923	hv118_32	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
924	hv118_33	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
925	hv118_34	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
926	hv118_35	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
927	hv118_36	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
928	hv118_37	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
929	hv118_38	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
930	hv118_39	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
931	hv118_40	na - eligibility for male interview	discrete	numeric-8.0	0	6448	-
932	hv120_01	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	6448	0	-
933	hv120_02	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	6071	377	-
934	hv120_03	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	5593	855	-
935	hv120_04	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	4882	1566	-
936	hv120_05	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	4021	2427	-
937	hv120_06	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	3172	3276	-
938	hv120_07	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	2405	4043	-
939	hv120_08	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1820	4628	-
940	hv120_09	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1359	5089	-
941	hv120_10	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1007	5441	-
942	hv120_11	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	747	5701	-
943	hv120_12	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	559	5889	-
944	hv120_13	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	411	6037	-
945	hv120_14	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	294	6154	-
946	hv120_15	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	205	6243	-
947	hv120_16	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	147	6301	-
948	hv120_17	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	110	6338	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
949	hv120_18	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	84	6364	-
950	hv120_19	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	60	6388	-
951	hv120_20	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	39	6409	-
952	hv120_21	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	26	6422	-
953	hv120_22	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	18	6430	-
954	hv120_23	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	11	6437	-
955	hv120_24	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	8	6440	-
956	hv120_25	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	6	6442	-
957	hv120_26	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	4	6444	-
958	hv120_27	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	4	6444	-
959	hv120_28	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	3	6445	-
960	hv120_29	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	2	6446	-
961	hv120_30	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	2	6446	-
962	hv120_31	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	2	6446	-
963	hv120_32	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
964	hv120_33	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
965	hv120_34	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
966	hv120_35	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
967	hv120_36	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
968	hv120_37	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
969	hv120_38	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
970	hv120_39	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
971	hv120_40	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	1	6447	-
972	hv121_01	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
973	hv121_02	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
974	hv121_03	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
975	hv121_04	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
976	hv121_05	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
977	hv121_06	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
978	hv121_07	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
979	hv121_08	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
980	hv121_09	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
981	hv121_10	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
982	hv121_11	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
983	hv121_12	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
984	hv121_13	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
985	hv121_14	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
986	hv121_15	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
987	hv121_16	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
988	hv121_17	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
989	hv121_18	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
990	hv121_19	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
991	hv121_20	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
992	hv121_21	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
993	hv121_22	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
994	hv121_23	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
995	hv121_24	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
996	hv121_25	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
997	hv121_26	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
998	hv121_27	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
999	hv121_28	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1000	hv121_29	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1001	hv121_30	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1002	hv121_31	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1003	hv121_32	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1004	hv121_33	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1005	hv121_34	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1006	hv121_35	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1007	hv121_36	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1008	hv121_37	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1009	hv121_38	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1010	hv121_39	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1011	hv121_40	na - member attended school during current school year	discrete	numeric-8.0	0	6448	-
1012	hv122_01	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1013	hv122_02	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1014	hv122_03	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1015	hv122_04	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1016	hv122_05	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1017	hv122_06	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1018	hv122_07	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1019	hv122_08	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1020	hv122_09	na - educational level during current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1021	hv122_10	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1022	hv122_11	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1023	hv122_12	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1024	hv122_13	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1025	hv122_14	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1026	hv122_15	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1027	hv122_16	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1028	hv122_17	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1029	hv122_18	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1030	hv122_19	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1031	hv122_20	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1032	hv122_21	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1033	hv122_22	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1034	hv122_23	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1035	hv122_24	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1036	hv122_25	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1037	hv122_26	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1038	hv122_27	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1039	hv122_28	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1040	hv122_29	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1041	hv122_30	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1042	hv122_31	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1043	hv122_32	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1044	hv122_33	na - educational level during current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1045	hv122_34	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1046	hv122_35	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1047	hv122_36	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1048	hv122_37	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1049	hv122_38	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1050	hv122_39	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1051	hv122_40	na - educational level during current school year	discrete	numeric-8.0	0	6448	-
1052	hv123_01	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1053	hv123_02	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1054	hv123_03	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1055	hv123_04	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1056	hv123_05	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1057	hv123_06	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1058	hv123_07	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1059	hv123_08	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1060	hv123_09	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1061	hv123_10	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1062	hv123_11	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1063	hv123_12	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1064	hv123_13	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1065	hv123_14	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1066	hv123_15	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1067	hv123_16	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1068	hv123_17	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1069	hv123_18	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1070	hv123_19	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1071	hv123_20	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1072	hv123_21	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1073	hv123_22	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1074	hv123_23	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1075	hv123_24	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1076	hv123_25	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1077	hv123_26	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1078	hv123_27	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1079	hv123_28	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1080	hv123_29	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1081	hv123_30	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1082	hv123_31	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1083	hv123_32	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1084	hv123_33	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1085	hv123_34	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1086	hv123_35	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1087	hv123_36	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1088	hv123_37	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1089	hv123_38	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1090	hv123_39	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1091	hv123_40	na - grade of education during current school year	discrete	numeric-8.0	0	6448	-
1092	hv124_01	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1093	hv124_02	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1094	hv124_03	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1095	hv124_04	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1096	hv124_05	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1097	hv124_06	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1098	hv124_07	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1099	hv124_08	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1100	hv124_09	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1101	hv124_10	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1102	hv124_11	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1103	hv124_12	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1104	hv124_13	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1105	hv124_14	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1106	hv124_15	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1107	hv124_16	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1108	hv124_17	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1109	hv124_18	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1110	hv124_19	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1111	hv124_20	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1112	hv124_21	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1113	hv124_22	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1114	hv124_23	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1115	hv124_24	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1116	hv124_25	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1117	hv124_26	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1118	hv124_27	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1119	hv124_28	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1120	hv124_29	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1121	hv124_30	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1122	hv124_31	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1123	hv124_32	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1124	hv124_33	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1125	hv124_34	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1126	hv124_35	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1127	hv124_36	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1128	hv124_37	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1129	hv124_38	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1130	hv124_39	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1131	hv124_40	na - education in single years - current school year	discrete	numeric-8.0	0	6448	-
1132	hv125_01	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1133	hv125_02	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1134	hv125_03	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1135	hv125_04	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1136	hv125_05	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1137	hv125_06	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1138	hv125_07	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1139	hv125_08	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1140	hv125_09	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1141	hv125_10	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1142	hv125_11	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1143	hv125_12	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1144	hv125_13	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1145	hv125_14	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1146	hv125_15	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1147	hv125_16	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1148	hv125_17	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1149	hv125_18	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1150	hv125_19	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1151	hv125_20	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1152	hv125_21	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1153	hv125_22	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1154	hv125_23	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1155	hv125_24	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1156	hv125_25	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1157	hv125_26	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1158	hv125_27	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1159	hv125_28	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1160	hv125_29	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1161	hv125_30	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1162	hv125_31	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1163	hv125_32	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1164	hv125_33	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1165	hv125_34	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1166	hv125_35	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1167	hv125_36	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1168	hv125_37	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1169	hv125_38	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1170	hv125_39	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1171	hv125_40	na - member attended school during previous school year	discrete	numeric-8.0	0	6448	-
1172	hv126_01	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1173	hv126_02	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1174	hv126_03	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1175	hv126_04	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1176	hv126_05	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1177	hv126_06	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1178	hv126_07	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1179	hv126_08	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1180	hv126_09	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1181	hv126_10	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1182	hv126_11	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1183	hv126_12	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1184	hv126_13	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1185	hv126_14	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1186	hv126_15	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1187	hv126_16	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1188	hv126_17	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1189	hv126_18	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1190	hv126_19	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1191	hv126_20	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1192	hv126_21	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1193	hv126_22	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1194	hv126_23	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1195	hv126_24	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1196	hv126_25	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1197	hv126_26	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1198	hv126_27	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1199	hv126_28	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1200	hv126_29	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1201	hv126_30	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1202	hv126_31	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1203	hv126_32	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1204	hv126_33	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1205	hv126_34	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1206	hv126_35	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1207	hv126_36	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1208	hv126_37	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1209	hv126_38	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1210	hv126_39	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1211	hv126_40	na - educational level during previous school year	discrete	numeric-8.0	0	6448	-
1212	hv127_01	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1213	hv127_02	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1214	hv127_03	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1215	hv127_04	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1216	hv127_05	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1217	hv127_06	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1218	hv127_07	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1219	hv127_08	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1220	hv127_09	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1221	hv127_10	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1222	hv127_11	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1223	hv127_12	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1224	hv127_13	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1225	hv127_14	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1226	hv127_15	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1227	hv127_16	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1228	hv127_17	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1229	hv127_18	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1230	hv127_19	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1231	hv127_20	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1232	hv127_21	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1233	hv127_22	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1234	hv127_23	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1235	hv127_24	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1236	hv127_25	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1237	hv127_26	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1238	hv127_27	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1239	hv127_28	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1240	hv127_29	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1241	hv127_30	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1242	hv127_31	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1243	hv127_32	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1244	hv127_33	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1245	hv127_34	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1246	hv127_35	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1247	hv127_36	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1248	hv127_37	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1249	hv127_38	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1250	hv127_39	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1251	hv127_40	na - grade of education during previous school year	discrete	numeric-8.0	0	6448	-
1252	hv128_01	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1253	hv128_02	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1254	hv128_03	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1255	hv128_04	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1256	hv128_05	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1257	hv128_06	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1258	hv128_07	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1259	hv128_08	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1260	hv128_09	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1261	hv128_10	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1262	hv128_11	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1263	hv128_12	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1264	hv128_13	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1265	hv128_14	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1266	hv128_15	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1267	hv128_16	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1268	hv128_17	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1269	hv128_18	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1270	hv128_19	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1271	hv128_20	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1272	hv128_21	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1273	hv128_22	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1274	hv128_23	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1275	hv128_24	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1276	hv128_25	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1277	hv128_26	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1278	hv128_27	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1279	hv128_28	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1280	hv128_29	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1281	hv128_30	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1282	hv128_31	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1283	hv128_32	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1284	hv128_33	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1285	hv128_34	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1286	hv128_35	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1287	hv128_36	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1288	hv128_37	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1289	hv128_38	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1290	hv128_39	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1291	hv128_40	na - education in single years - previous school year	discrete	numeric-8.0	0	6448	-
1292	hv129_01	na - school attendance status	discrete	numeric-8.0	0	6448	-
1293	hv129_02	na - school attendance status	discrete	numeric-8.0	0	6448	-
1294	hv129_03	na - school attendance status	discrete	numeric-8.0	0	6448	-
1295	hv129_04	na - school attendance status	discrete	numeric-8.0	0	6448	-
1296	hv129_05	na - school attendance status	discrete	numeric-8.0	0	6448	-
1297	hv129_06	na - school attendance status	discrete	numeric-8.0	0	6448	-
1298	hv129_07	na - school attendance status	discrete	numeric-8.0	0	6448	-
1299	hv129_08	na - school attendance status	discrete	numeric-8.0	0	6448	-
1300	hv129_09	na - school attendance status	discrete	numeric-8.0	0	6448	-
1301	hv129_10	na - school attendance status	discrete	numeric-8.0	0	6448	-
1302	hv129_11	na - school attendance status	discrete	numeric-8.0	0	6448	-
1303	hv129_12	na - school attendance status	discrete	numeric-8.0	0	6448	-
1304	hv129_13	na - school attendance status	discrete	numeric-8.0	0	6448	-
1305	hv129_14	na - school attendance status	discrete	numeric-8.0	0	6448	-
1306	hv129_15	na - school attendance status	discrete	numeric-8.0	0	6448	-
1307	hv129_16	na - school attendance status	discrete	numeric-8.0	0	6448	-
1308	hv129_17	na - school attendance status	discrete	numeric-8.0	0	6448	-
1309	hv129_18	na - school attendance status	discrete	numeric-8.0	0	6448	-
1310	hv129_19	na - school attendance status	discrete	numeric-8.0	0	6448	-
1311	hv129_20	na - school attendance status	discrete	numeric-8.0	0	6448	-
1312	hv129_21	na - school attendance status	discrete	numeric-8.0	0	6448	-
1313	hv129_22	na - school attendance status	discrete	numeric-8.0	0	6448	-
1314	hv129_23	na - school attendance status	discrete	numeric-8.0	0	6448	-
1315	hv129_24	na - school attendance status	discrete	numeric-8.0	0	6448	-
1316	hv129_25	na - school attendance status	discrete	numeric-8.0	0	6448	-
1317	hv129_26	na - school attendance status	discrete	numeric-8.0	0	6448	-
1318	hv129_27	na - school attendance status	discrete	numeric-8.0	0	6448	-
1319	hv129_28	na - school attendance status	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1320	hv129_29	na - school attendance status	discrete	numeric-8.0	0	6448	-
1321	hv129_30	na - school attendance status	discrete	numeric-8.0	0	6448	-
1322	hv129_31	na - school attendance status	discrete	numeric-8.0	0	6448	-
1323	hv129_32	na - school attendance status	discrete	numeric-8.0	0	6448	-
1324	hv129_33	na - school attendance status	discrete	numeric-8.0	0	6448	-
1325	hv129_34	na - school attendance status	discrete	numeric-8.0	0	6448	-
1326	hv129_35	na - school attendance status	discrete	numeric-8.0	0	6448	-
1327	hv129_36	na - school attendance status	discrete	numeric-8.0	0	6448	-
1328	hv129_37	na - school attendance status	discrete	numeric-8.0	0	6448	-
1329	hv129_38	na - school attendance status	discrete	numeric-8.0	0	6448	-
1330	hv129_39	na - school attendance status	discrete	numeric-8.0	0	6448	-
1331	hv129_40	na - school attendance status	discrete	numeric-8.0	0	6448	-
1332	hv140_01	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1333	hv140_02	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1334	hv140_03	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1335	hv140_04	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1336	hv140_05	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1337	hv140_06	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1338	hv140_07	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1339	hv140_08	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1340	hv140_09	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1341	hv140_10	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1342	hv140_11	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1343	hv140_12	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1344	hv140_13	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1345	hv140_14	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1346	hv140_15	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1347	hv140_16	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1348	hv140_17	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1349	hv140_18	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1350	hv140_19	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1351	hv140_20	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1352	hv140_21	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1353	hv140_22	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1354	hv140_23	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1355	hv140_24	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1356	hv140_25	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1357	hv140_26	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1358	hv140_27	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1359	hv140_28	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1360	hv140_29	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1361	hv140_30	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1362	hv140_31	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1363	hv140_32	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1364	hv140_33	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1365	hv140_34	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1366	hv140_35	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1367	hv140_36	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1368	hv140_37	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1369	hv140_38	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1370	hv140_39	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1371	hv140_40	na - member has a birth certificate	discrete	numeric-8.0	0	6448	-
1372	idxh4_01	index to household schedule	discrete	numeric-8.0	6448	0	-
1373	idxh4_02	index to household schedule	discrete	numeric-8.0	6071	377	-
1374	idxh4_03	index to household schedule	discrete	numeric-8.0	5593	855	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1375	idxh4_04	index to household schedule	discrete	numeric-8.0	4882	1566	-
1376	idxh4_05	index to household schedule	discrete	numeric-8.0	4021	2427	-
1377	idxh4_06	index to household schedule	discrete	numeric-8.0	3172	3276	-
1378	idxh4_07	index to household schedule	discrete	numeric-8.0	2405	4043	-
1379	idxh4_08	index to household schedule	discrete	numeric-8.0	1820	4628	-
1380	idxh4_09	index to household schedule	discrete	numeric-8.0	1359	5089	-
1381	idxh4_10	index to household schedule	discrete	numeric-8.0	1007	5441	-
1382	idxh4_11	index to household schedule	discrete	numeric-8.0	747	5701	-
1383	idxh4_12	index to household schedule	discrete	numeric-8.0	559	5889	-
1384	idxh4_13	index to household schedule	discrete	numeric-8.0	411	6037	-
1385	idxh4_14	index to household schedule	discrete	numeric-8.0	294	6154	-
1386	idxh4_15	index to household schedule	discrete	numeric-8.0	205	6243	-
1387	idxh4_16	index to household schedule	discrete	numeric-8.0	147	6301	-
1388	idxh4_17	index to household schedule	discrete	numeric-8.0	110	6338	-
1389	idxh4_18	index to household schedule	discrete	numeric-8.0	84	6364	-
1390	idxh4_19	index to household schedule	discrete	numeric-8.0	60	6388	-
1391	idxh4_20	index to household schedule	discrete	numeric-8.0	39	6409	-
1392	idxh4_21	index to household schedule	discrete	numeric-8.0	26	6422	-
1393	idxh4_22	index to household schedule	discrete	numeric-8.0	18	6430	-
1394	idxh4_23	index to household schedule	discrete	numeric-8.0	11	6437	-
1395	idxh4_24	index to household schedule	discrete	numeric-8.0	8	6440	-
1396	idxh4_25	index to household schedule	discrete	numeric-8.0	6	6442	-
1397	idxh4_26	index to household schedule	discrete	numeric-8.0	4	6444	-
1398	idxh4_27	index to household schedule	discrete	numeric-8.0	4	6444	-
1399	idxh4_28	index to household schedule	discrete	numeric-8.0	3	6445	-
1400	idxh4_29	index to household schedule	discrete	numeric-8.0	2	6446	-
1401	idxh4_30	index to household schedule	discrete	numeric-8.0	2	6446	-
1402	idxh4_31	index to household schedule	discrete	numeric-8.0	2	6446	-
1403	idxh4_32	index to household schedule	discrete	numeric-8.0	1	6447	-
1404	idxh4_33	index to household schedule	discrete	numeric-8.0	1	6447	-
1405	idxh4_34	index to household schedule	discrete	numeric-8.0	1	6447	-
1406	idxh4_35	index to household schedule	discrete	numeric-8.0	1	6447	-
1407	idxh4_36	index to household schedule	discrete	numeric-8.0	1	6447	-
1408	idxh4_37	index to household schedule	discrete	numeric-8.0	1	6447	-
1409	idxh4_38	index to household schedule	discrete	numeric-8.0	1	6447	-
1410	idxh4_39	index to household schedule	discrete	numeric-8.0	1	6447	-
1411	idxh4_40	index to household schedule	discrete	numeric-8.0	1	6447	-
1412	sh03_01	relationship to head	discrete	numeric-8.0	6448	0	-
1413	sh03_02	relationship to head	discrete	numeric-8.0	6070	378	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1414	sh03_03	relationship to head	discrete	numeric-8.0	5593	855	-
1415	sh03_04	relationship to head	discrete	numeric-8.0	4882	1566	-
1416	sh03_05	relationship to head	discrete	numeric-8.0	4021	2427	-
1417	sh03_06	relationship to head	discrete	numeric-8.0	3172	3276	-
1418	sh03_07	relationship to head	discrete	numeric-8.0	2405	4043	-
1419	sh03_08	relationship to head	discrete	numeric-8.0	1819	4629	-
1420	sh03_09	relationship to head	discrete	numeric-8.0	1357	5091	-
1421	sh03_10	relationship to head	discrete	numeric-8.0	1006	5442	-
1422	sh03_11	relationship to head	discrete	numeric-8.0	747	5701	-
1423	sh03_12	relationship to head	discrete	numeric-8.0	559	5889	-
1424	sh03_13	relationship to head	discrete	numeric-8.0	411	6037	-
1425	sh03_14	relationship to head	discrete	numeric-8.0	294	6154	-
1426	sh03_15	relationship to head	discrete	numeric-8.0	205	6243	-
1427	sh03_16	relationship to head	discrete	numeric-8.0	147	6301	-
1428	sh03_17	relationship to head	discrete	numeric-8.0	110	6338	-
1429	sh03_18	relationship to head	discrete	numeric-8.0	84	6364	-
1430	sh03_19	relationship to head	discrete	numeric-8.0	60	6388	-
1431	sh03_20	relationship to head	discrete	numeric-8.0	39	6409	-
1432	sh03_21	relationship to head	discrete	numeric-8.0	26	6422	-
1433	sh03_22	relationship to head	discrete	numeric-8.0	18	6430	-
1434	sh03_23	relationship to head	discrete	numeric-8.0	11	6437	-
1435	sh03_24	relationship to head	discrete	numeric-8.0	8	6440	-
1436	sh03_25	relationship to head	discrete	numeric-8.0	6	6442	-
1437	sh03_26	relationship to head	discrete	numeric-8.0	4	6444	-
1438	sh03_27	relationship to head	discrete	numeric-8.0	4	6444	-
1439	sh03_28	relationship to head	discrete	numeric-8.0	3	6445	-
1440	sh03_29	relationship to head	discrete	numeric-8.0	2	6446	-
1441	sh03_30	relationship to head	discrete	numeric-8.0	2	6446	-
1442	sh03_31	relationship to head	discrete	numeric-8.0	2	6446	-
1443	sh03_32	relationship to head	discrete	numeric-8.0	1	6447	-
1444	sh03_33	relationship to head	discrete	numeric-8.0	1	6447	-
1445	sh03_34	relationship to head	discrete	numeric-8.0	1	6447	-
1446	sh03_35	relationship to head	discrete	numeric-8.0	1	6447	-
1447	sh03_36	relationship to head	discrete	numeric-8.0	1	6447	-
1448	sh03_37	relationship to head	discrete	numeric-8.0	1	6447	-
1449	sh03_38	relationship to head	discrete	numeric-8.0	1	6447	-
1450	sh03_39	relationship to head	discrete	numeric-8.0	1	6447	-
1451	sh03_40	relationship to head	discrete	numeric-8.0	1	6447	-
1452	sh215_01	result of malaria rapid test	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1453	sh215_02	result of malaria rapid test	discrete	numeric-8.0	83	6365	-
1454	sh215_03	result of malaria rapid test	discrete	numeric-8.0	1008	5440	-
1455	sh215_04	result of malaria rapid test	discrete	numeric-8.0	944	5504	-
1456	sh215_05	result of malaria rapid test	discrete	numeric-8.0	814	5634	-
1457	sh215_06	result of malaria rapid test	discrete	numeric-8.0	704	5744	-
1458	sh215_07	result of malaria rapid test	discrete	numeric-8.0	598	5850	-
1459	sh215_08	result of malaria rapid test	discrete	numeric-8.0	454	5994	-
1460	sh215_09	result of malaria rapid test	discrete	numeric-8.0	376	6072	-
1461	sh215_10	result of malaria rapid test	discrete	numeric-8.0	316	6132	-
1462	sh215_11	result of malaria rapid test	discrete	numeric-8.0	220	6228	-
1463	sh215_12	result of malaria rapid test	discrete	numeric-8.0	178	6270	-
1464	sh215_13	result of malaria rapid test	discrete	numeric-8.0	126	6322	-
1465	sh215_14	result of malaria rapid test	discrete	numeric-8.0	93	6355	-
1466	sh215_15	result of malaria rapid test	discrete	numeric-8.0	62	6386	-
1467	sh215_16	result of malaria rapid test	discrete	numeric-8.0	38	6410	-
1468	sh215_17	result of malaria rapid test	discrete	numeric-8.0	44	6404	-
1469	sh215_18	result of malaria rapid test	discrete	numeric-8.0	30	6418	-
1470	sh215_19	result of malaria rapid test	discrete	numeric-8.0	22	6426	-
1471	sh215_20	result of malaria rapid test	discrete	numeric-8.0	16	6432	-
1472	sh215_21	result of malaria rapid test	discrete	numeric-8.0	10	6438	-
1473	sh215_22	result of malaria rapid test	discrete	numeric-8.0	4	6444	-
1474	sh215_23	result of malaria rapid test	discrete	numeric-8.0	3	6445	-
1475	sh215_24	result of malaria rapid test	discrete	numeric-8.0	2	6446	-
1476	sh215_25	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1477	sh215_26	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1478	sh215_27	result of malaria rapid test	discrete	numeric-8.0	3	6445	-
1479	sh215_28	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1480	sh215_29	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1481	sh215_30	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1482	sh215_31	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1483	sh215_32	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1484	sh215_33	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1485	sh215_34	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1486	sh215_35	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1487	sh215_36	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1488	sh215_37	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
1489	sh215_38	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1490	sh215_39	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
1491	sh215_40	result of malaria rapid test	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1492	sh218a_01	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1493	sh218a_02	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	46	6402	-
1494	sh218a_03	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	606	5842	-
1495	sh218a_04	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	589	5859	-
1496	sh218a_05	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	507	5941	-
1497	sh218a_06	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	449	5999	-
1498	sh218a_07	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	390	6058	-
1499	sh218a_08	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	307	6141	-
1500	sh218a_09	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	261	6187	-
1501	sh218a_10	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	230	6218	-
1502	sh218a_11	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	151	6297	-
1503	sh218a_12	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	119	6329	-
1504	sh218a_13	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	83	6365	-
1505	sh218a_14	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	65	6383	-
1506	sh218a_15	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	42	6406	-
1507	sh218a_16	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	26	6422	-
1508	sh218a_17	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	24	6424	-
1509	sh218a_18	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	19	6429	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1510	sh218a_19	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	17	6431	-
1511	sh218a_20	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	8	6440	-
1512	sh218a_21	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	8	6440	-
1513	sh218a_22	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	2	6446	-
1514	sh218a_23	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	3	6445	-
1515	sh218a_24	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	2	6446	-
1516	sh218a_25	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1517	sh218a_26	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1518	sh218a_27	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	2	6446	-
1519	sh218a_28	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	1	6447	-
1520	sh218a_29	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1521	sh218a_30	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1522	sh218a_31	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1523	sh218a_32	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1524	sh218a_33	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1525	sh218a_34	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1526	sh218a_35	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1527	sh218a_36	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1528	sh218a_37	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1529	sh218a_38	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	1	6447	-
1530	sh218a_39	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1531	sh218a_40	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	0	6448	-
1532	sh218b_01	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1533	sh218b_02	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	46	6402	-
1534	sh218b_03	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	606	5842	-
1535	sh218b_04	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	589	5859	-
1536	sh218b_05	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	507	5941	-
1537	sh218b_06	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	449	5999	-
1538	sh218b_07	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	390	6058	-
1539	sh218b_08	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	307	6141	-
1540	sh218b_09	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	261	6187	-
1541	sh218b_10	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	230	6218	-
1542	sh218b_11	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	151	6297	-
1543	sh218b_12	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	119	6329	-
1544	sh218b_13	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	83	6365	-
1545	sh218b_14	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	65	6383	-
1546	sh218b_15	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	42	6406	-
1547	sh218b_16	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	26	6422	-
1548	sh218b_17	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	24	6424	-
1549	sh218b_18	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	19	6429	-
1550	sh218b_19	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	17	6431	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1551	sh218b_20	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	8	6440	-
1552	sh218b_21	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	8	6440	-
1553	sh218b_22	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	2	6446	-
1554	sh218b_23	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	3	6445	-
1555	sh218b_24	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	2	6446	-
1556	sh218b_25	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1557	sh218b_26	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1558	sh218b_27	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	2	6446	-
1559	sh218b_28	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	1	6447	-
1560	sh218b_29	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1561	sh218b_30	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1562	sh218b_31	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1563	sh218b_32	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1564	sh218b_33	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1565	sh218b_34	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1566	sh218b_35	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1567	sh218b_36	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1568	sh218b_37	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1569	sh218b_38	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	1	6447	-
1570	sh218b_39	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1571	sh218b_40	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	0	6448	-
1572	sh218c_01	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1573	sh218c_02	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	46	6402	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1574	sh218c_03	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	606	5842	-
1575	sh218c_04	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	589	5859	-
1576	sh218c_05	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	507	5941	-
1577	sh218c_06	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	449	5999	-
1578	sh218c_07	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	390	6058	-
1579	sh218c_08	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	307	6141	-
1580	sh218c_09	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	261	6187	-
1581	sh218c_10	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	230	6218	-
1582	sh218c_11	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	151	6297	-
1583	sh218c_12	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	119	6329	-
1584	sh218c_13	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	83	6365	-
1585	sh218c_14	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	65	6383	-
1586	sh218c_15	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	42	6406	-
1587	sh218c_16	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	26	6422	-
1588	sh218c_17	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	24	6424	-
1589	sh218c_18	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	19	6429	-
1590	sh218c_19	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	17	6431	-
1591	sh218c_20	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	8	6440	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1592	sh218c_21	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	8	6440	-
1593	sh218c_22	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	2	6446	-
1594	sh218c_23	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	3	6445	-
1595	sh218c_24	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	2	6446	-
1596	sh218c_25	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1597	sh218c_26	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1598	sh218c_27	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	2	6446	-
1599	sh218c_28	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	1	6447	-
1600	sh218c_29	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1601	sh218c_30	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1602	sh218c_31	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1603	sh218c_32	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1604	sh218c_33	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1605	sh218c_34	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1606	sh218c_35	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1607	sh218c_36	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1608	sh218c_37	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1609	sh218c_38	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1610	sh218c_39	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1611	sh218c_40	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	0	6448	-
1612	sh218d_01	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1613	sh218d_02	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	46	6402	-
1614	sh218d_03	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	606	5842	-
1615	sh218d_04	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	589	5859	-
1616	sh218d_05	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	507	5941	-
1617	sh218d_06	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	449	5999	-
1618	sh218d_07	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	390	6058	-
1619	sh218d_08	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	307	6141	-
1620	sh218d_09	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	261	6187	-
1621	sh218d_10	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	230	6218	-
1622	sh218d_11	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	151	6297	-
1623	sh218d_12	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	119	6329	-
1624	sh218d_13	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	83	6365	-
1625	sh218d_14	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	65	6383	-
1626	sh218d_15	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	42	6406	-
1627	sh218d_16	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	26	6422	-
1628	sh218d_17	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	24	6424	-
1629	sh218d_18	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	19	6429	-
1630	sh218d_19	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	17	6431	-
1631	sh218d_20	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	8	6440	-
1632	sh218d_21	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	8	6440	-
1633	sh218d_22	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	2	6446	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1634	sh218d_23	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	3	6445	-
1635	sh218d_24	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	2	6446	-
1636	sh218d_25	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1637	sh218d_26	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1638	sh218d_27	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	2	6446	-
1639	sh218d_28	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	1	6447	-
1640	sh218d_29	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1641	sh218d_30	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1642	sh218d_31	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1643	sh218d_32	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1644	sh218d_33	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1645	sh218d_34	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1646	sh218d_35	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1647	sh218d_36	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1648	sh218d_37	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1649	sh218d_38	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	1	6447	-
1650	sh218d_39	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1651	sh218d_40	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	0	6448	-
1652	sh218e_01	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1653	sh218e_02	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	46	6402	-
1654	sh218e_03	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	606	5842	-
1655	sh218e_04	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	589	5859	-
1656	sh218e_05	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	507	5941	-
1657	sh218e_06	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	449	5999	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1658	sh218e_07	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	390	6058	-
1659	sh218e_08	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	307	6141	-
1660	sh218e_09	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	261	6187	-
1661	sh218e_10	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	230	6218	-
1662	sh218e_11	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	151	6297	-
1663	sh218e_12	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	119	6329	-
1664	sh218e_13	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	83	6365	-
1665	sh218e_14	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	65	6383	-
1666	sh218e_15	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	42	6406	-
1667	sh218e_16	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	26	6422	-
1668	sh218e_17	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	24	6424	-
1669	sh218e_18	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	19	6429	-
1670	sh218e_19	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	17	6431	-
1671	sh218e_20	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	8	6440	-
1672	sh218e_21	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	8	6440	-
1673	sh218e_22	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	2	6446	-
1674	sh218e_23	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	3	6445	-
1675	sh218e_24	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	2	6446	-
1676	sh218e_25	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1677	sh218e_26	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1678	sh218e_27	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	2	6446	-
1679	sh218e_28	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	1	6447	-
1680	sh218e_29	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1681	sh218e_30	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1682	sh218e_31	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1683	sh218e_32	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1684	sh218e_33	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1685	sh218e_34	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1686	sh218e_35	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1687	sh218e_36	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1688	sh218e_37	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1689	sh218e_38	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	1	6447	-
1690	sh218e_39	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1691	sh218e_40	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	0	6448	-
1692	sh218f_01	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1693	sh218f_02	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	46	6402	-
1694	sh218f_03	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	606	5842	-
1695	sh218f_04	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	589	5859	-
1696	sh218f_05	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	507	5941	-
1697	sh218f_06	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	449	5999	-
1698	sh218f_07	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	390	6058	-
1699	sh218f_08	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	307	6141	-
1700	sh218f_09	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	261	6187	-
1701	sh218f_10	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	230	6218	-
1702	sh218f_11	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	151	6297	-
1703	sh218f_12	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	119	6329	-
1704	sh218f_13	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	83	6365	-
1705	sh218f_14	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	65	6383	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1706	sh218f_15	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	42	6406	-
1707	sh218f_16	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	26	6422	-
1708	sh218f_17	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	24	6424	-
1709	sh218f_18	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	19	6429	-
1710	sh218f_19	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	17	6431	-
1711	sh218f_20	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	8	6440	-
1712	sh218f_21	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	8	6440	-
1713	sh218f_22	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	2	6446	-
1714	sh218f_23	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	3	6445	-
1715	sh218f_24	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	2	6446	-
1716	sh218f_25	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1717	sh218f_26	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1718	sh218f_27	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	2	6446	-
1719	sh218f_28	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	1	6447	-
1720	sh218f_29	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1721	sh218f_30	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1722	sh218f_31	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1723	sh218f_32	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1724	sh218f_33	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1725	sh218f_34	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1726	sh218f_35	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1727	sh218f_36	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1728	sh218f_37	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1729	sh218f_38	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1730	sh218f_39	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1731	sh218f_40	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	0	6448	-
1732	sh218g_01	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1733	sh218g_02	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	46	6402	-
1734	sh218g_03	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	606	5842	-
1735	sh218g_04	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	589	5859	-
1736	sh218g_05	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	507	5941	-
1737	sh218g_06	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	449	5999	-
1738	sh218g_07	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	390	6058	-
1739	sh218g_08	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	307	6141	-
1740	sh218g_09	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	261	6187	-
1741	sh218g_10	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	230	6218	-
1742	sh218g_11	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	151	6297	-
1743	sh218g_12	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	119	6329	-
1744	sh218g_13	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	83	6365	-
1745	sh218g_14	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	65	6383	-
1746	sh218g_15	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	42	6406	-
1747	sh218g_16	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	26	6422	-
1748	sh218g_17	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	24	6424	-
1749	sh218g_18	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	19	6429	-
1750	sh218g_19	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	17	6431	-
1751	sh218g_20	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	8	6440	-
1752	sh218g_21	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	8	6440	-
1753	sh218g_22	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	2	6446	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1754	sh218g_23	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	3	6445	-
1755	sh218g_24	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	2	6446	-
1756	sh218g_25	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1757	sh218g_26	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1758	sh218g_27	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	2	6446	-
1759	sh218g_28	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	1	6447	-
1760	sh218g_29	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1761	sh218g_30	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1762	sh218g_31	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1763	sh218g_32	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1764	sh218g_33	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1765	sh218g_34	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1766	sh218g_35	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1767	sh218g_36	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1768	sh218g_37	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1769	sh218g_38	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	1	6447	-
1770	sh218g_39	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1771	sh218g_40	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	0	6448	-
1772	sh218h_01	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1773	sh218h_02	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	46	6402	-
1774	sh218h_03	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	606	5842	-
1775	sh218h_04	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	589	5859	-
1776	sh218h_05	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	507	5941	-
1777	sh218h_06	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	449	5999	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1778	sh218h_07	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	390	6058	-
1779	sh218h_08	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	307	6141	-
1780	sh218h_09	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	261	6187	-
1781	sh218h_10	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	230	6218	-
1782	sh218h_11	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	151	6297	-
1783	sh218h_12	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	119	6329	-
1784	sh218h_13	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	83	6365	-
1785	sh218h_14	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	65	6383	-
1786	sh218h_15	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	42	6406	-
1787	sh218h_16	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	26	6422	-
1788	sh218h_17	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	24	6424	-
1789	sh218h_18	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	19	6429	-
1790	sh218h_19	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	17	6431	-
1791	sh218h_20	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	8	6440	-
1792	sh218h_21	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	8	6440	-
1793	sh218h_22	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	2	6446	-
1794	sh218h_23	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	3	6445	-
1795	sh218h_24	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	2	6446	-
1796	sh218h_25	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1797	sh218h_26	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1798	sh218h_27	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	2	6446	-
1799	sh218h_28	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	1	6447	-
1800	sh218h_29	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1801	sh218h_30	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1802	sh218h_31	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1803	sh218h_32	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1804	sh218h_33	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1805	sh218h_34	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1806	sh218h_35	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1807	sh218h_36	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1808	sh218h_37	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1809	sh218h_38	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	1	6447	-
1810	sh218h_39	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1811	sh218h_40	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	0	6448	-
1812	sh218y_01	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1813	sh218y_02	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	46	6402	-
1814	sh218y_03	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	606	5842	-
1815	sh218y_04	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	589	5859	-
1816	sh218y_05	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	507	5941	-
1817	sh218y_06	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	449	5999	-
1818	sh218y_07	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	390	6058	-
1819	sh218y_08	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	307	6141	-
1820	sh218y_09	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	261	6187	-
1821	sh218y_10	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	230	6218	-
1822	sh218y_11	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	151	6297	-
1823	sh218y_12	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	119	6329	-
1824	sh218y_13	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	83	6365	-
1825	sh218y_14	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	65	6383	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1826	sh218y_15	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	42	6406	-
1827	sh218y_16	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	26	6422	-
1828	sh218y_17	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	24	6424	-
1829	sh218y_18	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	19	6429	-
1830	sh218y_19	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	17	6431	-
1831	sh218y_20	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	8	6440	-
1832	sh218y_21	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	8	6440	-
1833	sh218y_22	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	2	6446	-
1834	sh218y_23	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	3	6445	-
1835	sh218y_24	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	2	6446	-
1836	sh218y_25	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1837	sh218y_26	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1838	sh218y_27	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	2	6446	-
1839	sh218y_28	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	1	6447	-
1840	sh218y_29	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1841	sh218y_30	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1842	sh218y_31	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1843	sh218y_32	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1844	sh218y_33	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1845	sh218y_34	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1846	sh218y_35	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1847	sh218y_36	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1848	sh218y_37	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1849	sh218y_38	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1850	sh218y_39	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1851	sh218y_40	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	0	6448	-
1852	sh222_01	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1853	sh222_02	taking cta to treat the malaria	discrete	numeric-8.0	41	6407	-
1854	sh222_03	taking cta to treat the malaria	discrete	numeric-8.0	492	5956	-
1855	sh222_04	taking cta to treat the malaria	discrete	numeric-8.0	501	5947	-
1856	sh222_05	taking cta to treat the malaria	discrete	numeric-8.0	431	6017	-
1857	sh222_06	taking cta to treat the malaria	discrete	numeric-8.0	383	6065	-
1858	sh222_07	taking cta to treat the malaria	discrete	numeric-8.0	329	6119	-
1859	sh222_08	taking cta to treat the malaria	discrete	numeric-8.0	250	6198	-
1860	sh222_09	taking cta to treat the malaria	discrete	numeric-8.0	229	6219	-
1861	sh222_10	taking cta to treat the malaria	discrete	numeric-8.0	191	6257	-
1862	sh222_11	taking cta to treat the malaria	discrete	numeric-8.0	121	6327	-
1863	sh222_12	taking cta to treat the malaria	discrete	numeric-8.0	99	6349	-
1864	sh222_13	taking cta to treat the malaria	discrete	numeric-8.0	67	6381	-
1865	sh222_14	taking cta to treat the malaria	discrete	numeric-8.0	52	6396	-
1866	sh222_15	taking cta to treat the malaria	discrete	numeric-8.0	36	6412	-
1867	sh222_16	taking cta to treat the malaria	discrete	numeric-8.0	19	6429	-
1868	sh222_17	taking cta to treat the malaria	discrete	numeric-8.0	19	6429	-
1869	sh222_18	taking cta to treat the malaria	discrete	numeric-8.0	16	6432	-
1870	sh222_19	taking cta to treat the malaria	discrete	numeric-8.0	16	6432	-
1871	sh222_20	taking cta to treat the malaria	discrete	numeric-8.0	6	6442	-
1872	sh222_21	taking cta to treat the malaria	discrete	numeric-8.0	8	6440	-
1873	sh222_22	taking cta to treat the malaria	discrete	numeric-8.0	2	6446	-
1874	sh222_23	taking cta to treat the malaria	discrete	numeric-8.0	3	6445	-
1875	sh222_24	taking cta to treat the malaria	discrete	numeric-8.0	2	6446	-
1876	sh222_25	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1877	sh222_26	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1878	sh222_27	taking cta to treat the malaria	discrete	numeric-8.0	1	6447	-
1879	sh222_28	taking cta to treat the malaria	discrete	numeric-8.0	1	6447	-
1880	sh222_29	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1881	sh222_30	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1882	sh222_31	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1883	sh222_32	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1884	sh222_33	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1885	sh222_34	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1886	sh222_35	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1887	sh222_36	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1888	sh222_37	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1889	sh222_38	taking cta to treat the malaria	discrete	numeric-8.0	1	6447	-
1890	sh222_39	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1891	sh222_40	taking cta to treat the malaria	discrete	numeric-8.0	0	6448	-
1892	sh225_01	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1893	sh225_02	acceptance of medicine	discrete	numeric-8.0	32	6416	-
1894	sh225_03	acceptance of medicine	discrete	numeric-8.0	357	6091	-
1895	sh225_04	acceptance of medicine	discrete	numeric-8.0	394	6054	-
1896	sh225_05	acceptance of medicine	discrete	numeric-8.0	333	6115	-
1897	sh225_06	acceptance of medicine	discrete	numeric-8.0	302	6146	-
1898	sh225_07	acceptance of medicine	discrete	numeric-8.0	254	6194	-
1899	sh225_08	acceptance of medicine	discrete	numeric-8.0	194	6254	-
1900	sh225_09	acceptance of medicine	discrete	numeric-8.0	175	6273	-
1901	sh225_10	acceptance of medicine	discrete	numeric-8.0	153	6295	-
1902	sh225_11	acceptance of medicine	discrete	numeric-8.0	95	6353	-
1903	sh225_12	acceptance of medicine	discrete	numeric-8.0	77	6371	-
1904	sh225_13	acceptance of medicine	discrete	numeric-8.0	48	6400	-
1905	sh225_14	acceptance of medicine	discrete	numeric-8.0	33	6415	-
1906	sh225_15	acceptance of medicine	discrete	numeric-8.0	30	6418	-
1907	sh225_16	acceptance of medicine	discrete	numeric-8.0	11	6437	-
1908	sh225_17	acceptance of medicine	discrete	numeric-8.0	14	6434	-
1909	sh225_18	acceptance of medicine	discrete	numeric-8.0	12	6436	-
1910	sh225_19	acceptance of medicine	discrete	numeric-8.0	14	6434	-
1911	sh225_20	acceptance of medicine	discrete	numeric-8.0	4	6444	-
1912	sh225_21	acceptance of medicine	discrete	numeric-8.0	6	6442	-
1913	sh225_22	acceptance of medicine	discrete	numeric-8.0	1	6447	-
1914	sh225_23	acceptance of medicine	discrete	numeric-8.0	3	6445	-
1915	sh225_24	acceptance of medicine	discrete	numeric-8.0	2	6446	-
1916	sh225_25	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1917	sh225_26	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1918	sh225_27	acceptance of medicine	discrete	numeric-8.0	1	6447	-
1919	sh225_28	acceptance of medicine	discrete	numeric-8.0	1	6447	-
1920	sh225_29	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1921	sh225_30	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1922	sh225_31	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1923	sh225_32	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1924	sh225_33	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1925	sh225_34	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1926	sh225_35	acceptance of medicine	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1927	sh225_36	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1928	sh225_37	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1929	sh225_38	acceptance of medicine	discrete	numeric-8.0	1	6447	-
1930	sh225_39	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1931	sh225_40	acceptance of medicine	discrete	numeric-8.0	0	6448	-
1932	sh227_01	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1933	sh227_02	result code of malaria treatment and referral	discrete	numeric-8.0	45	6403	-
1934	sh227_03	result code of malaria treatment and referral	discrete	numeric-8.0	606	5842	-
1935	sh227_04	result code of malaria treatment and referral	discrete	numeric-8.0	586	5862	-
1936	sh227_05	result code of malaria treatment and referral	discrete	numeric-8.0	507	5941	-
1937	sh227_06	result code of malaria treatment and referral	discrete	numeric-8.0	446	6002	-
1938	sh227_07	result code of malaria treatment and referral	discrete	numeric-8.0	389	6059	-
1939	sh227_08	result code of malaria treatment and referral	discrete	numeric-8.0	308	6140	-
1940	sh227_09	result code of malaria treatment and referral	discrete	numeric-8.0	261	6187	-
1941	sh227_10	result code of malaria treatment and referral	discrete	numeric-8.0	230	6218	-
1942	sh227_11	result code of malaria treatment and referral	discrete	numeric-8.0	150	6298	-
1943	sh227_12	result code of malaria treatment and referral	discrete	numeric-8.0	119	6329	-
1944	sh227_13	result code of malaria treatment and referral	discrete	numeric-8.0	82	6366	-
1945	sh227_14	result code of malaria treatment and referral	discrete	numeric-8.0	63	6385	-
1946	sh227_15	result code of malaria treatment and referral	discrete	numeric-8.0	42	6406	-
1947	sh227_16	result code of malaria treatment and referral	discrete	numeric-8.0	26	6422	-
1948	sh227_17	result code of malaria treatment and referral	discrete	numeric-8.0	24	6424	-
1949	sh227_18	result code of malaria treatment and referral	discrete	numeric-8.0	19	6429	-
1950	sh227_19	result code of malaria treatment and referral	discrete	numeric-8.0	17	6431	-
1951	sh227_20	result code of malaria treatment and referral	discrete	numeric-8.0	9	6439	-
1952	sh227_21	result code of malaria treatment and referral	discrete	numeric-8.0	8	6440	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1953	sh227_22	result code of malaria treatment and referral	discrete	numeric-8.0	2	6446	-
1954	sh227_23	result code of malaria treatment and referral	discrete	numeric-8.0	3	6445	-
1955	sh227_24	result code of malaria treatment and referral	discrete	numeric-8.0	2	6446	-
1956	sh227_25	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1957	sh227_26	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1958	sh227_27	result code of malaria treatment and referral	discrete	numeric-8.0	2	6446	-
1959	sh227_28	result code of malaria treatment and referral	discrete	numeric-8.0	1	6447	-
1960	sh227_29	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1961	sh227_30	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1962	sh227_31	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1963	sh227_32	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1964	sh227_33	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1965	sh227_34	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1966	sh227_35	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1967	sh227_36	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1968	sh227_37	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1969	sh227_38	result code of malaria treatment and referral	discrete	numeric-8.0	1	6447	-
1970	sh227_39	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1971	sh227_40	result code of malaria treatment and referral	discrete	numeric-8.0	0	6448	-
1972	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
1973	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	85	6363	-
1974	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	1029	5419	-
1975	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	978	5470	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1976	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	834	5614	-
1977	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	728	5720	-
1978	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	620	5828	-
1979	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	467	5981	-
1980	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	393	6055	-
1981	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	321	6127	-
1982	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	228	6220	-
1983	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	181	6267	-
1984	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	131	6317	-
1985	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	96	6352	-
1986	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	63	6385	-
1987	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	39	6409	-
1988	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	44	6404	-
1989	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	30	6418	-
1990	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	23	6425	-
1991	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	16	6432	-
1992	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	11	6437	-
1993	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	4	6444	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1994	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	3	6445	-
1995	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	2	6446	-
1996	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
1997	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
1998	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	3	6445	-
1999	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
2000	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
2001	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
2002	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
2003	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
2004	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
2005	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
2006	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
2007	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
2008	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-
2009	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
2010	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-12.0	1	6447	-
2011	scweight ..	child weight (to be used only for malaria laboratory test results - 6 decimals)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2012	ha0_1	na - index to household schedule	discrete	numeric-8.0	0	6448	-
2013	ha0_2	na - index to household schedule	discrete	numeric-8.0	0	6448	-
2014	ha1_1	na - woman's age in years	discrete	numeric-8.0	0	6448	-
2015	ha1_2	na - woman's age in years	discrete	numeric-8.0	0	6448	-
2016	ha2_1	na - woman's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2017	ha2_2	na - woman's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2018	ha3_1	na - woman's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2019	ha3_2	na - woman's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2020	ha4_1	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2021	ha4_2	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2022	ha5_1	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2023	ha5_2	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2024	ha6_1	na - height/age percent ref. median	discrete	numeric-8.0	0	6448	-
2025	ha6_2	na - height/age percent ref. median	discrete	numeric-8.0	0	6448	-
2026	ha11_1	na - weight/height standard deviation (dhs)	discrete	numeric-8.0	0	6448	-
2027	ha11_2	na - weight/height standard deviation (dhs)	discrete	numeric-8.0	0	6448	-
2028	ha12_1	na - weight/height percent ref. median (dhs)	discrete	numeric-8.0	0	6448	-
2029	ha12_2	na - weight/height percent ref. median (dhs)	discrete	numeric-8.0	0	6448	-
2030	ha12a_1	na - weight/height percent ref. median (fog)	discrete	numeric-8.0	0	6448	-
2031	ha12a_2	na - weight/height percent ref. median (fog)	discrete	numeric-8.0	0	6448	-
2032	ha12b_1	na - weight/height percent ref. median (who)	discrete	numeric-8.0	0	6448	-
2033	ha12b_2	na - weight/height percent ref. median (who)	discrete	numeric-8.0	0	6448	-
2034	ha13_1	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2035	ha13_2	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2036	ha32_1	na - date of birth (cmc)	discrete	numeric-8.0	0	6448	-
2037	ha32_2	na - date of birth (cmc)	discrete	numeric-8.0	0	6448	-
2038	ha33_1	na - completeness of ha32 information	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2039	ha33_2	na - completeness of ha32 information	discrete	numeric-8.0	0	6448	-
2040	ha35_1	na - smoking (cigarettes in last 24 hours)	discrete	numeric-8.0	0	6448	-
2041	ha35_2	na - smoking (cigarettes in last 24 hours)	discrete	numeric-8.0	0	6448	-
2042	ha40_1	na - body mass index	discrete	numeric-8.0	0	6448	-
2043	ha40_2	na - body mass index	discrete	numeric-8.0	0	6448	-
2044	ha41_1	na - rohrer's index	discrete	numeric-8.0	0	6448	-
2045	ha41_2	na - rohrer's index	discrete	numeric-8.0	0	6448	-
2046	ha50_1	na - under age 18	discrete	numeric-8.0	0	6448	-
2047	ha50_2	na - under age 18	discrete	numeric-8.0	0	6448	-
2048	ha51_1	na - line number of parent/ caretaker	discrete	numeric-8.0	0	6448	-
2049	ha51_2	na - line number of parent/ caretaker	discrete	numeric-8.0	0	6448	-
2050	ha52_1	na - read consent statement - hemoglobin	discrete	numeric-8.0	0	6448	-
2051	ha52_2	na - read consent statement - hemoglobin	discrete	numeric-8.0	0	6448	-
2052	ha53_1	na - hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2053	ha53_2	na - hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2054	ha54_1	na - currently pregnant	discrete	numeric-8.0	0	6448	-
2055	ha54_2	na - currently pregnant	discrete	numeric-8.0	0	6448	-
2056	ha55_1	na - result of measurement - hemoglobin	discrete	numeric-8.0	0	6448	-
2057	ha55_2	na - result of measurement - hemoglobin	discrete	numeric-8.0	0	6448	-
2058	ha56_1	na - hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2059	ha56_2	na - hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2060	ha57_1	na - anemia level	discrete	numeric-8.0	0	6448	-
2061	ha57_2	na - anemia level	discrete	numeric-8.0	0	6448	-
2062	ha58_1	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2063	ha58_2	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2064	ha60_1	na - marital status	discrete	numeric-8.0	0	6448	-
2065	ha60_2	na - marital status	discrete	numeric-8.0	0	6448	-
2066	ha61_1	na - read consent statement - hiv	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2067	ha61_2	na - read consent statement - hiv	discrete	numeric-8.0	0	6448	-
2068	ha62_1	na - bar code for hiv blood sample	discrete	character-1	0	0	-
2069	ha62_2	na - bar code for hiv blood sample	discrete	character-1	0	0	-
2070	ha63_1	na - result of measurement - hiv	discrete	numeric-8.0	0	6448	-
2071	ha63_2	na - result of measurement - hiv	discrete	numeric-8.0	0	6448	-
2072	ha64_1	na - consent for additional tests	discrete	numeric-8.0	0	6448	-
2073	ha64_2	na - consent for additional tests	discrete	numeric-8.0	0	6448	-
2074	ha65_1	na - result of woman's individual interview	discrete	numeric-8.0	0	6448	-
2075	ha65_2	na - result of woman's individual interview	discrete	numeric-8.0	0	6448	-
2076	ha66_1	na - woman's highest educational level	discrete	numeric-8.0	0	6448	-
2077	ha66_2	na - woman's highest educational level	discrete	numeric-8.0	0	6448	-
2078	ha67_1	na - woman's highest year of education	discrete	numeric-8.0	0	6448	-
2079	ha67_2	na - woman's highest year of education	discrete	numeric-8.0	0	6448	-
2080	ha68_1	na - woman's highest educational level (for preliminary and final report)	discrete	numeric-8.0	0	6448	-
2081	ha68_2	na - woman's highest educational level (for preliminary and final report)	discrete	numeric-8.0	0	6448	-
2082	ha69_1	na - hiv weight (6 decimals)	discrete	numeric-8.0	0	6448	-
2083	ha69_2	na - hiv weight (6 decimals)	discrete	numeric-8.0	0	6448	-
2084	ha70_1	na - interviewer that took blood for hiv testing	discrete	numeric-8.0	0	6448	-
2085	ha70_2	na - interviewer that took blood for hiv testing	discrete	numeric-8.0	0	6448	-
2086	hc0_01	index to household schedule	continuous	numeric-8.0	4211	2237	-
2087	hc0_02	index to household schedule	continuous	numeric-8.0	1978	4470	-
2088	hc0_03	index to household schedule	continuous	numeric-8.0	593	5855	-
2089	hc0_04	index to household schedule	continuous	numeric-8.0	202	6246	-
2090	hc0_05	index to household schedule	continuous	numeric-8.0	61	6387	-
2091	hc0_06	index to household schedule	continuous	numeric-8.0	20	6428	-
2092	hc0_07	index to household schedule	continuous	numeric-8.0	7	6441	-
2093	hc0_08	index to household schedule	discrete	numeric-8.0	2	6446	-
2094	hc0_09	index to household schedule	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2095	hc0_10	index to household schedule	discrete	numeric-8.0	0	6448	-
2096	hc1_01	child's age in months	continuous	numeric-8.0	4211	2237	-
2097	hc1_02	child's age in months	continuous	numeric-8.0	1978	4470	-
2098	hc1_03	child's age in months	continuous	numeric-8.0	593	5855	-
2099	hc1_04	child's age in months	continuous	numeric-8.0	202	6246	-
2100	hc1_05	child's age in months	continuous	numeric-8.0	61	6387	-
2101	hc1_06	child's age in months	continuous	numeric-8.0	20	6428	-
2102	hc1_07	child's age in months	continuous	numeric-8.0	7	6441	-
2103	hc1_08	child's age in months	discrete	numeric-8.0	2	6446	-
2104	hc1_09	child's age in months	discrete	numeric-8.0	0	6448	-
2105	hc1_10	child's age in months	discrete	numeric-8.0	0	6448	-
2106	hc2_01	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2107	hc2_02	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2108	hc2_03	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2109	hc2_04	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2110	hc2_05	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2111	hc2_06	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2112	hc2_07	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2113	hc2_08	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2114	hc2_09	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2115	hc2_10	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6448	-
2116	hc3_01	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2117	hc3_02	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2118	hc3_03	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2119	hc3_04	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2120	hc3_05	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2121	hc3_06	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2122	hc3_07	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2123	hc3_08	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2124	hc3_09	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2125	hc3_10	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6448	-
2126	hc4_01	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2127	hc4_02	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2128	hc4_03	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2129	hc4_04	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2130	hc4_05	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2131	hc4_06	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2132	hc4_07	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2133	hc4_08	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2134	hc4_09	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2135	hc4_10	na - height/age percentile	discrete	numeric-8.0	0	6448	-
2136	hc5_01	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2137	hc5_02	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2138	hc5_03	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2139	hc5_04	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2140	hc5_05	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2141	hc5_06	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2142	hc5_07	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2143	hc5_08	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2144	hc5_09	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2145	hc5_10	na - height/age standard deviation	discrete	numeric-8.0	0	6448	-
2146	hc6_01	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2147	hc6_02	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2148	hc6_03	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2149	hc6_04	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2150	hc6_05	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2151	hc6_06	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2152	hc6_07	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2153	hc6_08	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2154	hc6_09	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2155	hc6_10	na - height/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2156	hc7_01	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2157	hc7_02	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2158	hc7_03	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2159	hc7_04	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2160	hc7_05	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2161	hc7_06	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2162	hc7_07	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2163	hc7_08	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2164	hc7_09	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2165	hc7_10	na - weight/age percentile	discrete	numeric-8.0	0	6448	-
2166	hc8_01	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2167	hc8_02	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2168	hc8_03	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2169	hc8_04	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2170	hc8_05	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2171	hc8_06	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2172	hc8_07	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2173	hc8_08	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2174	hc8_09	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2175	hc8_10	na - weight/age standard deviation	discrete	numeric-8.0	0	6448	-
2176	hc9_01	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2177	hc9_02	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2178	hc9_03	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2179	hc9_04	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2180	hc9_05	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2181	hc9_06	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2182	hc9_07	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2183	hc9_08	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2184	hc9_09	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2185	hc9_10	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6448	-
2186	hc10_01	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2187	hc10_02	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2188	hc10_03	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2189	hc10_04	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2190	hc10_05	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2191	hc10_06	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2192	hc10_07	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2193	hc10_08	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2194	hc10_09	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2195	hc10_10	na - weight/height percentile	discrete	numeric-8.0	0	6448	-
2196	hc11_01	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2197	hc11_02	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2198	hc11_03	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2199	hc11_04	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2200	hc11_05	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2201	hc11_06	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2202	hc11_07	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2203	hc11_08	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2204	hc11_09	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2205	hc11_10	na - weight/height standard deviation	discrete	numeric-8.0	0	6448	-
2206	hc12_01	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2207	hc12_02	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2208	hc12_03	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2209	hc12_04	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2210	hc12_05	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2211	hc12_06	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2212	hc12_07	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2213	hc12_08	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2214	hc12_09	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2215	hc12_10	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6448	-
2216	hc13_01	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2217	hc13_02	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2218	hc13_03	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2219	hc13_04	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2220	hc13_05	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2221	hc13_06	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2222	hc13_07	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2223	hc13_08	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2224	hc13_09	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2225	hc13_10	na - result of measurement - height/weight	discrete	numeric-8.0	0	6448	-
2226	hc15_01	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2227	hc15_02	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2228	hc15_03	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2229	hc15_04	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2230	hc15_05	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2231	hc15_06	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2232	hc15_07	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2233	hc15_08	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2234	hc15_09	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2235	hc15_10	na - height: lying or standing	discrete	numeric-8.0	0	6448	-
2236	hc16_01	day of birth	discrete	numeric-8.0	4103	2345	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2237	hc16_02	day of birth	discrete	numeric-8.0	1923	4525	-
2238	hc16_03	day of birth	discrete	numeric-8.0	573	5875	-
2239	hc16_04	day of birth	discrete	numeric-8.0	193	6255	-
2240	hc16_05	day of birth	discrete	numeric-8.0	58	6390	-
2241	hc16_06	day of birth	discrete	numeric-8.0	19	6429	-
2242	hc16_07	day of birth	discrete	numeric-8.0	7	6441	-
2243	hc16_08	day of birth	discrete	numeric-8.0	2	6446	-
2244	hc16_09	day of birth	discrete	numeric-8.0	0	6448	-
2245	hc16_10	day of birth	discrete	numeric-8.0	0	6448	-
2246	hc17_01	date measured (day)	continuous	numeric-8.0	4211	2237	-
2247	hc17_02	date measured (day)	continuous	numeric-8.0	1978	4470	-
2248	hc17_03	date measured (day)	continuous	numeric-8.0	593	5855	-
2249	hc17_04	date measured (day)	continuous	numeric-8.0	202	6246	-
2250	hc17_05	date measured (day)	continuous	numeric-8.0	61	6387	-
2251	hc17_06	date measured (day)	continuous	numeric-8.0	20	6428	-
2252	hc17_07	date measured (day)	discrete	numeric-8.0	7	6441	-
2253	hc17_08	date measured (day)	discrete	numeric-8.0	2	6446	-
2254	hc17_09	date measured (day)	discrete	numeric-8.0	0	6448	-
2255	hc17_10	date measured (day)	discrete	numeric-8.0	0	6448	-
2256	hc18_01	date measured (month)	discrete	numeric-8.0	4211	2237	-
2257	hc18_02	date measured (month)	discrete	numeric-8.0	1978	4470	-
2258	hc18_03	date measured (month)	discrete	numeric-8.0	593	5855	-
2259	hc18_04	date measured (month)	discrete	numeric-8.0	202	6246	-
2260	hc18_05	date measured (month)	discrete	numeric-8.0	61	6387	-
2261	hc18_06	date measured (month)	discrete	numeric-8.0	20	6428	-
2262	hc18_07	date measured (month)	discrete	numeric-8.0	7	6441	-
2263	hc18_08	date measured (month)	discrete	numeric-8.0	2	6446	-
2264	hc18_09	date measured (month)	discrete	numeric-8.0	0	6448	-
2265	hc18_10	date measured (month)	discrete	numeric-8.0	0	6448	-
2266	hc19_01	date measured (year)	discrete	numeric-8.0	4211	2237	-
2267	hc19_02	date measured (year)	discrete	numeric-8.0	1978	4470	-
2268	hc19_03	date measured (year)	discrete	numeric-8.0	593	5855	-
2269	hc19_04	date measured (year)	discrete	numeric-8.0	202	6246	-
2270	hc19_05	date measured (year)	discrete	numeric-8.0	61	6387	-
2271	hc19_06	date measured (year)	discrete	numeric-8.0	20	6428	-
2272	hc19_07	date measured (year)	discrete	numeric-8.0	7	6441	-
2273	hc19_08	date measured (year)	discrete	numeric-8.0	2	6446	-
2274	hc19_09	date measured (year)	discrete	numeric-8.0	0	6448	-
2275	hc19_10	date measured (year)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2276	hc27_01	sex	discrete	numeric-8.0	4211	2237	-
2277	hc27_02	sex	discrete	numeric-8.0	1978	4470	-
2278	hc27_03	sex	discrete	numeric-8.0	593	5855	-
2279	hc27_04	sex	discrete	numeric-8.0	202	6246	-
2280	hc27_05	sex	discrete	numeric-8.0	61	6387	-
2281	hc27_06	sex	discrete	numeric-8.0	20	6428	-
2282	hc27_07	sex	discrete	numeric-8.0	7	6441	-
2283	hc27_08	sex	discrete	numeric-8.0	2	6446	-
2284	hc27_09	sex	discrete	numeric-8.0	0	6448	-
2285	hc27_10	sex	discrete	numeric-8.0	0	6448	-
2286	hc30_01	month of birth	discrete	numeric-8.0	4211	2237	-
2287	hc30_02	month of birth	discrete	numeric-8.0	1978	4470	-
2288	hc30_03	month of birth	discrete	numeric-8.0	593	5855	-
2289	hc30_04	month of birth	discrete	numeric-8.0	202	6246	-
2290	hc30_05	month of birth	discrete	numeric-8.0	61	6387	-
2291	hc30_06	month of birth	discrete	numeric-8.0	20	6428	-
2292	hc30_07	month of birth	discrete	numeric-8.0	7	6441	-
2293	hc30_08	month of birth	discrete	numeric-8.0	2	6446	-
2294	hc30_09	month of birth	discrete	numeric-8.0	0	6448	-
2295	hc30_10	month of birth	discrete	numeric-8.0	0	6448	-
2296	hc31_01	year of birth	discrete	numeric-8.0	4211	2237	-
2297	hc31_02	year of birth	discrete	numeric-8.0	1978	4470	-
2298	hc31_03	year of birth	discrete	numeric-8.0	593	5855	-
2299	hc31_04	year of birth	discrete	numeric-8.0	202	6246	-
2300	hc31_05	year of birth	discrete	numeric-8.0	61	6387	-
2301	hc31_06	year of birth	discrete	numeric-8.0	20	6428	-
2302	hc31_07	year of birth	discrete	numeric-8.0	7	6441	-
2303	hc31_08	year of birth	discrete	numeric-8.0	2	6446	-
2304	hc31_09	year of birth	discrete	numeric-8.0	0	6448	-
2305	hc31_10	year of birth	discrete	numeric-8.0	0	6448	-
2306	hc32_01	date of birth (cmc)	continuous	numeric-8.0	4211	2237	-
2307	hc32_02	date of birth (cmc)	continuous	numeric-8.0	1978	4470	-
2308	hc32_03	date of birth (cmc)	continuous	numeric-8.0	593	5855	-
2309	hc32_04	date of birth (cmc)	continuous	numeric-8.0	202	6246	-
2310	hc32_05	date of birth (cmc)	continuous	numeric-8.0	61	6387	-
2311	hc32_06	date of birth (cmc)	continuous	numeric-8.0	20	6428	-
2312	hc32_07	date of birth (cmc)	continuous	numeric-8.0	7	6441	-
2313	hc32_08	date of birth (cmc)	discrete	numeric-8.0	2	6446	-
2314	hc32_09	date of birth (cmc)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2315	hc32_10	date of birth (cmc)	discrete	numeric-8.0	0	6448	-
2316	hc33_01	completeness of hc32 information	discrete	numeric-8.0	4211	2237	-
2317	hc33_02	completeness of hc32 information	discrete	numeric-8.0	1978	4470	-
2318	hc33_03	completeness of hc32 information	discrete	numeric-8.0	593	5855	-
2319	hc33_04	completeness of hc32 information	discrete	numeric-8.0	202	6246	-
2320	hc33_05	completeness of hc32 information	discrete	numeric-8.0	61	6387	-
2321	hc33_06	completeness of hc32 information	discrete	numeric-8.0	20	6428	-
2322	hc33_07	completeness of hc32 information	discrete	numeric-8.0	7	6441	-
2323	hc33_08	completeness of hc32 information	discrete	numeric-8.0	2	6446	-
2324	hc33_09	completeness of hc32 information	discrete	numeric-8.0	0	6448	-
2325	hc33_10	completeness of hc32 information	discrete	numeric-8.0	0	6448	-
2326	hc51_01	line number of parent/ caretaker	discrete	numeric-8.0	3947	2501	-
2327	hc51_02	line number of parent/ caretaker	discrete	numeric-8.0	1664	4784	-
2328	hc51_03	line number of parent/ caretaker	discrete	numeric-8.0	464	5984	-
2329	hc51_04	line number of parent/ caretaker	discrete	numeric-8.0	166	6282	-
2330	hc51_05	line number of parent/ caretaker	discrete	numeric-8.0	47	6401	-
2331	hc51_06	line number of parent/ caretaker	discrete	numeric-8.0	15	6433	-
2332	hc51_07	line number of parent/ caretaker	discrete	numeric-8.0	6	6442	-
2333	hc51_08	line number of parent/ caretaker	discrete	numeric-8.0	2	6446	-
2334	hc51_09	line number of parent/ caretaker	discrete	numeric-8.0	0	6448	-
2335	hc51_10	line number of parent/ caretaker	discrete	numeric-8.0	0	6448	-
2336	hc52_01	read consent statement - hemoglobin	discrete	numeric-8.0	3939	2509	-
2337	hc52_02	read consent statement - hemoglobin	discrete	numeric-8.0	1654	4794	-
2338	hc52_03	read consent statement - hemoglobin	discrete	numeric-8.0	460	5988	-
2339	hc52_04	read consent statement - hemoglobin	discrete	numeric-8.0	166	6282	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2340	hc52_05	read consent statement - hemoglobin	discrete	numeric-8.0	46	6402	-
2341	hc52_06	read consent statement - hemoglobin	discrete	numeric-8.0	15	6433	-
2342	hc52_07	read consent statement - hemoglobin	discrete	numeric-8.0	6	6442	-
2343	hc52_08	read consent statement - hemoglobin	discrete	numeric-8.0	2	6446	-
2344	hc52_09	read consent statement - hemoglobin	discrete	numeric-8.0	0	6448	-
2345	hc52_10	read consent statement - hemoglobin	discrete	numeric-8.0	0	6448	-
2346	hc53_01	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	3937	2511	-
2347	hc53_02	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	1651	4797	-
2348	hc53_03	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	460	5988	-
2349	hc53_04	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	166	6282	-
2350	hc53_05	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	46	6402	-
2351	hc53_06	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	15	6433	-
2352	hc53_07	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	6	6442	-
2353	hc53_08	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	2	6446	-
2354	hc53_09	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2355	hc53_10	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2356	hc55_01	result of measurement - hemoglobin	discrete	numeric-8.0	3937	2511	-
2357	hc55_02	result of measurement - hemoglobin	discrete	numeric-8.0	1651	4797	-
2358	hc55_03	result of measurement - hemoglobin	discrete	numeric-8.0	460	5988	-
2359	hc55_04	result of measurement - hemoglobin	discrete	numeric-8.0	166	6282	-
2360	hc55_05	result of measurement - hemoglobin	discrete	numeric-8.0	46	6402	-
2361	hc55_06	result of measurement - hemoglobin	discrete	numeric-8.0	15	6433	-
2362	hc55_07	result of measurement - hemoglobin	discrete	numeric-8.0	6	6442	-
2363	hc55_08	result of measurement - hemoglobin	discrete	numeric-8.0	2	6446	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2364	hc55_09	result of measurement - hemoglobin	discrete	numeric-8.0	0	6448	-
2365	hc55_10	result of measurement - hemoglobin	discrete	numeric-8.0	0	6448	-
2366	hc56_01	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	3861	2587	-
2367	hc56_02	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	1616	4832	-
2368	hc56_03	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	448	6000	-
2369	hc56_04	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	162	6286	-
2370	hc56_05	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	45	6403	-
2371	hc56_06	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	15	6433	-
2372	hc56_07	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	6	6442	-
2373	hc56_08	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	2	6446	-
2374	hc56_09	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2375	hc56_10	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	0	6448	-
2376	hc57_01	anemia level	discrete	numeric-8.0	3861	2587	-
2377	hc57_02	anemia level	discrete	numeric-8.0	1616	4832	-
2378	hc57_03	anemia level	discrete	numeric-8.0	448	6000	-
2379	hc57_04	anemia level	discrete	numeric-8.0	162	6286	-
2380	hc57_05	anemia level	discrete	numeric-8.0	45	6403	-
2381	hc57_06	anemia level	discrete	numeric-8.0	15	6433	-
2382	hc57_07	anemia level	discrete	numeric-8.0	6	6442	-
2383	hc57_08	anemia level	discrete	numeric-8.0	2	6446	-
2384	hc57_09	anemia level	discrete	numeric-8.0	0	6448	-
2385	hc57_10	anemia level	discrete	numeric-8.0	0	6448	-
2386	hc58_01	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2387	hc58_02	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2388	hc58_03	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2389	hc58_04	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2390	hc58_05	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2391	hc58_06	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2392	hc58_07	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2393	hc58_08	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2394	hc58_09	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2395	hc58_10	na - agrees to referral - anemia	discrete	numeric-8.0	0	6448	-
2396	hc60_01	mother's line number (woman's questionnaire)	discrete	numeric-8.0	4211	2237	-
2397	hc60_02	mother's line number (woman's questionnaire)	discrete	numeric-8.0	1978	4470	-
2398	hc60_03	mother's line number (woman's questionnaire)	discrete	numeric-8.0	593	5855	-
2399	hc60_04	mother's line number (woman's questionnaire)	discrete	numeric-8.0	202	6246	-
2400	hc60_05	mother's line number (woman's questionnaire)	discrete	numeric-8.0	61	6387	-
2401	hc60_06	mother's line number (woman's questionnaire)	discrete	numeric-8.0	20	6428	-
2402	hc60_07	mother's line number (woman's questionnaire)	discrete	numeric-8.0	7	6441	-
2403	hc60_08	mother's line number (woman's questionnaire)	discrete	numeric-8.0	2	6446	-
2404	hc60_09	mother's line number (woman's questionnaire)	discrete	numeric-8.0	0	6448	-
2405	hc60_10	mother's line number (woman's questionnaire)	discrete	numeric-8.0	0	6448	-
2406	hc61_01	mother's highest educational level	discrete	numeric-8.0	3788	2660	-
2407	hc61_02	mother's highest educational level	discrete	numeric-8.0	1790	4658	-
2408	hc61_03	mother's highest educational level	discrete	numeric-8.0	506	5942	-
2409	hc61_04	mother's highest educational level	discrete	numeric-8.0	172	6276	-
2410	hc61_05	mother's highest educational level	discrete	numeric-8.0	49	6399	-
2411	hc61_06	mother's highest educational level	discrete	numeric-8.0	15	6433	-
2412	hc61_07	mother's highest educational level	discrete	numeric-8.0	5	6443	-
2413	hc61_08	mother's highest educational level	discrete	numeric-8.0	2	6446	-
2414	hc61_09	mother's highest educational level	discrete	numeric-8.0	0	6448	-
2415	hc61_10	mother's highest educational level	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2416	hc62_01	mother's highest year of education	discrete	numeric-8.0	794	5654	-
2417	hc62_02	mother's highest year of education	discrete	numeric-8.0	284	6164	-
2418	hc62_03	mother's highest year of education	discrete	numeric-8.0	77	6371	-
2419	hc62_04	mother's highest year of education	discrete	numeric-8.0	30	6418	-
2420	hc62_05	mother's highest year of education	discrete	numeric-8.0	9	6439	-
2421	hc62_06	mother's highest year of education	discrete	numeric-8.0	3	6445	-
2422	hc62_07	mother's highest year of education	discrete	numeric-8.0	0	6448	-
2423	hc62_08	mother's highest year of education	discrete	numeric-8.0	1	6447	-
2424	hc62_09	mother's highest year of education	discrete	numeric-8.0	0	6448	-
2425	hc62_10	mother's highest year of education	discrete	numeric-8.0	0	6448	-
2426	hc63_01	preceding birth interval (months)	continuous	numeric-8.0	1488	4960	-
2427	hc63_02	preceding birth interval (months)	continuous	numeric-8.0	1269	5179	-
2428	hc63_03	preceding birth interval (months)	continuous	numeric-8.0	327	6121	-
2429	hc63_04	preceding birth interval (months)	continuous	numeric-8.0	118	6330	-
2430	hc63_05	preceding birth interval (months)	continuous	numeric-8.0	30	6418	-
2431	hc63_06	preceding birth interval (months)	continuous	numeric-8.0	10	6438	-
2432	hc63_07	preceding birth interval (months)	discrete	numeric-8.0	2	6446	-
2433	hc63_08	preceding birth interval (months)	discrete	numeric-8.0	0	6448	-
2434	hc63_09	preceding birth interval (months)	discrete	numeric-8.0	0	6448	-
2435	hc63_10	preceding birth interval (months)	discrete	numeric-8.0	0	6448	-
2436	hc64_01	birth order number	discrete	numeric-8.0	3788	2660	-
2437	hc64_02	birth order number	discrete	numeric-8.0	1790	4658	-
2438	hc64_03	birth order number	discrete	numeric-8.0	506	5942	-
2439	hc64_04	birth order number	discrete	numeric-8.0	172	6276	-
2440	hc64_05	birth order number	discrete	numeric-8.0	49	6399	-
2441	hc64_06	birth order number	discrete	numeric-8.0	15	6433	-
2442	hc64_07	birth order number	discrete	numeric-8.0	5	6443	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2443	hc64_08	birth order number	discrete	numeric-8.0	2	6446	-
2444	hc64_09	birth order number	discrete	numeric-8.0	0	6448	-
2445	hc64_10	birth order number	discrete	numeric-8.0	0	6448	-
2446	hc68_01	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	3788	2660	-
2447	hc68_02	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	1790	4658	-
2448	hc68_03	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	506	5942	-
2449	hc68_04	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	172	6276	-
2450	hc68_05	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	49	6399	-
2451	hc68_06	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	15	6433	-
2452	hc68_07	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	5	6443	-
2453	hc68_08	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	2	6446	-
2454	hc68_09	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	0	6448	-
2455	hc68_10	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	0	6448	-
2456	hc70_01	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2457	hc70_02	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2458	hc70_03	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2459	hc70_04	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2460	hc70_05	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2461	hc70_06	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2462	hc70_07	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2463	hc70_08	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2464	hc70_09	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2465	hc70_10	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2466	hc71_01	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2467	hc71_02	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2468	hc71_03	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2469	hc71_04	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2470	hc71_05	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2471	hc71_06	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2472	hc71_07	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2473	hc71_08	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2474	hc71_09	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2475	hc71_10	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2476	hc72_01	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2477	hc72_02	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2478	hc72_03	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2479	hc72_04	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2480	hc72_05	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2481	hc72_06	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2482	hc72_07	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2483	hc72_08	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2484	hc72_09	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2485	hc72_10	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2486	hc73_01	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2487	hc73_02	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2488	hc73_03	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2489	hc73_04	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2490	hc73_05	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2491	hc73_06	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2492	hc73_07	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2493	hc73_08	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2494	hc73_09	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2495	hc73_10	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6448	-
2496	hmlidx_1	mosquito bed net designation number	discrete	numeric-8.0	5908	540	-
2497	hmlidx_2	mosquito bed net designation number	discrete	numeric-8.0	4834	1614	-
2498	hmlidx_3	mosquito bed net designation number	discrete	numeric-8.0	2936	3512	-
2499	hmlidx_4	mosquito bed net designation number	discrete	numeric-8.0	1111	5337	-
2500	hmlidx_5	mosquito bed net designation number	discrete	numeric-8.0	672	5776	-
2501	hmlidx_6	mosquito bed net designation number	discrete	numeric-8.0	367	6081	-
2502	hmlidx_7	mosquito bed net designation number	discrete	numeric-8.0	93	6355	-
2503	hml3_1	net observed by interviewer	discrete	numeric-8.0	5906	542	-
2504	hml3_2	net observed by interviewer	discrete	numeric-8.0	4831	1617	-
2505	hml3_3	net observed by interviewer	discrete	numeric-8.0	2929	3519	-
2506	hml3_4	net observed by interviewer	discrete	numeric-8.0	1106	5342	-
2507	hml3_5	net observed by interviewer	discrete	numeric-8.0	665	5783	-
2508	hml3_6	net observed by interviewer	discrete	numeric-8.0	361	6087	-
2509	hml3_7	net observed by interviewer	discrete	numeric-8.0	93	6355	-
2510	hml4_1	months ago net obtained	discrete	numeric-8.0	5904	544	-
2511	hml4_2	months ago net obtained	discrete	numeric-8.0	4827	1621	-
2512	hml4_3	months ago net obtained	discrete	numeric-8.0	2929	3519	-
2513	hml4_4	months ago net obtained	discrete	numeric-8.0	1108	5340	-
2514	hml4_5	months ago net obtained	discrete	numeric-8.0	669	5779	-
2515	hml4_6	months ago net obtained	discrete	numeric-8.0	365	6083	-
2516	hml4_7	months ago net obtained	discrete	numeric-8.0	93	6355	-
2517	hml5_1	net treated with insecticide when bought	discrete	numeric-8.0	96	6352	-
2518	hml5_2	net treated with insecticide when bought	discrete	numeric-8.0	72	6376	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2519	hml5_3	net treated with insecticide when bought	discrete	numeric-8.0	46	6402	-
2520	hml5_4	net treated with insecticide when bought	discrete	numeric-8.0	20	6428	-
2521	hml5_5	net treated with insecticide when bought	discrete	numeric-8.0	8	6440	-
2522	hml5_6	net treated with insecticide when bought	discrete	numeric-8.0	7	6441	-
2523	hml5_7	net treated with insecticide when bought	discrete	numeric-8.0	0	6448	-
2524	hml6_1	net treatment status	discrete	numeric-8.0	5905	543	-
2525	hml6_2	net treatment status	discrete	numeric-8.0	4830	1618	-
2526	hml6_3	net treatment status	discrete	numeric-8.0	2930	3518	-
2527	hml6_4	net treatment status	discrete	numeric-8.0	1109	5339	-
2528	hml6_5	net treatment status	discrete	numeric-8.0	671	5777	-
2529	hml6_6	net treatment status	discrete	numeric-8.0	366	6082	-
2530	hml6_7	net treatment status	discrete	numeric-8.0	93	6355	-
2531	hml7_1	brand of net	discrete	numeric-8.0	5905	543	-
2532	hml7_2	brand of net	discrete	numeric-8.0	4830	1618	-
2533	hml7_3	brand of net	discrete	numeric-8.0	2930	3518	-
2534	hml7_4	brand of net	discrete	numeric-8.0	1109	5339	-
2535	hml7_5	brand of net	discrete	numeric-8.0	671	5777	-
2536	hml7_6	brand of net	discrete	numeric-8.0	366	6082	-
2537	hml7_7	brand of net	discrete	numeric-8.0	93	6355	-
2538	hml8_1	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2539	hml8_2	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2540	hml8_3	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2541	hml8_4	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2542	hml8_5	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2543	hml8_6	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2544	hml8_7	na - net treated since receiving	discrete	numeric-8.0	0	6448	-
2545	hml9_1	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-
2546	hml9_2	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-
2547	hml9_3	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-
2548	hml9_4	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2549	hml9_5	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-
2550	hml9_6	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-
2551	hml9_7	na - time since last re-treatment (months)	discrete	numeric-8.0	0	6448	-
2552	hml10_1	insecticide-treated net (itn)	discrete	numeric-8.0	5908	540	-
2553	hml10_2	insecticide-treated net (itn)	discrete	numeric-8.0	4834	1614	-
2554	hml10_3	insecticide-treated net (itn)	discrete	numeric-8.0	2936	3512	-
2555	hml10_4	insecticide-treated net (itn)	discrete	numeric-8.0	1111	5337	-
2556	hml10_5	insecticide-treated net (itn)	discrete	numeric-8.0	672	5776	-
2557	hml10_6	insecticide-treated net (itn)	discrete	numeric-8.0	367	6081	-
2558	hml10_7	insecticide-treated net (itn)	discrete	numeric-8.0	93	6355	-
2559	hml11_1	number of persons who slept under this net	discrete	numeric-8.0	5908	540	-
2560	hml11_2	number of persons who slept under this net	discrete	numeric-8.0	4834	1614	-
2561	hml11_3	number of persons who slept under this net	discrete	numeric-8.0	2936	3512	-
2562	hml11_4	number of persons who slept under this net	discrete	numeric-8.0	1111	5337	-
2563	hml11_5	number of persons who slept under this net	discrete	numeric-8.0	672	5776	-
2564	hml11_6	number of persons who slept under this net	discrete	numeric-8.0	367	6081	-
2565	hml11_7	number of persons who slept under this net	discrete	numeric-8.0	93	6355	-
2566	hml21_1	someone slept under this net last night	discrete	numeric-8.0	5591	857	-
2567	hml21_2	someone slept under this net last night	discrete	numeric-8.0	4313	2135	-
2568	hml21_3	someone slept under this net last night	discrete	numeric-8.0	2516	3932	-
2569	hml21_4	someone slept under this net last night	discrete	numeric-8.0	924	5524	-
2570	hml21_5	someone slept under this net last night	discrete	numeric-8.0	506	5942	-
2571	hml21_6	someone slept under this net last night	discrete	numeric-8.0	263	6185	-
2572	hml21_7	someone slept under this net last night	discrete	numeric-8.0	67	6381	-
2573	hmla_1	line number of person who slept in this net	discrete	numeric-8.0	5414	1034	-
2574	hmla_2	line number of person who slept in this net	discrete	numeric-8.0	4156	2292	-
2575	hmla_3	line number of person who slept in this net	discrete	numeric-8.0	2398	4050	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2576	hmla_4	line number of person who slept in this net	discrete	numeric-8.0	891	5557	-
2577	hmla_5	line number of person who slept in this net	discrete	numeric-8.0	479	5969	-
2578	hmla_6	line number of person who slept in this net	discrete	numeric-8.0	243	6205	-
2579	hmla_7	line number of person who slept in this net	discrete	numeric-8.0	62	6386	-
2580	hmlb_1	line number of person who slept in this net	discrete	numeric-8.0	2830	3618	-
2581	hmlb_2	line number of person who slept in this net	continuous	numeric-8.0	3031	3417	-
2582	hmlb_3	line number of person who slept in this net	continuous	numeric-8.0	1599	4849	-
2583	hmlb_4	line number of person who slept in this net	continuous	numeric-8.0	496	5952	-
2584	hmlb_5	line number of person who slept in this net	continuous	numeric-8.0	246	6202	-
2585	hmlb_6	line number of person who slept in this net	discrete	numeric-8.0	108	6340	-
2586	hmlb_7	line number of person who slept in this net	discrete	numeric-8.0	30	6418	-
2587	hmlc_1	line number of person who slept in this net	discrete	numeric-8.0	1263	5185	-
2588	hmlc_2	line number of person who slept in this net	continuous	numeric-8.0	1602	4846	-
2589	hmlc_3	line number of person who slept in this net	continuous	numeric-8.0	682	5766	-
2590	hmlc_4	line number of person who slept in this net	continuous	numeric-8.0	188	6260	-
2591	hmlc_5	line number of person who slept in this net	continuous	numeric-8.0	95	6353	-
2592	hmlc_6	line number of person who slept in this net	continuous	numeric-8.0	42	6406	-
2593	hmlc_7	line number of person who slept in this net	discrete	numeric-8.0	9	6439	-
2594	hmld_1	line number of person who slept in this net	discrete	numeric-8.0	292	6156	-
2595	hmld_2	line number of person who slept in this net	discrete	numeric-8.0	448	6000	-
2596	hmld_3	line number of person who slept in this net	continuous	numeric-8.0	191	6257	-
2597	hmld_4	line number of person who slept in this net	discrete	numeric-8.0	56	6392	-
2598	hmld_5	line number of person who slept in this net	discrete	numeric-8.0	21	6427	-
2599	hmld_6	line number of person who slept in this net	discrete	numeric-8.0	14	6434	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2600	hmld_7	line number of person who slept in this net	discrete	numeric-8.0	4	6444	-
2601	hmle_1	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2602	hmle_2	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2603	hmle_3	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2604	hmle_4	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2605	hmle_5	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2606	hmle_6	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2607	hmle_7	na - line number of person who slept in this net	discrete	numeric-8.0	0	6448	-
2608	sh131a_1	form of mosquito net	discrete	numeric-8.0	5897	551	-
2609	sh131a_2	form of mosquito net	discrete	numeric-8.0	4822	1626	-
2610	sh131a_3	form of mosquito net	discrete	numeric-8.0	2926	3522	-
2611	sh131a_4	form of mosquito net	discrete	numeric-8.0	1104	5344	-
2612	sh131a_5	form of mosquito net	discrete	numeric-8.0	668	5780	-
2613	sh131a_6	form of mosquito net	discrete	numeric-8.0	364	6084	-
2614	sh131a_7	form of mosquito net	discrete	numeric-8.0	93	6355	-
2615	sh131b_1	source obtained net	discrete	numeric-8.0	5733	715	-
2616	sh131b_2	source obtained net	discrete	numeric-8.0	4661	1787	-
2617	sh131b_3	source obtained net	discrete	numeric-8.0	2826	3622	-
2618	sh131b_4	source obtained net	discrete	numeric-8.0	1074	5374	-
2619	sh131b_5	source obtained net	discrete	numeric-8.0	635	5813	-
2620	sh131b_6	source obtained net	discrete	numeric-8.0	348	6100	-
2621	sh131b_7	source obtained net	discrete	numeric-8.0	87	6361	-
2622	sh131c_1	net hung when obtained	discrete	numeric-8.0	5907	541	-
2623	sh131c_2	net hung when obtained	discrete	numeric-8.0	4834	1614	-
2624	sh131c_3	net hung when obtained	discrete	numeric-8.0	2935	3513	-
2625	sh131c_4	net hung when obtained	discrete	numeric-8.0	1111	5337	-
2626	sh131c_5	net hung when obtained	discrete	numeric-8.0	672	5776	-
2627	sh131c_6	net hung when obtained	discrete	numeric-8.0	367	6081	-
2628	sh131c_7	net hung when obtained	discrete	numeric-8.0	93	6355	-
2629	sh131d_1	person who hung the net	discrete	numeric-8.0	5566	882	-
2630	sh131d_2	person who hung the net	discrete	numeric-8.0	4284	2164	-
2631	sh131d_3	person who hung the net	discrete	numeric-8.0	2492	3956	-
2632	sh131d_4	person who hung the net	discrete	numeric-8.0	912	5536	-
2633	sh131d_5	person who hung the net	discrete	numeric-8.0	498	5950	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2634	sh131d_6	person who hung the net	discrete	numeric-8.0	257	6191	-
2635	sh131d_7	person who hung the net	discrete	numeric-8.0	66	6382	-
2636	hmhidx_01	index to household schedule	discrete	numeric-8.0	6448	0	-
2637	hmhidx_02	index to household schedule	discrete	numeric-8.0	6071	377	-
2638	hmhidx_03	index to household schedule	discrete	numeric-8.0	5593	855	-
2639	hmhidx_04	index to household schedule	discrete	numeric-8.0	4882	1566	-
2640	hmhidx_05	index to household schedule	discrete	numeric-8.0	4021	2427	-
2641	hmhidx_06	index to household schedule	discrete	numeric-8.0	3172	3276	-
2642	hmhidx_07	index to household schedule	discrete	numeric-8.0	2405	4043	-
2643	hmhidx_08	index to household schedule	discrete	numeric-8.0	1820	4628	-
2644	hmhidx_09	index to household schedule	discrete	numeric-8.0	1359	5089	-
2645	hmhidx_10	index to household schedule	discrete	numeric-8.0	1007	5441	-
2646	hmhidx_11	index to household schedule	discrete	numeric-8.0	747	5701	-
2647	hmhidx_12	index to household schedule	discrete	numeric-8.0	559	5889	-
2648	hmhidx_13	index to household schedule	discrete	numeric-8.0	411	6037	-
2649	hmhidx_14	index to household schedule	discrete	numeric-8.0	294	6154	-
2650	hmhidx_15	index to household schedule	discrete	numeric-8.0	205	6243	-
2651	hmhidx_16	index to household schedule	discrete	numeric-8.0	147	6301	-
2652	hmhidx_17	index to household schedule	discrete	numeric-8.0	110	6338	-
2653	hmhidx_18	index to household schedule	discrete	numeric-8.0	84	6364	-
2654	hmhidx_19	index to household schedule	discrete	numeric-8.0	60	6388	-
2655	hmhidx_20	index to household schedule	discrete	numeric-8.0	39	6409	-
2656	hmhidx_21	index to household schedule	discrete	numeric-8.0	26	6422	-
2657	hmhidx_22	index to household schedule	discrete	numeric-8.0	18	6430	-
2658	hmhidx_23	index to household schedule	discrete	numeric-8.0	11	6437	-
2659	hmhidx_24	index to household schedule	discrete	numeric-8.0	8	6440	-
2660	hmhidx_25	index to household schedule	discrete	numeric-8.0	6	6442	-
2661	hmhidx_26	index to household schedule	discrete	numeric-8.0	4	6444	-
2662	hmhidx_27	index to household schedule	discrete	numeric-8.0	4	6444	-
2663	hmhidx_28	index to household schedule	discrete	numeric-8.0	3	6445	-
2664	hmhidx_29	index to household schedule	discrete	numeric-8.0	2	6446	-
2665	hmhidx_30	index to household schedule	discrete	numeric-8.0	2	6446	-
2666	hmhidx_31	index to household schedule	discrete	numeric-8.0	2	6446	-
2667	hmhidx_32	index to household schedule	discrete	numeric-8.0	1	6447	-
2668	hmhidx_33	index to household schedule	discrete	numeric-8.0	1	6447	-
2669	hmhidx_34	index to household schedule	discrete	numeric-8.0	1	6447	-
2670	hmhidx_35	index to household schedule	discrete	numeric-8.0	1	6447	-
2671	hmhidx_36	index to household schedule	discrete	numeric-8.0	1	6447	-
2672	hmhidx_37	index to household schedule	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2673	hmhidx_38	index to household schedule	discrete	numeric-8.0	1	6447	-
2674	hmhidx_39	index to household schedule	discrete	numeric-8.0	1	6447	-
2675	hmhidx_40	index to household schedule	discrete	numeric-8.0	1	6447	-
2676	hml12_01	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	6448	0	-
2677	hml12_02	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	6071	377	-
2678	hml12_03	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	5593	855	-
2679	hml12_04	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	4882	1566	-
2680	hml12_05	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	4021	2427	-
2681	hml12_06	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	3172	3276	-
2682	hml12_07	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	2405	4043	-
2683	hml12_08	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1820	4628	-
2684	hml12_09	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1359	5089	-
2685	hml12_10	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1007	5441	-
2686	hml12_11	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	747	5701	-
2687	hml12_12	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	559	5889	-
2688	hml12_13	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	411	6037	-
2689	hml12_14	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	294	6154	-
2690	hml12_15	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	205	6243	-
2691	hml12_16	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	147	6301	-
2692	hml12_17	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	110	6338	-
2693	hml12_18	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	84	6364	-
2694	hml12_19	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	60	6388	-
2695	hml12_20	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	39	6409	-
2696	hml12_21	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	26	6422	-
2697	hml12_22	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	18	6430	-
2698	hml12_23	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	11	6437	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2699	hml12_24	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	8	6440	-
2700	hml12_25	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	6	6442	-
2701	hml12_26	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	4	6444	-
2702	hml12_27	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	4	6444	-
2703	hml12_28	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	3	6445	-
2704	hml12_29	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	2	6446	-
2705	hml12_30	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	2	6446	-
2706	hml12_31	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	2	6446	-
2707	hml12_32	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2708	hml12_33	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2709	hml12_34	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2710	hml12_35	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2711	hml12_36	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2712	hml12_37	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2713	hml12_38	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2714	hml12_39	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2715	hml12_40	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	1	6447	-
2716	hml13_01	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	6448	0	-
2717	hml13_02	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	6071	377	-
2718	hml13_03	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	5593	855	-
2719	hml13_04	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	4882	1566	-
2720	hml13_05	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	4021	2427	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2721	hml13_06	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	3172	3276	-
2722	hml13_07	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	2405	4043	-
2723	hml13_08	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1820	4628	-
2724	hml13_09	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1359	5089	-
2725	hml13_10	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1007	5441	-
2726	hml13_11	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	747	5701	-
2727	hml13_12	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	559	5889	-
2728	hml13_13	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	411	6037	-
2729	hml13_14	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	294	6154	-
2730	hml13_15	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	205	6243	-
2731	hml13_16	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	147	6301	-
2732	hml13_17	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	110	6338	-
2733	hml13_18	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	84	6364	-
2734	hml13_19	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	60	6388	-
2735	hml13_20	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	39	6409	-
2736	hml13_21	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	26	6422	-
2737	hml13_22	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	18	6430	-
2738	hml13_23	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	11	6437	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2739	hml13_24	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	8	6440	-
2740	hml13_25	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	6	6442	-
2741	hml13_26	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	4	6444	-
2742	hml13_27	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	4	6444	-
2743	hml13_28	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	3	6445	-
2744	hml13_29	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	2	6446	-
2745	hml13_30	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	2	6446	-
2746	hml13_31	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	2	6446	-
2747	hml13_32	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2748	hml13_33	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2749	hml13_34	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2750	hml13_35	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2751	hml13_36	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2752	hml13_37	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2753	hml13_38	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2754	hml13_39	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2755	hml13_40	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	1	6447	-
2756	hml14_01	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	10	6438	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2757	hml14_02	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	18	6430	-
2758	hml14_03	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	15	6433	-
2759	hml14_04	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	7	6441	-
2760	hml14_05	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	9	6439	-
2761	hml14_06	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	9	6439	-
2762	hml14_07	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	12	6436	-
2763	hml14_08	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	3	6445	-
2764	hml14_09	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	10	6438	-
2765	hml14_10	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	4	6444	-
2766	hml14_11	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	4	6444	-
2767	hml14_12	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	3	6445	-
2768	hml14_13	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	2	6446	-
2769	hml14_14	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2770	hml14_15	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	3	6445	-
2771	hml14_16	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2772	hml14_17	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2773	hml14_18	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2774	hml14_19	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2775	hml14_20	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2776	hml14_21	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2777	hml14_22	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2778	hml14_23	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2779	hml14_24	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2780	hml14_25	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2781	hml14_26	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2782	hml14_27	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2783	hml14_28	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2784	hml14_29	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2785	hml14_30	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2786	hml14_31	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2787	hml14_32	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2788	hml14_33	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2789	hml14_34	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2790	hml14_35	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2791	hml14_36	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2792	hml14_37	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2793	hml14_38	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2794	hml14_39	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2795	hml14_40	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	0	6448	-
2796	hml15_01	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2797	hml15_02	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2798	hml15_03	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	1	6447	-
2799	hml15_04	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2800	hml15_05	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2801	hml15_06	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2802	hml15_07	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2803	hml15_08	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2804	hml15_09	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2805	hml15_10	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2806	hml15_11	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2807	hml15_12	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2808	hml15_13	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2809	hml15_14	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2810	hml15_15	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2811	hml15_16	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2812	hml15_17	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2813	hml15_18	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2814	hml15_19	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2815	hml15_20	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2816	hml15_21	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2817	hml15_22	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2818	hml15_23	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2819	hml15_24	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2820	hml15_25	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2821	hml15_26	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2822	hml15_27	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2823	hml15_28	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2824	hml15_29	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2825	hml15_30	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2826	hml15_31	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2827	hml15_32	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2828	hml15_33	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2829	hml15_34	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2830	hml15_35	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2831	hml15_36	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2832	hml15_37	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2833	hml15_38	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2834	hml15_39	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2835	hml15_40	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	0	6448	-
2836	hml16_01	corrected age from individual file	discrete	numeric-8.0	6445	3	-
2837	hml16_02	corrected age from individual file	discrete	numeric-8.0	6071	377	-
2838	hml16_03	corrected age from individual file	discrete	numeric-8.0	5593	855	-
2839	hml16_04	corrected age from individual file	discrete	numeric-8.0	4882	1566	-
2840	hml16_05	corrected age from individual file	discrete	numeric-8.0	4021	2427	-
2841	hml16_06	corrected age from individual file	discrete	numeric-8.0	3172	3276	-
2842	hml16_07	corrected age from individual file	discrete	numeric-8.0	2405	4043	-
2843	hml16_08	corrected age from individual file	discrete	numeric-8.0	1819	4629	-
2844	hml16_09	corrected age from individual file	discrete	numeric-8.0	1359	5089	-
2845	hml16_10	corrected age from individual file	discrete	numeric-8.0	1007	5441	-
2846	hml16_11	corrected age from individual file	discrete	numeric-8.0	747	5701	-
2847	hml16_12	corrected age from individual file	discrete	numeric-8.0	559	5889	-
2848	hml16_13	corrected age from individual file	discrete	numeric-8.0	411	6037	-
2849	hml16_14	corrected age from individual file	discrete	numeric-8.0	294	6154	-
2850	hml16_15	corrected age from individual file	discrete	numeric-8.0	205	6243	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2851	hml16_16	corrected age from individual file	discrete	numeric-8.0	147	6301	-
2852	hml16_17	corrected age from individual file	discrete	numeric-8.0	110	6338	-
2853	hml16_18	corrected age from individual file	discrete	numeric-8.0	84	6364	-
2854	hml16_19	corrected age from individual file	discrete	numeric-8.0	60	6388	-
2855	hml16_20	corrected age from individual file	discrete	numeric-8.0	39	6409	-
2856	hml16_21	corrected age from individual file	discrete	numeric-8.0	26	6422	-
2857	hml16_22	corrected age from individual file	discrete	numeric-8.0	18	6430	-
2858	hml16_23	corrected age from individual file	discrete	numeric-8.0	11	6437	-
2859	hml16_24	corrected age from individual file	discrete	numeric-8.0	8	6440	-
2860	hml16_25	corrected age from individual file	discrete	numeric-8.0	6	6442	-
2861	hml16_26	corrected age from individual file	discrete	numeric-8.0	4	6444	-
2862	hml16_27	corrected age from individual file	discrete	numeric-8.0	4	6444	-
2863	hml16_28	corrected age from individual file	discrete	numeric-8.0	3	6445	-
2864	hml16_29	corrected age from individual file	discrete	numeric-8.0	2	6446	-
2865	hml16_30	corrected age from individual file	discrete	numeric-8.0	2	6446	-
2866	hml16_31	corrected age from individual file	discrete	numeric-8.0	2	6446	-
2867	hml16_32	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2868	hml16_33	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2869	hml16_34	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2870	hml16_35	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2871	hml16_36	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2872	hml16_37	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2873	hml16_38	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2874	hml16_39	corrected age from individual file	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2875	hml16_40	corrected age from individual file	discrete	numeric-8.0	1	6447	-
2876	hml16a_01	age in months (for children)	discrete	numeric-8.0	1	6447	-
2877	hml16a_02	age in months (for children)	continuous	numeric-8.0	114	6334	-
2878	hml16a_03	age in months (for children)	continuous	numeric-8.0	1377	5071	-
2879	hml16a_04	age in months (for children)	continuous	numeric-8.0	1326	5122	-
2880	hml16a_05	age in months (for children)	continuous	numeric-8.0	1128	5320	-
2881	hml16a_06	age in months (for children)	continuous	numeric-8.0	957	5491	-
2882	hml16a_07	age in months (for children)	continuous	numeric-8.0	795	5653	-
2883	hml16a_08	age in months (for children)	continuous	numeric-8.0	628	5820	-
2884	hml16a_09	age in months (for children)	continuous	numeric-8.0	506	5942	-
2885	hml16a_10	age in months (for children)	continuous	numeric-8.0	419	6029	-
2886	hml16a_11	age in months (for children)	continuous	numeric-8.0	294	6154	-
2887	hml16a_12	age in months (for children)	continuous	numeric-8.0	246	6202	-
2888	hml16a_13	age in months (for children)	continuous	numeric-8.0	181	6267	-
2889	hml16a_14	age in months (for children)	continuous	numeric-8.0	125	6323	-
2890	hml16a_15	age in months (for children)	continuous	numeric-8.0	85	6363	-
2891	hml16a_16	age in months (for children)	continuous	numeric-8.0	55	6393	-
2892	hml16a_17	age in months (for children)	continuous	numeric-8.0	57	6391	-
2893	hml16a_18	age in months (for children)	continuous	numeric-8.0	40	6408	-
2894	hml16a_19	age in months (for children)	continuous	numeric-8.0	27	6421	-
2895	hml16a_20	age in months (for children)	continuous	numeric-8.0	20	6428	-
2896	hml16a_21	age in months (for children)	continuous	numeric-8.0	14	6434	-
2897	hml16a_22	age in months (for children)	continuous	numeric-8.0	5	6443	-
2898	hml16a_23	age in months (for children)	discrete	numeric-8.0	3	6445	-
2899	hml16a_24	age in months (for children)	continuous	numeric-8.0	4	6444	-
2900	hml16a_25	age in months (for children)	discrete	numeric-8.0	1	6447	-
2901	hml16a_26	age in months (for children)	discrete	numeric-8.0	1	6447	-
2902	hml16a_27	age in months (for children)	continuous	numeric-8.0	3	6445	-
2903	hml16a_28	age in months (for children)	continuous	numeric-8.0	2	6446	-
2904	hml16a_29	age in months (for children)	discrete	numeric-8.0	0	6448	-
2905	hml16a_30	age in months (for children)	discrete	numeric-8.0	0	6448	-
2906	hml16a_31	age in months (for children)	discrete	numeric-8.0	1	6447	-
2907	hml16a_32	age in months (for children)	discrete	numeric-8.0	1	6447	-
2908	hml16a_33	age in months (for children)	discrete	numeric-8.0	1	6447	-
2909	hml16a_34	age in months (for children)	discrete	numeric-8.0	0	6448	-
2910	hml16a_35	age in months (for children)	discrete	numeric-8.0	0	6448	-
2911	hml16a_36	age in months (for children)	discrete	numeric-8.0	0	6448	-
2912	hml16a_37	age in months (for children)	discrete	numeric-8.0	0	6448	-
2913	hml16a_38	age in months (for children)	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2914	hml16a_39	age in months (for children)	discrete	numeric-8.0	1	6447	-
2915	hml16a_40	age in months (for children)	discrete	numeric-8.0	0	6448	-
2916	hml17_01	flag for age from individual file	discrete	numeric-8.0	6448	0	-
2917	hml17_02	flag for age from individual file	discrete	numeric-8.0	6071	377	-
2918	hml17_03	flag for age from individual file	discrete	numeric-8.0	5593	855	-
2919	hml17_04	flag for age from individual file	discrete	numeric-8.0	4882	1566	-
2920	hml17_05	flag for age from individual file	discrete	numeric-8.0	4021	2427	-
2921	hml17_06	flag for age from individual file	discrete	numeric-8.0	3172	3276	-
2922	hml17_07	flag for age from individual file	discrete	numeric-8.0	2405	4043	-
2923	hml17_08	flag for age from individual file	discrete	numeric-8.0	1820	4628	-
2924	hml17_09	flag for age from individual file	discrete	numeric-8.0	1359	5089	-
2925	hml17_10	flag for age from individual file	discrete	numeric-8.0	1007	5441	-
2926	hml17_11	flag for age from individual file	discrete	numeric-8.0	747	5701	-
2927	hml17_12	flag for age from individual file	discrete	numeric-8.0	559	5889	-
2928	hml17_13	flag for age from individual file	discrete	numeric-8.0	411	6037	-
2929	hml17_14	flag for age from individual file	discrete	numeric-8.0	294	6154	-
2930	hml17_15	flag for age from individual file	discrete	numeric-8.0	205	6243	-
2931	hml17_16	flag for age from individual file	discrete	numeric-8.0	147	6301	-
2932	hml17_17	flag for age from individual file	discrete	numeric-8.0	110	6338	-
2933	hml17_18	flag for age from individual file	discrete	numeric-8.0	84	6364	-
2934	hml17_19	flag for age from individual file	discrete	numeric-8.0	60	6388	-
2935	hml17_20	flag for age from individual file	discrete	numeric-8.0	39	6409	-
2936	hml17_21	flag for age from individual file	discrete	numeric-8.0	26	6422	-
2937	hml17_22	flag for age from individual file	discrete	numeric-8.0	18	6430	-
2938	hml17_23	flag for age from individual file	discrete	numeric-8.0	11	6437	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2939	hml17_24	flag for age from individual file	discrete	numeric-8.0	8	6440	-
2940	hml17_25	flag for age from individual file	discrete	numeric-8.0	6	6442	-
2941	hml17_26	flag for age from individual file	discrete	numeric-8.0	4	6444	-
2942	hml17_27	flag for age from individual file	discrete	numeric-8.0	4	6444	-
2943	hml17_28	flag for age from individual file	discrete	numeric-8.0	3	6445	-
2944	hml17_29	flag for age from individual file	discrete	numeric-8.0	2	6446	-
2945	hml17_30	flag for age from individual file	discrete	numeric-8.0	2	6446	-
2946	hml17_31	flag for age from individual file	discrete	numeric-8.0	2	6446	-
2947	hml17_32	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2948	hml17_33	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2949	hml17_34	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2950	hml17_35	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2951	hml17_36	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2952	hml17_37	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2953	hml17_38	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2954	hml17_39	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2955	hml17_40	flag for age from individual file	discrete	numeric-8.0	1	6447	-
2956	hml18_01	pregnancy status from individual file	discrete	numeric-8.0	396	6052	-
2957	hml18_02	pregnancy status from individual file	discrete	numeric-8.0	4266	2182	-
2958	hml18_03	pregnancy status from individual file	discrete	numeric-8.0	1188	5260	-
2959	hml18_04	pregnancy status from individual file	discrete	numeric-8.0	639	5809	-
2960	hml18_05	pregnancy status from individual file	discrete	numeric-8.0	434	6014	-
2961	hml18_06	pregnancy status from individual file	discrete	numeric-8.0	339	6109	-
2962	hml18_07	pregnancy status from individual file	discrete	numeric-8.0	282	6166	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2963	hml18_08	pregnancy status from individual file	discrete	numeric-8.0	195	6253	-
2964	hml18_09	pregnancy status from individual file	discrete	numeric-8.0	155	6293	-
2965	hml18_10	pregnancy status from individual file	discrete	numeric-8.0	103	6345	-
2966	hml18_11	pregnancy status from individual file	discrete	numeric-8.0	88	6360	-
2967	hml18_12	pregnancy status from individual file	discrete	numeric-8.0	56	6392	-
2968	hml18_13	pregnancy status from individual file	discrete	numeric-8.0	44	6404	-
2969	hml18_14	pregnancy status from individual file	discrete	numeric-8.0	27	6421	-
2970	hml18_15	pregnancy status from individual file	discrete	numeric-8.0	18	6430	-
2971	hml18_16	pregnancy status from individual file	discrete	numeric-8.0	15	6433	-
2972	hml18_17	pregnancy status from individual file	discrete	numeric-8.0	3	6445	-
2973	hml18_18	pregnancy status from individual file	discrete	numeric-8.0	11	6437	-
2974	hml18_19	pregnancy status from individual file	discrete	numeric-8.0	7	6441	-
2975	hml18_20	pregnancy status from individual file	discrete	numeric-8.0	3	6445	-
2976	hml18_21	pregnancy status from individual file	discrete	numeric-8.0	2	6446	-
2977	hml18_22	pregnancy status from individual file	discrete	numeric-8.0	3	6445	-
2978	hml18_23	pregnancy status from individual file	discrete	numeric-8.0	1	6447	-
2979	hml18_24	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2980	hml18_25	pregnancy status from individual file	discrete	numeric-8.0	1	6447	-
2981	hml18_26	pregnancy status from individual file	discrete	numeric-8.0	1	6447	-
2982	hml18_27	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2983	hml18_28	pregnancy status from individual file	discrete	numeric-8.0	1	6447	-
2984	hml18_29	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2985	hml18_30	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2986	hml18_31	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2987	hml18_32	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2988	hml18_33	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2989	hml18_34	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2990	hml18_35	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2991	hml18_36	pregnancy status from individual file	discrete	numeric-8.0	1	6447	-
2992	hml18_37	pregnancy status from individual file	discrete	numeric-8.0	1	6447	-
2993	hml18_38	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2994	hml18_39	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2995	hml18_40	pregnancy status from individual file	discrete	numeric-8.0	0	6448	-
2996	hml19_01	person slept under an ever-treated net	discrete	numeric-8.0	6448	0	-
2997	hml19_02	person slept under an ever-treated net	discrete	numeric-8.0	6071	377	-
2998	hml19_03	person slept under an ever-treated net	discrete	numeric-8.0	5593	855	-
2999	hml19_04	person slept under an ever-treated net	discrete	numeric-8.0	4882	1566	-
3000	hml19_05	person slept under an ever-treated net	discrete	numeric-8.0	4021	2427	-
3001	hml19_06	person slept under an ever-treated net	discrete	numeric-8.0	3172	3276	-
3002	hml19_07	person slept under an ever-treated net	discrete	numeric-8.0	2405	4043	-
3003	hml19_08	person slept under an ever-treated net	discrete	numeric-8.0	1820	4628	-
3004	hml19_09	person slept under an ever-treated net	discrete	numeric-8.0	1359	5089	-
3005	hml19_10	person slept under an ever-treated net	discrete	numeric-8.0	1007	5441	-
3006	hml19_11	person slept under an ever-treated net	discrete	numeric-8.0	747	5701	-
3007	hml19_12	person slept under an ever-treated net	discrete	numeric-8.0	559	5889	-
3008	hml19_13	person slept under an ever-treated net	discrete	numeric-8.0	411	6037	-
3009	hml19_14	person slept under an ever-treated net	discrete	numeric-8.0	294	6154	-
3010	hml19_15	person slept under an ever-treated net	discrete	numeric-8.0	205	6243	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3011	hml19_16	person slept under an ever-treated net	discrete	numeric-8.0	147	6301	-
3012	hml19_17	person slept under an ever-treated net	discrete	numeric-8.0	110	6338	-
3013	hml19_18	person slept under an ever-treated net	discrete	numeric-8.0	84	6364	-
3014	hml19_19	person slept under an ever-treated net	discrete	numeric-8.0	60	6388	-
3015	hml19_20	person slept under an ever-treated net	discrete	numeric-8.0	39	6409	-
3016	hml19_21	person slept under an ever-treated net	discrete	numeric-8.0	26	6422	-
3017	hml19_22	person slept under an ever-treated net	discrete	numeric-8.0	18	6430	-
3018	hml19_23	person slept under an ever-treated net	discrete	numeric-8.0	11	6437	-
3019	hml19_24	person slept under an ever-treated net	discrete	numeric-8.0	8	6440	-
3020	hml19_25	person slept under an ever-treated net	discrete	numeric-8.0	6	6442	-
3021	hml19_26	person slept under an ever-treated net	discrete	numeric-8.0	4	6444	-
3022	hml19_27	person slept under an ever-treated net	discrete	numeric-8.0	4	6444	-
3023	hml19_28	person slept under an ever-treated net	discrete	numeric-8.0	3	6445	-
3024	hml19_29	person slept under an ever-treated net	discrete	numeric-8.0	2	6446	-
3025	hml19_30	person slept under an ever-treated net	discrete	numeric-8.0	2	6446	-
3026	hml19_31	person slept under an ever-treated net	discrete	numeric-8.0	2	6446	-
3027	hml19_32	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3028	hml19_33	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3029	hml19_34	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3030	hml19_35	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3031	hml19_36	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3032	hml19_37	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3033	hml19_38	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3034	hml19_39	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3035	hml19_40	person slept under an ever-treated net	discrete	numeric-8.0	1	6447	-
3036	hml20_01	person slept under an llin net	discrete	numeric-8.0	6448	0	-
3037	hml20_02	person slept under an llin net	discrete	numeric-8.0	6071	377	-
3038	hml20_03	person slept under an llin net	discrete	numeric-8.0	5593	855	-
3039	hml20_04	person slept under an llin net	discrete	numeric-8.0	4882	1566	-
3040	hml20_05	person slept under an llin net	discrete	numeric-8.0	4021	2427	-
3041	hml20_06	person slept under an llin net	discrete	numeric-8.0	3172	3276	-
3042	hml20_07	person slept under an llin net	discrete	numeric-8.0	2405	4043	-
3043	hml20_08	person slept under an llin net	discrete	numeric-8.0	1820	4628	-
3044	hml20_09	person slept under an llin net	discrete	numeric-8.0	1359	5089	-
3045	hml20_10	person slept under an llin net	discrete	numeric-8.0	1007	5441	-
3046	hml20_11	person slept under an llin net	discrete	numeric-8.0	747	5701	-
3047	hml20_12	person slept under an llin net	discrete	numeric-8.0	559	5889	-
3048	hml20_13	person slept under an llin net	discrete	numeric-8.0	411	6037	-
3049	hml20_14	person slept under an llin net	discrete	numeric-8.0	294	6154	-
3050	hml20_15	person slept under an llin net	discrete	numeric-8.0	205	6243	-
3051	hml20_16	person slept under an llin net	discrete	numeric-8.0	147	6301	-
3052	hml20_17	person slept under an llin net	discrete	numeric-8.0	110	6338	-
3053	hml20_18	person slept under an llin net	discrete	numeric-8.0	84	6364	-
3054	hml20_19	person slept under an llin net	discrete	numeric-8.0	60	6388	-
3055	hml20_20	person slept under an llin net	discrete	numeric-8.0	39	6409	-
3056	hml20_21	person slept under an llin net	discrete	numeric-8.0	26	6422	-
3057	hml20_22	person slept under an llin net	discrete	numeric-8.0	18	6430	-
3058	hml20_23	person slept under an llin net	discrete	numeric-8.0	11	6437	-
3059	hml20_24	person slept under an llin net	discrete	numeric-8.0	8	6440	-
3060	hml20_25	person slept under an llin net	discrete	numeric-8.0	6	6442	-
3061	hml20_26	person slept under an llin net	discrete	numeric-8.0	4	6444	-
3062	hml20_27	person slept under an llin net	discrete	numeric-8.0	4	6444	-
3063	hml20_28	person slept under an llin net	discrete	numeric-8.0	3	6445	-
3064	hml20_29	person slept under an llin net	discrete	numeric-8.0	2	6446	-
3065	hml20_30	person slept under an llin net	discrete	numeric-8.0	2	6446	-
3066	hml20_31	person slept under an llin net	discrete	numeric-8.0	2	6446	-
3067	hml20_32	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3068	hml20_33	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3069	hml20_34	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3070	hml20_35	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3071	hml20_36	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3072	hml20_37	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3073	hml20_38	person slept under an llin net	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3074	hml20_39	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3075	hml20_40	person slept under an llin net	discrete	numeric-8.0	1	6447	-
3076	hml30_01	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3077	hml30_02	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	85	6363	-
3078	hml30_03	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1026	5422	-
3079	hml30_04	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	976	5472	-
3080	hml30_05	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	832	5616	-
3081	hml30_06	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	727	5721	-
3082	hml30_07	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	616	5832	-
3083	hml30_08	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	464	5984	-
3084	hml30_09	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	389	6059	-
3085	hml30_10	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	319	6129	-
3086	hml30_11	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	225	6223	-
3087	hml30_12	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	181	6267	-
3088	hml30_13	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	130	6318	-
3089	hml30_14	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	96	6352	-
3090	hml30_15	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	63	6385	-
3091	hml30_16	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	39	6409	-
3092	hml30_17	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	44	6404	-
3093	hml30_18	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	30	6418	-
3094	hml30_19	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	23	6425	-
3095	hml30_20	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	16	6432	-
3096	hml30_21	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	11	6437	-
3097	hml30_22	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	4	6444	-
3098	hml30_23	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	3	6445	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3099	hml30_24	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	2	6446	-
3100	hml30_25	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3101	hml30_26	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3102	hml30_27	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	3	6445	-
3103	hml30_28	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3104	hml30_29	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3105	hml30_30	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3106	hml30_31	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3107	hml30_32	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3108	hml30_33	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3109	hml30_34	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3110	hml30_35	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3111	hml30_36	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3112	hml30_37	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3113	hml30_38	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3114	hml30_39	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	1	6447	-
3115	hml30_40	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	0	6448	-
3116	hml31_01	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3117	hml31_02	read consent statement for malaria	discrete	numeric-8.0	85	6363	-
3118	hml31_03	read consent statement for malaria	discrete	numeric-8.0	1021	5427	-
3119	hml31_04	read consent statement for malaria	discrete	numeric-8.0	970	5478	-
3120	hml31_05	read consent statement for malaria	discrete	numeric-8.0	828	5620	-
3121	hml31_06	read consent statement for malaria	discrete	numeric-8.0	724	5724	-
3122	hml31_07	read consent statement for malaria	discrete	numeric-8.0	613	5835	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3123	hml31_08	read consent statement for malaria	discrete	numeric-8.0	463	5985	-
3124	hml31_09	read consent statement for malaria	discrete	numeric-8.0	387	6061	-
3125	hml31_10	read consent statement for malaria	discrete	numeric-8.0	319	6129	-
3126	hml31_11	read consent statement for malaria	discrete	numeric-8.0	223	6225	-
3127	hml31_12	read consent statement for malaria	discrete	numeric-8.0	181	6267	-
3128	hml31_13	read consent statement for malaria	discrete	numeric-8.0	129	6319	-
3129	hml31_14	read consent statement for malaria	discrete	numeric-8.0	96	6352	-
3130	hml31_15	read consent statement for malaria	discrete	numeric-8.0	63	6385	-
3131	hml31_16	read consent statement for malaria	discrete	numeric-8.0	39	6409	-
3132	hml31_17	read consent statement for malaria	discrete	numeric-8.0	44	6404	-
3133	hml31_18	read consent statement for malaria	discrete	numeric-8.0	30	6418	-
3134	hml31_19	read consent statement for malaria	discrete	numeric-8.0	23	6425	-
3135	hml31_20	read consent statement for malaria	discrete	numeric-8.0	16	6432	-
3136	hml31_21	read consent statement for malaria	discrete	numeric-8.0	10	6438	-
3137	hml31_22	read consent statement for malaria	discrete	numeric-8.0	4	6444	-
3138	hml31_23	read consent statement for malaria	discrete	numeric-8.0	3	6445	-
3139	hml31_24	read consent statement for malaria	discrete	numeric-8.0	2	6446	-
3140	hml31_25	read consent statement for malaria	discrete	numeric-8.0	1	6447	-
3141	hml31_26	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3142	hml31_27	read consent statement for malaria	discrete	numeric-8.0	3	6445	-
3143	hml31_28	read consent statement for malaria	discrete	numeric-8.0	1	6447	-
3144	hml31_29	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3145	hml31_30	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3146	hml31_31	read consent statement for malaria	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3147	hml31_32	read consent statement for malaria	discrete	numeric-8.0	1	6447	-
3148	hml31_33	read consent statement for malaria	discrete	numeric-8.0	1	6447	-
3149	hml31_34	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3150	hml31_35	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3151	hml31_36	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3152	hml31_37	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3153	hml31_38	read consent statement for malaria	discrete	numeric-8.0	1	6447	-
3154	hml31_39	read consent statement for malaria	discrete	numeric-8.0	1	6447	-
3155	hml31_40	read consent statement for malaria	discrete	numeric-8.0	0	6448	-
3156	hml32_01	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3157	hml32_02	final result of malaria from blood smear test	discrete	numeric-8.0	85	6363	-
3158	hml32_03	final result of malaria from blood smear test	discrete	numeric-8.0	1022	5426	-
3159	hml32_04	final result of malaria from blood smear test	discrete	numeric-8.0	972	5476	-
3160	hml32_05	final result of malaria from blood smear test	discrete	numeric-8.0	827	5621	-
3161	hml32_06	final result of malaria from blood smear test	discrete	numeric-8.0	721	5727	-
3162	hml32_07	final result of malaria from blood smear test	discrete	numeric-8.0	613	5835	-
3163	hml32_08	final result of malaria from blood smear test	discrete	numeric-8.0	463	5985	-
3164	hml32_09	final result of malaria from blood smear test	discrete	numeric-8.0	387	6061	-
3165	hml32_10	final result of malaria from blood smear test	discrete	numeric-8.0	319	6129	-
3166	hml32_11	final result of malaria from blood smear test	discrete	numeric-8.0	223	6225	-
3167	hml32_12	final result of malaria from blood smear test	discrete	numeric-8.0	181	6267	-
3168	hml32_13	final result of malaria from blood smear test	discrete	numeric-8.0	129	6319	-
3169	hml32_14	final result of malaria from blood smear test	discrete	numeric-8.0	96	6352	-
3170	hml32_15	final result of malaria from blood smear test	discrete	numeric-8.0	63	6385	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3171	hml32_16	final result of malaria from blood smear test	discrete	numeric-8.0	39	6409	-
3172	hml32_17	final result of malaria from blood smear test	discrete	numeric-8.0	44	6404	-
3173	hml32_18	final result of malaria from blood smear test	discrete	numeric-8.0	30	6418	-
3174	hml32_19	final result of malaria from blood smear test	discrete	numeric-8.0	23	6425	-
3175	hml32_20	final result of malaria from blood smear test	discrete	numeric-8.0	16	6432	-
3176	hml32_21	final result of malaria from blood smear test	discrete	numeric-8.0	10	6438	-
3177	hml32_22	final result of malaria from blood smear test	discrete	numeric-8.0	4	6444	-
3178	hml32_23	final result of malaria from blood smear test	discrete	numeric-8.0	3	6445	-
3179	hml32_24	final result of malaria from blood smear test	discrete	numeric-8.0	2	6446	-
3180	hml32_25	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-
3181	hml32_26	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3182	hml32_27	final result of malaria from blood smear test	discrete	numeric-8.0	3	6445	-
3183	hml32_28	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-
3184	hml32_29	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3185	hml32_30	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3186	hml32_31	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-
3187	hml32_32	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-
3188	hml32_33	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-
3189	hml32_34	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3190	hml32_35	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3191	hml32_36	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3192	hml32_37	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3193	hml32_38	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-
3194	hml32_39	final result of malaria from blood smear test	discrete	numeric-8.0	1	6447	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3195	hml32_40	final result of malaria from blood smear test	discrete	numeric-8.0	0	6448	-
3196	hml32a_01	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3197	hml32a_02	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3198	hml32a_03	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3199	hml32a_04	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3200	hml32a_05	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3201	hml32a_06	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3202	hml32a_07	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3203	hml32a_08	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3204	hml32a_09	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3205	hml32a_10	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3206	hml32a_11	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3207	hml32a_12	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3208	hml32a_13	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3209	hml32a_14	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3210	hml32a_15	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3211	hml32a_16	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3212	hml32a_17	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3213	hml32a_18	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3214	hml32a_19	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3215	hml32a_20	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3216	hml32a_21	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3217	hml32a_22	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3218	hml32a_23	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3219	hml32a_24	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3220	hml32a_25	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3221	hml32a_26	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3222	hml32a_27	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3223	hml32a_28	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3224	hml32a_29	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3225	hml32a_30	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3226	hml32a_31	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3227	hml32a_32	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3228	hml32a_33	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3229	hml32a_34	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3230	hml32a_35	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3231	hml32a_36	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3232	hml32a_37	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3233	hml32a_38	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3234	hml32a_39	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3235	hml32a_40	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	6448	-
3236	hml32b_01	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3237	hml32b_02	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3238	hml32b_03	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3239	hml32b_04	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3240	hml32b_05	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3241	hml32b_06	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3242	hml32b_07	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3243	hml32b_08	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3244	hml32b_09	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3245	hml32b_10	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3246	hml32b_11	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3247	hml32b_12	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3248	hml32b_13	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3249	hml32b_14	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3250	hml32b_15	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3251	hml32b_16	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3252	hml32b_17	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3253	hml32b_18	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3254	hml32b_19	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3255	hml32b_20	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3256	hml32b_21	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3257	hml32b_22	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3258	hml32b_23	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3259	hml32b_24	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3260	hml32b_25	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3261	hml32b_26	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3262	hml32b_27	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3263	hml32b_28	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3264	hml32b_29	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3265	hml32b_30	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3266	hml32b_31	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3267	hml32b_32	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3268	hml32b_33	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3269	hml32b_34	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3270	hml32b_35	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3271	hml32b_36	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3272	hml32b_37	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3273	hml32b_38	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3274	hml32b_39	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3275	hml32b_40	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	6448	-
3276	hml32c_01	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3277	hml32c_02	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3278	hml32c_03	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3279	hml32c_04	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3280	hml32c_05	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3281	hml32c_06	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3282	hml32c_07	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3283	hml32c_08	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3284	hml32c_09	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3285	hml32c_10	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3286	hml32c_11	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3287	hml32c_12	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3288	hml32c_13	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3289	hml32c_14	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3290	hml32c_15	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3291	hml32c_16	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3292	hml32c_17	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3293	hml32c_18	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3294	hml32c_19	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3295	hml32c_20	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3296	hml32c_21	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3297	hml32c_22	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3298	hml32c_23	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3299	hml32c_24	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3300	hml32c_25	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3301	hml32c_26	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3302	hml32c_27	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3303	hml32c_28	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3304	hml32c_29	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3305	hml32c_30	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3306	hml32c_31	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3307	hml32c_32	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3308	hml32c_33	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3309	hml32c_34	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3310	hml32c_35	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3311	hml32c_36	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3312	hml32c_37	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3313	hml32c_38	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3314	hml32c_39	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3315	hml32c_40	na - presence of species: ovale (po)	discrete	numeric-8.0	0	6448	-
3316	hml32d_01	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3317	hml32d_02	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3318	hml32d_03	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3319	hml32d_04	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3320	hml32d_05	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3321	hml32d_06	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3322	hml32d_07	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3323	hml32d_08	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3324	hml32d_09	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3325	hml32d_10	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3326	hml32d_11	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3327	hml32d_12	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3328	hml32d_13	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3329	hml32d_14	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3330	hml32d_15	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3331	hml32d_16	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3332	hml32d_17	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3333	hml32d_18	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3334	hml32d_19	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3335	hml32d_20	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3336	hml32d_21	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3337	hml32d_22	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3338	hml32d_23	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3339	hml32d_24	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3340	hml32d_25	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3341	hml32d_26	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3342	hml32d_27	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3343	hml32d_28	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3344	hml32d_29	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3345	hml32d_30	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3346	hml32d_31	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3347	hml32d_32	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3348	hml32d_33	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3349	hml32d_34	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3350	hml32d_35	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3351	hml32d_36	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3352	hml32d_37	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3353	hml32d_38	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3354	hml32d_39	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3355	hml32d_40	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	6448	-
3356	hml32e_01	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3357	hml32e_02	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3358	hml32e_03	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3359	hml32e_04	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3360	hml32e_05	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3361	hml32e_06	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3362	hml32e_07	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3363	hml32e_08	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3364	hml32e_09	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3365	hml32e_10	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3366	hml32e_11	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3367	hml32e_12	na - presence of species: cs	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3368	hml32e_13	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3369	hml32e_14	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3370	hml32e_15	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3371	hml32e_16	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3372	hml32e_17	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3373	hml32e_18	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3374	hml32e_19	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3375	hml32e_20	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3376	hml32e_21	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3377	hml32e_22	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3378	hml32e_23	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3379	hml32e_24	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3380	hml32e_25	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3381	hml32e_26	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3382	hml32e_27	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3383	hml32e_28	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3384	hml32e_29	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3385	hml32e_30	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3386	hml32e_31	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3387	hml32e_32	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3388	hml32e_33	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3389	hml32e_34	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3390	hml32e_35	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3391	hml32e_36	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3392	hml32e_37	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3393	hml32e_38	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3394	hml32e_39	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3395	hml32e_40	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3396	hml32f_01	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3397	hml32f_02	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3398	hml32f_03	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3399	hml32f_04	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3400	hml32f_05	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3401	hml32f_06	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3402	hml32f_07	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3403	hml32f_08	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3404	hml32f_09	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3405	hml32f_10	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3406	hml32f_11	na - presence of species: cs	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3407	hml32f_12	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3408	hml32f_13	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3409	hml32f_14	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3410	hml32f_15	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3411	hml32f_16	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3412	hml32f_17	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3413	hml32f_18	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3414	hml32f_19	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3415	hml32f_20	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3416	hml32f_21	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3417	hml32f_22	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3418	hml32f_23	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3419	hml32f_24	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3420	hml32f_25	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3421	hml32f_26	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3422	hml32f_27	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3423	hml32f_28	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3424	hml32f_29	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3425	hml32f_30	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3426	hml32f_31	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3427	hml32f_32	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3428	hml32f_33	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3429	hml32f_34	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3430	hml32f_35	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3431	hml32f_36	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3432	hml32f_37	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3433	hml32f_38	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3434	hml32f_39	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3435	hml32f_40	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3436	hml32g_01	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3437	hml32g_02	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3438	hml32g_03	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3439	hml32g_04	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3440	hml32g_05	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3441	hml32g_06	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3442	hml32g_07	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3443	hml32g_08	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3444	hml32g_09	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3445	hml32g_10	na - presence of species: cs	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3446	hml32g_11	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3447	hml32g_12	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3448	hml32g_13	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3449	hml32g_14	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3450	hml32g_15	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3451	hml32g_16	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3452	hml32g_17	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3453	hml32g_18	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3454	hml32g_19	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3455	hml32g_20	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3456	hml32g_21	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3457	hml32g_22	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3458	hml32g_23	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3459	hml32g_24	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3460	hml32g_25	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3461	hml32g_26	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3462	hml32g_27	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3463	hml32g_28	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3464	hml32g_29	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3465	hml32g_30	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3466	hml32g_31	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3467	hml32g_32	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3468	hml32g_33	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3469	hml32g_34	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3470	hml32g_35	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3471	hml32g_36	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3472	hml32g_37	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3473	hml32g_38	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3474	hml32g_39	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3475	hml32g_40	na - presence of species: cs	discrete	numeric-8.0	0	6448	-
3476	hml33_01	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3477	hml33_02	result of malaria measurement	discrete	numeric-8.0	85	6363	-
3478	hml33_03	result of malaria measurement	discrete	numeric-8.0	1022	5426	-
3479	hml33_04	result of malaria measurement	discrete	numeric-8.0	971	5477	-
3480	hml33_05	result of malaria measurement	discrete	numeric-8.0	829	5619	-
3481	hml33_06	result of malaria measurement	discrete	numeric-8.0	722	5726	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3482	hml33_07	result of malaria measurement	discrete	numeric-8.0	613	5835	-
3483	hml33_08	result of malaria measurement	discrete	numeric-8.0	463	5985	-
3484	hml33_09	result of malaria measurement	discrete	numeric-8.0	387	6061	-
3485	hml33_10	result of malaria measurement	discrete	numeric-8.0	319	6129	-
3486	hml33_11	result of malaria measurement	discrete	numeric-8.0	223	6225	-
3487	hml33_12	result of malaria measurement	discrete	numeric-8.0	181	6267	-
3488	hml33_13	result of malaria measurement	discrete	numeric-8.0	129	6319	-
3489	hml33_14	result of malaria measurement	discrete	numeric-8.0	96	6352	-
3490	hml33_15	result of malaria measurement	discrete	numeric-8.0	63	6385	-
3491	hml33_16	result of malaria measurement	discrete	numeric-8.0	39	6409	-
3492	hml33_17	result of malaria measurement	discrete	numeric-8.0	44	6404	-
3493	hml33_18	result of malaria measurement	discrete	numeric-8.0	30	6418	-
3494	hml33_19	result of malaria measurement	discrete	numeric-8.0	23	6425	-
3495	hml33_20	result of malaria measurement	discrete	numeric-8.0	16	6432	-
3496	hml33_21	result of malaria measurement	discrete	numeric-8.0	10	6438	-
3497	hml33_22	result of malaria measurement	discrete	numeric-8.0	4	6444	-
3498	hml33_23	result of malaria measurement	discrete	numeric-8.0	3	6445	-
3499	hml33_24	result of malaria measurement	discrete	numeric-8.0	2	6446	-
3500	hml33_25	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3501	hml33_26	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3502	hml33_27	result of malaria measurement	discrete	numeric-8.0	3	6445	-
3503	hml33_28	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3504	hml33_29	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3505	hml33_30	result of malaria measurement	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3506	hml33_31	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3507	hml33_32	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3508	hml33_33	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3509	hml33_34	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3510	hml33_35	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3511	hml33_36	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3512	hml33_37	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3513	hml33_38	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3514	hml33_39	result of malaria measurement	discrete	numeric-8.0	1	6447	-
3515	hml33_40	result of malaria measurement	discrete	numeric-8.0	0	6448	-
3516	hml34_01	bar code for blood smear sample	discrete	character-1	0	0	-
3517	hml34_02	bar code for blood smear sample	discrete	character-5	85	0	-
3518	hml34_03	bar code for blood smear sample	discrete	character-5	1026	0	-
3519	hml34_04	bar code for blood smear sample	discrete	character-5	976	0	-
3520	hml34_05	bar code for blood smear sample	discrete	character-5	832	0	-
3521	hml34_06	bar code for blood smear sample	discrete	character-5	727	0	-
3522	hml34_07	bar code for blood smear sample	discrete	character-5	616	0	-
3523	hml34_08	bar code for blood smear sample	discrete	character-5	464	0	-
3524	hml34_09	bar code for blood smear sample	discrete	character-5	389	0	-
3525	hml34_10	bar code for blood smear sample	discrete	character-5	319	0	-
3526	hml34_11	bar code for blood smear sample	discrete	character-5	225	0	-
3527	hml34_12	bar code for blood smear sample	discrete	character-5	181	0	-
3528	hml34_13	bar code for blood smear sample	discrete	character-5	130	0	-
3529	hml34_14	bar code for blood smear sample	discrete	character-5	96	0	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3530	hml34_15	bar code for blood smear sample	discrete	character-5	63	0	-
3531	hml34_16	bar code for blood smear sample	discrete	character-5	39	0	-
3532	hml34_17	bar code for blood smear sample	discrete	character-5	44	0	-
3533	hml34_18	bar code for blood smear sample	discrete	character-5	30	0	-
3534	hml34_19	bar code for blood smear sample	discrete	character-5	23	0	-
3535	hml34_20	bar code for blood smear sample	discrete	character-5	16	0	-
3536	hml34_21	bar code for blood smear sample	discrete	character-5	11	0	-
3537	hml34_22	bar code for blood smear sample	discrete	character-5	4	0	-
3538	hml34_23	bar code for blood smear sample	discrete	character-5	3	0	-
3539	hml34_24	bar code for blood smear sample	discrete	character-5	2	0	-
3540	hml34_25	bar code for blood smear sample	discrete	character-5	1	0	-
3541	hml34_26	bar code for blood smear sample	discrete	character-1	0	0	-
3542	hml34_27	bar code for blood smear sample	discrete	character-5	3	0	-
3543	hml34_28	bar code for blood smear sample	discrete	character-5	1	0	-
3544	hml34_29	bar code for blood smear sample	discrete	character-1	0	0	-
3545	hml34_30	bar code for blood smear sample	discrete	character-1	0	0	-
3546	hml34_31	bar code for blood smear sample	discrete	character-5	1	0	-
3547	hml34_32	bar code for blood smear sample	discrete	character-5	1	0	-
3548	hml34_33	bar code for blood smear sample	discrete	character-5	1	0	-
3549	hml34_34	bar code for blood smear sample	discrete	character-1	0	0	-
3550	hml34_35	bar code for blood smear sample	discrete	character-1	0	0	-
3551	hml34_36	bar code for blood smear sample	discrete	character-1	0	0	-
3552	hml34_37	bar code for blood smear sample	discrete	character-1	0	0	-
3553	hml34_38	bar code for blood smear sample	discrete	character-5	1	0	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3554	hml34_39	bar code for blood smear sample	discrete	character-5	1	0	-
3555	hml34_40	bar code for blood smear sample	discrete	character-1	0	0	-
3556	hml35_01	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3557	hml35_02	result of malaria rapid test	discrete	numeric-8.0	83	6365	-
3558	hml35_03	result of malaria rapid test	discrete	numeric-8.0	1008	5440	-
3559	hml35_04	result of malaria rapid test	discrete	numeric-8.0	944	5504	-
3560	hml35_05	result of malaria rapid test	discrete	numeric-8.0	814	5634	-
3561	hml35_06	result of malaria rapid test	discrete	numeric-8.0	704	5744	-
3562	hml35_07	result of malaria rapid test	discrete	numeric-8.0	598	5850	-
3563	hml35_08	result of malaria rapid test	discrete	numeric-8.0	454	5994	-
3564	hml35_09	result of malaria rapid test	discrete	numeric-8.0	376	6072	-
3565	hml35_10	result of malaria rapid test	discrete	numeric-8.0	316	6132	-
3566	hml35_11	result of malaria rapid test	discrete	numeric-8.0	220	6228	-
3567	hml35_12	result of malaria rapid test	discrete	numeric-8.0	178	6270	-
3568	hml35_13	result of malaria rapid test	discrete	numeric-8.0	126	6322	-
3569	hml35_14	result of malaria rapid test	discrete	numeric-8.0	93	6355	-
3570	hml35_15	result of malaria rapid test	discrete	numeric-8.0	62	6386	-
3571	hml35_16	result of malaria rapid test	discrete	numeric-8.0	38	6410	-
3572	hml35_17	result of malaria rapid test	discrete	numeric-8.0	44	6404	-
3573	hml35_18	result of malaria rapid test	discrete	numeric-8.0	30	6418	-
3574	hml35_19	result of malaria rapid test	discrete	numeric-8.0	22	6426	-
3575	hml35_20	result of malaria rapid test	discrete	numeric-8.0	16	6432	-
3576	hml35_21	result of malaria rapid test	discrete	numeric-8.0	10	6438	-
3577	hml35_22	result of malaria rapid test	discrete	numeric-8.0	4	6444	-
3578	hml35_23	result of malaria rapid test	discrete	numeric-8.0	3	6445	-
3579	hml35_24	result of malaria rapid test	discrete	numeric-8.0	2	6446	-
3580	hml35_25	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3581	hml35_26	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3582	hml35_27	result of malaria rapid test	discrete	numeric-8.0	3	6445	-
3583	hml35_28	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3584	hml35_29	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3585	hml35_30	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3586	hml35_31	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3587	hml35_32	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3588	hml35_33	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3589	hml35_34	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3590	hml35_35	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3591	hml35_36	result of malaria rapid test	discrete	numeric-8.0	0	6448	-

File BFHR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3592	hml35_37	result of malaria rapid test	discrete	numeric-8.0	0	6448	-
3593	hml35_38	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3594	hml35_39	result of malaria rapid test	discrete	numeric-8.0	1	6447	-
3595	hml35_40	result of malaria rapid test	discrete	numeric-8.0	0	6448	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1	v004	ultimate area unit	continuous	numeric-8.0	8111	0	-
2	v005	women's individual sample weight (6 decimals)	continuous	numeric-12.0	8111	0	-
3	v006	month of interview	discrete	numeric-8.0	8111	0	-
4	v007	year of interview	discrete	numeric-8.0	8111	0	-
5	v008	date of interview (cmc)	discrete	numeric-8.0	8111	0	-
6	v009	respondent's month of birth	discrete	numeric-8.0	8111	0	-
7	v010	respondent's year of birth	continuous	numeric-8.0	8111	0	-
8	v011	date of birth (cmc)	continuous	numeric-8.0	8111	0	-
9	v012	respondent's current age	continuous	numeric-8.0	8111	0	-
10	v013	age in 5-year groups	discrete	numeric-8.0	8111	0	-
11	v014	completeness of age information	discrete	numeric-8.0	8111	0	-
12	v015	result of individual interview	discrete	numeric-8.0	8111	0	-
13	v016	day of interview	continuous	numeric-8.0	8111	0	-
14	v017	na - cmc start of calendar	discrete	numeric-8.0	0	8111	-
15	v018	na - row of month of interview	discrete	numeric-8.0	0	8111	-
16	v019	na - length of calendar	discrete	numeric-8.0	0	8111	-
17	v019a	number of calendar columns	discrete	numeric-8.0	8111	0	-
18	v020	ever-married sample	discrete	numeric-8.0	8111	0	-
19	v021	primary sampling unit	continuous	numeric-8.0	8111	0	-
20	v022	sample strata for sampling errors	discrete	numeric-8.0	8111	0	-
21	v023	stratification used in sample design	discrete	numeric-8.0	8111	0	-
22	v024	region	discrete	numeric-8.0	8111	0	-
23	v025	type of place of residence	discrete	numeric-8.0	8111	0	-
24	v026	de facto place of residence	discrete	numeric-8.0	8111	0	-
25	v027	number of visits	discrete	numeric-8.0	8111	0	-
26	v034	na - line number of husband	discrete	numeric-8.0	0	8111	-
27	v040	na - cluster altitude in meters	discrete	numeric-8.0	0	8111	-
28	v042	household selected for hemoglobin	discrete	numeric-8.0	8111	0	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
29	v044	na - selected for domestic violence module	discrete	numeric-8.0	0	8111	-
30	v101	region	discrete	numeric-8.0	8111	0	-
31	v102	type of place of residence	discrete	numeric-8.0	8111	0	-
32	v103	na - childhood place of residence	discrete	numeric-8.0	0	8111	-
33	v104	na - years lived in place of residence	discrete	numeric-8.0	0	8111	-
34	v105	na - type of place of previous residence	discrete	numeric-8.0	0	8111	-
35	v106	highest educational level	discrete	numeric-8.0	8111	0	-
36	v107	highest year of education	discrete	numeric-8.0	2324	5787	-
37	v113	source of drinking water	discrete	numeric-8.0	8110	1	-
38	v115	time to get to water source	discrete	numeric-8.0	8058	53	-
39	v116	type of toilet facility	discrete	numeric-8.0	8101	10	-
40	v119	household has: electricity	discrete	numeric-8.0	8094	17	-
41	v120	household has: radio	discrete	numeric-8.0	8097	14	-
42	v121	household has: television	discrete	numeric-8.0	8088	23	-
43	v122	household has: refrigerator	discrete	numeric-8.0	8088	23	-
44	v123	household has: bicycle	discrete	numeric-8.0	8100	11	-
45	v124	household has: motorcycle/ scooter	discrete	numeric-8.0	8098	13	-
46	v125	household has: car/truck	discrete	numeric-8.0	8104	7	-
47	v127	main floor material	discrete	numeric-8.0	8107	4	-
48	v128	main wall material	discrete	numeric-8.0	8107	4	-
49	v129	main roof material	discrete	numeric-8.0	8107	4	-
50	v130	religion	discrete	numeric-8.0	8098	13	-
51	v131	ethnicity	discrete	numeric-8.0	8109	2	-
52	v133	education in single years	discrete	numeric-8.0	8105	6	-
53	v134	de facto place of residence	discrete	numeric-8.0	8111	0	-
54	v135	usual resident or visitor	discrete	numeric-8.0	8111	0	-
55	v136	number of household members (listed)	continuous	numeric-8.0	8111	0	-
56	v137	number of children 5 and under in household (de jure)	discrete	numeric-8.0	8111	0	-
57	v138	number of eligible women in household (de facto)	discrete	numeric-8.0	8111	0	-
58	v139	de jure region of residence	discrete	numeric-8.0	8111	0	-
59	v140	de jure type of place of residence	discrete	numeric-8.0	8111	0	-
60	v141	de jure place of residence	discrete	numeric-8.0	8111	0	-
61	v149	educational attainment	discrete	numeric-8.0	8111	0	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
62	v150	relationship to household head	discrete	numeric-8.0	8111	0	-
63	v151	sex of household head	discrete	numeric-8.0	8111	0	-
64	v152	age of household head	discrete	numeric-8.0	8108	3	-
65	v153	household has: telephone (land-line)	discrete	numeric-8.0	8095	16	-
66	awfactt	all woman factor - total	discrete	numeric-8.0	8111	0	-
67	awfactu	all woman factor - urban/ rural	discrete	numeric-8.0	8111	0	-
68	awfactr	all woman factor - regional	discrete	numeric-8.0	8111	0	-
69	awfacte	all woman factor - educational	discrete	numeric-8.0	8111	0	-
70	awfactw	all woman factor - wealth index	discrete	numeric-8.0	8111	0	-
71	v155	literacy	discrete	numeric-8.0	8091	20	-
72	v156	na - ever participated in a literacy program outside of primary	discrete	numeric-8.0	0	8111	-
73	v157	na - frequency of reading newspaper or magazine	discrete	numeric-8.0	0	8111	-
74	v158	na - frequency of listening to radio	discrete	numeric-8.0	0	8111	-
75	v159	na - frequency of watching television	discrete	numeric-8.0	0	8111	-
76	v160	toilet facilities shared with other households	discrete	numeric-8.0	3872	4239	-
77	v161	type of cooking fuel	discrete	numeric-8.0	8101	10	-
78	v166	na - result of salt test for iodine	discrete	numeric-8.0	0	8111	-
79	v167	na - number of trips in last 12 months	discrete	numeric-8.0	0	8111	-
80	v168	na - away for more than one month in last 12 months	discrete	numeric-8.0	0	8111	-
81	v190	wealth index	discrete	numeric-8.0	8111	0	-
82	v191	wealth index factor score (5 decimals)	continuous	numeric-12.0	8111	0	-
83	ml101	type of mosquito bed net(s) slept under last night	discrete	numeric-8.0	8111	0	-
84	bidx_01	birth column number	discrete	numeric-8.0	5300	2811	-
85	bidx_02	birth column number	discrete	numeric-8.0	2935	5176	-
86	bidx_03	birth column number	discrete	numeric-8.0	580	7531	-
87	bidx_04	birth column number	discrete	numeric-8.0	37	8074	-
88	bidx_05	birth column number	discrete	numeric-8.0	2	8109	-
89	bidx_06	birth column number	discrete	numeric-8.0	0	8111	-
90	bidx_07	birth column number	discrete	numeric-8.0	0	8111	-
91	bidx_08	birth column number	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
92	bidx_09	birth column number	discrete	numeric-8.0	0	8111	-
93	bidx_10	birth column number	discrete	numeric-8.0	0	8111	-
94	bidx_11	birth column number	discrete	numeric-8.0	0	8111	-
95	bidx_12	birth column number	discrete	numeric-8.0	0	8111	-
96	bidx_13	birth column number	discrete	numeric-8.0	0	8111	-
97	bidx_14	birth column number	discrete	numeric-8.0	0	8111	-
98	bidx_15	birth column number	discrete	numeric-8.0	0	8111	-
99	bidx_16	birth column number	discrete	numeric-8.0	0	8111	-
100	bidx_17	birth column number	discrete	numeric-8.0	0	8111	-
101	bidx_18	birth column number	discrete	numeric-8.0	0	8111	-
102	bidx_19	birth column number	discrete	numeric-8.0	0	8111	-
103	bidx_20	birth column number	discrete	numeric-8.0	0	8111	-
104	bord_01	birth order number	discrete	numeric-8.0	5300	2811	-
105	bord_02	birth order number	discrete	numeric-8.0	2935	5176	-
106	bord_03	birth order number	discrete	numeric-8.0	580	7531	-
107	bord_04	birth order number	discrete	numeric-8.0	37	8074	-
108	bord_05	birth order number	discrete	numeric-8.0	2	8109	-
109	bord_06	birth order number	discrete	numeric-8.0	0	8111	-
110	bord_07	birth order number	discrete	numeric-8.0	0	8111	-
111	bord_08	birth order number	discrete	numeric-8.0	0	8111	-
112	bord_09	birth order number	discrete	numeric-8.0	0	8111	-
113	bord_10	birth order number	discrete	numeric-8.0	0	8111	-
114	bord_11	birth order number	discrete	numeric-8.0	0	8111	-
115	bord_12	birth order number	discrete	numeric-8.0	0	8111	-
116	bord_13	birth order number	discrete	numeric-8.0	0	8111	-
117	bord_14	birth order number	discrete	numeric-8.0	0	8111	-
118	bord_15	birth order number	discrete	numeric-8.0	0	8111	-
119	bord_16	birth order number	discrete	numeric-8.0	0	8111	-
120	bord_17	birth order number	discrete	numeric-8.0	0	8111	-
121	bord_18	birth order number	discrete	numeric-8.0	0	8111	-
122	bord_19	birth order number	discrete	numeric-8.0	0	8111	-
123	bord_20	birth order number	discrete	numeric-8.0	0	8111	-
124	b0_01	child is twin	discrete	numeric-8.0	5300	2811	-
125	b0_02	child is twin	discrete	numeric-8.0	2935	5176	-
126	b0_03	child is twin	discrete	numeric-8.0	580	7531	-
127	b0_04	child is twin	discrete	numeric-8.0	37	8074	-
128	b0_05	child is twin	discrete	numeric-8.0	2	8109	-
129	b0_06	child is twin	discrete	numeric-8.0	0	8111	-
130	b0_07	child is twin	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
131	b0_08	child is twin	discrete	numeric-8.0	0	8111	-
132	b0_09	child is twin	discrete	numeric-8.0	0	8111	-
133	b0_10	child is twin	discrete	numeric-8.0	0	8111	-
134	b0_11	child is twin	discrete	numeric-8.0	0	8111	-
135	b0_12	child is twin	discrete	numeric-8.0	0	8111	-
136	b0_13	child is twin	discrete	numeric-8.0	0	8111	-
137	b0_14	child is twin	discrete	numeric-8.0	0	8111	-
138	b0_15	child is twin	discrete	numeric-8.0	0	8111	-
139	b0_16	child is twin	discrete	numeric-8.0	0	8111	-
140	b0_17	child is twin	discrete	numeric-8.0	0	8111	-
141	b0_18	child is twin	discrete	numeric-8.0	0	8111	-
142	b0_19	child is twin	discrete	numeric-8.0	0	8111	-
143	b0_20	child is twin	discrete	numeric-8.0	0	8111	-
144	b1_01	month of birth	discrete	numeric-8.0	5300	2811	-
145	b1_02	month of birth	discrete	numeric-8.0	2935	5176	-
146	b1_03	month of birth	discrete	numeric-8.0	580	7531	-
147	b1_04	month of birth	discrete	numeric-8.0	37	8074	-
148	b1_05	month of birth	discrete	numeric-8.0	2	8109	-
149	b1_06	month of birth	discrete	numeric-8.0	0	8111	-
150	b1_07	month of birth	discrete	numeric-8.0	0	8111	-
151	b1_08	month of birth	discrete	numeric-8.0	0	8111	-
152	b1_09	month of birth	discrete	numeric-8.0	0	8111	-
153	b1_10	month of birth	discrete	numeric-8.0	0	8111	-
154	b1_11	month of birth	discrete	numeric-8.0	0	8111	-
155	b1_12	month of birth	discrete	numeric-8.0	0	8111	-
156	b1_13	month of birth	discrete	numeric-8.0	0	8111	-
157	b1_14	month of birth	discrete	numeric-8.0	0	8111	-
158	b1_15	month of birth	discrete	numeric-8.0	0	8111	-
159	b1_16	month of birth	discrete	numeric-8.0	0	8111	-
160	b1_17	month of birth	discrete	numeric-8.0	0	8111	-
161	b1_18	month of birth	discrete	numeric-8.0	0	8111	-
162	b1_19	month of birth	discrete	numeric-8.0	0	8111	-
163	b1_20	month of birth	discrete	numeric-8.0	0	8111	-
164	b2_01	year of birth	discrete	numeric-8.0	5300	2811	-
165	b2_02	year of birth	discrete	numeric-8.0	2935	5176	-
166	b2_03	year of birth	discrete	numeric-8.0	580	7531	-
167	b2_04	year of birth	discrete	numeric-8.0	37	8074	-
168	b2_05	year of birth	discrete	numeric-8.0	2	8109	-
169	b2_06	year of birth	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
170	b2_07	year of birth	discrete	numeric-8.0	0	8111	-
171	b2_08	year of birth	discrete	numeric-8.0	0	8111	-
172	b2_09	year of birth	discrete	numeric-8.0	0	8111	-
173	b2_10	year of birth	discrete	numeric-8.0	0	8111	-
174	b2_11	year of birth	discrete	numeric-8.0	0	8111	-
175	b2_12	year of birth	discrete	numeric-8.0	0	8111	-
176	b2_13	year of birth	discrete	numeric-8.0	0	8111	-
177	b2_14	year of birth	discrete	numeric-8.0	0	8111	-
178	b2_15	year of birth	discrete	numeric-8.0	0	8111	-
179	b2_16	year of birth	discrete	numeric-8.0	0	8111	-
180	b2_17	year of birth	discrete	numeric-8.0	0	8111	-
181	b2_18	year of birth	discrete	numeric-8.0	0	8111	-
182	b2_19	year of birth	discrete	numeric-8.0	0	8111	-
183	b2_20	year of birth	discrete	numeric-8.0	0	8111	-
184	b3_01	date of birth (cmc)	continuous	numeric-8.0	5300	2811	-
185	b3_02	date of birth (cmc)	continuous	numeric-8.0	2935	5176	-
186	b3_03	date of birth (cmc)	continuous	numeric-8.0	580	7531	-
187	b3_04	date of birth (cmc)	continuous	numeric-8.0	37	8074	-
188	b3_05	date of birth (cmc)	discrete	numeric-8.0	2	8109	-
189	b3_06	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
190	b3_07	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
191	b3_08	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
192	b3_09	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
193	b3_10	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
194	b3_11	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
195	b3_12	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
196	b3_13	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
197	b3_14	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
198	b3_15	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
199	b3_16	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
200	b3_17	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
201	b3_18	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
202	b3_19	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
203	b3_20	date of birth (cmc)	discrete	numeric-8.0	0	8111	-
204	b4_01	sex of child	discrete	numeric-8.0	5300	2811	-
205	b4_02	sex of child	discrete	numeric-8.0	2935	5176	-
206	b4_03	sex of child	discrete	numeric-8.0	580	7531	-
207	b4_04	sex of child	discrete	numeric-8.0	37	8074	-
208	b4_05	sex of child	discrete	numeric-8.0	2	8109	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
209	b4_06	sex of child	discrete	numeric-8.0	0	8111	-
210	b4_07	sex of child	discrete	numeric-8.0	0	8111	-
211	b4_08	sex of child	discrete	numeric-8.0	0	8111	-
212	b4_09	sex of child	discrete	numeric-8.0	0	8111	-
213	b4_10	sex of child	discrete	numeric-8.0	0	8111	-
214	b4_11	sex of child	discrete	numeric-8.0	0	8111	-
215	b4_12	sex of child	discrete	numeric-8.0	0	8111	-
216	b4_13	sex of child	discrete	numeric-8.0	0	8111	-
217	b4_14	sex of child	discrete	numeric-8.0	0	8111	-
218	b4_15	sex of child	discrete	numeric-8.0	0	8111	-
219	b4_16	sex of child	discrete	numeric-8.0	0	8111	-
220	b4_17	sex of child	discrete	numeric-8.0	0	8111	-
221	b4_18	sex of child	discrete	numeric-8.0	0	8111	-
222	b4_19	sex of child	discrete	numeric-8.0	0	8111	-
223	b4_20	sex of child	discrete	numeric-8.0	0	8111	-
224	b5_01	child is alive	discrete	numeric-8.0	5300	2811	-
225	b5_02	child is alive	discrete	numeric-8.0	2935	5176	-
226	b5_03	child is alive	discrete	numeric-8.0	580	7531	-
227	b5_04	child is alive	discrete	numeric-8.0	37	8074	-
228	b5_05	child is alive	discrete	numeric-8.0	2	8109	-
229	b5_06	child is alive	discrete	numeric-8.0	0	8111	-
230	b5_07	child is alive	discrete	numeric-8.0	0	8111	-
231	b5_08	child is alive	discrete	numeric-8.0	0	8111	-
232	b5_09	child is alive	discrete	numeric-8.0	0	8111	-
233	b5_10	child is alive	discrete	numeric-8.0	0	8111	-
234	b5_11	child is alive	discrete	numeric-8.0	0	8111	-
235	b5_12	child is alive	discrete	numeric-8.0	0	8111	-
236	b5_13	child is alive	discrete	numeric-8.0	0	8111	-
237	b5_14	child is alive	discrete	numeric-8.0	0	8111	-
238	b5_15	child is alive	discrete	numeric-8.0	0	8111	-
239	b5_16	child is alive	discrete	numeric-8.0	0	8111	-
240	b5_17	child is alive	discrete	numeric-8.0	0	8111	-
241	b5_18	child is alive	discrete	numeric-8.0	0	8111	-
242	b5_19	child is alive	discrete	numeric-8.0	0	8111	-
243	b5_20	child is alive	discrete	numeric-8.0	0	8111	-
244	b6_01	na - age at death	discrete	numeric-8.0	0	8111	-
245	b6_02	na - age at death	discrete	numeric-8.0	0	8111	-
246	b6_03	na - age at death	discrete	numeric-8.0	0	8111	-
247	b6_04	na - age at death	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
248	b6_05	na - age at death	discrete	numeric-8.0	0	8111	-
249	b6_06	na - age at death	discrete	numeric-8.0	0	8111	-
250	b6_07	na - age at death	discrete	numeric-8.0	0	8111	-
251	b6_08	na - age at death	discrete	numeric-8.0	0	8111	-
252	b6_09	na - age at death	discrete	numeric-8.0	0	8111	-
253	b6_10	na - age at death	discrete	numeric-8.0	0	8111	-
254	b6_11	na - age at death	discrete	numeric-8.0	0	8111	-
255	b6_12	na - age at death	discrete	numeric-8.0	0	8111	-
256	b6_13	na - age at death	discrete	numeric-8.0	0	8111	-
257	b6_14	na - age at death	discrete	numeric-8.0	0	8111	-
258	b6_15	na - age at death	discrete	numeric-8.0	0	8111	-
259	b6_16	na - age at death	discrete	numeric-8.0	0	8111	-
260	b6_17	na - age at death	discrete	numeric-8.0	0	8111	-
261	b6_18	na - age at death	discrete	numeric-8.0	0	8111	-
262	b6_19	na - age at death	discrete	numeric-8.0	0	8111	-
263	b6_20	na - age at death	discrete	numeric-8.0	0	8111	-
264	b7_01	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
265	b7_02	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
266	b7_03	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
267	b7_04	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
268	b7_05	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
269	b7_06	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
270	b7_07	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
271	b7_08	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
272	b7_09	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
273	b7_10	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
274	b7_11	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
275	b7_12	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
276	b7_13	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
277	b7_14	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
278	b7_15	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
279	b7_16	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
280	b7_17	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
281	b7_18	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
282	b7_19	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
283	b7_20	na - age at death (months, imputed)	discrete	numeric-8.0	0	8111	-
284	b8_01	current age of child	discrete	numeric-8.0	5094	3017	-
285	b8_02	current age of child	discrete	numeric-8.0	2691	5420	-
286	b8_03	current age of child	discrete	numeric-8.0	508	7603	-
287	b8_04	current age of child	discrete	numeric-8.0	29	8082	-
288	b8_05	current age of child	discrete	numeric-8.0	1	8110	-
289	b8_06	current age of child	discrete	numeric-8.0	0	8111	-
290	b8_07	current age of child	discrete	numeric-8.0	0	8111	-
291	b8_08	current age of child	discrete	numeric-8.0	0	8111	-
292	b8_09	current age of child	discrete	numeric-8.0	0	8111	-
293	b8_10	current age of child	discrete	numeric-8.0	0	8111	-
294	b8_11	current age of child	discrete	numeric-8.0	0	8111	-
295	b8_12	current age of child	discrete	numeric-8.0	0	8111	-
296	b8_13	current age of child	discrete	numeric-8.0	0	8111	-
297	b8_14	current age of child	discrete	numeric-8.0	0	8111	-
298	b8_15	current age of child	discrete	numeric-8.0	0	8111	-
299	b8_16	current age of child	discrete	numeric-8.0	0	8111	-
300	b8_17	current age of child	discrete	numeric-8.0	0	8111	-
301	b8_18	current age of child	discrete	numeric-8.0	0	8111	-
302	b8_19	current age of child	discrete	numeric-8.0	0	8111	-
303	b8_20	current age of child	discrete	numeric-8.0	0	8111	-
304	b9_01	child lives with whom	discrete	numeric-8.0	5094	3017	-
305	b9_02	child lives with whom	discrete	numeric-8.0	2691	5420	-
306	b9_03	child lives with whom	discrete	numeric-8.0	508	7603	-
307	b9_04	child lives with whom	discrete	numeric-8.0	29	8082	-
308	b9_05	child lives with whom	discrete	numeric-8.0	1	8110	-
309	b9_06	child lives with whom	discrete	numeric-8.0	0	8111	-
310	b9_07	child lives with whom	discrete	numeric-8.0	0	8111	-
311	b9_08	child lives with whom	discrete	numeric-8.0	0	8111	-
312	b9_09	child lives with whom	discrete	numeric-8.0	0	8111	-
313	b9_10	child lives with whom	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
314	b9_11	child lives with whom	discrete	numeric-8.0	0	8111	-
315	b9_12	child lives with whom	discrete	numeric-8.0	0	8111	-
316	b9_13	child lives with whom	discrete	numeric-8.0	0	8111	-
317	b9_14	child lives with whom	discrete	numeric-8.0	0	8111	-
318	b9_15	child lives with whom	discrete	numeric-8.0	0	8111	-
319	b9_16	child lives with whom	discrete	numeric-8.0	0	8111	-
320	b9_17	child lives with whom	discrete	numeric-8.0	0	8111	-
321	b9_18	child lives with whom	discrete	numeric-8.0	0	8111	-
322	b9_19	child lives with whom	discrete	numeric-8.0	0	8111	-
323	b9_20	child lives with whom	discrete	numeric-8.0	0	8111	-
324	b10_01	completeness of information	discrete	numeric-8.0	5300	2811	-
325	b10_02	completeness of information	discrete	numeric-8.0	2935	5176	-
326	b10_03	completeness of information	discrete	numeric-8.0	580	7531	-
327	b10_04	completeness of information	discrete	numeric-8.0	37	8074	-
328	b10_05	completeness of information	discrete	numeric-8.0	2	8109	-
329	b10_06	completeness of information	discrete	numeric-8.0	0	8111	-
330	b10_07	completeness of information	discrete	numeric-8.0	0	8111	-
331	b10_08	completeness of information	discrete	numeric-8.0	0	8111	-
332	b10_09	completeness of information	discrete	numeric-8.0	0	8111	-
333	b10_10	completeness of information	discrete	numeric-8.0	0	8111	-
334	b10_11	completeness of information	discrete	numeric-8.0	0	8111	-
335	b10_12	completeness of information	discrete	numeric-8.0	0	8111	-
336	b10_13	completeness of information	discrete	numeric-8.0	0	8111	-
337	b10_14	completeness of information	discrete	numeric-8.0	0	8111	-
338	b10_15	completeness of information	discrete	numeric-8.0	0	8111	-
339	b10_16	completeness of information	discrete	numeric-8.0	0	8111	-
340	b10_17	completeness of information	discrete	numeric-8.0	0	8111	-
341	b10_18	completeness of information	discrete	numeric-8.0	0	8111	-
342	b10_19	completeness of information	discrete	numeric-8.0	0	8111	-
343	b10_20	completeness of information	discrete	numeric-8.0	0	8111	-
344	b11_01	preceding birth interval (months)	continuous	numeric-8.0	2886	5225	-
345	b11_02	preceding birth interval (months)	continuous	numeric-8.0	552	7559	-
346	b11_03	preceding birth interval (months)	continuous	numeric-8.0	30	8081	-
347	b11_04	preceding birth interval (months)	discrete	numeric-8.0	1	8110	-
348	b11_05	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
349	b11_06	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
350	b11_07	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
351	b11_08	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
352	b11_09	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
353	b11_10	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
354	b11_11	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
355	b11_12	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
356	b11_13	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
357	b11_14	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
358	b11_15	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
359	b11_16	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
360	b11_17	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
361	b11_18	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
362	b11_19	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
363	b11_20	preceding birth interval (months)	discrete	numeric-8.0	0	8111	-
364	b12_01	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
365	b12_02	succeeding birth interval (months)	continuous	numeric-8.0	2825	5286	-
366	b12_03	succeeding birth interval (months)	continuous	numeric-8.0	579	7532	-
367	b12_04	succeeding birth interval (months)	continuous	numeric-8.0	37	8074	-
368	b12_05	succeeding birth interval (months)	discrete	numeric-8.0	2	8109	-
369	b12_06	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
370	b12_07	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
371	b12_08	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
372	b12_09	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
373	b12_10	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
374	b12_11	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
375	b12_12	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
376	b12_13	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
377	b12_14	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
378	b12_15	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
379	b12_16	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
380	b12_17	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
381	b12_18	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
382	b12_19	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
383	b12_20	succeeding birth interval (months)	discrete	numeric-8.0	0	8111	-
384	b13_01	na - flag for age at death	discrete	numeric-8.0	0	8111	-
385	b13_02	na - flag for age at death	discrete	numeric-8.0	0	8111	-
386	b13_03	na - flag for age at death	discrete	numeric-8.0	0	8111	-
387	b13_04	na - flag for age at death	discrete	numeric-8.0	0	8111	-
388	b13_05	na - flag for age at death	discrete	numeric-8.0	0	8111	-
389	b13_06	na - flag for age at death	discrete	numeric-8.0	0	8111	-
390	b13_07	na - flag for age at death	discrete	numeric-8.0	0	8111	-
391	b13_08	na - flag for age at death	discrete	numeric-8.0	0	8111	-
392	b13_09	na - flag for age at death	discrete	numeric-8.0	0	8111	-
393	b13_10	na - flag for age at death	discrete	numeric-8.0	0	8111	-
394	b13_11	na - flag for age at death	discrete	numeric-8.0	0	8111	-
395	b13_12	na - flag for age at death	discrete	numeric-8.0	0	8111	-
396	b13_13	na - flag for age at death	discrete	numeric-8.0	0	8111	-
397	b13_14	na - flag for age at death	discrete	numeric-8.0	0	8111	-
398	b13_15	na - flag for age at death	discrete	numeric-8.0	0	8111	-
399	b13_16	na - flag for age at death	discrete	numeric-8.0	0	8111	-
400	b13_17	na - flag for age at death	discrete	numeric-8.0	0	8111	-
401	b13_18	na - flag for age at death	discrete	numeric-8.0	0	8111	-
402	b13_19	na - flag for age at death	discrete	numeric-8.0	0	8111	-
403	b13_20	na - flag for age at death	discrete	numeric-8.0	0	8111	-
404	b15_01	live birth between births	discrete	numeric-8.0	0	8111	-
405	b15_02	live birth between births	discrete	numeric-8.0	2935	5176	-
406	b15_03	live birth between births	discrete	numeric-8.0	580	7531	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
407	b15_04	live birth between births	discrete	numeric-8.0	37	8074	-
408	b15_05	live birth between births	discrete	numeric-8.0	2	8109	-
409	b15_06	live birth between births	discrete	numeric-8.0	0	8111	-
410	b15_07	live birth between births	discrete	numeric-8.0	0	8111	-
411	b15_08	live birth between births	discrete	numeric-8.0	0	8111	-
412	b15_09	live birth between births	discrete	numeric-8.0	0	8111	-
413	b15_10	live birth between births	discrete	numeric-8.0	0	8111	-
414	b15_11	live birth between births	discrete	numeric-8.0	0	8111	-
415	b15_12	live birth between births	discrete	numeric-8.0	0	8111	-
416	b15_13	live birth between births	discrete	numeric-8.0	0	8111	-
417	b15_14	live birth between births	discrete	numeric-8.0	0	8111	-
418	b15_15	live birth between births	discrete	numeric-8.0	0	8111	-
419	b15_16	live birth between births	discrete	numeric-8.0	0	8111	-
420	b15_17	live birth between births	discrete	numeric-8.0	0	8111	-
421	b15_18	live birth between births	discrete	numeric-8.0	0	8111	-
422	b15_19	live birth between births	discrete	numeric-8.0	0	8111	-
423	b15_20	live birth between births	discrete	numeric-8.0	0	8111	-
424	b16_01	child's line number in household	discrete	numeric-8.0	5094	3017	-
425	b16_02	child's line number in household	discrete	numeric-8.0	2691	5420	-
426	b16_03	child's line number in household	discrete	numeric-8.0	508	7603	-
427	b16_04	child's line number in household	discrete	numeric-8.0	29	8082	-
428	b16_05	child's line number in household	discrete	numeric-8.0	1	8110	-
429	b16_06	child's line number in household	discrete	numeric-8.0	0	8111	-
430	b16_07	child's line number in household	discrete	numeric-8.0	0	8111	-
431	b16_08	child's line number in household	discrete	numeric-8.0	0	8111	-
432	b16_09	child's line number in household	discrete	numeric-8.0	0	8111	-
433	b16_10	child's line number in household	discrete	numeric-8.0	0	8111	-
434	b16_11	child's line number in household	discrete	numeric-8.0	0	8111	-
435	b16_12	child's line number in household	discrete	numeric-8.0	0	8111	-
436	b16_13	child's line number in household	discrete	numeric-8.0	0	8111	-
437	b16_14	child's line number in household	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
438	b16_15	child's line number in household	discrete	numeric-8.0	0	8111	-
439	b16_16	child's line number in household	discrete	numeric-8.0	0	8111	-
440	b16_17	child's line number in household	discrete	numeric-8.0	0	8111	-
441	b16_18	child's line number in household	discrete	numeric-8.0	0	8111	-
442	b16_19	child's line number in household	discrete	numeric-8.0	0	8111	-
443	b16_20	child's line number in household	discrete	numeric-8.0	0	8111	-
444	v201	total children ever born	discrete	numeric-8.0	8111	0	-
445	v202	sons at home	discrete	numeric-8.0	8111	0	-
446	v203	daughters at home	discrete	numeric-8.0	8111	0	-
447	v204	sons elsewhere	discrete	numeric-8.0	8111	0	-
448	v205	daughters elsewhere	discrete	numeric-8.0	8111	0	-
449	v206	sons who have died	discrete	numeric-8.0	8111	0	-
450	v207	daughters who have died	discrete	numeric-8.0	8111	0	-
451	v208	births in last five years	discrete	numeric-8.0	8111	0	-
452	v209	births in past year	discrete	numeric-8.0	8111	0	-
453	v210	births in month of interview	discrete	numeric-8.0	8111	0	-
454	v211	na - date of first birth (cmc)	discrete	numeric-8.0	0	8111	-
455	v212	na - age of respondent at 1st birth	discrete	numeric-8.0	0	8111	-
456	v213	currently pregnant	discrete	numeric-8.0	8111	0	-
457	v214	duration of current pregnancy	discrete	numeric-8.0	718	7393	-
458	v215	na - time since last menstrual period	discrete	numeric-8.0	0	8111	-
459	v216	na - menstruated in last six weeks	discrete	numeric-8.0	0	8111	-
460	v217	na - knowledge of ovulatory cycle	discrete	numeric-8.0	0	8111	-
461	v218	number of living children	discrete	numeric-8.0	8111	0	-
462	v219	living children + current pregnancy	discrete	numeric-8.0	8111	0	-
463	v220	living children + current pregnancy (grouped)	discrete	numeric-8.0	8111	0	-
464	v221	na - marriage to first birth interval (months)	discrete	numeric-8.0	0	8111	-
465	v222	last birth to interview (months)	continuous	numeric-8.0	5300	2811	-
466	v223	completeness of current pregnancy information	discrete	numeric-8.0	718	7393	-
467	v224	entries in birth history	discrete	numeric-8.0	8111	0	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
468	v225	na - current pregnancy wanted	discrete	numeric-8.0	0	8111	-
469	v226	na - time since last period (comp) (months)	discrete	numeric-8.0	0	8111	-
470	v227	na - flag for last period	discrete	numeric-8.0	0	8111	-
471	v228	na - ever had a terminated pregnancy	discrete	numeric-8.0	0	8111	-
472	v229	na - month pregnancy ended	discrete	numeric-8.0	0	8111	-
473	v230	na - year pregnancy ended	discrete	numeric-8.0	0	8111	-
474	v231	na - cmc pregnancy ended	discrete	numeric-8.0	0	8111	-
475	v232	na - completeness of last termination information	discrete	numeric-8.0	0	8111	-
476	v233	na - months when pregnancy ended	discrete	numeric-8.0	0	8111	-
477	v234	na - other such pregnancies	discrete	numeric-8.0	0	8111	-
478	v235	na - index last child prior to maternity-health (calendar)	discrete	numeric-8.0	0	8111	-
479	v237	na - birth between last and interview	discrete	numeric-8.0	0	8111	-
480	v238	na - births in last three years	discrete	numeric-8.0	0	8111	-
481	v239	na - pregnancies terminated before calendar beginning	discrete	numeric-8.0	0	8111	-
482	v240	na - month of last termination prior to calendar	discrete	numeric-8.0	0	8111	-
483	v241	na - year of last termination prior to calendar	discrete	numeric-8.0	0	8111	-
484	v242	na - cmc termination ended prior to calendar	discrete	numeric-8.0	0	8111	-
485	v243	na - completeness of last termination date prior to calendar	discrete	numeric-8.0	0	8111	-
486	midx_1	index to birth history	discrete	numeric-8.0	4880	3231	-
487	midx_2	index to birth history	discrete	numeric-8.0	0	8111	-
488	midx_3	index to birth history	discrete	numeric-8.0	0	8111	-
489	midx_4	index to birth history	discrete	numeric-8.0	0	8111	-
490	midx_5	index to birth history	discrete	numeric-8.0	0	8111	-
491	midx_6	index to birth history	discrete	numeric-8.0	0	8111	-
492	m1_1	na - number of tetanus injections before birth	discrete	numeric-8.0	0	8111	-
493	m1_2	na - number of tetanus injections before birth	discrete	numeric-8.0	0	8111	-
494	m1_3	na - number of tetanus injections before birth	discrete	numeric-8.0	0	8111	-
495	m1_4	na - number of tetanus injections before birth	discrete	numeric-8.0	0	8111	-
496	m1_5	na - number of tetanus injections before birth	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
497	m1_6	na - number of tetanus injections before birth	discrete	numeric-8.0	0	8111	-
498	m1a_1	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	8111	-
499	m1a_2	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	8111	-
500	m1a_3	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	8111	-
501	m1a_4	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	8111	-
502	m1a_5	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	8111	-
503	m1a_6	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	8111	-
504	m1b_1	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
505	m1b_2	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
506	m1b_3	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
507	m1b_4	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
508	m1b_5	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
509	m1b_6	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
510	m1c_1	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
511	m1c_2	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
512	m1c_3	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
513	m1c_4	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
514	m1c_5	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
515	m1c_6	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
516	m1d_1	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
517	m1d_2	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
518	m1d_3	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
519	m1d_4	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
520	m1d_5	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
521	m1d_6	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	8111	-
522	m1e_1	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	8111	-
523	m1e_2	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	8111	-
524	m1e_3	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	8111	-
525	m1e_4	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	8111	-
526	m1e_5	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	8111	-
527	m1e_6	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	8111	-
528	m2a_1	prenatal: doctor	discrete	numeric-8.0	4867	3244	-
529	m2a_2	prenatal: doctor	discrete	numeric-8.0	0	8111	-
530	m2a_3	prenatal: doctor	discrete	numeric-8.0	0	8111	-
531	m2a_4	prenatal: doctor	discrete	numeric-8.0	0	8111	-
532	m2a_5	prenatal: doctor	discrete	numeric-8.0	0	8111	-
533	m2a_6	prenatal: doctor	discrete	numeric-8.0	0	8111	-
534	m2b_1	prenatal: nurse	discrete	numeric-8.0	4867	3244	-
535	m2b_2	prenatal: nurse	discrete	numeric-8.0	0	8111	-
536	m2b_3	prenatal: nurse	discrete	numeric-8.0	0	8111	-
537	m2b_4	prenatal: nurse	discrete	numeric-8.0	0	8111	-
538	m2b_5	prenatal: nurse	discrete	numeric-8.0	0	8111	-
539	m2b_6	prenatal: nurse	discrete	numeric-8.0	0	8111	-
540	m2c_1	prenatal: midwife	discrete	numeric-8.0	4867	3244	-
541	m2c_2	prenatal: midwife	discrete	numeric-8.0	0	8111	-
542	m2c_3	prenatal: midwife	discrete	numeric-8.0	0	8111	-
543	m2c_4	prenatal: midwife	discrete	numeric-8.0	0	8111	-
544	m2c_5	prenatal: midwife	discrete	numeric-8.0	0	8111	-
545	m2c_6	prenatal: midwife	discrete	numeric-8.0	0	8111	-
546	m2d_1	prenatal: auxiliary birth attendant	discrete	numeric-8.0	4867	3244	-
547	m2d_2	prenatal: auxiliary birth attendant	discrete	numeric-8.0	0	8111	-
548	m2d_3	prenatal: auxiliary birth attendant	discrete	numeric-8.0	0	8111	-
549	m2d_4	prenatal: auxiliary birth attendant	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
550	m2d_5	prenatal: auxiliary birth attendant	discrete	numeric-8.0	0	8111	-
551	m2d_6	prenatal: auxiliary birth attendant	discrete	numeric-8.0	0	8111	-
552	m2e_1	prenatal: matron/birth attendant trained	discrete	numeric-8.0	4867	3244	-
553	m2e_2	prenatal: matron/birth attendant trained	discrete	numeric-8.0	0	8111	-
554	m2e_3	prenatal: matron/birth attendant trained	discrete	numeric-8.0	0	8111	-
555	m2e_4	prenatal: matron/birth attendant trained	discrete	numeric-8.0	0	8111	-
556	m2e_5	prenatal: matron/birth attendant trained	discrete	numeric-8.0	0	8111	-
557	m2e_6	prenatal: matron/birth attendant trained	discrete	numeric-8.0	0	8111	-
558	m2f_1	na - prenatal: cs health professional	discrete	numeric-8.0	0	8111	-
559	m2f_2	na - prenatal: cs health professional	discrete	numeric-8.0	0	8111	-
560	m2f_3	na - prenatal: cs health professional	discrete	numeric-8.0	0	8111	-
561	m2f_4	na - prenatal: cs health professional	discrete	numeric-8.0	0	8111	-
562	m2f_5	na - prenatal: cs health professional	discrete	numeric-8.0	0	8111	-
563	m2f_6	na - prenatal: cs health professional	discrete	numeric-8.0	0	8111	-
564	m2g_1	prenatal: traditional birth attendant	discrete	numeric-8.0	4867	3244	-
565	m2g_2	prenatal: traditional birth attendant	discrete	numeric-8.0	0	8111	-
566	m2g_3	prenatal: traditional birth attendant	discrete	numeric-8.0	0	8111	-
567	m2g_4	prenatal: traditional birth attendant	discrete	numeric-8.0	0	8111	-
568	m2g_5	prenatal: traditional birth attendant	discrete	numeric-8.0	0	8111	-
569	m2g_6	prenatal: traditional birth attendant	discrete	numeric-8.0	0	8111	-
570	m2h_1	prenatal: community health worker	discrete	numeric-8.0	4867	3244	-
571	m2h_2	prenatal: community health worker	discrete	numeric-8.0	0	8111	-
572	m2h_3	prenatal: community health worker	discrete	numeric-8.0	0	8111	-
573	m2h_4	prenatal: community health worker	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
574	m2h_5	prenatal: community health worker	discrete	numeric-8.0	0	8111	-
575	m2h_6	prenatal: community health worker	discrete	numeric-8.0	0	8111	-
576	m2i_1	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
577	m2i_2	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
578	m2i_3	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
579	m2i_4	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
580	m2i_5	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
581	m2i_6	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
582	m2j_1	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
583	m2j_2	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
584	m2j_3	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
585	m2j_4	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
586	m2j_5	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
587	m2j_6	na - prenatal: cs other person	discrete	numeric-8.0	0	8111	-
588	m2k_1	prenatal: other	discrete	numeric-8.0	4867	3244	-
589	m2k_2	prenatal: other	discrete	numeric-8.0	0	8111	-
590	m2k_3	prenatal: other	discrete	numeric-8.0	0	8111	-
591	m2k_4	prenatal: other	discrete	numeric-8.0	0	8111	-
592	m2k_5	prenatal: other	discrete	numeric-8.0	0	8111	-
593	m2k_6	prenatal: other	discrete	numeric-8.0	0	8111	-
594	m2l_1	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
595	m2l_2	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
596	m2l_3	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
597	m2l_4	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
598	m2l_5	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
599	m2l_6	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
600	m2m_1	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
601	m2m_2	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
602	m2m_3	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
603	m2m_4	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
604	m2m_5	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
605	m2m_6	na - prenatal: cs other	discrete	numeric-8.0	0	8111	-
606	m2n_1	prenatal: no one	discrete	numeric-8.0	4874	3237	-
607	m2n_2	prenatal: no one	discrete	numeric-8.0	0	8111	-
608	m2n_3	prenatal: no one	discrete	numeric-8.0	0	8111	-
609	m2n_4	prenatal: no one	discrete	numeric-8.0	0	8111	-
610	m2n_5	prenatal: no one	discrete	numeric-8.0	0	8111	-
611	m2n_6	prenatal: no one	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
612	m3a_1	na - assistance: doctor	discrete	numeric-8.0	0	8111	-
613	m3a_2	na - assistance: doctor	discrete	numeric-8.0	0	8111	-
614	m3a_3	na - assistance: doctor	discrete	numeric-8.0	0	8111	-
615	m3a_4	na - assistance: doctor	discrete	numeric-8.0	0	8111	-
616	m3a_5	na - assistance: doctor	discrete	numeric-8.0	0	8111	-
617	m3a_6	na - assistance: doctor	discrete	numeric-8.0	0	8111	-
618	m3b_1	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
619	m3b_2	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
620	m3b_3	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
621	m3b_4	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
622	m3b_5	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
623	m3b_6	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
624	m3c_1	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
625	m3c_2	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
626	m3c_3	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
627	m3c_4	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
628	m3c_5	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
629	m3c_6	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
630	m3d_1	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
631	m3d_2	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
632	m3d_3	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
633	m3d_4	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
634	m3d_5	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
635	m3d_6	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
636	m3e_1	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
637	m3e_2	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
638	m3e_3	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
639	m3e_4	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
640	m3e_5	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
641	m3e_6	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
642	m3f_1	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
643	m3f_2	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
644	m3f_3	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
645	m3f_4	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
646	m3f_5	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
647	m3f_6	na - assistance: cs health professional	discrete	numeric-8.0	0	8111	-
648	m3g_1	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	8111	-
649	m3g_2	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	8111	-
650	m3g_3	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	8111	-
651	m3g_4	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	8111	-
652	m3g_5	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	8111	-
653	m3g_6	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	8111	-
654	m3h_1	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
655	m3h_2	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
656	m3h_3	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
657	m3h_4	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
658	m3h_5	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
659	m3h_6	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
660	m3i_1	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
661	m3i_2	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
662	m3i_3	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
663	m3i_4	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
664	m3i_5	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
665	m3i_6	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
666	m3j_1	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
667	m3j_2	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
668	m3j_3	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
669	m3j_4	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
670	m3j_5	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
671	m3j_6	na - assistance: cs other person	discrete	numeric-8.0	0	8111	-
672	m3k_1	na - assistance: other	discrete	numeric-8.0	0	8111	-
673	m3k_2	na - assistance: other	discrete	numeric-8.0	0	8111	-
674	m3k_3	na - assistance: other	discrete	numeric-8.0	0	8111	-
675	m3k_4	na - assistance: other	discrete	numeric-8.0	0	8111	-
676	m3k_5	na - assistance: other	discrete	numeric-8.0	0	8111	-
677	m3k_6	na - assistance: other	discrete	numeric-8.0	0	8111	-
678	m3l_1	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
679	m3l_2	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
680	m3l_3	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
681	m3l_4	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
682	m3l_5	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
683	m3l_6	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
684	m3m_1	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
685	m3m_2	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
686	m3m_3	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
687	m3m_4	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
688	m3m_5	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
689	m3m_6	na - assistance: cs other	discrete	numeric-8.0	0	8111	-
690	m3n_1	na - assistance: no one	discrete	numeric-8.0	0	8111	-
691	m3n_2	na - assistance: no one	discrete	numeric-8.0	0	8111	-
692	m3n_3	na - assistance: no one	discrete	numeric-8.0	0	8111	-
693	m3n_4	na - assistance: no one	discrete	numeric-8.0	0	8111	-
694	m3n_5	na - assistance: no one	discrete	numeric-8.0	0	8111	-
695	m3n_6	na - assistance: no one	discrete	numeric-8.0	0	8111	-
696	m4_1	na - duration of breastfeeding	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
697	m4_2	na - duration of breastfeeding	discrete	numeric-8.0	0	8111	-
698	m4_3	na - duration of breastfeeding	discrete	numeric-8.0	0	8111	-
699	m4_4	na - duration of breastfeeding	discrete	numeric-8.0	0	8111	-
700	m4_5	na - duration of breastfeeding	discrete	numeric-8.0	0	8111	-
701	m4_6	na - duration of breastfeeding	discrete	numeric-8.0	0	8111	-
702	m5_1	na - months of breastfeeding	discrete	numeric-8.0	0	8111	-
703	m5_2	na - months of breastfeeding	discrete	numeric-8.0	0	8111	-
704	m5_3	na - months of breastfeeding	discrete	numeric-8.0	0	8111	-
705	m5_4	na - months of breastfeeding	discrete	numeric-8.0	0	8111	-
706	m5_5	na - months of breastfeeding	discrete	numeric-8.0	0	8111	-
707	m5_6	na - months of breastfeeding	discrete	numeric-8.0	0	8111	-
708	m6_1	na - duration of amenorrhea	discrete	numeric-8.0	0	8111	-
709	m6_2	na - duration of amenorrhea	discrete	numeric-8.0	0	8111	-
710	m6_3	na - duration of amenorrhea	discrete	numeric-8.0	0	8111	-
711	m6_4	na - duration of amenorrhea	discrete	numeric-8.0	0	8111	-
712	m6_5	na - duration of amenorrhea	discrete	numeric-8.0	0	8111	-
713	m6_6	na - duration of amenorrhea	discrete	numeric-8.0	0	8111	-
714	m7_1	na - months of amenorrhea	discrete	numeric-8.0	0	8111	-
715	m7_2	na - months of amenorrhea	discrete	numeric-8.0	0	8111	-
716	m7_3	na - months of amenorrhea	discrete	numeric-8.0	0	8111	-
717	m7_4	na - months of amenorrhea	discrete	numeric-8.0	0	8111	-
718	m7_5	na - months of amenorrhea	discrete	numeric-8.0	0	8111	-
719	m7_6	na - months of amenorrhea	discrete	numeric-8.0	0	8111	-
720	m8_1	na - duration of abstinence	discrete	numeric-8.0	0	8111	-
721	m8_2	na - duration of abstinence	discrete	numeric-8.0	0	8111	-
722	m8_3	na - duration of abstinence	discrete	numeric-8.0	0	8111	-
723	m8_4	na - duration of abstinence	discrete	numeric-8.0	0	8111	-
724	m8_5	na - duration of abstinence	discrete	numeric-8.0	0	8111	-
725	m8_6	na - duration of abstinence	discrete	numeric-8.0	0	8111	-
726	m9_1	na - months of abstinence	discrete	numeric-8.0	0	8111	-
727	m9_2	na - months of abstinence	discrete	numeric-8.0	0	8111	-
728	m9_3	na - months of abstinence	discrete	numeric-8.0	0	8111	-
729	m9_4	na - months of abstinence	discrete	numeric-8.0	0	8111	-
730	m9_5	na - months of abstinence	discrete	numeric-8.0	0	8111	-
731	m9_6	na - months of abstinence	discrete	numeric-8.0	0	8111	-
732	m10_1	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	8111	-
733	m10_2	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
734	m10_3	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	8111	-
735	m10_4	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	8111	-
736	m10_5	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	8111	-
737	m10_6	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	8111	-
738	m11_1	na - desired time would have waited	discrete	numeric-8.0	0	8111	-
739	m11_2	na - desired time would have waited	discrete	numeric-8.0	0	8111	-
740	m11_3	na - desired time would have waited	discrete	numeric-8.0	0	8111	-
741	m11_4	na - desired time would have waited	discrete	numeric-8.0	0	8111	-
742	m11_5	na - desired time would have waited	discrete	numeric-8.0	0	8111	-
743	m11_6	na - desired time would have waited	discrete	numeric-8.0	0	8111	-
744	m13_1	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	8111	-
745	m13_2	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	8111	-
746	m13_3	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	8111	-
747	m13_4	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	8111	-
748	m13_5	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	8111	-
749	m13_6	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	8111	-
750	m14_1	number of antenatal visits during pregnancy	discrete	numeric-8.0	4873	3238	-
751	m14_2	number of antenatal visits during pregnancy	discrete	numeric-8.0	0	8111	-
752	m14_3	number of antenatal visits during pregnancy	discrete	numeric-8.0	0	8111	-
753	m14_4	number of antenatal visits during pregnancy	discrete	numeric-8.0	0	8111	-
754	m14_5	number of antenatal visits during pregnancy	discrete	numeric-8.0	0	8111	-
755	m14_6	number of antenatal visits during pregnancy	discrete	numeric-8.0	0	8111	-
756	m15_1	na - place of delivery	discrete	numeric-8.0	0	8111	-
757	m15_2	na - place of delivery	discrete	numeric-8.0	0	8111	-
758	m15_3	na - place of delivery	discrete	numeric-8.0	0	8111	-
759	m15_4	na - place of delivery	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
760	m15_5	na - place of delivery	discrete	numeric-8.0	0	8111	-
761	m15_6	na - place of delivery	discrete	numeric-8.0	0	8111	-
762	m17_1	na - delivery by caesarean section	discrete	numeric-8.0	0	8111	-
763	m17_2	na - delivery by caesarean section	discrete	numeric-8.0	0	8111	-
764	m17_3	na - delivery by caesarean section	discrete	numeric-8.0	0	8111	-
765	m17_4	na - delivery by caesarean section	discrete	numeric-8.0	0	8111	-
766	m17_5	na - delivery by caesarean section	discrete	numeric-8.0	0	8111	-
767	m17_6	na - delivery by caesarean section	discrete	numeric-8.0	0	8111	-
768	m18_1	na - size of child at birth	discrete	numeric-8.0	0	8111	-
769	m18_2	na - size of child at birth	discrete	numeric-8.0	0	8111	-
770	m18_3	na - size of child at birth	discrete	numeric-8.0	0	8111	-
771	m18_4	na - size of child at birth	discrete	numeric-8.0	0	8111	-
772	m18_5	na - size of child at birth	discrete	numeric-8.0	0	8111	-
773	m18_6	na - size of child at birth	discrete	numeric-8.0	0	8111	-
774	m19_1	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	8111	-
775	m19_2	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	8111	-
776	m19_3	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	8111	-
777	m19_4	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	8111	-
778	m19_5	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	8111	-
779	m19_6	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	8111	-
780	m19a_1	na - weight at birth/recall	discrete	numeric-8.0	0	8111	-
781	m19a_2	na - weight at birth/recall	discrete	numeric-8.0	0	8111	-
782	m19a_3	na - weight at birth/recall	discrete	numeric-8.0	0	8111	-
783	m19a_4	na - weight at birth/recall	discrete	numeric-8.0	0	8111	-
784	m19a_5	na - weight at birth/recall	discrete	numeric-8.0	0	8111	-
785	m19a_6	na - weight at birth/recall	discrete	numeric-8.0	0	8111	-
786	m27_1	na - flag for breastfeeding	discrete	numeric-8.0	0	8111	-
787	m27_2	na - flag for breastfeeding	discrete	numeric-8.0	0	8111	-
788	m27_3	na - flag for breastfeeding	discrete	numeric-8.0	0	8111	-
789	m27_4	na - flag for breastfeeding	discrete	numeric-8.0	0	8111	-
790	m27_5	na - flag for breastfeeding	discrete	numeric-8.0	0	8111	-
791	m27_6	na - flag for breastfeeding	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
792	m28_1	na - flag for amenorrhea	discrete	numeric-8.0	0	8111	-
793	m28_2	na - flag for amenorrhea	discrete	numeric-8.0	0	8111	-
794	m28_3	na - flag for amenorrhea	discrete	numeric-8.0	0	8111	-
795	m28_4	na - flag for amenorrhea	discrete	numeric-8.0	0	8111	-
796	m28_5	na - flag for amenorrhea	discrete	numeric-8.0	0	8111	-
797	m28_6	na - flag for amenorrhea	discrete	numeric-8.0	0	8111	-
798	m29_1	na - flag for abstinence	discrete	numeric-8.0	0	8111	-
799	m29_2	na - flag for abstinence	discrete	numeric-8.0	0	8111	-
800	m29_3	na - flag for abstinence	discrete	numeric-8.0	0	8111	-
801	m29_4	na - flag for abstinence	discrete	numeric-8.0	0	8111	-
802	m29_5	na - flag for abstinence	discrete	numeric-8.0	0	8111	-
803	m29_6	na - flag for abstinence	discrete	numeric-8.0	0	8111	-
804	m34_1	na - when child put to breast	discrete	numeric-8.0	0	8111	-
805	m34_2	na - when child put to breast	discrete	numeric-8.0	0	8111	-
806	m34_3	na - when child put to breast	discrete	numeric-8.0	0	8111	-
807	m34_4	na - when child put to breast	discrete	numeric-8.0	0	8111	-
808	m34_5	na - when child put to breast	discrete	numeric-8.0	0	8111	-
809	m34_6	na - when child put to breast	discrete	numeric-8.0	0	8111	-
810	m35_1	na - number of times breastfed during previous night	discrete	numeric-8.0	0	8111	-
811	m35_2	na - number of times breastfed during previous night	discrete	numeric-8.0	0	8111	-
812	m35_3	na - number of times breastfed during previous night	discrete	numeric-8.0	0	8111	-
813	m35_4	na - number of times breastfed during previous night	discrete	numeric-8.0	0	8111	-
814	m35_5	na - number of times breastfed during previous night	discrete	numeric-8.0	0	8111	-
815	m35_6	na - number of times breastfed during previous night	discrete	numeric-8.0	0	8111	-
816	m36_1	na - number of times breastfed during previous day	discrete	numeric-8.0	0	8111	-
817	m36_2	na - number of times breastfed during previous day	discrete	numeric-8.0	0	8111	-
818	m36_3	na - number of times breastfed during previous day	discrete	numeric-8.0	0	8111	-
819	m36_4	na - number of times breastfed during previous day	discrete	numeric-8.0	0	8111	-
820	m36_5	na - number of times breastfed during previous day	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
821	m36_6	na - number of times breastfed during previous day	discrete	numeric-8.0	0	8111	-
822	m38_1	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	8111	-
823	m38_2	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	8111	-
824	m38_3	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	8111	-
825	m38_4	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	8111	-
826	m38_5	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	8111	-
827	m38_6	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	8111	-
828	m39a_1	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	8111	-
829	m39a_2	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	8111	-
830	m39a_3	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	8111	-
831	m39a_4	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	8111	-
832	m39a_5	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	8111	-
833	m39a_6	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	8111	-
834	m39_1	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	8111	-
835	m39_2	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	8111	-
836	m39_3	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	8111	-
837	m39_4	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	8111	-
838	m39_5	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	8111	-
839	m39_6	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	8111	-
840	m42a_1	na - during pregnancy: weighed	discrete	numeric-8.0	0	8111	-
841	m42a_2	na - during pregnancy: weighed	discrete	numeric-8.0	0	8111	-
842	m42a_3	na - during pregnancy: weighed	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
843	m42a_4	na - during pregnancy: weighed	discrete	numeric-8.0	0	8111	-
844	m42a_5	na - during pregnancy: weighed	discrete	numeric-8.0	0	8111	-
845	m42a_6	na - during pregnancy: weighed	discrete	numeric-8.0	0	8111	-
846	m42b_1	na - during pregnancy: height measured	discrete	numeric-8.0	0	8111	-
847	m42b_2	na - during pregnancy: height measured	discrete	numeric-8.0	0	8111	-
848	m42b_3	na - during pregnancy: height measured	discrete	numeric-8.0	0	8111	-
849	m42b_4	na - during pregnancy: height measured	discrete	numeric-8.0	0	8111	-
850	m42b_5	na - during pregnancy: height measured	discrete	numeric-8.0	0	8111	-
851	m42b_6	na - during pregnancy: height measured	discrete	numeric-8.0	0	8111	-
852	m42c_1	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	8111	-
853	m42c_2	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	8111	-
854	m42c_3	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	8111	-
855	m42c_4	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	8111	-
856	m42c_5	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	8111	-
857	m42c_6	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	8111	-
858	m42d_1	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	8111	-
859	m42d_2	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	8111	-
860	m42d_3	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	8111	-
861	m42d_4	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	8111	-
862	m42d_5	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	8111	-
863	m42d_6	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	8111	-
864	m42e_1	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	8111	-
865	m42e_2	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	8111	-
866	m42e_3	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
867	m42e_4	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	8111	-
868	m42e_5	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	8111	-
869	m42e_6	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	8111	-
870	m43_1	na - told about pregnancy complications	discrete	numeric-8.0	0	8111	-
871	m43_2	na - told about pregnancy complications	discrete	numeric-8.0	0	8111	-
872	m43_3	na - told about pregnancy complications	discrete	numeric-8.0	0	8111	-
873	m43_4	na - told about pregnancy complications	discrete	numeric-8.0	0	8111	-
874	m43_5	na - told about pregnancy complications	discrete	numeric-8.0	0	8111	-
875	m43_6	na - told about pregnancy complications	discrete	numeric-8.0	0	8111	-
876	m44_1	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	8111	-
877	m44_2	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	8111	-
878	m44_3	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	8111	-
879	m44_4	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	8111	-
880	m44_5	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	8111	-
881	m44_6	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	8111	-
882	m45_1	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	8111	-
883	m45_2	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	8111	-
884	m45_3	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	8111	-
885	m45_4	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	8111	-
886	m45_5	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	8111	-
887	m45_6	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	8111	-
888	m46_1	na - days tablets or syrup taken	discrete	numeric-8.0	0	8111	-
889	m46_2	na - days tablets or syrup taken	discrete	numeric-8.0	0	8111	-
890	m46_3	na - days tablets or syrup taken	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
891	m46_4	na - days tablets or syrup taken	discrete	numeric-8.0	0	8111	-
892	m46_5	na - days tablets or syrup taken	discrete	numeric-8.0	0	8111	-
893	m46_6	na - days tablets or syrup taken	discrete	numeric-8.0	0	8111	-
894	m47_1	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	8111	-
895	m47_2	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	8111	-
896	m47_3	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	8111	-
897	m47_4	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	8111	-
898	m47_5	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	8111	-
899	m47_6	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	8111	-
900	m48_1	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	8111	-
901	m48_2	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	8111	-
902	m48_3	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	8111	-
903	m48_4	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	8111	-
904	m48_5	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	8111	-
905	m48_6	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	8111	-
906	m49a_1	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	4875	3236	-
907	m49a_2	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	0	8111	-
908	m49a_3	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	0	8111	-
909	m49a_4	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	0	8111	-
910	m49a_5	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
911	m49a_6	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	0	8111	-
912	m49b_1	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	4875	3236	-
913	m49b_2	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	0	8111	-
914	m49b_3	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	0	8111	-
915	m49b_4	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	0	8111	-
916	m49b_5	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	0	8111	-
917	m49b_6	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	0	8111	-
918	m49c_1	during pregnancy took: quinine	discrete	numeric-8.0	4875	3236	-
919	m49c_2	during pregnancy took: quinine	discrete	numeric-8.0	0	8111	-
920	m49c_3	during pregnancy took: quinine	discrete	numeric-8.0	0	8111	-
921	m49c_4	during pregnancy took: quinine	discrete	numeric-8.0	0	8111	-
922	m49c_5	during pregnancy took: quinine	discrete	numeric-8.0	0	8111	-
923	m49c_6	during pregnancy took: quinine	discrete	numeric-8.0	0	8111	-
924	m49d_1	during pregnancy took: artesunate	discrete	numeric-8.0	0	8111	-
925	m49d_2	during pregnancy took: artesunate	discrete	numeric-8.0	0	8111	-
926	m49d_3	during pregnancy took: artesunate	discrete	numeric-8.0	0	8111	-
927	m49d_4	during pregnancy took: artesunate	discrete	numeric-8.0	0	8111	-
928	m49d_5	during pregnancy took: artesunate	discrete	numeric-8.0	0	8111	-
929	m49d_6	during pregnancy took: artesunate	discrete	numeric-8.0	0	8111	-
930	m49e_1	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	8111	-
931	m49e_2	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	8111	-
932	m49e_3	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	8111	-
933	m49e_4	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	8111	-
934	m49e_5	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
935	m49e_6	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	8111	-
936	m49f_1	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	8111	-
937	m49f_2	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	8111	-
938	m49f_3	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	8111	-
939	m49f_4	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	8111	-
940	m49f_5	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	8111	-
941	m49f_6	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	8111	-
942	m49g_1	during pregnancy took: traditional drug	discrete	numeric-8.0	0	8111	-
943	m49g_2	during pregnancy took: traditional drug	discrete	numeric-8.0	0	8111	-
944	m49g_3	during pregnancy took: traditional drug	discrete	numeric-8.0	0	8111	-
945	m49g_4	during pregnancy took: traditional drug	discrete	numeric-8.0	0	8111	-
946	m49g_5	during pregnancy took: traditional drug	discrete	numeric-8.0	0	8111	-
947	m49g_6	during pregnancy took: traditional drug	discrete	numeric-8.0	0	8111	-
948	m49x_1	during pregnancy took: other drug for malaria	discrete	numeric-8.0	4875	3236	-
949	m49x_2	during pregnancy took: other drug for malaria	discrete	numeric-8.0	0	8111	-
950	m49x_3	during pregnancy took: other drug for malaria	discrete	numeric-8.0	0	8111	-
951	m49x_4	during pregnancy took: other drug for malaria	discrete	numeric-8.0	0	8111	-
952	m49x_5	during pregnancy took: other drug for malaria	discrete	numeric-8.0	0	8111	-
953	m49x_6	during pregnancy took: other drug for malaria	discrete	numeric-8.0	0	8111	-
954	m49z_1	during pregnancy took: don't know	discrete	numeric-8.0	4875	3236	-
955	m49z_2	during pregnancy took: don't know	discrete	numeric-8.0	0	8111	-
956	m49z_3	during pregnancy took: don't know	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
957	m49z_4	during pregnancy took: don't know	discrete	numeric-8.0	0	8111	-
958	m49z_5	during pregnancy took: don't know	discrete	numeric-8.0	0	8111	-
959	m49z_6	during pregnancy took: don't know	discrete	numeric-8.0	0	8111	-
960	m49y_1	during pregnancy took: no drug for malaria	discrete	numeric-8.0	4875	3236	-
961	m49y_2	during pregnancy took: no drug for malaria	discrete	numeric-8.0	0	8111	-
962	m49y_3	during pregnancy took: no drug for malaria	discrete	numeric-8.0	0	8111	-
963	m49y_4	during pregnancy took: no drug for malaria	discrete	numeric-8.0	0	8111	-
964	m49y_5	during pregnancy took: no drug for malaria	discrete	numeric-8.0	0	8111	-
965	m49y_6	during pregnancy took: no drug for malaria	discrete	numeric-8.0	0	8111	-
966	m50_1	na - respondent's check up after delivery	discrete	numeric-8.0	0	8111	-
967	m50_2	na - respondent's check up after delivery	discrete	numeric-8.0	0	8111	-
968	m50_3	na - respondent's check up after delivery	discrete	numeric-8.0	0	8111	-
969	m50_4	na - respondent's check up after delivery	discrete	numeric-8.0	0	8111	-
970	m50_5	na - respondent's check up after delivery	discrete	numeric-8.0	0	8111	-
971	m50_6	na - respondent's check up after delivery	discrete	numeric-8.0	0	8111	-
972	m51_1	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	8111	-
973	m51_2	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	8111	-
974	m51_3	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	8111	-
975	m51_4	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	8111	-
976	m51_5	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	8111	-
977	m51_6	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	8111	-
978	m52_1	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	8111	-
979	m52_2	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
980	m52_3	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	8111	-
981	m52_4	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	8111	-
982	m52_5	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	8111	-
983	m52_6	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	8111	-
984	m54_1	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	8111	-
985	m54_2	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	8111	-
986	m54_3	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	8111	-
987	m54_4	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	8111	-
988	m54_5	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	8111	-
989	m54_6	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	8111	-
990	m55a_1	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	8111	-
991	m55a_2	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	8111	-
992	m55a_3	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	8111	-
993	m55a_4	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	8111	-
994	m55a_5	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	8111	-
995	m55a_6	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	8111	-
996	m55b_1	na - first 3 days, given plain water	discrete	numeric-8.0	0	8111	-
997	m55b_2	na - first 3 days, given plain water	discrete	numeric-8.0	0	8111	-
998	m55b_3	na - first 3 days, given plain water	discrete	numeric-8.0	0	8111	-
999	m55b_4	na - first 3 days, given plain water	discrete	numeric-8.0	0	8111	-
1000	m55b_5	na - first 3 days, given plain water	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1001	m55b_6	na - first 3 days, given plain water	discrete	numeric-8.0	0	8111	-
1002	m55c_1	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	8111	-
1003	m55c_2	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	8111	-
1004	m55c_3	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	8111	-
1005	m55c_4	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	8111	-
1006	m55c_5	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	8111	-
1007	m55c_6	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	8111	-
1008	m55d_1	na - first 3 days, given gripe water	discrete	numeric-8.0	0	8111	-
1009	m55d_2	na - first 3 days, given gripe water	discrete	numeric-8.0	0	8111	-
1010	m55d_3	na - first 3 days, given gripe water	discrete	numeric-8.0	0	8111	-
1011	m55d_4	na - first 3 days, given gripe water	discrete	numeric-8.0	0	8111	-
1012	m55d_5	na - first 3 days, given gripe water	discrete	numeric-8.0	0	8111	-
1013	m55d_6	na - first 3 days, given gripe water	discrete	numeric-8.0	0	8111	-
1014	m55e_1	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	8111	-
1015	m55e_2	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	8111	-
1016	m55e_3	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	8111	-
1017	m55e_4	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	8111	-
1018	m55e_5	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	8111	-
1019	m55e_6	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	8111	-
1020	m55f_1	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	8111	-
1021	m55f_2	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	8111	-
1022	m55f_3	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	8111	-
1023	m55f_4	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	8111	-
1024	m55f_5	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1025	m55f_6	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	8111	-
1026	m55g_1	na - first 3 days, given infant formula	discrete	numeric-8.0	0	8111	-
1027	m55g_2	na - first 3 days, given infant formula	discrete	numeric-8.0	0	8111	-
1028	m55g_3	na - first 3 days, given infant formula	discrete	numeric-8.0	0	8111	-
1029	m55g_4	na - first 3 days, given infant formula	discrete	numeric-8.0	0	8111	-
1030	m55g_5	na - first 3 days, given infant formula	discrete	numeric-8.0	0	8111	-
1031	m55g_6	na - first 3 days, given infant formula	discrete	numeric-8.0	0	8111	-
1032	m55h_1	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	8111	-
1033	m55h_2	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	8111	-
1034	m55h_3	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	8111	-
1035	m55h_4	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	8111	-
1036	m55h_5	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	8111	-
1037	m55h_6	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	8111	-
1038	m55i_1	na - first 3 days, given honey	discrete	numeric-8.0	0	8111	-
1039	m55i_2	na - first 3 days, given honey	discrete	numeric-8.0	0	8111	-
1040	m55i_3	na - first 3 days, given honey	discrete	numeric-8.0	0	8111	-
1041	m55i_4	na - first 3 days, given honey	discrete	numeric-8.0	0	8111	-
1042	m55i_5	na - first 3 days, given honey	discrete	numeric-8.0	0	8111	-
1043	m55i_6	na - first 3 days, given honey	discrete	numeric-8.0	0	8111	-
1044	m55j_1	na - first 3 days, given coffee	discrete	numeric-8.0	0	8111	-
1045	m55j_2	na - first 3 days, given coffee	discrete	numeric-8.0	0	8111	-
1046	m55j_3	na - first 3 days, given coffee	discrete	numeric-8.0	0	8111	-
1047	m55j_4	na - first 3 days, given coffee	discrete	numeric-8.0	0	8111	-
1048	m55j_5	na - first 3 days, given coffee	discrete	numeric-8.0	0	8111	-
1049	m55j_6	na - first 3 days, given coffee	discrete	numeric-8.0	0	8111	-
1050	m55k_1	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1051	m55k_2	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1052	m55k_3	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1053	m55k_4	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1054	m55k_5	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1055	m55k_6	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1056	m55l_1	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1057	m55l_2	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1058	m55l_3	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1059	m55l_4	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1060	m55l_5	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1061	m55l_6	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1062	m55m_1	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1063	m55m_2	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1064	m55m_3	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1065	m55m_4	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1066	m55m_5	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1067	m55m_6	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1068	m55n_1	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1069	m55n_2	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1070	m55n_3	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1071	m55n_4	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1072	m55n_5	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1073	m55n_6	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1074	m55o_1	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1075	m55o_2	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1076	m55o_3	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1077	m55o_4	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1078	m55o_5	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1079	m55o_6	na - first 3 days, given country specific	discrete	numeric-8.0	0	8111	-
1080	m55x_1	na - first 3 days, given other	discrete	numeric-8.0	0	8111	-
1081	m55x_2	na - first 3 days, given other	discrete	numeric-8.0	0	8111	-
1082	m55x_3	na - first 3 days, given other	discrete	numeric-8.0	0	8111	-
1083	m55x_4	na - first 3 days, given other	discrete	numeric-8.0	0	8111	-
1084	m55x_5	na - first 3 days, given other	discrete	numeric-8.0	0	8111	-
1085	m55x_6	na - first 3 days, given other	discrete	numeric-8.0	0	8111	-
1086	m55z_1	na - first 3 days, given nothing	discrete	numeric-8.0	0	8111	-
1087	m55z_2	na - first 3 days, given nothing	discrete	numeric-8.0	0	8111	-
1088	m55z_3	na - first 3 days, given nothing	discrete	numeric-8.0	0	8111	-
1089	m55z_4	na - first 3 days, given nothing	discrete	numeric-8.0	0	8111	-
1090	m55z_5	na - first 3 days, given nothing	discrete	numeric-8.0	0	8111	-
1091	m55z_6	na - first 3 days, given nothing	discrete	numeric-8.0	0	8111	-
1092	m57a_1	na - antenatal care: respondent's home	discrete	numeric-8.0	0	8111	-
1093	m57a_2	na - antenatal care: respondent's home	discrete	numeric-8.0	0	8111	-
1094	m57a_3	na - antenatal care: respondent's home	discrete	numeric-8.0	0	8111	-
1095	m57a_4	na - antenatal care: respondent's home	discrete	numeric-8.0	0	8111	-
1096	m57a_5	na - antenatal care: respondent's home	discrete	numeric-8.0	0	8111	-
1097	m57a_6	na - antenatal care: respondent's home	discrete	numeric-8.0	0	8111	-
1098	m57b_1	na - antenatal care: other home	discrete	numeric-8.0	0	8111	-
1099	m57b_2	na - antenatal care: other home	discrete	numeric-8.0	0	8111	-
1100	m57b_3	na - antenatal care: other home	discrete	numeric-8.0	0	8111	-
1101	m57b_4	na - antenatal care: other home	discrete	numeric-8.0	0	8111	-
1102	m57b_5	na - antenatal care: other home	discrete	numeric-8.0	0	8111	-
1103	m57b_6	na - antenatal care: other home	discrete	numeric-8.0	0	8111	-
1104	m57c_1	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1105	m57c_2	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1106	m57c_3	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1107	m57c_4	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1108	m57c_5	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1109	m57c_6	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1110	m57d_1	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1111	m57d_2	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1112	m57d_3	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1113	m57d_4	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1114	m57d_5	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1115	m57d_6	na - antenatal care: cs home	discrete	numeric-8.0	0	8111	-
1116	m57e_1	na - antenatal care: government hospital	discrete	numeric-8.0	0	8111	-
1117	m57e_2	na - antenatal care: government hospital	discrete	numeric-8.0	0	8111	-
1118	m57e_3	na - antenatal care: government hospital	discrete	numeric-8.0	0	8111	-
1119	m57e_4	na - antenatal care: government hospital	discrete	numeric-8.0	0	8111	-
1120	m57e_5	na - antenatal care: government hospital	discrete	numeric-8.0	0	8111	-
1121	m57e_6	na - antenatal care: government hospital	discrete	numeric-8.0	0	8111	-
1122	m57f_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1123	m57f_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1124	m57f_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1125	m57f_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1126	m57f_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1127	m57f_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1128	m57g_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1129	m57g_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1130	m57g_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1131	m57g_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1132	m57g_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1133	m57g_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1134	m57h_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1135	m57h_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1136	m57h_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1137	m57h_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1138	m57h_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1139	m57h_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1140	m57i_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1141	m57i_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1142	m57i_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1143	m57i_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1144	m57i_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1145	m57i_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1146	m57j_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1147	m57j_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1148	m57j_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1149	m57j_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1150	m57j_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1151	m57j_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1152	m57k_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1153	m57k_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1154	m57k_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1155	m57k_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1156	m57k_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1157	m57k_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1158	m57l_1	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1159	m57l_2	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1160	m57l_3	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1161	m57l_4	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1162	m57l_5	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1163	m57l_6	na - antenatal care: cs public health	discrete	numeric-8.0	0	8111	-
1164	m57m_1	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1165	m57m_2	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1166	m57m_3	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1167	m57m_4	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1168	m57m_5	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1169	m57m_6	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1170	m57n_1	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1171	m57n_2	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1172	m57n_3	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1173	m57n_4	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1174	m57n_5	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1175	m57n_6	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1176	m57o_1	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1177	m57o_2	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1178	m57o_3	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1179	m57o_4	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1180	m57o_5	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1181	m57o_6	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1182	m57p_1	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1183	m57p_2	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1184	m57p_3	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1185	m57p_4	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1186	m57p_5	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1187	m57p_6	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1188	m57q_1	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1189	m57q_2	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1190	m57q_3	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1191	m57q_4	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1192	m57q_5	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1193	m57q_6	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1194	m57r_1	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1195	m57r_2	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1196	m57r_3	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1197	m57r_4	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1198	m57r_5	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1199	m57r_6	na - antenatal care: cs private medical	discrete	numeric-8.0	0	8111	-
1200	m57s_1	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1201	m57s_2	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1202	m57s_3	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1203	m57s_4	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1204	m57s_5	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1205	m57s_6	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1206	m57t_1	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1207	m57t_2	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1208	m57t_3	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1209	m57t_4	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1210	m57t_5	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1211	m57t_6	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1212	m57u_1	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1213	m57u_2	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1214	m57u_3	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1215	m57u_4	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1216	m57u_5	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1217	m57u_6	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1218	m57v_1	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1219	m57v_2	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1220	m57v_3	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1221	m57v_4	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1222	m57v_5	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1223	m57v_6	na - antenatal care: cs other	discrete	numeric-8.0	0	8111	-
1224	m57x_1	na - antenatal care: other	discrete	numeric-8.0	0	8111	-
1225	m57x_2	na - antenatal care: other	discrete	numeric-8.0	0	8111	-
1226	m57x_3	na - antenatal care: other	discrete	numeric-8.0	0	8111	-
1227	m57x_4	na - antenatal care: other	discrete	numeric-8.0	0	8111	-
1228	m57x_5	na - antenatal care: other	discrete	numeric-8.0	0	8111	-
1229	m57x_6	na - antenatal care: other	discrete	numeric-8.0	0	8111	-
1230	m60_1	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	8111	-
1231	m60_2	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	8111	-
1232	m60_3	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	8111	-
1233	m60_4	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	8111	-
1234	m60_5	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	8111	-
1235	m60_6	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	8111	-
1236	m61_1	na - time spent at place of delivery	discrete	numeric-8.0	0	8111	-
1237	m61_2	na - time spent at place of delivery	discrete	numeric-8.0	0	8111	-
1238	m61_3	na - time spent at place of delivery	discrete	numeric-8.0	0	8111	-
1239	m61_4	na - time spent at place of delivery	discrete	numeric-8.0	0	8111	-
1240	m61_5	na - time spent at place of delivery	discrete	numeric-8.0	0	8111	-
1241	m61_6	na - time spent at place of delivery	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1242	m62_1	na - respondent's health checked before discharge	discrete	numeric-8.0	0	8111	-
1243	m62_2	na - respondent's health checked before discharge	discrete	numeric-8.0	0	8111	-
1244	m62_3	na - respondent's health checked before discharge	discrete	numeric-8.0	0	8111	-
1245	m62_4	na - respondent's health checked before discharge	discrete	numeric-8.0	0	8111	-
1246	m62_5	na - respondent's health checked before discharge	discrete	numeric-8.0	0	8111	-
1247	m62_6	na - respondent's health checked before discharge	discrete	numeric-8.0	0	8111	-
1248	m65a_1	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	8111	-
1249	m65a_2	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	8111	-
1250	m65a_3	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	8111	-
1251	m65a_4	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	8111	-
1252	m65a_5	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	8111	-
1253	m65a_6	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	8111	-
1254	m65b_1	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	8111	-
1255	m65b_2	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	8111	-
1256	m65b_3	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	8111	-
1257	m65b_4	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	8111	-
1258	m65b_5	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	8111	-
1259	m65b_6	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	8111	-
1260	m65c_1	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	8111	-
1261	m65c_2	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	8111	-
1262	m65c_3	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1263	m65c_4	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	8111	-
1264	m65c_5	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	8111	-
1265	m65c_6	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	8111	-
1266	m65d_1	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	8111	-
1267	m65d_2	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	8111	-
1268	m65d_3	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	8111	-
1269	m65d_4	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	8111	-
1270	m65d_5	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	8111	-
1271	m65d_6	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	8111	-
1272	m65e_1	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	8111	-
1273	m65e_2	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	8111	-
1274	m65e_3	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	8111	-
1275	m65e_4	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	8111	-
1276	m65e_5	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	8111	-
1277	m65e_6	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	8111	-
1278	m65f_1	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	8111	-
1279	m65f_2	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	8111	-
1280	m65f_3	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1281	m65f_4	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	8111	-
1282	m65f_5	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	8111	-
1283	m65f_6	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	8111	-
1284	m65g_1	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	8111	-
1285	m65g_2	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	8111	-
1286	m65g_3	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	8111	-
1287	m65g_4	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	8111	-
1288	m65g_5	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	8111	-
1289	m65g_6	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	8111	-
1290	m65h_1	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	8111	-
1291	m65h_2	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	8111	-
1292	m65h_3	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	8111	-
1293	m65h_4	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	8111	-
1294	m65h_5	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	8111	-
1295	m65h_6	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	8111	-
1296	m65i_1	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1297	m65i_2	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1298	m65i_3	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1299	m65i_4	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1300	m65i_5	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1301	m65i_6	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1302	m65j_1	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1303	m65j_2	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1304	m65j_3	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1305	m65j_4	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1306	m65j_5	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1307	m65j_6	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1308	m65k_1	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1309	m65k_2	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1310	m65k_3	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1311	m65k_4	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1312	m65k_5	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1313	m65k_6	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1314	m65l_1	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1315	m65l_2	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1316	m65l_3	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1317	m65l_4	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1318	m65l_5	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1319	m65l_6	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	8111	-
1320	m65x_1	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	8111	-
1321	m65x_2	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	8111	-
1322	m65x_3	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	8111	-
1323	m65x_4	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	8111	-
1324	m65x_5	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	8111	-
1325	m65x_6	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	8111	-
1326	m66_1	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	8111	-
1327	m66_2	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1328	m66_3	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	8111	-
1329	m66_4	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	8111	-
1330	m66_5	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	8111	-
1331	m66_6	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	8111	-
1332	m70_1	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	8111	-
1333	m70_2	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	8111	-
1334	m70_3	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	8111	-
1335	m70_4	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	8111	-
1336	m70_5	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	8111	-
1337	m70_6	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	8111	-
1338	m71_1	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	8111	-
1339	m71_2	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	8111	-
1340	m71_3	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	8111	-
1341	m71_4	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	8111	-
1342	m71_5	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	8111	-
1343	m71_6	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	8111	-
1344	m72_1	na - person who performed postnatal checkup	discrete	numeric-8.0	0	8111	-
1345	m72_2	na - person who performed postnatal checkup	discrete	numeric-8.0	0	8111	-
1346	m72_3	na - person who performed postnatal checkup	discrete	numeric-8.0	0	8111	-
1347	m72_4	na - person who performed postnatal checkup	discrete	numeric-8.0	0	8111	-
1348	m72_5	na - person who performed postnatal checkup	discrete	numeric-8.0	0	8111	-
1349	m72_6	na - person who performed postnatal checkup	discrete	numeric-8.0	0	8111	-
1350	m73_1	na - place baby was first checked	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1351	m73_2	na - place baby was first checked	discrete	numeric-8.0	0	8111	-
1352	m73_3	na - place baby was first checked	discrete	numeric-8.0	0	8111	-
1353	m73_4	na - place baby was first checked	discrete	numeric-8.0	0	8111	-
1354	m73_5	na - place baby was first checked	discrete	numeric-8.0	0	8111	-
1355	m73_6	na - place baby was first checked	discrete	numeric-8.0	0	8111	-
1356	hidx_1	index to birth history	discrete	numeric-8.0	4880	3231	-
1357	hidx_2	index to birth history	discrete	numeric-8.0	1827	6284	-
1358	hidx_3	index to birth history	discrete	numeric-8.0	127	7984	-
1359	hidx_4	index to birth history	discrete	numeric-8.0	6	8105	-
1360	hidx_5	index to birth history	discrete	numeric-8.0	1	8110	-
1361	hidx_6	index to birth history	discrete	numeric-8.0	0	8111	-
1362	h1_1	na - has health card	discrete	numeric-8.0	0	8111	-
1363	h1_2	na - has health card	discrete	numeric-8.0	0	8111	-
1364	h1_3	na - has health card	discrete	numeric-8.0	0	8111	-
1365	h1_4	na - has health card	discrete	numeric-8.0	0	8111	-
1366	h1_5	na - has health card	discrete	numeric-8.0	0	8111	-
1367	h1_6	na - has health card	discrete	numeric-8.0	0	8111	-
1368	h2_1	na - received bcg	discrete	numeric-8.0	0	8111	-
1369	h2_2	na - received bcg	discrete	numeric-8.0	0	8111	-
1370	h2_3	na - received bcg	discrete	numeric-8.0	0	8111	-
1371	h2_4	na - received bcg	discrete	numeric-8.0	0	8111	-
1372	h2_5	na - received bcg	discrete	numeric-8.0	0	8111	-
1373	h2_6	na - received bcg	discrete	numeric-8.0	0	8111	-
1374	h2d_1	na - bcg day	discrete	numeric-8.0	0	8111	-
1375	h2d_2	na - bcg day	discrete	numeric-8.0	0	8111	-
1376	h2d_3	na - bcg day	discrete	numeric-8.0	0	8111	-
1377	h2d_4	na - bcg day	discrete	numeric-8.0	0	8111	-
1378	h2d_5	na - bcg day	discrete	numeric-8.0	0	8111	-
1379	h2d_6	na - bcg day	discrete	numeric-8.0	0	8111	-
1380	h2m_1	na - bcg month	discrete	numeric-8.0	0	8111	-
1381	h2m_2	na - bcg month	discrete	numeric-8.0	0	8111	-
1382	h2m_3	na - bcg month	discrete	numeric-8.0	0	8111	-
1383	h2m_4	na - bcg month	discrete	numeric-8.0	0	8111	-
1384	h2m_5	na - bcg month	discrete	numeric-8.0	0	8111	-
1385	h2m_6	na - bcg month	discrete	numeric-8.0	0	8111	-
1386	h2y_1	na - bcg year	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1387	h2y_2	na - bcg year	discrete	numeric-8.0	0	8111	-
1388	h2y_3	na - bcg year	discrete	numeric-8.0	0	8111	-
1389	h2y_4	na - bcg year	discrete	numeric-8.0	0	8111	-
1390	h2y_5	na - bcg year	discrete	numeric-8.0	0	8111	-
1391	h2y_6	na - bcg year	discrete	numeric-8.0	0	8111	-
1392	h3_1	na - received dpt 1	discrete	numeric-8.0	0	8111	-
1393	h3_2	na - received dpt 1	discrete	numeric-8.0	0	8111	-
1394	h3_3	na - received dpt 1	discrete	numeric-8.0	0	8111	-
1395	h3_4	na - received dpt 1	discrete	numeric-8.0	0	8111	-
1396	h3_5	na - received dpt 1	discrete	numeric-8.0	0	8111	-
1397	h3_6	na - received dpt 1	discrete	numeric-8.0	0	8111	-
1398	h3d_1	na - dpt 1 day	discrete	numeric-8.0	0	8111	-
1399	h3d_2	na - dpt 1 day	discrete	numeric-8.0	0	8111	-
1400	h3d_3	na - dpt 1 day	discrete	numeric-8.0	0	8111	-
1401	h3d_4	na - dpt 1 day	discrete	numeric-8.0	0	8111	-
1402	h3d_5	na - dpt 1 day	discrete	numeric-8.0	0	8111	-
1403	h3d_6	na - dpt 1 day	discrete	numeric-8.0	0	8111	-
1404	h3m_1	na - dpt 1 month	discrete	numeric-8.0	0	8111	-
1405	h3m_2	na - dpt 1 month	discrete	numeric-8.0	0	8111	-
1406	h3m_3	na - dpt 1 month	discrete	numeric-8.0	0	8111	-
1407	h3m_4	na - dpt 1 month	discrete	numeric-8.0	0	8111	-
1408	h3m_5	na - dpt 1 month	discrete	numeric-8.0	0	8111	-
1409	h3m_6	na - dpt 1 month	discrete	numeric-8.0	0	8111	-
1410	h3y_1	na - dpt 1 year	discrete	numeric-8.0	0	8111	-
1411	h3y_2	na - dpt 1 year	discrete	numeric-8.0	0	8111	-
1412	h3y_3	na - dpt 1 year	discrete	numeric-8.0	0	8111	-
1413	h3y_4	na - dpt 1 year	discrete	numeric-8.0	0	8111	-
1414	h3y_5	na - dpt 1 year	discrete	numeric-8.0	0	8111	-
1415	h3y_6	na - dpt 1 year	discrete	numeric-8.0	0	8111	-
1416	h4_1	na - received polio 1	discrete	numeric-8.0	0	8111	-
1417	h4_2	na - received polio 1	discrete	numeric-8.0	0	8111	-
1418	h4_3	na - received polio 1	discrete	numeric-8.0	0	8111	-
1419	h4_4	na - received polio 1	discrete	numeric-8.0	0	8111	-
1420	h4_5	na - received polio 1	discrete	numeric-8.0	0	8111	-
1421	h4_6	na - received polio 1	discrete	numeric-8.0	0	8111	-
1422	h4d_1	na - polio 1 day	discrete	numeric-8.0	0	8111	-
1423	h4d_2	na - polio 1 day	discrete	numeric-8.0	0	8111	-
1424	h4d_3	na - polio 1 day	discrete	numeric-8.0	0	8111	-
1425	h4d_4	na - polio 1 day	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1426	h4d_5	na - polio 1 day	discrete	numeric-8.0	0	8111	-
1427	h4d_6	na - polio 1 day	discrete	numeric-8.0	0	8111	-
1428	h4m_1	na - polio 1 month	discrete	numeric-8.0	0	8111	-
1429	h4m_2	na - polio 1 month	discrete	numeric-8.0	0	8111	-
1430	h4m_3	na - polio 1 month	discrete	numeric-8.0	0	8111	-
1431	h4m_4	na - polio 1 month	discrete	numeric-8.0	0	8111	-
1432	h4m_5	na - polio 1 month	discrete	numeric-8.0	0	8111	-
1433	h4m_6	na - polio 1 month	discrete	numeric-8.0	0	8111	-
1434	h4y_1	na - polio 1 year	discrete	numeric-8.0	0	8111	-
1435	h4y_2	na - polio 1 year	discrete	numeric-8.0	0	8111	-
1436	h4y_3	na - polio 1 year	discrete	numeric-8.0	0	8111	-
1437	h4y_4	na - polio 1 year	discrete	numeric-8.0	0	8111	-
1438	h4y_5	na - polio 1 year	discrete	numeric-8.0	0	8111	-
1439	h4y_6	na - polio 1 year	discrete	numeric-8.0	0	8111	-
1440	h5_1	na - received dpt 2	discrete	numeric-8.0	0	8111	-
1441	h5_2	na - received dpt 2	discrete	numeric-8.0	0	8111	-
1442	h5_3	na - received dpt 2	discrete	numeric-8.0	0	8111	-
1443	h5_4	na - received dpt 2	discrete	numeric-8.0	0	8111	-
1444	h5_5	na - received dpt 2	discrete	numeric-8.0	0	8111	-
1445	h5_6	na - received dpt 2	discrete	numeric-8.0	0	8111	-
1446	h5d_1	na - dpt 2 day	discrete	numeric-8.0	0	8111	-
1447	h5d_2	na - dpt 2 day	discrete	numeric-8.0	0	8111	-
1448	h5d_3	na - dpt 2 day	discrete	numeric-8.0	0	8111	-
1449	h5d_4	na - dpt 2 day	discrete	numeric-8.0	0	8111	-
1450	h5d_5	na - dpt 2 day	discrete	numeric-8.0	0	8111	-
1451	h5d_6	na - dpt 2 day	discrete	numeric-8.0	0	8111	-
1452	h5m_1	na - dpt 2 month	discrete	numeric-8.0	0	8111	-
1453	h5m_2	na - dpt 2 month	discrete	numeric-8.0	0	8111	-
1454	h5m_3	na - dpt 2 month	discrete	numeric-8.0	0	8111	-
1455	h5m_4	na - dpt 2 month	discrete	numeric-8.0	0	8111	-
1456	h5m_5	na - dpt 2 month	discrete	numeric-8.0	0	8111	-
1457	h5m_6	na - dpt 2 month	discrete	numeric-8.0	0	8111	-
1458	h5y_1	na - dpt 2 year	discrete	numeric-8.0	0	8111	-
1459	h5y_2	na - dpt 2 year	discrete	numeric-8.0	0	8111	-
1460	h5y_3	na - dpt 2 year	discrete	numeric-8.0	0	8111	-
1461	h5y_4	na - dpt 2 year	discrete	numeric-8.0	0	8111	-
1462	h5y_5	na - dpt 2 year	discrete	numeric-8.0	0	8111	-
1463	h5y_6	na - dpt 2 year	discrete	numeric-8.0	0	8111	-
1464	h6_1	na - received polio 2	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1465	h6_2	na - received polio 2	discrete	numeric-8.0	0	8111	-
1466	h6_3	na - received polio 2	discrete	numeric-8.0	0	8111	-
1467	h6_4	na - received polio 2	discrete	numeric-8.0	0	8111	-
1468	h6_5	na - received polio 2	discrete	numeric-8.0	0	8111	-
1469	h6_6	na - received polio 2	discrete	numeric-8.0	0	8111	-
1470	h6d_1	na - polio 2 day	discrete	numeric-8.0	0	8111	-
1471	h6d_2	na - polio 2 day	discrete	numeric-8.0	0	8111	-
1472	h6d_3	na - polio 2 day	discrete	numeric-8.0	0	8111	-
1473	h6d_4	na - polio 2 day	discrete	numeric-8.0	0	8111	-
1474	h6d_5	na - polio 2 day	discrete	numeric-8.0	0	8111	-
1475	h6d_6	na - polio 2 day	discrete	numeric-8.0	0	8111	-
1476	h6m_1	na - polio 2 month	discrete	numeric-8.0	0	8111	-
1477	h6m_2	na - polio 2 month	discrete	numeric-8.0	0	8111	-
1478	h6m_3	na - polio 2 month	discrete	numeric-8.0	0	8111	-
1479	h6m_4	na - polio 2 month	discrete	numeric-8.0	0	8111	-
1480	h6m_5	na - polio 2 month	discrete	numeric-8.0	0	8111	-
1481	h6m_6	na - polio 2 month	discrete	numeric-8.0	0	8111	-
1482	h6y_1	na - polio 2 year	discrete	numeric-8.0	0	8111	-
1483	h6y_2	na - polio 2 year	discrete	numeric-8.0	0	8111	-
1484	h6y_3	na - polio 2 year	discrete	numeric-8.0	0	8111	-
1485	h6y_4	na - polio 2 year	discrete	numeric-8.0	0	8111	-
1486	h6y_5	na - polio 2 year	discrete	numeric-8.0	0	8111	-
1487	h6y_6	na - polio 2 year	discrete	numeric-8.0	0	8111	-
1488	h7_1	na - received dpt 3	discrete	numeric-8.0	0	8111	-
1489	h7_2	na - received dpt 3	discrete	numeric-8.0	0	8111	-
1490	h7_3	na - received dpt 3	discrete	numeric-8.0	0	8111	-
1491	h7_4	na - received dpt 3	discrete	numeric-8.0	0	8111	-
1492	h7_5	na - received dpt 3	discrete	numeric-8.0	0	8111	-
1493	h7_6	na - received dpt 3	discrete	numeric-8.0	0	8111	-
1494	h7d_1	na - dpt 3 day	discrete	numeric-8.0	0	8111	-
1495	h7d_2	na - dpt 3 day	discrete	numeric-8.0	0	8111	-
1496	h7d_3	na - dpt 3 day	discrete	numeric-8.0	0	8111	-
1497	h7d_4	na - dpt 3 day	discrete	numeric-8.0	0	8111	-
1498	h7d_5	na - dpt 3 day	discrete	numeric-8.0	0	8111	-
1499	h7d_6	na - dpt 3 day	discrete	numeric-8.0	0	8111	-
1500	h7m_1	na - dpt 3 month	discrete	numeric-8.0	0	8111	-
1501	h7m_2	na - dpt 3 month	discrete	numeric-8.0	0	8111	-
1502	h7m_3	na - dpt 3 month	discrete	numeric-8.0	0	8111	-
1503	h7m_4	na - dpt 3 month	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1504	h7m_5	na - dpt 3 month	discrete	numeric-8.0	0	8111	-
1505	h7m_6	na - dpt 3 month	discrete	numeric-8.0	0	8111	-
1506	h7y_1	na - dpt 3 year	discrete	numeric-8.0	0	8111	-
1507	h7y_2	na - dpt 3 year	discrete	numeric-8.0	0	8111	-
1508	h7y_3	na - dpt 3 year	discrete	numeric-8.0	0	8111	-
1509	h7y_4	na - dpt 3 year	discrete	numeric-8.0	0	8111	-
1510	h7y_5	na - dpt 3 year	discrete	numeric-8.0	0	8111	-
1511	h7y_6	na - dpt 3 year	discrete	numeric-8.0	0	8111	-
1512	h8_1	na - received polio 3	discrete	numeric-8.0	0	8111	-
1513	h8_2	na - received polio 3	discrete	numeric-8.0	0	8111	-
1514	h8_3	na - received polio 3	discrete	numeric-8.0	0	8111	-
1515	h8_4	na - received polio 3	discrete	numeric-8.0	0	8111	-
1516	h8_5	na - received polio 3	discrete	numeric-8.0	0	8111	-
1517	h8_6	na - received polio 3	discrete	numeric-8.0	0	8111	-
1518	h8d_1	na - polio 3 day	discrete	numeric-8.0	0	8111	-
1519	h8d_2	na - polio 3 day	discrete	numeric-8.0	0	8111	-
1520	h8d_3	na - polio 3 day	discrete	numeric-8.0	0	8111	-
1521	h8d_4	na - polio 3 day	discrete	numeric-8.0	0	8111	-
1522	h8d_5	na - polio 3 day	discrete	numeric-8.0	0	8111	-
1523	h8d_6	na - polio 3 day	discrete	numeric-8.0	0	8111	-
1524	h8m_1	na - polio 3 month	discrete	numeric-8.0	0	8111	-
1525	h8m_2	na - polio 3 month	discrete	numeric-8.0	0	8111	-
1526	h8m_3	na - polio 3 month	discrete	numeric-8.0	0	8111	-
1527	h8m_4	na - polio 3 month	discrete	numeric-8.0	0	8111	-
1528	h8m_5	na - polio 3 month	discrete	numeric-8.0	0	8111	-
1529	h8m_6	na - polio 3 month	discrete	numeric-8.0	0	8111	-
1530	h8y_1	na - polio 3 year	discrete	numeric-8.0	0	8111	-
1531	h8y_2	na - polio 3 year	discrete	numeric-8.0	0	8111	-
1532	h8y_3	na - polio 3 year	discrete	numeric-8.0	0	8111	-
1533	h8y_4	na - polio 3 year	discrete	numeric-8.0	0	8111	-
1534	h8y_5	na - polio 3 year	discrete	numeric-8.0	0	8111	-
1535	h8y_6	na - polio 3 year	discrete	numeric-8.0	0	8111	-
1536	h9_1	na - received measles	discrete	numeric-8.0	0	8111	-
1537	h9_2	na - received measles	discrete	numeric-8.0	0	8111	-
1538	h9_3	na - received measles	discrete	numeric-8.0	0	8111	-
1539	h9_4	na - received measles	discrete	numeric-8.0	0	8111	-
1540	h9_5	na - received measles	discrete	numeric-8.0	0	8111	-
1541	h9_6	na - received measles	discrete	numeric-8.0	0	8111	-
1542	h9d_1	na - measles day	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1543	h9d_2	na - measles day	discrete	numeric-8.0	0	8111	-
1544	h9d_3	na - measles day	discrete	numeric-8.0	0	8111	-
1545	h9d_4	na - measles day	discrete	numeric-8.0	0	8111	-
1546	h9d_5	na - measles day	discrete	numeric-8.0	0	8111	-
1547	h9d_6	na - measles day	discrete	numeric-8.0	0	8111	-
1548	h9m_1	na - measles month	discrete	numeric-8.0	0	8111	-
1549	h9m_2	na - measles month	discrete	numeric-8.0	0	8111	-
1550	h9m_3	na - measles month	discrete	numeric-8.0	0	8111	-
1551	h9m_4	na - measles month	discrete	numeric-8.0	0	8111	-
1552	h9m_5	na - measles month	discrete	numeric-8.0	0	8111	-
1553	h9m_6	na - measles month	discrete	numeric-8.0	0	8111	-
1554	h9y_1	na - measles year	discrete	numeric-8.0	0	8111	-
1555	h9y_2	na - measles year	discrete	numeric-8.0	0	8111	-
1556	h9y_3	na - measles year	discrete	numeric-8.0	0	8111	-
1557	h9y_4	na - measles year	discrete	numeric-8.0	0	8111	-
1558	h9y_5	na - measles year	discrete	numeric-8.0	0	8111	-
1559	h9y_6	na - measles year	discrete	numeric-8.0	0	8111	-
1560	h0_1	na - received polio 0	discrete	numeric-8.0	0	8111	-
1561	h0_2	na - received polio 0	discrete	numeric-8.0	0	8111	-
1562	h0_3	na - received polio 0	discrete	numeric-8.0	0	8111	-
1563	h0_4	na - received polio 0	discrete	numeric-8.0	0	8111	-
1564	h0_5	na - received polio 0	discrete	numeric-8.0	0	8111	-
1565	h0_6	na - received polio 0	discrete	numeric-8.0	0	8111	-
1566	h0d_1	na - polio 0 day	discrete	numeric-8.0	0	8111	-
1567	h0d_2	na - polio 0 day	discrete	numeric-8.0	0	8111	-
1568	h0d_3	na - polio 0 day	discrete	numeric-8.0	0	8111	-
1569	h0d_4	na - polio 0 day	discrete	numeric-8.0	0	8111	-
1570	h0d_5	na - polio 0 day	discrete	numeric-8.0	0	8111	-
1571	h0d_6	na - polio 0 day	discrete	numeric-8.0	0	8111	-
1572	h0m_1	na - polio 0 month	discrete	numeric-8.0	0	8111	-
1573	h0m_2	na - polio 0 month	discrete	numeric-8.0	0	8111	-
1574	h0m_3	na - polio 0 month	discrete	numeric-8.0	0	8111	-
1575	h0m_4	na - polio 0 month	discrete	numeric-8.0	0	8111	-
1576	h0m_5	na - polio 0 month	discrete	numeric-8.0	0	8111	-
1577	h0m_6	na - polio 0 month	discrete	numeric-8.0	0	8111	-
1578	h0y_1	na - polio 0 year	discrete	numeric-8.0	0	8111	-
1579	h0y_2	na - polio 0 year	discrete	numeric-8.0	0	8111	-
1580	h0y_3	na - polio 0 year	discrete	numeric-8.0	0	8111	-
1581	h0y_4	na - polio 0 year	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1582	h0y_5	na - polio 0 year	discrete	numeric-8.0	0	8111	-
1583	h0y_6	na - polio 0 year	discrete	numeric-8.0	0	8111	-
1584	h10_1	na - ever had vaccination	discrete	numeric-8.0	0	8111	-
1585	h10_2	na - ever had vaccination	discrete	numeric-8.0	0	8111	-
1586	h10_3	na - ever had vaccination	discrete	numeric-8.0	0	8111	-
1587	h10_4	na - ever had vaccination	discrete	numeric-8.0	0	8111	-
1588	h10_5	na - ever had vaccination	discrete	numeric-8.0	0	8111	-
1589	h10_6	na - ever had vaccination	discrete	numeric-8.0	0	8111	-
1590	h11_1	na - had diarrhea recently	discrete	numeric-8.0	0	8111	-
1591	h11_2	na - had diarrhea recently	discrete	numeric-8.0	0	8111	-
1592	h11_3	na - had diarrhea recently	discrete	numeric-8.0	0	8111	-
1593	h11_4	na - had diarrhea recently	discrete	numeric-8.0	0	8111	-
1594	h11_5	na - had diarrhea recently	discrete	numeric-8.0	0	8111	-
1595	h11_6	na - had diarrhea recently	discrete	numeric-8.0	0	8111	-
1596	h11b_1	na - blood in the stools	discrete	numeric-8.0	0	8111	-
1597	h11b_2	na - blood in the stools	discrete	numeric-8.0	0	8111	-
1598	h11b_3	na - blood in the stools	discrete	numeric-8.0	0	8111	-
1599	h11b_4	na - blood in the stools	discrete	numeric-8.0	0	8111	-
1600	h11b_5	na - blood in the stools	discrete	numeric-8.0	0	8111	-
1601	h11b_6	na - blood in the stools	discrete	numeric-8.0	0	8111	-
1602	h12a_1	na - diarrhea: government hospital	discrete	numeric-8.0	0	8111	-
1603	h12a_2	na - diarrhea: government hospital	discrete	numeric-8.0	0	8111	-
1604	h12a_3	na - diarrhea: government hospital	discrete	numeric-8.0	0	8111	-
1605	h12a_4	na - diarrhea: government hospital	discrete	numeric-8.0	0	8111	-
1606	h12a_5	na - diarrhea: government hospital	discrete	numeric-8.0	0	8111	-
1607	h12a_6	na - diarrhea: government hospital	discrete	numeric-8.0	0	8111	-
1608	h12b_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1609	h12b_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1610	h12b_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1611	h12b_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1612	h12b_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1613	h12b_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1614	h12c_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1615	h12c_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1616	h12c_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1617	h12c_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1618	h12c_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1619	h12c_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1620	h12d_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1621	h12d_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1622	h12d_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1623	h12d_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1624	h12d_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1625	h12d_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1626	h12e_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1627	h12e_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1628	h12e_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1629	h12e_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1630	h12e_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1631	h12e_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1632	h12f_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1633	h12f_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1634	h12f_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1635	h12f_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1636	h12f_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1637	h12f_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1638	h12g_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1639	h12g_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1640	h12g_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1641	h12g_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1642	h12g_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1643	h12g_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1644	h12h_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1645	h12h_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1646	h12h_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1647	h12h_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1648	h12h_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1649	h12h_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1650	h12i_1	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1651	h12i_2	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1652	h12i_3	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1653	h12i_4	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1654	h12i_5	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1655	h12i_6	na - diarrhea: cs public sector	discrete	numeric-8.0	0	8111	-
1656	h12j_1	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1657	h12j_2	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1658	h12j_3	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1659	h12j_4	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1660	h12j_5	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1661	h12j_6	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	8111	-
1662	h12k_1	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	8111	-
1663	h12k_2	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	8111	-
1664	h12k_3	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	8111	-
1665	h12k_4	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	8111	-
1666	h12k_5	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	8111	-
1667	h12k_6	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	8111	-
1668	h12l_1	na - diarrhea: private doctor	discrete	numeric-8.0	0	8111	-
1669	h12l_2	na - diarrhea: private doctor	discrete	numeric-8.0	0	8111	-
1670	h12l_3	na - diarrhea: private doctor	discrete	numeric-8.0	0	8111	-
1671	h12l_4	na - diarrhea: private doctor	discrete	numeric-8.0	0	8111	-
1672	h12l_5	na - diarrhea: private doctor	discrete	numeric-8.0	0	8111	-
1673	h12l_6	na - diarrhea: private doctor	discrete	numeric-8.0	0	8111	-
1674	h12m_1	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1675	h12m_2	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1676	h12m_3	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1677	h12m_4	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1678	h12m_5	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1679	h12m_6	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1680	h12n_1	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1681	h12n_2	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1682	h12n_3	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1683	h12n_4	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1684	h12n_5	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1685	h12n_6	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1686	h12o_1	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1687	h12o_2	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1688	h12o_3	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1689	h12o_4	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1690	h12o_5	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1691	h12o_6	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1692	h12p_1	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1693	h12p_2	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1694	h12p_3	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1695	h12p_4	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1696	h12p_5	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1697	h12p_6	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1698	h12q_1	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1699	h12q_2	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1700	h12q_3	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1701	h12q_4	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1702	h12q_5	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1703	h12q_6	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1704	h12r_1	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1705	h12r_2	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1706	h12r_3	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1707	h12r_4	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1708	h12r_5	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1709	h12r_6	na - diarrhea: cs private medical	discrete	numeric-8.0	0	8111	-
1710	h12s_1	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1711	h12s_2	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1712	h12s_3	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1713	h12s_4	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1714	h12s_5	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1715	h12s_6	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1716	h12t_1	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1717	h12t_2	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1718	h12t_3	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1719	h12t_4	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1720	h12t_5	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1721	h12t_6	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1722	h12u_1	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1723	h12u_2	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1724	h12u_3	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1725	h12u_4	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1726	h12u_5	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1727	h12u_6	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1728	h12v_1	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1729	h12v_2	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1730	h12v_3	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1731	h12v_4	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1732	h12v_5	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1733	h12v_6	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1734	h12w_1	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1735	h12w_2	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1736	h12w_3	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1737	h12w_4	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1738	h12w_5	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1739	h12w_6	na - diarrhea: cs other sector	discrete	numeric-8.0	0	8111	-
1740	h12x_1	na - diarrhea: other	discrete	numeric-8.0	0	8111	-
1741	h12x_2	na - diarrhea: other	discrete	numeric-8.0	0	8111	-
1742	h12x_3	na - diarrhea: other	discrete	numeric-8.0	0	8111	-
1743	h12x_4	na - diarrhea: other	discrete	numeric-8.0	0	8111	-
1744	h12x_5	na - diarrhea: other	discrete	numeric-8.0	0	8111	-
1745	h12x_6	na - diarrhea: other	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1746	h12y_1	na - diarrhea: no treatment	discrete	numeric-8.0	0	8111	-
1747	h12y_2	na - diarrhea: no treatment	discrete	numeric-8.0	0	8111	-
1748	h12y_3	na - diarrhea: no treatment	discrete	numeric-8.0	0	8111	-
1749	h12y_4	na - diarrhea: no treatment	discrete	numeric-8.0	0	8111	-
1750	h12y_5	na - diarrhea: no treatment	discrete	numeric-8.0	0	8111	-
1751	h12y_6	na - diarrhea: no treatment	discrete	numeric-8.0	0	8111	-
1752	h12z_1	na - diarrhea: medical treatment	discrete	numeric-8.0	0	8111	-
1753	h12z_2	na - diarrhea: medical treatment	discrete	numeric-8.0	0	8111	-
1754	h12z_3	na - diarrhea: medical treatment	discrete	numeric-8.0	0	8111	-
1755	h12z_4	na - diarrhea: medical treatment	discrete	numeric-8.0	0	8111	-
1756	h12z_5	na - diarrhea: medical treatment	discrete	numeric-8.0	0	8111	-
1757	h12z_6	na - diarrhea: medical treatment	discrete	numeric-8.0	0	8111	-
1758	h13_1	na - given oral rehydration	discrete	numeric-8.0	0	8111	-
1759	h13_2	na - given oral rehydration	discrete	numeric-8.0	0	8111	-
1760	h13_3	na - given oral rehydration	discrete	numeric-8.0	0	8111	-
1761	h13_4	na - given oral rehydration	discrete	numeric-8.0	0	8111	-
1762	h13_5	na - given oral rehydration	discrete	numeric-8.0	0	8111	-
1763	h13_6	na - given oral rehydration	discrete	numeric-8.0	0	8111	-
1764	h13b_1	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	8111	-
1765	h13b_2	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	8111	-
1766	h13b_3	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	8111	-
1767	h13b_4	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	8111	-
1768	h13b_5	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	8111	-
1769	h13b_6	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	8111	-
1770	h14_1	na - given recommended home solution	discrete	numeric-8.0	0	8111	-
1771	h14_2	na - given recommended home solution	discrete	numeric-8.0	0	8111	-
1772	h14_3	na - given recommended home solution	discrete	numeric-8.0	0	8111	-
1773	h14_4	na - given recommended home solution	discrete	numeric-8.0	0	8111	-
1774	h14_5	na - given recommended home solution	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1775	h14_6	na - given recommended home solution	discrete	numeric-8.0	0	8111	-
1776	h15_1	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	8111	-
1777	h15_2	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	8111	-
1778	h15_3	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	8111	-
1779	h15_4	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	8111	-
1780	h15_5	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	8111	-
1781	h15_6	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	8111	-
1782	h15a_1	na - given antimotility	discrete	numeric-8.0	0	8111	-
1783	h15a_2	na - given antimotility	discrete	numeric-8.0	0	8111	-
1784	h15a_3	na - given antimotility	discrete	numeric-8.0	0	8111	-
1785	h15a_4	na - given antimotility	discrete	numeric-8.0	0	8111	-
1786	h15a_5	na - given antimotility	discrete	numeric-8.0	0	8111	-
1787	h15a_6	na - given antimotility	discrete	numeric-8.0	0	8111	-
1788	h15b_1	na - given antibiotic injection	discrete	numeric-8.0	0	8111	-
1789	h15b_2	na - given antibiotic injection	discrete	numeric-8.0	0	8111	-
1790	h15b_3	na - given antibiotic injection	discrete	numeric-8.0	0	8111	-
1791	h15b_4	na - given antibiotic injection	discrete	numeric-8.0	0	8111	-
1792	h15b_5	na - given antibiotic injection	discrete	numeric-8.0	0	8111	-
1793	h15b_6	na - given antibiotic injection	discrete	numeric-8.0	0	8111	-
1794	h15c_1	na - given intravenous (iv)	discrete	numeric-8.0	0	8111	-
1795	h15c_2	na - given intravenous (iv)	discrete	numeric-8.0	0	8111	-
1796	h15c_3	na - given intravenous (iv)	discrete	numeric-8.0	0	8111	-
1797	h15c_4	na - given intravenous (iv)	discrete	numeric-8.0	0	8111	-
1798	h15c_5	na - given intravenous (iv)	discrete	numeric-8.0	0	8111	-
1799	h15c_6	na - given intravenous (iv)	discrete	numeric-8.0	0	8111	-
1800	h15d_1	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	8111	-
1801	h15d_2	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	8111	-
1802	h15d_3	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	8111	-
1803	h15d_4	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	8111	-
1804	h15d_5	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	8111	-
1805	h15d_6	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1806	h15e_1	na - given zinc	discrete	numeric-8.0	0	8111	-
1807	h15e_2	na - given zinc	discrete	numeric-8.0	0	8111	-
1808	h15e_3	na - given zinc	discrete	numeric-8.0	0	8111	-
1809	h15e_4	na - given zinc	discrete	numeric-8.0	0	8111	-
1810	h15e_5	na - given zinc	discrete	numeric-8.0	0	8111	-
1811	h15e_6	na - given zinc	discrete	numeric-8.0	0	8111	-
1812	h15f_1	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	8111	-
1813	h15f_2	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	8111	-
1814	h15f_3	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	8111	-
1815	h15f_4	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	8111	-
1816	h15f_5	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	8111	-
1817	h15f_6	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	8111	-
1818	h15g_1	na - given unknown pill or syrup	discrete	numeric-8.0	0	8111	-
1819	h15g_2	na - given unknown pill or syrup	discrete	numeric-8.0	0	8111	-
1820	h15g_3	na - given unknown pill or syrup	discrete	numeric-8.0	0	8111	-
1821	h15g_4	na - given unknown pill or syrup	discrete	numeric-8.0	0	8111	-
1822	h15g_5	na - given unknown pill or syrup	discrete	numeric-8.0	0	8111	-
1823	h15g_6	na - given unknown pill or syrup	discrete	numeric-8.0	0	8111	-
1824	h15h_1	na - given non-antibiotic injection	discrete	numeric-8.0	0	8111	-
1825	h15h_2	na - given non-antibiotic injection	discrete	numeric-8.0	0	8111	-
1826	h15h_3	na - given non-antibiotic injection	discrete	numeric-8.0	0	8111	-
1827	h15h_4	na - given non-antibiotic injection	discrete	numeric-8.0	0	8111	-
1828	h15h_5	na - given non-antibiotic injection	discrete	numeric-8.0	0	8111	-
1829	h15h_6	na - given non-antibiotic injection	discrete	numeric-8.0	0	8111	-
1830	h15i_1	na - given unknown injection	discrete	numeric-8.0	0	8111	-
1831	h15i_2	na - given unknown injection	discrete	numeric-8.0	0	8111	-
1832	h15i_3	na - given unknown injection	discrete	numeric-8.0	0	8111	-
1833	h15i_4	na - given unknown injection	discrete	numeric-8.0	0	8111	-
1834	h15i_5	na - given unknown injection	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1835	h15i_6	na - given unknown injection	discrete	numeric-8.0	0	8111	-
1836	h15j_1	na - given cs	discrete	numeric-8.0	0	8111	-
1837	h15j_2	na - given cs	discrete	numeric-8.0	0	8111	-
1838	h15j_3	na - given cs	discrete	numeric-8.0	0	8111	-
1839	h15j_4	na - given cs	discrete	numeric-8.0	0	8111	-
1840	h15j_5	na - given cs	discrete	numeric-8.0	0	8111	-
1841	h15j_6	na - given cs	discrete	numeric-8.0	0	8111	-
1842	h15k_1	na - given cs	discrete	numeric-8.0	0	8111	-
1843	h15k_2	na - given cs	discrete	numeric-8.0	0	8111	-
1844	h15k_3	na - given cs	discrete	numeric-8.0	0	8111	-
1845	h15k_4	na - given cs	discrete	numeric-8.0	0	8111	-
1846	h15k_5	na - given cs	discrete	numeric-8.0	0	8111	-
1847	h15k_6	na - given cs	discrete	numeric-8.0	0	8111	-
1848	h15l_1	na - given cs	discrete	numeric-8.0	0	8111	-
1849	h15l_2	na - given cs	discrete	numeric-8.0	0	8111	-
1850	h15l_3	na - given cs	discrete	numeric-8.0	0	8111	-
1851	h15l_4	na - given cs	discrete	numeric-8.0	0	8111	-
1852	h15l_5	na - given cs	discrete	numeric-8.0	0	8111	-
1853	h15l_6	na - given cs	discrete	numeric-8.0	0	8111	-
1854	h15m_1	na - given cs	discrete	numeric-8.0	0	8111	-
1855	h15m_2	na - given cs	discrete	numeric-8.0	0	8111	-
1856	h15m_3	na - given cs	discrete	numeric-8.0	0	8111	-
1857	h15m_4	na - given cs	discrete	numeric-8.0	0	8111	-
1858	h15m_5	na - given cs	discrete	numeric-8.0	0	8111	-
1859	h15m_6	na - given cs	discrete	numeric-8.0	0	8111	-
1860	h20_1	na - given other treatment	discrete	numeric-8.0	0	8111	-
1861	h20_2	na - given other treatment	discrete	numeric-8.0	0	8111	-
1862	h20_3	na - given other treatment	discrete	numeric-8.0	0	8111	-
1863	h20_4	na - given other treatment	discrete	numeric-8.0	0	8111	-
1864	h20_5	na - given other treatment	discrete	numeric-8.0	0	8111	-
1865	h20_6	na - given other treatment	discrete	numeric-8.0	0	8111	-
1866	h21a_1	na - given no treatment	discrete	numeric-8.0	0	8111	-
1867	h21a_2	na - given no treatment	discrete	numeric-8.0	0	8111	-
1868	h21a_3	na - given no treatment	discrete	numeric-8.0	0	8111	-
1869	h21a_4	na - given no treatment	discrete	numeric-8.0	0	8111	-
1870	h21a_5	na - given no treatment	discrete	numeric-8.0	0	8111	-
1871	h21a_6	na - given no treatment	discrete	numeric-8.0	0	8111	-
1872	h21_1	na - received any treatment	discrete	numeric-8.0	0	8111	-
1873	h21_2	na - received any treatment	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1874	h21_3	na - received any treatment	discrete	numeric-8.0	0	8111	-
1875	h21_4	na - received any treatment	discrete	numeric-8.0	0	8111	-
1876	h21_5	na - received any treatment	discrete	numeric-8.0	0	8111	-
1877	h21_6	na - received any treatment	discrete	numeric-8.0	0	8111	-
1878	h22_1	had fever in last two weeks	discrete	numeric-8.0	4691	3420	-
1879	h22_2	had fever in last two weeks	discrete	numeric-8.0	1646	6465	-
1880	h22_3	had fever in last two weeks	discrete	numeric-8.0	94	8017	-
1881	h22_4	had fever in last two weeks	discrete	numeric-8.0	5	8106	-
1882	h22_5	had fever in last two weeks	discrete	numeric-8.0	0	8111	-
1883	h22_6	had fever in last two weeks	discrete	numeric-8.0	0	8111	-
1884	h31_1	na - had cough in last two weeks	discrete	numeric-8.0	0	8111	-
1885	h31_2	na - had cough in last two weeks	discrete	numeric-8.0	0	8111	-
1886	h31_3	na - had cough in last two weeks	discrete	numeric-8.0	0	8111	-
1887	h31_4	na - had cough in last two weeks	discrete	numeric-8.0	0	8111	-
1888	h31_5	na - had cough in last two weeks	discrete	numeric-8.0	0	8111	-
1889	h31_6	na - had cough in last two weeks	discrete	numeric-8.0	0	8111	-
1890	h31b_1	na - short, rapid breaths	discrete	numeric-8.0	0	8111	-
1891	h31b_2	na - short, rapid breaths	discrete	numeric-8.0	0	8111	-
1892	h31b_3	na - short, rapid breaths	discrete	numeric-8.0	0	8111	-
1893	h31b_4	na - short, rapid breaths	discrete	numeric-8.0	0	8111	-
1894	h31b_5	na - short, rapid breaths	discrete	numeric-8.0	0	8111	-
1895	h31b_6	na - short, rapid breaths	discrete	numeric-8.0	0	8111	-
1896	h31c_1	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	8111	-
1897	h31c_2	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	8111	-
1898	h31c_3	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	8111	-
1899	h31c_4	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	8111	-
1900	h31c_5	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	8111	-
1901	h31c_6	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	8111	-
1902	h31d_1	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
1903	h31d_2	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1904	h31d_3	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
1905	h31d_4	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
1906	h31d_5	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
1907	h31d_6	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
1908	h31e_1	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
1909	h31e_2	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
1910	h31e_3	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
1911	h31e_4	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
1912	h31e_5	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
1913	h31e_6	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
1914	h32a_1	fever/cough: government hospital	discrete	numeric-8.0	2031	6080	-
1915	h32a_2	fever/cough: government hospital	discrete	numeric-8.0	555	7556	-
1916	h32a_3	fever/cough: government hospital	discrete	numeric-8.0	27	8084	-
1917	h32a_4	fever/cough: government hospital	discrete	numeric-8.0	0	8111	-
1918	h32a_5	fever/cough: government hospital	discrete	numeric-8.0	0	8111	-
1919	h32a_6	fever/cough: government hospital	discrete	numeric-8.0	0	8111	-
1920	h32b_1	fever/cough: government health center	discrete	numeric-8.0	2031	6080	-
1921	h32b_2	fever/cough: government health center	discrete	numeric-8.0	555	7556	-
1922	h32b_3	fever/cough: government health center	discrete	numeric-8.0	27	8084	-
1923	h32b_4	fever/cough: government health center	discrete	numeric-8.0	0	8111	-
1924	h32b_5	fever/cough: government health center	discrete	numeric-8.0	0	8111	-
1925	h32b_6	fever/cough: government health center	discrete	numeric-8.0	0	8111	-
1926	h32c_1	fever/cough: government health post	discrete	numeric-8.0	2031	6080	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1927	h32c_2	fever/cough: government health post	discrete	numeric-8.0	555	7556	-
1928	h32c_3	fever/cough: government health post	discrete	numeric-8.0	27	8084	-
1929	h32c_4	fever/cough: government health post	discrete	numeric-8.0	0	8111	-
1930	h32c_5	fever/cough: government health post	discrete	numeric-8.0	0	8111	-
1931	h32c_6	fever/cough: government health post	discrete	numeric-8.0	0	8111	-
1932	h32d_1	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1933	h32d_2	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1934	h32d_3	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1935	h32d_4	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1936	h32d_5	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1937	h32d_6	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1938	h32e_1	fever/cough: health worker	discrete	numeric-8.0	2031	6080	-
1939	h32e_2	fever/cough: health worker	discrete	numeric-8.0	555	7556	-
1940	h32e_3	fever/cough: health worker	discrete	numeric-8.0	27	8084	-
1941	h32e_4	fever/cough: health worker	discrete	numeric-8.0	0	8111	-
1942	h32e_5	fever/cough: health worker	discrete	numeric-8.0	0	8111	-
1943	h32e_6	fever/cough: health worker	discrete	numeric-8.0	0	8111	-
1944	h32f_1	fever/cough: other public sector	discrete	numeric-8.0	2031	6080	-
1945	h32f_2	fever/cough: other public sector	discrete	numeric-8.0	555	7556	-
1946	h32f_3	fever/cough: other public sector	discrete	numeric-8.0	27	8084	-
1947	h32f_4	fever/cough: other public sector	discrete	numeric-8.0	0	8111	-
1948	h32f_5	fever/cough: other public sector	discrete	numeric-8.0	0	8111	-
1949	h32f_6	fever/cough: other public sector	discrete	numeric-8.0	0	8111	-
1950	h32g_1	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1951	h32g_2	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1952	h32g_3	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1953	h32g_4	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1954	h32g_5	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1955	h32g_6	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1956	h32h_1	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1957	h32h_2	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1958	h32h_3	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1959	h32h_4	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1960	h32h_5	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1961	h32h_6	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1962	h32i_1	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1963	h32i_2	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1964	h32i_3	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1965	h32i_4	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1966	h32i_5	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1967	h32i_6	na - fever/cough: cs public sector	discrete	numeric-8.0	0	8111	-
1968	h32j_1	fever/cough: private hospital/ clinic	discrete	numeric-8.0	2031	6080	-
1969	h32j_2	fever/cough: private hospital/ clinic	discrete	numeric-8.0	555	7556	-
1970	h32j_3	fever/cough: private hospital/ clinic	discrete	numeric-8.0	27	8084	-
1971	h32j_4	fever/cough: private hospital/ clinic	discrete	numeric-8.0	0	8111	-
1972	h32j_5	fever/cough: private hospital/ clinic	discrete	numeric-8.0	0	8111	-
1973	h32j_6	fever/cough: private hospital/ clinic	discrete	numeric-8.0	0	8111	-
1974	h32k_1	fever/cough: private pharmacy	discrete	numeric-8.0	2031	6080	-
1975	h32k_2	fever/cough: private pharmacy	discrete	numeric-8.0	555	7556	-
1976	h32k_3	fever/cough: private pharmacy	discrete	numeric-8.0	27	8084	-
1977	h32k_4	fever/cough: private pharmacy	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1978	h32k_5	fever/cough: private pharmacy	discrete	numeric-8.0	0	8111	-
1979	h32k_6	fever/cough: private pharmacy	discrete	numeric-8.0	0	8111	-
1980	h32l_1	fever/cough: private doctor	discrete	numeric-8.0	2031	6080	-
1981	h32l_2	fever/cough: private doctor	discrete	numeric-8.0	555	7556	-
1982	h32l_3	fever/cough: private doctor	discrete	numeric-8.0	27	8084	-
1983	h32l_4	fever/cough: private doctor	discrete	numeric-8.0	0	8111	-
1984	h32l_5	fever/cough: private doctor	discrete	numeric-8.0	0	8111	-
1985	h32l_6	fever/cough: private doctor	discrete	numeric-8.0	0	8111	-
1986	h32m_1	fever/cough: private mobile clinic	discrete	numeric-8.0	2031	6080	-
1987	h32m_2	fever/cough: private mobile clinic	discrete	numeric-8.0	555	7556	-
1988	h32m_3	fever/cough: private mobile clinic	discrete	numeric-8.0	27	8084	-
1989	h32m_4	fever/cough: private mobile clinic	discrete	numeric-8.0	0	8111	-
1990	h32m_5	fever/cough: private mobile clinic	discrete	numeric-8.0	0	8111	-
1991	h32m_6	fever/cough: private mobile clinic	discrete	numeric-8.0	0	8111	-
1992	h32n_1	fever/cough: private health worker	discrete	numeric-8.0	2031	6080	-
1993	h32n_2	fever/cough: private health worker	discrete	numeric-8.0	555	7556	-
1994	h32n_3	fever/cough: private health worker	discrete	numeric-8.0	27	8084	-
1995	h32n_4	fever/cough: private health worker	discrete	numeric-8.0	0	8111	-
1996	h32n_5	fever/cough: private health worker	discrete	numeric-8.0	0	8111	-
1997	h32n_6	fever/cough: private health worker	discrete	numeric-8.0	0	8111	-
1998	h32o_1	fever/cough: other private medical	discrete	numeric-8.0	2031	6080	-
1999	h32o_2	fever/cough: other private medical	discrete	numeric-8.0	555	7556	-
2000	h32o_3	fever/cough: other private medical	discrete	numeric-8.0	27	8084	-
2001	h32o_4	fever/cough: other private medical	discrete	numeric-8.0	0	8111	-
2002	h32o_5	fever/cough: other private medical	discrete	numeric-8.0	0	8111	-
2003	h32o_6	fever/cough: other private medical	discrete	numeric-8.0	0	8111	-
2004	h32p_1	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2005	h32p_2	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2006	h32p_3	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2007	h32p_4	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2008	h32p_5	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2009	h32p_6	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2010	h32q_1	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2011	h32q_2	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2012	h32q_3	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2013	h32q_4	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2014	h32q_5	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2015	h32q_6	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2016	h32r_1	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2017	h32r_2	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2018	h32r_3	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2019	h32r_4	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2020	h32r_5	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2021	h32r_6	na - fever/cough: cs private medical	discrete	numeric-8.0	0	8111	-
2022	h32s_1	fever/cough: shop	discrete	numeric-8.0	2031	6080	-
2023	h32s_2	fever/cough: shop	discrete	numeric-8.0	555	7556	-
2024	h32s_3	fever/cough: shop	discrete	numeric-8.0	27	8084	-
2025	h32s_4	fever/cough: shop	discrete	numeric-8.0	0	8111	-
2026	h32s_5	fever/cough: shop	discrete	numeric-8.0	0	8111	-
2027	h32s_6	fever/cough: shop	discrete	numeric-8.0	0	8111	-
2028	h32t_1	fever/cough: traditional pract	discrete	numeric-8.0	2031	6080	-
2029	h32t_2	fever/cough: traditional pract	discrete	numeric-8.0	555	7556	-
2030	h32t_3	fever/cough: traditional pract	discrete	numeric-8.0	27	8084	-
2031	h32t_4	fever/cough: traditional pract	discrete	numeric-8.0	0	8111	-
2032	h32t_5	fever/cough: traditional pract	discrete	numeric-8.0	0	8111	-
2033	h32t_6	fever/cough: traditional pract	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2034	h32u_1	fever/cough: market	discrete	numeric-8.0	2031	6080	-
2035	h32u_2	fever/cough: market	discrete	numeric-8.0	555	7556	-
2036	h32u_3	fever/cough: market	discrete	numeric-8.0	27	8084	-
2037	h32u_4	fever/cough: market	discrete	numeric-8.0	0	8111	-
2038	h32u_5	fever/cough: market	discrete	numeric-8.0	0	8111	-
2039	h32u_6	fever/cough: market	discrete	numeric-8.0	0	8111	-
2040	h32v_1	fever/cough: community health worker	discrete	numeric-8.0	2031	6080	-
2041	h32v_2	fever/cough: community health worker	discrete	numeric-8.0	555	7556	-
2042	h32v_3	fever/cough: community health worker	discrete	numeric-8.0	27	8084	-
2043	h32v_4	fever/cough: community health worker	discrete	numeric-8.0	0	8111	-
2044	h32v_5	fever/cough: community health worker	discrete	numeric-8.0	0	8111	-
2045	h32v_6	fever/cough: community health worker	discrete	numeric-8.0	0	8111	-
2046	h32w_1	na - fever/cough: cs other sector	discrete	numeric-8.0	0	8111	-
2047	h32w_2	na - fever/cough: cs other sector	discrete	numeric-8.0	0	8111	-
2048	h32w_3	na - fever/cough: cs other sector	discrete	numeric-8.0	0	8111	-
2049	h32w_4	na - fever/cough: cs other sector	discrete	numeric-8.0	0	8111	-
2050	h32w_5	na - fever/cough: cs other sector	discrete	numeric-8.0	0	8111	-
2051	h32w_6	na - fever/cough: cs other sector	discrete	numeric-8.0	0	8111	-
2052	h32x_1	fever/cough: other	discrete	numeric-8.0	2031	6080	-
2053	h32x_2	fever/cough: other	discrete	numeric-8.0	555	7556	-
2054	h32x_3	fever/cough: other	discrete	numeric-8.0	27	8084	-
2055	h32x_4	fever/cough: other	discrete	numeric-8.0	0	8111	-
2056	h32x_5	fever/cough: other	discrete	numeric-8.0	0	8111	-
2057	h32x_6	fever/cough: other	discrete	numeric-8.0	0	8111	-
2058	h32y_1	fever/cough: no treatment	discrete	numeric-8.0	2031	6080	-
2059	h32y_2	fever/cough: no treatment	discrete	numeric-8.0	555	7556	-
2060	h32y_3	fever/cough: no treatment	discrete	numeric-8.0	27	8084	-
2061	h32y_4	fever/cough: no treatment	discrete	numeric-8.0	0	8111	-
2062	h32y_5	fever/cough: no treatment	discrete	numeric-8.0	0	8111	-
2063	h32y_6	fever/cough: no treatment	discrete	numeric-8.0	0	8111	-
2064	h32z_1	fever/cough: medical treatment	discrete	numeric-8.0	2031	6080	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2065	h32z_2	fever/cough: medical treatment	discrete	numeric-8.0	555	7556	-
2066	h32z_3	fever/cough: medical treatment	discrete	numeric-8.0	27	8084	-
2067	h32z_4	fever/cough: medical treatment	discrete	numeric-8.0	0	8111	-
2068	h32z_5	fever/cough: medical treatment	discrete	numeric-8.0	0	8111	-
2069	h32z_6	fever/cough: medical treatment	discrete	numeric-8.0	0	8111	-
2070	h33_1	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	8111	-
2071	h33_2	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	8111	-
2072	h33_3	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	8111	-
2073	h33_4	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	8111	-
2074	h33_5	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	8111	-
2075	h33_6	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	8111	-
2076	h33d_1	na - vitamin a1 day	discrete	numeric-8.0	0	8111	-
2077	h33d_2	na - vitamin a1 day	discrete	numeric-8.0	0	8111	-
2078	h33d_3	na - vitamin a1 day	discrete	numeric-8.0	0	8111	-
2079	h33d_4	na - vitamin a1 day	discrete	numeric-8.0	0	8111	-
2080	h33d_5	na - vitamin a1 day	discrete	numeric-8.0	0	8111	-
2081	h33d_6	na - vitamin a1 day	discrete	numeric-8.0	0	8111	-
2082	h33m_1	na - vitamin a1 month	discrete	numeric-8.0	0	8111	-
2083	h33m_2	na - vitamin a1 month	discrete	numeric-8.0	0	8111	-
2084	h33m_3	na - vitamin a1 month	discrete	numeric-8.0	0	8111	-
2085	h33m_4	na - vitamin a1 month	discrete	numeric-8.0	0	8111	-
2086	h33m_5	na - vitamin a1 month	discrete	numeric-8.0	0	8111	-
2087	h33m_6	na - vitamin a1 month	discrete	numeric-8.0	0	8111	-
2088	h33y_1	na - vitamin a1 year	discrete	numeric-8.0	0	8111	-
2089	h33y_2	na - vitamin a1 year	discrete	numeric-8.0	0	8111	-
2090	h33y_3	na - vitamin a1 year	discrete	numeric-8.0	0	8111	-
2091	h33y_4	na - vitamin a1 year	discrete	numeric-8.0	0	8111	-
2092	h33y_5	na - vitamin a1 year	discrete	numeric-8.0	0	8111	-
2093	h33y_6	na - vitamin a1 year	discrete	numeric-8.0	0	8111	-
2094	h34_1	na - vitamin a in last 6 months	discrete	numeric-8.0	0	8111	-
2095	h34_2	na - vitamin a in last 6 months	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2096	h34_3	na - vitamin a in last 6 months	discrete	numeric-8.0	0	8111	-
2097	h34_4	na - vitamin a in last 6 months	discrete	numeric-8.0	0	8111	-
2098	h34_5	na - vitamin a in last 6 months	discrete	numeric-8.0	0	8111	-
2099	h34_6	na - vitamin a in last 6 months	discrete	numeric-8.0	0	8111	-
2100	h35_1	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	8111	-
2101	h35_2	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	8111	-
2102	h35_3	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	8111	-
2103	h35_4	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	8111	-
2104	h35_5	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	8111	-
2105	h35_6	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	8111	-
2106	h36a_1	na - vaccinated during campaign a	discrete	numeric-8.0	0	8111	-
2107	h36a_2	na - vaccinated during campaign a	discrete	numeric-8.0	0	8111	-
2108	h36a_3	na - vaccinated during campaign a	discrete	numeric-8.0	0	8111	-
2109	h36a_4	na - vaccinated during campaign a	discrete	numeric-8.0	0	8111	-
2110	h36a_5	na - vaccinated during campaign a	discrete	numeric-8.0	0	8111	-
2111	h36a_6	na - vaccinated during campaign a	discrete	numeric-8.0	0	8111	-
2112	h36b_1	na - vaccinated during campaign b	discrete	numeric-8.0	0	8111	-
2113	h36b_2	na - vaccinated during campaign b	discrete	numeric-8.0	0	8111	-
2114	h36b_3	na - vaccinated during campaign b	discrete	numeric-8.0	0	8111	-
2115	h36b_4	na - vaccinated during campaign b	discrete	numeric-8.0	0	8111	-
2116	h36b_5	na - vaccinated during campaign b	discrete	numeric-8.0	0	8111	-
2117	h36b_6	na - vaccinated during campaign b	discrete	numeric-8.0	0	8111	-
2118	h36c_1	na - vaccinated during campaign c	discrete	numeric-8.0	0	8111	-
2119	h36c_2	na - vaccinated during campaign c	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2120	h36c_3	na - vaccinated during campaign c	discrete	numeric-8.0	0	8111	-
2121	h36c_4	na - vaccinated during campaign c	discrete	numeric-8.0	0	8111	-
2122	h36c_5	na - vaccinated during campaign c	discrete	numeric-8.0	0	8111	-
2123	h36c_6	na - vaccinated during campaign c	discrete	numeric-8.0	0	8111	-
2124	h36d_1	na - vaccinated during campaign d	discrete	numeric-8.0	0	8111	-
2125	h36d_2	na - vaccinated during campaign d	discrete	numeric-8.0	0	8111	-
2126	h36d_3	na - vaccinated during campaign d	discrete	numeric-8.0	0	8111	-
2127	h36d_4	na - vaccinated during campaign d	discrete	numeric-8.0	0	8111	-
2128	h36d_5	na - vaccinated during campaign d	discrete	numeric-8.0	0	8111	-
2129	h36d_6	na - vaccinated during campaign d	discrete	numeric-8.0	0	8111	-
2130	h36e_1	na - vaccinated during campaign e	discrete	numeric-8.0	0	8111	-
2131	h36e_2	na - vaccinated during campaign e	discrete	numeric-8.0	0	8111	-
2132	h36e_3	na - vaccinated during campaign e	discrete	numeric-8.0	0	8111	-
2133	h36e_4	na - vaccinated during campaign e	discrete	numeric-8.0	0	8111	-
2134	h36e_5	na - vaccinated during campaign e	discrete	numeric-8.0	0	8111	-
2135	h36e_6	na - vaccinated during campaign e	discrete	numeric-8.0	0	8111	-
2136	h36f_1	na - vaccinated during campaign f	discrete	numeric-8.0	0	8111	-
2137	h36f_2	na - vaccinated during campaign f	discrete	numeric-8.0	0	8111	-
2138	h36f_3	na - vaccinated during campaign f	discrete	numeric-8.0	0	8111	-
2139	h36f_4	na - vaccinated during campaign f	discrete	numeric-8.0	0	8111	-
2140	h36f_5	na - vaccinated during campaign f	discrete	numeric-8.0	0	8111	-
2141	h36f_6	na - vaccinated during campaign f	discrete	numeric-8.0	0	8111	-
2142	h37a_1	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	8111	-
2143	h37a_2	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2144	h37a_3	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	8111	-
2145	h37a_4	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	8111	-
2146	h37a_5	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	8111	-
2147	h37a_6	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	8111	-
2148	h37b_1	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2149	h37b_2	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2150	h37b_3	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2151	h37b_4	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2152	h37b_5	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2153	h37b_6	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2154	h37c_1	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2155	h37c_2	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2156	h37c_3	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2157	h37c_4	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2158	h37c_5	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2159	h37c_6	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2160	h37d_1	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2161	h37d_2	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2162	h37d_3	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2163	h37d_4	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2164	h37d_5	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2165	h37d_6	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2166	h37e_1	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2167	h37e_2	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2168	h37e_3	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2169	h37e_4	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2170	h37e_5	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2171	h37e_6	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2172	h37f_1	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2173	h37f_2	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2174	h37f_3	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2175	h37f_4	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2176	h37f_5	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2177	h37f_6	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2178	h37g_1	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2179	h37g_2	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2180	h37g_3	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2181	h37g_4	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2182	h37g_5	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2183	h37g_6	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2184	h37h_1	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2185	h37h_2	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2186	h37h_3	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2187	h37h_4	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2188	h37h_5	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2189	h37h_6	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2190	h37i_1	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2191	h37i_2	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2192	h37i_3	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2193	h37i_4	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2194	h37i_5	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2195	h37i_6	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2196	h37j_1	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2197	h37j_2	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2198	h37j_3	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2199	h37j_4	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2200	h37j_5	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2201	h37j_6	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2202	h37k_1	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2203	h37k_2	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2204	h37k_3	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2205	h37k_4	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2206	h37k_5	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2207	h37k_6	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2208	h37l_1	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	8111	-
2209	h37l_2	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	8111	-
2210	h37l_3	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	8111	-
2211	h37l_4	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	8111	-
2212	h37l_5	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2213	h37l_6	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	8111	-
2214	h37m_1	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	8111	-
2215	h37m_2	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	8111	-
2216	h37m_3	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	8111	-
2217	h37m_4	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	8111	-
2218	h37m_5	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	8111	-
2219	h37m_6	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	8111	-
2220	h37n_1	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2221	h37n_2	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2222	h37n_3	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2223	h37n_4	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2224	h37n_5	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2225	h37n_6	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2226	h37o_1	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2227	h37o_2	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2228	h37o_3	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2229	h37o_4	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2230	h37o_5	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2231	h37o_6	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2232	h37p_1	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2233	h37p_2	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2234	h37p_3	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2235	h37p_4	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2236	h37p_5	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2237	h37p_6	na - cs other for fever/cough	discrete	numeric-8.0	0	8111	-
2238	h37x_1	na - other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2239	h37x_2	na - other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2240	h37x_3	na - other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2241	h37x_4	na - other taken for fever/ cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2242	h37x_5	na - other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2243	h37x_6	na - other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2244	h37y_1	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2245	h37y_2	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2246	h37y_3	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2247	h37y_4	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2248	h37y_5	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2249	h37y_6	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2250	h37z_1	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2251	h37z_2	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2252	h37z_3	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2253	h37z_4	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2254	h37z_5	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2255	h37z_6	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2256	h38_1	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
2257	h38_2	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
2258	h38_3	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
2259	h38_4	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
2260	h38_5	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
2261	h38_6	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	8111	-
2262	h39_1	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
2263	h39_2	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
2264	h39_3	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
2265	h39_4	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2266	h39_5	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
2267	h39_6	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	8111	-
2268	h40_1	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	8111	-
2269	h40_2	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	8111	-
2270	h40_3	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	8111	-
2271	h40_4	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	8111	-
2272	h40_5	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	8111	-
2273	h40_6	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	8111	-
2274	h40d_1	na - vitamin a2 day	discrete	numeric-8.0	0	8111	-
2275	h40d_2	na - vitamin a2 day	discrete	numeric-8.0	0	8111	-
2276	h40d_3	na - vitamin a2 day	discrete	numeric-8.0	0	8111	-
2277	h40d_4	na - vitamin a2 day	discrete	numeric-8.0	0	8111	-
2278	h40d_5	na - vitamin a2 day	discrete	numeric-8.0	0	8111	-
2279	h40d_6	na - vitamin a2 day	discrete	numeric-8.0	0	8111	-
2280	h40m_1	na - vitamin a2 month	discrete	numeric-8.0	0	8111	-
2281	h40m_2	na - vitamin a2 month	discrete	numeric-8.0	0	8111	-
2282	h40m_3	na - vitamin a2 month	discrete	numeric-8.0	0	8111	-
2283	h40m_4	na - vitamin a2 month	discrete	numeric-8.0	0	8111	-
2284	h40m_5	na - vitamin a2 month	discrete	numeric-8.0	0	8111	-
2285	h40m_6	na - vitamin a2 month	discrete	numeric-8.0	0	8111	-
2286	h40y_1	na - vitamin a2 year	discrete	numeric-8.0	0	8111	-
2287	h40y_2	na - vitamin a2 year	discrete	numeric-8.0	0	8111	-
2288	h40y_3	na - vitamin a2 year	discrete	numeric-8.0	0	8111	-
2289	h40y_4	na - vitamin a2 year	discrete	numeric-8.0	0	8111	-
2290	h40y_5	na - vitamin a2 year	discrete	numeric-8.0	0	8111	-
2291	h40y_6	na - vitamin a2 year	discrete	numeric-8.0	0	8111	-
2292	h41a_1	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	8111	-
2293	h41a_2	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	8111	-
2294	h41a_3	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	8111	-
2295	h41a_4	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	8111	-
2296	h41a_5	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2297	h41a_6	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	8111	-
2298	h41b_1	na - ever received vitamin a dose	discrete	numeric-8.0	0	8111	-
2299	h41b_2	na - ever received vitamin a dose	discrete	numeric-8.0	0	8111	-
2300	h41b_3	na - ever received vitamin a dose	discrete	numeric-8.0	0	8111	-
2301	h41b_4	na - ever received vitamin a dose	discrete	numeric-8.0	0	8111	-
2302	h41b_5	na - ever received vitamin a dose	discrete	numeric-8.0	0	8111	-
2303	h41b_6	na - ever received vitamin a dose	discrete	numeric-8.0	0	8111	-
2304	h42_1	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	8111	-
2305	h42_2	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	8111	-
2306	h42_3	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	8111	-
2307	h42_4	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	8111	-
2308	h42_5	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	8111	-
2309	h42_6	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	8111	-
2310	h43_1	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	8111	-
2311	h43_2	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	8111	-
2312	h43_3	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	8111	-
2313	h43_4	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	8111	-
2314	h43_5	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	8111	-
2315	h43_6	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	8111	-
2316	h44a_1	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	8111	-
2317	h44a_2	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	8111	-
2318	h44a_3	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	8111	-
2319	h44a_4	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	8111	-
2320	h44a_5	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2321	h44a_6	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	8111	-
2322	h44b_1	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	8111	-
2323	h44b_2	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	8111	-
2324	h44b_3	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	8111	-
2325	h44b_4	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	8111	-
2326	h44b_5	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	8111	-
2327	h44b_6	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	8111	-
2328	h44c_1	na - still has diarrhea	discrete	numeric-8.0	0	8111	-
2329	h44c_2	na - still has diarrhea	discrete	numeric-8.0	0	8111	-
2330	h44c_3	na - still has diarrhea	discrete	numeric-8.0	0	8111	-
2331	h44c_4	na - still has diarrhea	discrete	numeric-8.0	0	8111	-
2332	h44c_5	na - still has diarrhea	discrete	numeric-8.0	0	8111	-
2333	h44c_6	na - still has diarrhea	discrete	numeric-8.0	0	8111	-
2334	h45_1	na - times zinc was given	discrete	numeric-8.0	0	8111	-
2335	h45_2	na - times zinc was given	discrete	numeric-8.0	0	8111	-
2336	h45_3	na - times zinc was given	discrete	numeric-8.0	0	8111	-
2337	h45_4	na - times zinc was given	discrete	numeric-8.0	0	8111	-
2338	h45_5	na - times zinc was given	discrete	numeric-8.0	0	8111	-
2339	h45_6	na - times zinc was given	discrete	numeric-8.0	0	8111	-
2340	h46a_1	place first sought treatment for fever	discrete	numeric-8.0	1358	6753	-
2341	h46a_2	place first sought treatment for fever	discrete	numeric-8.0	321	7790	-
2342	h46a_3	place first sought treatment for fever	discrete	numeric-8.0	14	8097	-
2343	h46a_4	place first sought treatment for fever	discrete	numeric-8.0	0	8111	-
2344	h46a_5	place first sought treatment for fever	discrete	numeric-8.0	0	8111	-
2345	h46a_6	place first sought treatment for fever	discrete	numeric-8.0	0	8111	-
2346	h46b_1	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	8111	-
2347	h46b_2	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	8111	-
2348	h46b_3	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	8111	-
2349	h46b_4	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2350	h46b_5	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	8111	-
2351	h46b_6	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	8111	-
2352	h47_1	blood taken from child's finger/heel for testing	discrete	numeric-8.0	2032	6079	-
2353	h47_2	blood taken from child's finger/heel for testing	discrete	numeric-8.0	556	7555	-
2354	h47_3	blood taken from child's finger/heel for testing	discrete	numeric-8.0	27	8084	-
2355	h47_4	blood taken from child's finger/heel for testing	discrete	numeric-8.0	0	8111	-
2356	h47_5	blood taken from child's finger/heel for testing	discrete	numeric-8.0	0	8111	-
2357	h47_6	blood taken from child's finger/heel for testing	discrete	numeric-8.0	0	8111	-
2358	hwidx_1	index to birth history	discrete	numeric-8.0	4880	3231	-
2359	hwidx_2	index to birth history	discrete	numeric-8.0	1827	6284	-
2360	hwidx_3	index to birth history	discrete	numeric-8.0	127	7984	-
2361	hwidx_4	index to birth history	discrete	numeric-8.0	6	8105	-
2362	hwidx_5	index to birth history	discrete	numeric-8.0	1	8110	-
2363	hwidx_6	index to birth history	discrete	numeric-8.0	0	8111	-
2364	hw1_1	child's age in months	continuous	numeric-8.0	4645	3466	-
2365	hw1_2	child's age in months	continuous	numeric-8.0	1590	6521	-
2366	hw1_3	child's age in months	continuous	numeric-8.0	85	8026	-
2367	hw1_4	child's age in months	discrete	numeric-8.0	4	8107	-
2368	hw1_5	child's age in months	discrete	numeric-8.0	0	8111	-
2369	hw1_6	child's age in months	discrete	numeric-8.0	0	8111	-
2370	hw2_1	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	8111	-
2371	hw2_2	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	8111	-
2372	hw2_3	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	8111	-
2373	hw2_4	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	8111	-
2374	hw2_5	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	8111	-
2375	hw2_6	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	8111	-
2376	hw3_1	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	8111	-
2377	hw3_2	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	8111	-
2378	hw3_3	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2379	hw3_4	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	8111	-
2380	hw3_5	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	8111	-
2381	hw3_6	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	8111	-
2382	hw4_1	na - height/age percentile	discrete	numeric-8.0	0	8111	-
2383	hw4_2	na - height/age percentile	discrete	numeric-8.0	0	8111	-
2384	hw4_3	na - height/age percentile	discrete	numeric-8.0	0	8111	-
2385	hw4_4	na - height/age percentile	discrete	numeric-8.0	0	8111	-
2386	hw4_5	na - height/age percentile	discrete	numeric-8.0	0	8111	-
2387	hw4_6	na - height/age percentile	discrete	numeric-8.0	0	8111	-
2388	hw5_1	na - height/age standard deviation	discrete	numeric-8.0	0	8111	-
2389	hw5_2	na - height/age standard deviation	discrete	numeric-8.0	0	8111	-
2390	hw5_3	na - height/age standard deviation	discrete	numeric-8.0	0	8111	-
2391	hw5_4	na - height/age standard deviation	discrete	numeric-8.0	0	8111	-
2392	hw5_5	na - height/age standard deviation	discrete	numeric-8.0	0	8111	-
2393	hw5_6	na - height/age standard deviation	discrete	numeric-8.0	0	8111	-
2394	hw6_1	na - height/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2395	hw6_2	na - height/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2396	hw6_3	na - height/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2397	hw6_4	na - height/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2398	hw6_5	na - height/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2399	hw6_6	na - height/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2400	hw7_1	na - weight/age percentile	discrete	numeric-8.0	0	8111	-
2401	hw7_2	na - weight/age percentile	discrete	numeric-8.0	0	8111	-
2402	hw7_3	na - weight/age percentile	discrete	numeric-8.0	0	8111	-
2403	hw7_4	na - weight/age percentile	discrete	numeric-8.0	0	8111	-
2404	hw7_5	na - weight/age percentile	discrete	numeric-8.0	0	8111	-
2405	hw7_6	na - weight/age percentile	discrete	numeric-8.0	0	8111	-
2406	hw8_1	na - weight/age standard deviation	discrete	numeric-8.0	0	8111	-
2407	hw8_2	na - weight/age standard deviation	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2408	hw8_3	na - weight/age standard deviation	discrete	numeric-8.0	0	8111	-
2409	hw8_4	na - weight/age standard deviation	discrete	numeric-8.0	0	8111	-
2410	hw8_5	na - weight/age standard deviation	discrete	numeric-8.0	0	8111	-
2411	hw8_6	na - weight/age standard deviation	discrete	numeric-8.0	0	8111	-
2412	hw9_1	na - weight/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2413	hw9_2	na - weight/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2414	hw9_3	na - weight/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2415	hw9_4	na - weight/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2416	hw9_5	na - weight/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2417	hw9_6	na - weight/age percent of ref. median	discrete	numeric-8.0	0	8111	-
2418	hw10_1	na - weight/height percentile	discrete	numeric-8.0	0	8111	-
2419	hw10_2	na - weight/height percentile	discrete	numeric-8.0	0	8111	-
2420	hw10_3	na - weight/height percentile	discrete	numeric-8.0	0	8111	-
2421	hw10_4	na - weight/height percentile	discrete	numeric-8.0	0	8111	-
2422	hw10_5	na - weight/height percentile	discrete	numeric-8.0	0	8111	-
2423	hw10_6	na - weight/height percentile	discrete	numeric-8.0	0	8111	-
2424	hw11_1	na - weight/height standard deviation	discrete	numeric-8.0	0	8111	-
2425	hw11_2	na - weight/height standard deviation	discrete	numeric-8.0	0	8111	-
2426	hw11_3	na - weight/height standard deviation	discrete	numeric-8.0	0	8111	-
2427	hw11_4	na - weight/height standard deviation	discrete	numeric-8.0	0	8111	-
2428	hw11_5	na - weight/height standard deviation	discrete	numeric-8.0	0	8111	-
2429	hw11_6	na - weight/height standard deviation	discrete	numeric-8.0	0	8111	-
2430	hw12_1	na - weight/height percent of ref. median	discrete	numeric-8.0	0	8111	-
2431	hw12_2	na - weight/height percent of ref. median	discrete	numeric-8.0	0	8111	-
2432	hw12_3	na - weight/height percent of ref. median	discrete	numeric-8.0	0	8111	-
2433	hw12_4	na - weight/height percent of ref. median	discrete	numeric-8.0	0	8111	-
2434	hw12_5	na - weight/height percent of ref. median	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2435	hw12_6	na - weight/height percent of ref. median	discrete	numeric-8.0	0	8111	-
2436	hw13_1	na - result of measurement - height/weight	discrete	numeric-8.0	0	8111	-
2437	hw13_2	na - result of measurement - height/weight	discrete	numeric-8.0	0	8111	-
2438	hw13_3	na - result of measurement - height/weight	discrete	numeric-8.0	0	8111	-
2439	hw13_4	na - result of measurement - height/weight	discrete	numeric-8.0	0	8111	-
2440	hw13_5	na - result of measurement - height/weight	discrete	numeric-8.0	0	8111	-
2441	hw13_6	na - result of measurement - height/weight	discrete	numeric-8.0	0	8111	-
2442	hw15_1	na - height: lying or standing	discrete	numeric-8.0	0	8111	-
2443	hw15_2	na - height: lying or standing	discrete	numeric-8.0	0	8111	-
2444	hw15_3	na - height: lying or standing	discrete	numeric-8.0	0	8111	-
2445	hw15_4	na - height: lying or standing	discrete	numeric-8.0	0	8111	-
2446	hw15_5	na - height: lying or standing	discrete	numeric-8.0	0	8111	-
2447	hw15_6	na - height: lying or standing	discrete	numeric-8.0	0	8111	-
2448	hw16_1	day of birth of child	discrete	numeric-8.0	4550	3561	-
2449	hw16_2	day of birth of child	discrete	numeric-8.0	1551	6560	-
2450	hw16_3	day of birth of child	discrete	numeric-8.0	82	8029	-
2451	hw16_4	day of birth of child	discrete	numeric-8.0	4	8107	-
2452	hw16_5	day of birth of child	discrete	numeric-8.0	0	8111	-
2453	hw16_6	day of birth of child	discrete	numeric-8.0	0	8111	-
2454	hw17_1	date measured (day)	continuous	numeric-8.0	4645	3466	-
2455	hw17_2	date measured (day)	continuous	numeric-8.0	1590	6521	-
2456	hw17_3	date measured (day)	continuous	numeric-8.0	85	8026	-
2457	hw17_4	date measured (day)	discrete	numeric-8.0	4	8107	-
2458	hw17_5	date measured (day)	discrete	numeric-8.0	0	8111	-
2459	hw17_6	date measured (day)	discrete	numeric-8.0	0	8111	-
2460	hw18_1	date measured (month)	discrete	numeric-8.0	4645	3466	-
2461	hw18_2	date measured (month)	discrete	numeric-8.0	1590	6521	-
2462	hw18_3	date measured (month)	discrete	numeric-8.0	85	8026	-
2463	hw18_4	date measured (month)	discrete	numeric-8.0	4	8107	-
2464	hw18_5	date measured (month)	discrete	numeric-8.0	0	8111	-
2465	hw18_6	date measured (month)	discrete	numeric-8.0	0	8111	-
2466	hw19_1	date measured (year)	discrete	numeric-8.0	4645	3466	-
2467	hw19_2	date measured (year)	discrete	numeric-8.0	1590	6521	-
2468	hw19_3	date measured (year)	discrete	numeric-8.0	85	8026	-
2469	hw19_4	date measured (year)	discrete	numeric-8.0	4	8107	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2470	hw19_5	date measured (year)	discrete	numeric-8.0	0	8111	-
2471	hw19_6	date measured (year)	discrete	numeric-8.0	0	8111	-
2472	hw51_1	line number of parent/ caretaker	discrete	numeric-8.0	3944	4167	-
2473	hw51_2	line number of parent/ caretaker	discrete	numeric-8.0	1571	6540	-
2474	hw51_3	line number of parent/ caretaker	discrete	numeric-8.0	85	8026	-
2475	hw51_4	line number of parent/ caretaker	discrete	numeric-8.0	4	8107	-
2476	hw51_5	line number of parent/ caretaker	discrete	numeric-8.0	0	8111	-
2477	hw51_6	line number of parent/ caretaker	discrete	numeric-8.0	0	8111	-
2478	hw52_1	read consent statement - hemoglobin	discrete	numeric-8.0	3924	4187	-
2479	hw52_2	read consent statement - hemoglobin	discrete	numeric-8.0	1570	6541	-
2480	hw52_3	read consent statement - hemoglobin	discrete	numeric-8.0	85	8026	-
2481	hw52_4	read consent statement - hemoglobin	discrete	numeric-8.0	4	8107	-
2482	hw52_5	read consent statement - hemoglobin	discrete	numeric-8.0	0	8111	-
2483	hw52_6	read consent statement - hemoglobin	discrete	numeric-8.0	0	8111	-
2484	hw53_1	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	3920	4191	-
2485	hw53_2	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	1571	6540	-
2486	hw53_3	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	85	8026	-
2487	hw53_4	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	4	8107	-
2488	hw53_5	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	8111	-
2489	hw53_6	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	8111	-
2490	hw55_1	result of measurement - hemoglobin	discrete	numeric-8.0	4155	3956	-
2491	hw55_2	result of measurement - hemoglobin	discrete	numeric-8.0	1808	6303	-
2492	hw55_3	result of measurement - hemoglobin	discrete	numeric-8.0	127	7984	-
2493	hw55_4	result of measurement - hemoglobin	discrete	numeric-8.0	6	8105	-
2494	hw55_5	result of measurement - hemoglobin	discrete	numeric-8.0	1	8110	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2495	hw55_6	result of measurement - hemoglobin	discrete	numeric-8.0	0	8111	-
2496	hw56_1	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	3871	4240	-
2497	hw56_2	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	1548	6563	-
2498	hw56_3	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	82	8029	-
2499	hw56_4	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	3	8108	-
2500	hw56_5	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	0	8111	-
2501	hw56_6	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	0	8111	-
2502	hw57_1	anemia level	discrete	numeric-8.0	3871	4240	-
2503	hw57_2	anemia level	discrete	numeric-8.0	1548	6563	-
2504	hw57_3	anemia level	discrete	numeric-8.0	82	8029	-
2505	hw57_4	anemia level	discrete	numeric-8.0	3	8108	-
2506	hw57_5	anemia level	discrete	numeric-8.0	0	8111	-
2507	hw57_6	anemia level	discrete	numeric-8.0	0	8111	-
2508	hw58_1	na - agrees to referral - anemia	discrete	numeric-8.0	0	8111	-
2509	hw58_2	na - agrees to referral - anemia	discrete	numeric-8.0	0	8111	-
2510	hw58_3	na - agrees to referral - anemia	discrete	numeric-8.0	0	8111	-
2511	hw58_4	na - agrees to referral - anemia	discrete	numeric-8.0	0	8111	-
2512	hw58_5	na - agrees to referral - anemia	discrete	numeric-8.0	0	8111	-
2513	hw58_6	na - agrees to referral - anemia	discrete	numeric-8.0	0	8111	-
2514	hw70_1	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2515	hw70_2	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2516	hw70_3	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2517	hw70_4	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2518	hw70_5	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2519	hw70_6	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2520	hw71_1	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2521	hw71_2	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2522	hw71_3	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2523	hw71_4	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2524	hw71_5	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2525	hw71_6	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2526	hw72_1	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2527	hw72_2	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2528	hw72_3	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2529	hw72_4	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2530	hw72_5	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2531	hw72_6	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2532	hw73_1	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2533	hw73_2	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2534	hw73_3	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2535	hw73_4	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2536	hw73_5	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2537	hw73_6	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	8111	-
2538	v801	time interview started (hhmm - 24 hour clock)	continuous	numeric-8.0	8094	17	-
2539	v802	time interview ended (hhmm - 24 hour clock)	continuous	numeric-8.0	7955	156	-
2540	v803	length of interview in minutes	discrete	numeric-8.0	7949	162	-
2541	v804	number of visits	discrete	numeric-8.0	8111	0	-
2542	v805	interviewer identification	continuous	numeric-8.0	8111	0	-
2543	v806	keyer identification	discrete	numeric-8.0	8111	0	-
2544	v811	na - presence of children < 10 for 'wife beating justified' questions	discrete	numeric-8.0	0	8111	-
2545	v812	na - presence of husband for 'wife beating justified' questions	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2546	v813	na - presence of other males for 'wife beating justified' questions	discrete	numeric-8.0	0	8111	-
2547	v814	na - presence of other females for 'wife beating justified' questions	discrete	numeric-8.0	0	8111	-
2548	v815a	na - presence of children < 10 during sexual activity section	discrete	numeric-8.0	0	8111	-
2549	v815b	na - presence of male adults during sexual activity section	discrete	numeric-8.0	0	8111	-
2550	v815c	na - presence of female adults during sexual activity section	discrete	numeric-8.0	0	8111	-
2551	idxml_1	index to birth history	discrete	numeric-8.0	4880	3231	-
2552	idxml_2	index to birth history	discrete	numeric-8.0	1827	6284	-
2553	idxml_3	index to birth history	discrete	numeric-8.0	127	7984	-
2554	idxml_4	index to birth history	discrete	numeric-8.0	6	8105	-
2555	idxml_5	index to birth history	discrete	numeric-8.0	1	8110	-
2556	idxml_6	index to birth history	discrete	numeric-8.0	0	8111	-
2557	ml0_1	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	4645	3466	-
2558	ml0_2	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	1590	6521	-
2559	ml0_3	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	85	8026	-
2560	ml0_4	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	4	8107	-
2561	ml0_5	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	0	8111	-
2562	ml0_6	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	0	8111	-
2563	ml1_1	number of times took fansidar during pregnancy	discrete	numeric-8.0	3404	4707	-
2564	ml1_2	number of times took fansidar during pregnancy	discrete	numeric-8.0	0	8111	-
2565	ml1_3	number of times took fansidar during pregnancy	discrete	numeric-8.0	0	8111	-
2566	ml1_4	number of times took fansidar during pregnancy	discrete	numeric-8.0	0	8111	-
2567	ml1_5	number of times took fansidar during pregnancy	discrete	numeric-8.0	0	8111	-
2568	ml1_6	number of times took fansidar during pregnancy	discrete	numeric-8.0	0	8111	-
2569	ml2_1	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	8111	-
2570	ml2_2	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	8111	-
2571	ml2_3	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2572	ml2_4	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	8111	-
2573	ml2_5	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	8111	-
2574	ml2_6	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	8111	-
2575	ml11_1	na - child has fever/cough now	discrete	numeric-8.0	0	8111	-
2576	ml11_2	na - child has fever/cough now	discrete	numeric-8.0	0	8111	-
2577	ml11_3	na - child has fever/cough now	discrete	numeric-8.0	0	8111	-
2578	ml11_4	na - child has fever/cough now	discrete	numeric-8.0	0	8111	-
2579	ml11_5	na - child has fever/cough now	discrete	numeric-8.0	0	8111	-
2580	ml11_6	na - child has fever/cough now	discrete	numeric-8.0	0	8111	-
2581	ml12_1	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	8111	-
2582	ml12_2	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	8111	-
2583	ml12_3	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	8111	-
2584	ml12_4	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	8111	-
2585	ml12_5	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	8111	-
2586	ml12_6	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	8111	-
2587	ml13a_1	fansidar taken for fever/ cough	discrete	numeric-8.0	2032	6079	-
2588	ml13a_2	fansidar taken for fever/ cough	discrete	numeric-8.0	555	7556	-
2589	ml13a_3	fansidar taken for fever/ cough	discrete	numeric-8.0	27	8084	-
2590	ml13a_4	fansidar taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2591	ml13a_5	fansidar taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2592	ml13a_6	fansidar taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2593	ml13b_1	chloroquine taken for fever/ cough	discrete	numeric-8.0	2032	6079	-
2594	ml13b_2	chloroquine taken for fever/ cough	discrete	numeric-8.0	555	7556	-
2595	ml13b_3	chloroquine taken for fever/ cough	discrete	numeric-8.0	27	8084	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2596	ml13b_4	chloroquine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2597	ml13b_5	chloroquine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2598	ml13b_6	chloroquine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2599	ml13c_1	amodiaquine taken for fever/ cough	discrete	numeric-8.0	2032	6079	-
2600	ml13c_2	amodiaquine taken for fever/ cough	discrete	numeric-8.0	555	7556	-
2601	ml13c_3	amodiaquine taken for fever/ cough	discrete	numeric-8.0	27	8084	-
2602	ml13c_4	amodiaquine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2603	ml13c_5	amodiaquine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2604	ml13c_6	amodiaquine taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2605	ml13d_1	quinine taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2606	ml13d_2	quinine taken for fever/cough	discrete	numeric-8.0	555	7556	-
2607	ml13d_3	quinine taken for fever/cough	discrete	numeric-8.0	27	8084	-
2608	ml13d_4	quinine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2609	ml13d_5	quinine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2610	ml13d_6	quinine taken for fever/cough	discrete	numeric-8.0	0	8111	-
2611	ml13e_1	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2612	ml13e_2	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	555	7556	-
2613	ml13e_3	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	27	8084	-
2614	ml13e_4	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	0	8111	-
2615	ml13e_5	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	0	8111	-
2616	ml13e_6	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	0	8111	-
2617	ml13f_1	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2618	ml13f_2	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2619	ml13f_3	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2620	ml13f_4	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2621	ml13f_5	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2622	ml13f_6	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2623	ml13g_1	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2624	ml13g_2	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2625	ml13g_3	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2626	ml13g_4	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2627	ml13g_5	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2628	ml13g_6	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2629	ml13h_1	other antimalarial taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2630	ml13h_2	other antimalarial taken for fever/cough	discrete	numeric-8.0	555	7556	-
2631	ml13h_3	other antimalarial taken for fever/cough	discrete	numeric-8.0	27	8084	-
2632	ml13h_4	other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2633	ml13h_5	other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2634	ml13h_6	other antimalarial taken for fever/cough	discrete	numeric-8.0	0	8111	-
2635	ml13i_1	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2636	ml13i_2	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	555	7556	-
2637	ml13i_3	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	27	8084	-
2638	ml13i_4	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2639	ml13i_5	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2640	ml13i_6	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	8111	-
2641	ml13j_1	antibiotic injection taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2642	ml13j_2	antibiotic injection taken for fever/cough	discrete	numeric-8.0	555	7556	-
2643	ml13j_3	antibiotic injection taken for fever/cough	discrete	numeric-8.0	27	8084	-
2644	ml13j_4	antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2645	ml13j_5	antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2646	ml13j_6	antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	8111	-
2647	ml13k_1	aspirin taken for fever/cough	discrete	numeric-8.0	2032	6079	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2648	ml13k_2	aspirin taken for fever/cough	discrete	numeric-8.0	555	7556	-
2649	ml13k_3	aspirin taken for fever/cough	discrete	numeric-8.0	27	8084	-
2650	ml13k_4	aspirin taken for fever/cough	discrete	numeric-8.0	0	8111	-
2651	ml13k_5	aspirin taken for fever/cough	discrete	numeric-8.0	0	8111	-
2652	ml13k_6	aspirin taken for fever/cough	discrete	numeric-8.0	0	8111	-
2653	ml13l_1	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	2032	6079	-
2654	ml13l_2	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	555	7556	-
2655	ml13l_3	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	27	8084	-
2656	ml13l_4	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2657	ml13l_5	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2658	ml13l_6	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2659	ml13m_1	ibuprofen taken for fever/ cough	discrete	numeric-8.0	2032	6079	-
2660	ml13m_2	ibuprofen taken for fever/ cough	discrete	numeric-8.0	555	7556	-
2661	ml13m_3	ibuprofen taken for fever/ cough	discrete	numeric-8.0	27	8084	-
2662	ml13m_4	ibuprofen taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2663	ml13m_5	ibuprofen taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2664	ml13m_6	ibuprofen taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2665	ml13n_1	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2666	ml13n_2	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2667	ml13n_3	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2668	ml13n_4	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2669	ml13n_5	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2670	ml13n_6	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2671	ml13o_1	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2672	ml13o_2	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2673	ml13o_3	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2674	ml13o_4	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2675	ml13o_5	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2676	ml13o_6	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2677	ml13p_1	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2678	ml13p_2	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2679	ml13p_3	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2680	ml13p_4	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2681	ml13p_5	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2682	ml13p_6	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	8111	-
2683	ml13x_1	other taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2684	ml13x_2	other taken for fever/cough	discrete	numeric-8.0	555	7556	-
2685	ml13x_3	other taken for fever/cough	discrete	numeric-8.0	27	8084	-
2686	ml13x_4	other taken for fever/cough	discrete	numeric-8.0	0	8111	-
2687	ml13x_5	other taken for fever/cough	discrete	numeric-8.0	0	8111	-
2688	ml13x_6	other taken for fever/cough	discrete	numeric-8.0	0	8111	-
2689	ml13y_1	nothing taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2690	ml13y_2	nothing taken for fever/cough	discrete	numeric-8.0	555	7556	-
2691	ml13y_3	nothing taken for fever/cough	discrete	numeric-8.0	27	8084	-
2692	ml13y_4	nothing taken for fever/cough	discrete	numeric-8.0	0	8111	-
2693	ml13y_5	nothing taken for fever/cough	discrete	numeric-8.0	0	8111	-
2694	ml13y_6	nothing taken for fever/cough	discrete	numeric-8.0	0	8111	-
2695	ml13z_1	don't know if or what was taken for fever/cough	discrete	numeric-8.0	2032	6079	-
2696	ml13z_2	don't know if or what was taken for fever/cough	discrete	numeric-8.0	555	7556	-
2697	ml13z_3	don't know if or what was taken for fever/cough	discrete	numeric-8.0	27	8084	-
2698	ml13z_4	don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2699	ml13z_5	don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-
2700	ml13z_6	don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2701	ml14a_1	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2702	ml14a_2	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2703	ml14a_3	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2704	ml14a_4	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2705	ml14a_5	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2706	ml14a_6	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2707	ml14b_1	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	8111	-
2708	ml14b_2	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	8111	-
2709	ml14b_3	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	8111	-
2710	ml14b_4	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	8111	-
2711	ml14b_5	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	8111	-
2712	ml14b_6	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	8111	-
2713	ml14y_1	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2714	ml14y_2	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2715	ml14y_3	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2716	ml14y_4	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2717	ml14y_5	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2718	ml14y_6	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2719	ml14z_1	na - don't know if suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2720	ml14z_2	na - don't know if suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2721	ml14z_3	na - don't know if suppository or injection	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
		given for fever/ convulsion***					
2722	ml14z_4	na - don't know if suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2723	ml14z_5	na - don't know if suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2724	ml14z_6	na - don't know if suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	8111	-
2725	ml15a_1	timing of start of fansidar	discrete	numeric-8.0	231	7880	-
2726	ml15a_2	timing of start of fansidar	discrete	numeric-8.0	55	8056	-
2727	ml15a_3	timing of start of fansidar	discrete	numeric-8.0	1	8110	-
2728	ml15a_4	timing of start of fansidar	discrete	numeric-8.0	0	8111	-
2729	ml15a_5	timing of start of fansidar	discrete	numeric-8.0	0	8111	-
2730	ml15a_6	timing of start of fansidar	discrete	numeric-8.0	0	8111	-
2731	ml15b_1	na - number of days child took fansidar	discrete	numeric-8.0	0	8111	-
2732	ml15b_2	na - number of days child took fansidar	discrete	numeric-8.0	0	8111	-
2733	ml15b_3	na - number of days child took fansidar	discrete	numeric-8.0	0	8111	-
2734	ml15b_4	na - number of days child took fansidar	discrete	numeric-8.0	0	8111	-
2735	ml15b_5	na - number of days child took fansidar	discrete	numeric-8.0	0	8111	-
2736	ml15b_6	na - number of days child took fansidar	discrete	numeric-8.0	0	8111	-
2737	ml15c_1	na - first source for fansidar	discrete	numeric-8.0	0	8111	-
2738	ml15c_2	na - first source for fansidar	discrete	numeric-8.0	0	8111	-
2739	ml15c_3	na - first source for fansidar	discrete	numeric-8.0	0	8111	-
2740	ml15c_4	na - first source for fansidar	discrete	numeric-8.0	0	8111	-
2741	ml15c_5	na - first source for fansidar	discrete	numeric-8.0	0	8111	-
2742	ml15c_6	na - first source for fansidar	discrete	numeric-8.0	0	8111	-
2743	ml16a_1	timing of start of chloroquine	discrete	numeric-8.0	14	8097	-
2744	ml16a_2	timing of start of chloroquine	discrete	numeric-8.0	3	8108	-
2745	ml16a_3	timing of start of chloroquine	discrete	numeric-8.0	0	8111	-
2746	ml16a_4	timing of start of chloroquine	discrete	numeric-8.0	0	8111	-
2747	ml16a_5	timing of start of chloroquine	discrete	numeric-8.0	0	8111	-
2748	ml16a_6	timing of start of chloroquine	discrete	numeric-8.0	0	8111	-
2749	ml16b_1	na - number of days child took chloroquine	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2750	ml16b_2	na - number of days child took chloroquine	discrete	numeric-8.0	0	8111	-
2751	ml16b_3	na - number of days child took chloroquine	discrete	numeric-8.0	0	8111	-
2752	ml16b_4	na - number of days child took chloroquine	discrete	numeric-8.0	0	8111	-
2753	ml16b_5	na - number of days child took chloroquine	discrete	numeric-8.0	0	8111	-
2754	ml16b_6	na - number of days child took chloroquine	discrete	numeric-8.0	0	8111	-
2755	ml16c_1	na - first source for chloroquine	discrete	numeric-8.0	0	8111	-
2756	ml16c_2	na - first source for chloroquine	discrete	numeric-8.0	0	8111	-
2757	ml16c_3	na - first source for chloroquine	discrete	numeric-8.0	0	8111	-
2758	ml16c_4	na - first source for chloroquine	discrete	numeric-8.0	0	8111	-
2759	ml16c_5	na - first source for chloroquine	discrete	numeric-8.0	0	8111	-
2760	ml16c_6	na - first source for chloroquine	discrete	numeric-8.0	0	8111	-
2761	ml17a_1	timing of start of amodiaquine	discrete	numeric-8.0	430	7681	-
2762	ml17a_2	timing of start of amodiaquine	discrete	numeric-8.0	113	7998	-
2763	ml17a_3	timing of start of amodiaquine	discrete	numeric-8.0	3	8108	-
2764	ml17a_4	timing of start of amodiaquine	discrete	numeric-8.0	0	8111	-
2765	ml17a_5	timing of start of amodiaquine	discrete	numeric-8.0	0	8111	-
2766	ml17a_6	timing of start of amodiaquine	discrete	numeric-8.0	0	8111	-
2767	ml17b_1	na - number of days child took amodiaquine	discrete	numeric-8.0	0	8111	-
2768	ml17b_2	na - number of days child took amodiaquine	discrete	numeric-8.0	0	8111	-
2769	ml17b_3	na - number of days child took amodiaquine	discrete	numeric-8.0	0	8111	-
2770	ml17b_4	na - number of days child took amodiaquine	discrete	numeric-8.0	0	8111	-
2771	ml17b_5	na - number of days child took amodiaquine	discrete	numeric-8.0	0	8111	-
2772	ml17b_6	na - number of days child took amodiaquine	discrete	numeric-8.0	0	8111	-
2773	ml17c_1	na - first source for amodiaquine	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2774	ml17c_2	na - first source for amodiaquine	discrete	numeric-8.0	0	8111	-
2775	ml17c_3	na - first source for amodiaquine	discrete	numeric-8.0	0	8111	-
2776	ml17c_4	na - first source for amodiaquine	discrete	numeric-8.0	0	8111	-
2777	ml17c_5	na - first source for amodiaquine	discrete	numeric-8.0	0	8111	-
2778	ml17c_6	na - first source for amodiaquine	discrete	numeric-8.0	0	8111	-
2779	ml18a_1	timing of start of quinine	discrete	numeric-8.0	22	8089	-
2780	ml18a_2	timing of start of quinine	discrete	numeric-8.0	8	8103	-
2781	ml18a_3	timing of start of quinine	discrete	numeric-8.0	0	8111	-
2782	ml18a_4	timing of start of quinine	discrete	numeric-8.0	0	8111	-
2783	ml18a_5	timing of start of quinine	discrete	numeric-8.0	0	8111	-
2784	ml18a_6	timing of start of quinine	discrete	numeric-8.0	0	8111	-
2785	ml18b_1	na - number of days child took quinine	discrete	numeric-8.0	0	8111	-
2786	ml18b_2	na - number of days child took quinine	discrete	numeric-8.0	0	8111	-
2787	ml18b_3	na - number of days child took quinine	discrete	numeric-8.0	0	8111	-
2788	ml18b_4	na - number of days child took quinine	discrete	numeric-8.0	0	8111	-
2789	ml18b_5	na - number of days child took quinine	discrete	numeric-8.0	0	8111	-
2790	ml18b_6	na - number of days child took quinine	discrete	numeric-8.0	0	8111	-
2791	ml18c_1	na - first source for quinine	discrete	numeric-8.0	0	8111	-
2792	ml18c_2	na - first source for quinine	discrete	numeric-8.0	0	8111	-
2793	ml18c_3	na - first source for quinine	discrete	numeric-8.0	0	8111	-
2794	ml18c_4	na - first source for quinine	discrete	numeric-8.0	0	8111	-
2795	ml18c_5	na - first source for quinine	discrete	numeric-8.0	0	8111	-
2796	ml18c_6	na - first source for quinine	discrete	numeric-8.0	0	8111	-
2797	ml19a_1	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	8111	-
2798	ml19a_2	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	8111	-
2799	ml19a_3	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	8111	-
2800	ml19a_4	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2801	ml19a_5	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	8111	-
2802	ml19a_6	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	8111	-
2803	ml19b_1	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	8111	-
2804	ml19b_2	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	8111	-
2805	ml19b_3	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	8111	-
2806	ml19b_4	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	8111	-
2807	ml19b_5	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	8111	-
2808	ml19b_6	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	8111	-
2809	ml19c_1	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	8111	-
2810	ml19c_2	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	8111	-
2811	ml19c_3	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	8111	-
2812	ml19c_4	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	8111	-
2813	ml19c_5	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	8111	-
2814	ml19c_6	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	8111	-
2815	ml19d_1	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2816	ml19d_2	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2817	ml19d_3	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2818	ml19d_4	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2819	ml19d_5	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2820	ml19d_6	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2821	ml19e_1	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2822	ml19e_2	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2823	ml19e_3	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2824	ml19e_4	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2825	ml19e_5	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2826	ml19e_6	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2827	ml19f_1	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2828	ml19f_2	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2829	ml19f_3	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2830	ml19f_4	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2831	ml19f_5	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2832	ml19f_6	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	8111	-
2833	ml19x_1	na - for fever/convulsion: other***	discrete	numeric-8.0	0	8111	-
2834	ml19x_2	na - for fever/convulsion: other***	discrete	numeric-8.0	0	8111	-
2835	ml19x_3	na - for fever/convulsion: other***	discrete	numeric-8.0	0	8111	-
2836	ml19x_4	na - for fever/convulsion: other***	discrete	numeric-8.0	0	8111	-
2837	ml19x_5	na - for fever/convulsion: other***	discrete	numeric-8.0	0	8111	-
2838	ml19x_6	na - for fever/convulsion: other***	discrete	numeric-8.0	0	8111	-
2839	ml19y_1	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	8111	-
2840	ml19y_2	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	8111	-
2841	ml19y_3	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	8111	-
2842	ml19y_4	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	8111	-
2843	ml19y_5	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	8111	-
2844	ml19y_6	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	8111	-
2845	ml19z_1	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	8111	-
2846	ml19z_2	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	8111	-
2847	ml19z_3	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2848	ml19z_4	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	8111	-
2849	ml19z_5	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	8111	-
2850	ml19z_6	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	8111	-
2851	ml20a_1	timing of start of combination with artemisinin	discrete	numeric-8.0	169	7942	-
2852	ml20a_2	timing of start of combination with artemisinin	discrete	numeric-8.0	42	8069	-
2853	ml20a_3	timing of start of combination with artemisinin	discrete	numeric-8.0	5	8106	-
2854	ml20a_4	timing of start of combination with artemisinin	discrete	numeric-8.0	0	8111	-
2855	ml20a_5	timing of start of combination with artemisinin	discrete	numeric-8.0	0	8111	-
2856	ml20a_6	timing of start of combination with artemisinin	discrete	numeric-8.0	0	8111	-
2857	ml20b_1	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	8111	-
2858	ml20b_2	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	8111	-
2859	ml20b_3	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	8111	-
2860	ml20b_4	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	8111	-
2861	ml20b_5	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	8111	-
2862	ml20b_6	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	8111	-
2863	ml20c_1	na - first source for combination with artemisinin	discrete	numeric-8.0	0	8111	-
2864	ml20c_2	na - first source for combination with artemisinin	discrete	numeric-8.0	0	8111	-
2865	ml20c_3	na - first source for combination with artemisinin	discrete	numeric-8.0	0	8111	-
2866	ml20c_4	na - first source for combination with artemisinin	discrete	numeric-8.0	0	8111	-
2867	ml20c_5	na - first source for combination with artemisinin	discrete	numeric-8.0	0	8111	-
2868	ml20c_6	na - first source for combination with artemisinin	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2869	ml21a_1	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2870	ml21a_2	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2871	ml21a_3	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2872	ml21a_4	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2873	ml21a_5	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2874	ml21a_6	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2875	ml21b_1	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2876	ml21b_2	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2877	ml21b_3	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2878	ml21b_4	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2879	ml21b_5	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2880	ml21b_6	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2881	ml21c_1	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2882	ml21c_2	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2883	ml21c_3	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2884	ml21c_4	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2885	ml21c_5	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2886	ml21c_6	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2887	ml22a_1	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2888	ml22a_2	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2889	ml22a_3	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2890	ml22a_4	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2891	ml22a_5	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-
2892	ml22a_6	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2893	ml22b_1	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2894	ml22b_2	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2895	ml22b_3	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2896	ml22b_4	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2897	ml22b_5	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2898	ml22b_6	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	8111	-
2899	ml22c_1	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2900	ml22c_2	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2901	ml22c_3	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2902	ml22c_4	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2903	ml22c_5	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2904	ml22c_6	na - first source for cs antimalarial	discrete	numeric-8.0	0	8111	-
2905	ml23a_1	timing of start of other anti-malarial use	discrete	numeric-8.0	62	8049	-
2906	ml23a_2	timing of start of other anti-malarial use	discrete	numeric-8.0	16	8095	-
2907	ml23a_3	timing of start of other anti-malarial use	discrete	numeric-8.0	1	8110	-
2908	ml23a_4	timing of start of other anti-malarial use	discrete	numeric-8.0	0	8111	-
2909	ml23a_5	timing of start of other anti-malarial use	discrete	numeric-8.0	0	8111	-
2910	ml23a_6	timing of start of other anti-malarial use	discrete	numeric-8.0	0	8111	-
2911	ml23b_1	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	8111	-
2912	ml23b_2	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	8111	-
2913	ml23b_3	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	8111	-
2914	ml23b_4	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	8111	-
2915	ml23b_5	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	8111	-
2916	ml23b_6	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	8111	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2917	ml23c_1	na - first source for other anti-malarial	discrete	numeric-8.0	0	8111	-
2918	ml23c_2	na - first source for other anti-malarial	discrete	numeric-8.0	0	8111	-
2919	ml23c_3	na - first source for other anti-malarial	discrete	numeric-8.0	0	8111	-
2920	ml23c_4	na - first source for other anti-malarial	discrete	numeric-8.0	0	8111	-
2921	ml23c_5	na - first source for other anti-malarial	discrete	numeric-8.0	0	8111	-
2922	ml23c_6	na - first source for other anti-malarial	discrete	numeric-8.0	0	8111	-
2923	ml24c_1	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	8111	-
2924	ml24c_2	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	8111	-
2925	ml24c_3	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	8111	-
2926	ml24c_4	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	8111	-
2927	ml24c_5	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	8111	-
2928	ml24c_6	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	8111	-
2929	sconces	concession	continuous	numeric-8.0	8111	0	-
2930	sqlang	questionnaire language	discrete	numeric-8.0	8105	6	-
2931	silang	interview language	discrete	numeric-8.0	8103	8	-
2932	sinterp	interpreter	discrete	numeric-8.0	8099	12	-
2933	s105	woman's highest educational level (questionnaire configuration)	discrete	numeric-8.0	8111	0	-
2934	s106	highest grade	discrete	numeric-8.0	2324	5787	-
2935	s111	heard or seen any messages on malaria during the last 6 months	discrete	numeric-8.0	8108	3	-
2936	s112a	source of information : radio	discrete	numeric-8.0	8093	18	-
2937	s112b	source of information : television	discrete	numeric-8.0	8093	18	-
2938	s112c	source of information : poster	discrete	numeric-8.0	8093	18	-
2939	s112d	source of information : community health worker	discrete	numeric-8.0	8093	18	-
2940	s112e	source of information : event in the community	discrete	numeric-8.0	8093	18	-
2941	s112f	source of information : moderators of ngo	discrete	numeric-8.0	8093	18	-
2942	s112g	source of information : personal health	discrete	numeric-8.0	8093	18	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2943	s112h	source of information : crieurs publics	discrete	numeric-8.0	8093	18	-
2944	s112i	source of information : educational institution	discrete	numeric-8.0	8093	18	-
2945	s112j	source of information : health facility	discrete	numeric-8.0	8093	18	-
2946	s112k	source of information : neighborhood/village	discrete	numeric-8.0	8093	18	-
2947	s112l	source of information : friends/neighbors	discrete	numeric-8.0	8093	18	-
2948	s112x	source of information : others	discrete	numeric-8.0	8093	18	-
2949	s113	do you know the intra spraying ?	discrete	numeric-8.0	8105	6	-
2950	s114	would you want your home to be sprayed ?	discrete	numeric-8.0	399	7712	-
2951	s115a	main cause of malaria : mosquito bite	discrete	numeric-8.0	8110	1	-
2952	s115b	main cause of malaria : heavy oil consumption	discrete	numeric-8.0	8110	1	-
2953	s115c	main cause of malaria : work-related fatigue	discrete	numeric-8.0	8110	1	-
2954	s115d	main cause of malaria : insufficient sleeping	discrete	numeric-8.0	8110	1	-
2955	s115e	main cause of malaria : direct exposure to sunlight	discrete	numeric-8.0	8110	1	-
2956	s115f	main cause of malaria : consumption of mangoes / sweet fruits	discrete	numeric-8.0	8110	1	-
2957	s115g	main cause of malaria : milk consumption	discrete	numeric-8.0	8110	1	-
2958	s115h	main cause of malaria : dirty water	discrete	numeric-8.0	8110	1	-
2959	s115x	how can contract malaria : other (2)	discrete	numeric-8.0	8110	1	-
2960	s115z	how can contract malaria : don't know	discrete	numeric-8.0	8110	1	-
2961	s116	when do the mosquitoes that transmit malaria bite ?	discrete	numeric-8.0	6869	1242	-
2962	s117a	symptom of malaria : fever	discrete	numeric-8.0	8109	2	-
2963	s117b	symptom of malaria : vomiting, lack of appetite	discrete	numeric-8.0	8109	2	-
2964	s117c	symptom of malaria : high temperature with convulsions	discrete	numeric-8.0	8109	2	-
2965	s117d	symptom of malaria : high temperature with fainting	discrete	numeric-8.0	8109	2	-
2966	s117e	symptom of malaria : persistent fever	discrete	numeric-8.0	8109	2	-
2967	s117f	symptom of malaria : convulsions	discrete	numeric-8.0	8109	2	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2968	s117g	symptom of malaria : jaundice	discrete	numeric-8.0	8109	2	-
2969	s117h	symptom of malaria : headache	discrete	numeric-8.0	8109	2	-
2970	s117i	symptom of malaria : urine	discrete	numeric-8.0	8109	2	-
2971	s117x	symptom of malaria : others	discrete	numeric-8.0	8109	2	-
2972	s117z	symptom of malaria : don't know	discrete	numeric-8.0	8109	2	-
2973	s118a	best way to prevent malaria : sleep under a mosquito net	discrete	numeric-8.0	8110	1	-
2974	s118b	best way to prevent malaria : sleep under a mosquito net impregnated with insect	discrete	numeric-8.0	8110	1	-
2975	s118c	best way to prevent malaria : take preventative medications	discrete	numeric-8.0	8110	1	-
2976	s118d	best way to prevent malaria : using insecticide sprays, creams, lotions	discrete	numeric-8.0	8110	1	-
2977	s118e	best way to prevent malaria : using insecticide coils	discrete	numeric-8.0	8110	1	-
2978	s118f	best way to prevent malaria : decoction/plant juice/root to drink as a preventiv	discrete	numeric-8.0	8110	1	-
2979	s118g	best way to prevent malaria : making sure surroundings are clean	discrete	numeric-8.0	8110	1	-
2980	s118h	best way to prevent malaria : spraying inside the house	discrete	numeric-8.0	8110	1	-
2981	s118i	best way to prevent malaria : screens on the widows	discrete	numeric-8.0	8110	1	-
2982	s118j	best way to prevent malaria : using a coil smoke	discrete	numeric-8.0	8110	1	-
2983	s118k	best way to prevent malaria : using electrical plates	discrete	numeric-8.0	8110	1	-
2984	s118l	best way to prevent malaria : air conditioning/fans	discrete	numeric-8.0	8110	1	-
2985	s118m	best way to prevent malaria : powder (spill)	discrete	numeric-8.0	8110	1	-
2986	s118n	best way to prevent malaria : cover the body	discrete	numeric-8.0	8110	1	-
2987	s118w	best way to prevent malaria : other (1)	discrete	numeric-8.0	8110	1	-
2988	s118x	best way to prevent malaria : other(2)	discrete	numeric-8.0	8110	1	-
2989	s118z	best way to prevent malaria : don't know	discrete	numeric-8.0	8110	1	-
2990	s119a	to prevent malaria, household uses : sleep under a mosquito net	discrete	numeric-8.0	8110	1	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
2991	s119b	to prevent malaria, household uses : sleep under a mosquito net impregnated with	discrete	numeric-8.0	8110	1	-
2992	s119c	to prevent malaria, household uses : take preventative medications	discrete	numeric-8.0	8110	1	-
2993	s119d	to prevent malaria, household uses : using insecticide sprays, creams, lotions	discrete	numeric-8.0	8110	1	-
2994	s119e	to prevent malaria, household uses : using insecticide coils	discrete	numeric-8.0	8110	1	-
2995	s119f	to prevent malaria, household uses : decoction/plant juice/ root to drink as a pr	discrete	numeric-8.0	8110	1	-
2996	s119g	to prevent malaria, household uses : making sure surroundings are clean	discrete	numeric-8.0	8110	1	-
2997	s119h	to prevent malaria, household uses : spraying inside the house	discrete	numeric-8.0	8110	1	-
2998	s119i	to prevent malaria, household uses : screens on the widows	discrete	numeric-8.0	8110	1	-
2999	s119j	to prevent malaria, household uses : using a coil smoke	discrete	numeric-8.0	8110	1	-
3000	s119k	to prevent malaria, household uses : using electrical plates	discrete	numeric-8.0	8110	1	-
3001	s119l	to prevent malaria, household uses : air conditioning/fans	discrete	numeric-8.0	8110	1	-
3002	s119m	to prevent malaria, household uses : powder (spill)	discrete	numeric-8.0	8110	1	-
3003	s119n	to prevent malaria, household uses : cover the body	discrete	numeric-8.0	8110	1	-
3004	s119w	to prevent malaria, household uses : other (1)	discrete	numeric-8.0	8110	1	-
3005	s119x	to prevent malaria, household uses : other(2)	discrete	numeric-8.0	8110	1	-
3006	s119z	to prevent malaria, household uses : don't know	discrete	numeric-8.0	8110	1	-
3007	s120a	hear messages about malaria on the local radio	discrete	numeric-8.0	8110	1	-
3008	s120ba	language of the message on the local radio : french	discrete	numeric-8.0	8103	8	-
3009	s120bb	language of the message on the local radio : moore	discrete	numeric-8.0	8103	8	-
3010	s120bc	language of the message on the local radio : dioula	discrete	numeric-8.0	8103	8	-
3011	s120bd	language of the message on the local radio : peuhl/ fulfuldé	discrete	numeric-8.0	8103	8	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3012	s120be	language of the message on the local radio : goulmantchema	discrete	numeric-8.0	8103	8	-
3013	s120bf	language of the message on the local radio : bissa	discrete	numeric-8.0	8103	8	-
3014	s120bg	language of the message on the local radio : dagara	discrete	numeric-8.0	8103	8	-
3015	s120bx	language of the message on the local radio : others	discrete	numeric-8.0	8103	8	-
3016	s120c	are these messages understandable to the local radio	discrete	numeric-8.0	3343	4768	-
3017	s120da	messages broadcast time on the local radio : morning	discrete	numeric-8.0	8098	13	-
3018	s120db	messages broadcast time on the local radio : noon	discrete	numeric-8.0	8098	13	-
3019	s120dc	messages broadcast time on the local radio : afternoon	discrete	numeric-8.0	8098	13	-
3020	s120dd	messages broadcast time on the local radio : evening	discrete	numeric-8.0	8098	13	-
3021	s121a	see/hear messages about malaria on the local television	discrete	numeric-8.0	8109	2	-
3022	s121ba	language of the message on the local television : french	discrete	numeric-8.0	8111	0	-
3023	s121bb	language of the message on the local television : moore	discrete	numeric-8.0	8111	0	-
3024	s121bc	language of the message on the local television : dioula	discrete	numeric-8.0	8111	0	-
3025	s121bd	language of the message on the local television : peuhl/ fulfuldé	discrete	numeric-8.0	8111	0	-
3026	s121be	language of the message on the local television : goulmantchema	discrete	numeric-8.0	8111	0	-
3027	s121bf	language of the message on the local television : bissa	discrete	numeric-8.0	8111	0	-
3028	s121bg	language of the message on the local television : dagara	discrete	numeric-8.0	8111	0	-
3029	s121bx	language of the message on the local television : others	discrete	numeric-8.0	8111	0	-
3030	s121c	are these messages understandable to the local television	discrete	numeric-8.0	1113	6998	-
3031	s121da	messages broadcast time on the local television : morning	discrete	numeric-8.0	8106	5	-
3032	s121db	messages broadcast time on the local television : noon	discrete	numeric-8.0	8106	5	-
3033	s121dc	messages broadcast time on the local television : afternoon	discrete	numeric-8.0	8106	5	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3034	s121dd	messages broadcast time on the local television : evening	discrete	numeric-8.0	8106	5	-
3035	s122a	hear messages about malaria with health worker/ngos	discrete	numeric-8.0	8108	3	-
3036	s122ba	language of the message with health worker/ngos : french	discrete	numeric-8.0	8107	4	-
3037	s122bb	language of the message with health worker/ngos : moore	discrete	numeric-8.0	8107	4	-
3038	s122bc	language of the message with health worker/ngos : dioula	discrete	numeric-8.0	8107	4	-
3039	s122bd	language of the message with health worker/ngos : peuhl/ fulfuldé	discrete	numeric-8.0	8107	4	-
3040	s122be	language of the message with health worker/ngos : goulmantchema	discrete	numeric-8.0	8107	4	-
3041	s122bf	language of the message with health worker/ngos : bissa	discrete	numeric-8.0	8107	4	-
3042	s122bg	language of the message with health worker/ngos : dagara	discrete	numeric-8.0	8107	4	-
3043	s122bx	language of the message with health worker/ngos : others	discrete	numeric-8.0	8107	4	-
3044	s122c	are these messages understandable with health worker/ngos	discrete	numeric-8.0	2315	5796	-
3045	s123a	hear messages about malaria in the worship places	discrete	numeric-8.0	8105	6	-
3046	s123ba	language of the message in the worship places : french	discrete	numeric-8.0	8110	1	-
3047	s123bb	language of the message in the worship places : moore	discrete	numeric-8.0	8110	1	-
3048	s123bc	language of the message in the worship places : dioula	discrete	numeric-8.0	8110	1	-
3049	s123bd	language of the message in the worship places : peuhl/ fulfuldé	discrete	numeric-8.0	8110	1	-
3050	s123be	language of the message in the worship places : goulmantchema	discrete	numeric-8.0	8110	1	-
3051	s123bf	language of the message in the worship places : bissa	discrete	numeric-8.0	8110	1	-
3052	s123bg	language of the message in the worship places : dagara	discrete	numeric-8.0	8110	1	-
3053	s123bx	language of the message in the worship places : others	discrete	numeric-8.0	8110	1	-
3054	s123c	are these messages understandable in the worship places	discrete	numeric-8.0	1380	6731	-
3055	s124a	last 12 months : heard message on the radio	discrete	numeric-8.0	8110	1	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3056	s124b	last 12 months : heard /seen message on the television	discrete	numeric-8.0	8108	3	-
3057	s124c	last 12 months : seen clips on the television	discrete	numeric-8.0	8108	3	-
3058	s125	preferred form of mosquito net	discrete	numeric-8.0	8105	6	-
3059	s126	preferred color of mosquito net	discrete	numeric-8.0	8108	3	-
3060	s127	owns an itn	discrete	numeric-8.0	8109	2	-
3061	s128	is satisfied with the size of the itn	discrete	numeric-8.0	6966	1145	-
3062	s129	slept under an itn previous night	discrete	numeric-8.0	8109	2	-
3063	s130a	reason didn?t sleep under itn : bad odor	discrete	numeric-8.0	8098	13	-
3064	s130b	reason didn?t sleep under itn : causes irritations/cough	discrete	numeric-8.0	8098	13	-
3065	s130c	reason didn?t sleep under itn : makes person ill	discrete	numeric-8.0	8098	13	-
3066	s130d	reason didn?t sleep under itn : nausea	discrete	numeric-8.0	8098	13	-
3067	s130e	reason didn?t sleep under itn : has dangerous chemicals	discrete	numeric-8.0	8098	13	-
3068	s130f	reason didn?t sleep under itn : can kill a foetus or cause miscarriage/stillbirt	discrete	numeric-8.0	8098	13	-
3069	s130g	reason didn?t sleep under itn : can suffocate or cause difficulty breathing	discrete	numeric-8.0	8098	13	-
3070	s130h	reason didn?t sleep under itn : do not like the form	discrete	numeric-8.0	8098	13	-
3071	s130i	reason didn?t sleep under itn : heat	discrete	numeric-8.0	8098	13	-
3072	s130j	reason didn?t sleep under itn : net quickly becomes dirty	discrete	numeric-8.0	8098	13	-
3073	s130k	reason didn?t sleep under itn : do not like net	discrete	numeric-8.0	8098	13	-
3074	s130l	reason didn?t sleep under itn : no net	discrete	numeric-8.0	8098	13	-
3075	s130m	reason didn?t sleep under itn : unsatisfactory size	discrete	numeric-8.0	8098	13	-
3076	s130n	reason didn?t sleep under itn : net not effective	discrete	numeric-8.0	8098	13	-
3077	s130o	reason didn?t sleep under itn : no reason	discrete	numeric-8.0	8098	13	-
3078	s130x	reason didn?t sleep under itn : other	discrete	numeric-8.0	8098	13	-
3079	s130z	reason didn?t sleep under itn : don't know	discrete	numeric-8.0	8098	13	-

File BFIR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
3080	s210	number of births in last 6 years	discrete	numeric-8.0	8111	0	-
3081	s223	number of births since 2009	discrete	numeric-8.0	8111	0	-
3082	s310	number of fansidar pills taken	discrete	numeric-8.0	3568	4543	-
3083	s311	have you taken in the presence of health worker, at home or elsewhere?	discrete	numeric-8.0	3546	4565	-
3084	s313	source of antimalarial during pregnancy	discrete	numeric-8.0	3470	4641	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1	v001	cluster number	continuous	numeric-8.0	6841	0	-
2	v002	household number	continuous	numeric-8.0	6841	0	-
3	v003	respondent's line number	continuous	numeric-8.0	6841	0	-
4	v004	ultimate area unit	continuous	numeric-8.0	6841	0	-
5	v005	women's individual sample weight (6 decimals)	continuous	numeric-12.0	6841	0	-
6	v006	month of interview	discrete	numeric-8.0	6841	0	-
7	v007	year of interview	discrete	numeric-8.0	6841	0	-
8	v008	date of interview (cmc)	discrete	numeric-8.0	6841	0	-
9	v009	respondent's month of birth	discrete	numeric-8.0	6841	0	-
10	v010	respondent's year of birth	continuous	numeric-8.0	6841	0	-
11	v011	date of birth (cmc)	continuous	numeric-8.0	6841	0	-
12	v012	respondent's current age	continuous	numeric-8.0	6841	0	-
13	v013	age in 5-year groups	discrete	numeric-8.0	6841	0	-
14	v014	completeness of age information	discrete	numeric-8.0	6841	0	-
15	v015	result of individual interview	discrete	numeric-8.0	6841	0	-
16	v016	day of interview	continuous	numeric-8.0	6841	0	-
17	v017	na - cmc start of calendar	discrete	numeric-8.0	0	6841	-
18	v018	na - row of month of interview	discrete	numeric-8.0	0	6841	-
19	v019	na - length of calendar	discrete	numeric-8.0	0	6841	-
20	v019a	number of calendar columns	discrete	numeric-8.0	6841	0	-
21	v020	ever-married sample	discrete	numeric-8.0	6841	0	-
22	v021	primary sampling unit	continuous	numeric-8.0	6841	0	-
23	v022	sample strata for sampling errors	discrete	numeric-8.0	6841	0	-
24	v023	stratification used in sample design	discrete	numeric-8.0	6841	0	-
25	v024	region	discrete	numeric-8.0	6841	0	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
26	v025	type of place of residence	discrete	numeric-8.0	6841	0	-
27	v026	de facto place of residence	discrete	numeric-8.0	6841	0	-
28	v027	number of visits	discrete	numeric-8.0	6841	0	-
29	v034	na - line number of husband	discrete	numeric-8.0	0	6841	-
30	v040	na - cluster altitude in meters	discrete	numeric-8.0	0	6841	-
31	v042	household selected for hemoglobin	discrete	numeric-8.0	6841	0	-
32	v044	na - selected for domestic violence module	discrete	numeric-8.0	0	6841	-
33	v101	region	discrete	numeric-8.0	6841	0	-
34	v102	type of place of residence	discrete	numeric-8.0	6841	0	-
35	v103	na - childhood place of residence	discrete	numeric-8.0	0	6841	-
36	v104	na - years lived in place of residence	discrete	numeric-8.0	0	6841	-
37	v105	na - type of place of previous residence	discrete	numeric-8.0	0	6841	-
38	v106	highest educational level	discrete	numeric-8.0	6841	0	-
39	v107	highest year of education	discrete	numeric-8.0	1321	5520	-
40	v113	source of drinking water	discrete	numeric-8.0	6840	1	-
41	v115	time to get to water source	discrete	numeric-8.0	6820	21	-
42	v116	type of toilet facility	discrete	numeric-8.0	6832	9	-
43	v119	household has: electricity	discrete	numeric-8.0	6828	13	-
44	v120	household has: radio	discrete	numeric-8.0	6829	12	-
45	v121	household has: television	discrete	numeric-8.0	6824	17	-
46	v122	household has: refrigerator	discrete	numeric-8.0	6823	18	-
47	v123	household has: bicycle	discrete	numeric-8.0	6833	8	-
48	v124	household has: motorcycle/ scooter	discrete	numeric-8.0	6829	12	-
49	v125	household has: car/truck	discrete	numeric-8.0	6835	6	-
50	v127	main floor material	discrete	numeric-8.0	6839	2	-
51	v128	main wall material	discrete	numeric-8.0	6838	3	-
52	v129	main roof material	discrete	numeric-8.0	6835	6	-
53	v130	religion	discrete	numeric-8.0	6830	11	-
54	v131	ethnicity	discrete	numeric-8.0	6839	2	-
55	v133	education in single years	discrete	numeric-8.0	6838	3	-
56	v134	de facto place of residence	discrete	numeric-8.0	6841	0	-
57	v135	usual resident or visitor	discrete	numeric-8.0	6841	0	-
58	v136	number of household members (listed)	continuous	numeric-8.0	6841	0	-
59	v137	number of children 5 and under in household (de jure)	discrete	numeric-8.0	6841	0	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
60	v138	number of eligible women in household (de facto)	discrete	numeric-8.0	6841	0	-
61	v139	de jure region of residence	discrete	numeric-8.0	6841	0	-
62	v140	de jure type of place of residence	discrete	numeric-8.0	6841	0	-
63	v141	de jure place of residence	discrete	numeric-8.0	6841	0	-
64	v149	educational attainment	discrete	numeric-8.0	6841	0	-
65	v150	relationship to household head	discrete	numeric-8.0	6841	0	-
66	v151	sex of household head	discrete	numeric-8.0	6841	0	-
67	v152	age of household head	discrete	numeric-8.0	6836	5	-
68	v153	household has: telephone (land-line)	discrete	numeric-8.0	6825	16	-
69	awfactt	all woman factor - total	discrete	numeric-8.0	6841	0	-
70	awfactu	all woman factor - urban/ rural	discrete	numeric-8.0	6841	0	-
71	awfactr	all woman factor - regional	discrete	numeric-8.0	6841	0	-
72	awfacte	all woman factor - educational	discrete	numeric-8.0	6841	0	-
73	awfactw	all woman factor - wealth index	discrete	numeric-8.0	6841	0	-
74	v155	literacy	discrete	numeric-8.0	6827	14	-
75	v156	na - ever participated in a literacy program outside of primary	discrete	numeric-8.0	0	6841	-
76	v157	na - frequency of reading newspaper or magazine	discrete	numeric-8.0	0	6841	-
77	v158	na - frequency of listening to radio	discrete	numeric-8.0	0	6841	-
78	v159	na - frequency of watching television	discrete	numeric-8.0	0	6841	-
79	v160	toilet facilities shared with other households	discrete	numeric-8.0	2915	3926	-
80	v161	type of cooking fuel	discrete	numeric-8.0	6829	12	-
81	v166	na - result of salt test for iodine	discrete	numeric-8.0	0	6841	-
82	v167	na - number of trips in last 12 months	discrete	numeric-8.0	0	6841	-
83	v168	na - away for more than one month in last 12 months	discrete	numeric-8.0	0	6841	-
84	v190	wealth index	discrete	numeric-8.0	6841	0	-
85	v191	wealth index factor score (5 decimals)	continuous	numeric-12.0	6841	0	-
86	ml101	type of mosquito bed net(s) slept under last night	discrete	numeric-8.0	6841	0	-
87	v201	total children ever born	discrete	numeric-8.0	6841	0	-
88	v202	sons at home	discrete	numeric-8.0	6841	0	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
89	v203	daughters at home	discrete	numeric-8.0	6841	0	-
90	v204	sons elsewhere	discrete	numeric-8.0	6841	0	-
91	v205	daughters elsewhere	discrete	numeric-8.0	6841	0	-
92	v206	sons who have died	discrete	numeric-8.0	6841	0	-
93	v207	daughters who have died	discrete	numeric-8.0	6841	0	-
94	v208	births in last five years	discrete	numeric-8.0	6841	0	-
95	v209	births in past year	discrete	numeric-8.0	6841	0	-
96	v210	births in month of interview	discrete	numeric-8.0	6841	0	-
97	v211	na - date of first birth (cmc)	discrete	numeric-8.0	0	6841	-
98	v212	na - age of respondent at 1st birth	discrete	numeric-8.0	0	6841	-
99	v213	currently pregnant	discrete	numeric-8.0	6841	0	-
100	v214	duration of current pregnancy	discrete	numeric-8.0	547	6294	-
101	v215	na - time since last menstrual period	discrete	numeric-8.0	0	6841	-
102	v216	na - menstruated in last six weeks	discrete	numeric-8.0	0	6841	-
103	v217	na - knowledge of ovulatory cycle	discrete	numeric-8.0	0	6841	-
104	v218	number of living children	discrete	numeric-8.0	6841	0	-
105	v219	living children + current pregnancy	discrete	numeric-8.0	6841	0	-
106	v220	living children + current pregnancy (grouped)	discrete	numeric-8.0	6841	0	-
107	v221	na - marriage to first birth interval (months)	discrete	numeric-8.0	0	6841	-
108	v222	last birth to interview (months)	continuous	numeric-8.0	6841	0	-
109	v223	completeness of current pregnancy information	discrete	numeric-8.0	547	6294	-
110	v224	entries in birth history	discrete	numeric-8.0	6841	0	-
111	v225	na - current pregnancy wanted	discrete	numeric-8.0	0	6841	-
112	v226	na - time since last period (comp) (months)	discrete	numeric-8.0	0	6841	-
113	v227	na - flag for last period	discrete	numeric-8.0	0	6841	-
114	v228	na - ever had a terminated pregnancy	discrete	numeric-8.0	0	6841	-
115	v229	na - month pregnancy ended	discrete	numeric-8.0	0	6841	-
116	v230	na - year pregnancy ended	discrete	numeric-8.0	0	6841	-
117	v231	na - cmc pregnancy ended	discrete	numeric-8.0	0	6841	-
118	v232	na - completeness of last termination information	discrete	numeric-8.0	0	6841	-
119	v233	na - months when pregnancy ended	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
120	v234	na - other such pregnancies	discrete	numeric-8.0	0	6841	-
121	v235	na - index last child prior to maternity-health (calendar)	discrete	numeric-8.0	0	6841	-
122	v237	na - birth between last and interview	discrete	numeric-8.0	0	6841	-
123	v238	na - births in last three years	discrete	numeric-8.0	0	6841	-
124	v239	na - pregnancies terminated before calendar beginning	discrete	numeric-8.0	0	6841	-
125	v240	na - month of last termination prior to calendar	discrete	numeric-8.0	0	6841	-
126	v241	na - year of last termination prior to calendar	discrete	numeric-8.0	0	6841	-
127	v242	na - cmc termination ended prior to calendar	discrete	numeric-8.0	0	6841	-
128	v243	na - completeness of last termination date prior to calendar	discrete	numeric-8.0	0	6841	-
129	bidx	birth column number	discrete	numeric-8.0	6841	0	-
130	bord	birth order number	discrete	numeric-8.0	6841	0	-
131	b0	child is twin	discrete	numeric-8.0	6841	0	-
132	b1	month of birth	discrete	numeric-8.0	6841	0	-
133	b2	year of birth	discrete	numeric-8.0	6841	0	-
134	b3	date of birth (cmc)	continuous	numeric-8.0	6841	0	-
135	b4	sex of child	discrete	numeric-8.0	6841	0	-
136	b5	child is alive	discrete	numeric-8.0	6841	0	-
137	b6	na - age at death	discrete	numeric-8.0	0	6841	-
138	b7	na - age at death (months, imputed)	discrete	numeric-8.0	0	6841	-
139	b8	current age of child	discrete	numeric-8.0	6446	395	-
140	b9	child lives with whom	discrete	numeric-8.0	6446	395	-
141	b10	completeness of information	discrete	numeric-8.0	6841	0	-
142	b11	preceding birth interval (months)	continuous	numeric-8.0	3443	3398	-
143	b12	succeeding birth interval (months)	continuous	numeric-8.0	1858	4983	-
144	b13	na - flag for age at death	discrete	numeric-8.0	0	6841	-
145	b15	live birth between births	discrete	numeric-8.0	1961	4880	-
146	b16	child's line number in household	discrete	numeric-8.0	6446	395	-
147	midx	index to birth history	discrete	numeric-8.0	4880	1961	-
148	m1	na - number of tetanus injections before birth	discrete	numeric-8.0	0	6841	-
149	m1a	na - number of tetanus injections before pregnancy	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
150	m1b	na - month of last tetanus injection before pregnancy	discrete	numeric-8.0	0	6841	-
151	m1c	na - year of last tetanus injection before pregnancy	discrete	numeric-8.0	0	6841	-
152	m1d	na - years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	0	6841	-
153	m1e	na - last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	6841	-
154	m2a	prenatal: doctor	discrete	numeric-8.0	4867	1974	-
155	m2b	prenatal: nurse	discrete	numeric-8.0	4867	1974	-
156	m2c	prenatal: midwife	discrete	numeric-8.0	4867	1974	-
157	m2d	prenatal: auxiliary birth attendant	discrete	numeric-8.0	4867	1974	-
158	m2e	prenatal: matron/birth attendant trained	discrete	numeric-8.0	4867	1974	-
159	m2f	na - prenatal: cs health professional	discrete	numeric-8.0	0	6841	-
160	m2g	prenatal: traditional birth attendant	discrete	numeric-8.0	4867	1974	-
161	m2h	prenatal: community health worker	discrete	numeric-8.0	4867	1974	-
162	m2i	na - prenatal: cs other person	discrete	numeric-8.0	0	6841	-
163	m2j	na - prenatal: cs other person	discrete	numeric-8.0	0	6841	-
164	m2k	prenatal: other	discrete	numeric-8.0	4867	1974	-
165	m2l	na - prenatal: cs other	discrete	numeric-8.0	0	6841	-
166	m2m	na - prenatal: cs other	discrete	numeric-8.0	0	6841	-
167	m2n	prenatal: no one	discrete	numeric-8.0	4874	1967	-
168	m3a	na - assistance: doctor	discrete	numeric-8.0	0	6841	-
169	m3b	na - assistance: cs health professional	discrete	numeric-8.0	0	6841	-
170	m3c	na - assistance: cs health professional	discrete	numeric-8.0	0	6841	-
171	m3d	na - assistance: cs health professional	discrete	numeric-8.0	0	6841	-
172	m3e	na - assistance: cs health professional	discrete	numeric-8.0	0	6841	-
173	m3f	na - assistance: cs health professional	discrete	numeric-8.0	0	6841	-
174	m3g	na - assistance: traditional birth attendant	discrete	numeric-8.0	0	6841	-
175	m3h	na - assistance: cs other person	discrete	numeric-8.0	0	6841	-
176	m3i	na - assistance: cs other person	discrete	numeric-8.0	0	6841	-
177	m3j	na - assistance: cs other person	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
178	m3k	na - assistance: other	discrete	numeric-8.0	0	6841	-
179	m3l	na - assistance: cs other	discrete	numeric-8.0	0	6841	-
180	m3m	na - assistance: cs other	discrete	numeric-8.0	0	6841	-
181	m3n	na - assistance: no one	discrete	numeric-8.0	0	6841	-
182	m4	na - duration of breastfeeding	discrete	numeric-8.0	0	6841	-
183	m5	na - months of breastfeeding	discrete	numeric-8.0	0	6841	-
184	m6	na - duration of amenorrhea	discrete	numeric-8.0	0	6841	-
185	m7	na - months of amenorrhea	discrete	numeric-8.0	0	6841	-
186	m8	na - duration of abstinence	discrete	numeric-8.0	0	6841	-
187	m9	na - months of abstinence	discrete	numeric-8.0	0	6841	-
188	m10	na - wanted pregnancy when became pregnant	discrete	numeric-8.0	0	6841	-
189	m11	na - desired time would have waited	discrete	numeric-8.0	0	6841	-
190	m13	na - timing of 1st antenatal check (months)	discrete	numeric-8.0	0	6841	-
191	m14	number of antenatal visits during pregnancy	discrete	numeric-8.0	4873	1968	-
192	m15	na - place of delivery	discrete	numeric-8.0	0	6841	-
193	m17	na - delivery by caesarean section	discrete	numeric-8.0	0	6841	-
194	m18	na - size of child at birth	discrete	numeric-8.0	0	6841	-
195	m19	na - birth weight in kilograms (3 decimals)	discrete	numeric-8.0	0	6841	-
196	m19a	na - weight at birth/recall	discrete	numeric-8.0	0	6841	-
197	m27	na - flag for breastfeeding	discrete	numeric-8.0	0	6841	-
198	m28	na - flag for amenorrhea	discrete	numeric-8.0	0	6841	-
199	m29	na - flag for abstinence	discrete	numeric-8.0	0	6841	-
200	m34	na - when child put to breast	discrete	numeric-8.0	0	6841	-
201	m35	na - number of times breastfed during previous night	discrete	numeric-8.0	0	6841	-
202	m36	na - number of times breastfed during previous day	discrete	numeric-8.0	0	6841	-
203	m38	na - drank from bottle with nipple yesterday/last night	discrete	numeric-8.0	0	6841	-
204	m39a	na - did eat any solid, semi-solid or soft foods yesterday	discrete	numeric-8.0	0	6841	-
205	m39	na - number of times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	0	6841	-
206	m42a	na - during pregnancy: weighed	discrete	numeric-8.0	0	6841	-
207	m42b	na - during pregnancy: height measured	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
208	m42c	na - during pregnancy: blood pressure taken	discrete	numeric-8.0	0	6841	-
209	m42d	na - during pregnancy: urine sample taken	discrete	numeric-8.0	0	6841	-
210	m42e	na - during pregnancy: blood sample taken	discrete	numeric-8.0	0	6841	-
211	m43	na - told about pregnancy complications	discrete	numeric-8.0	0	6841	-
212	m44	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	6841	-
213	m45	na - during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	0	6841	-
214	m46	na - days tablets or syrup taken	discrete	numeric-8.0	0	6841	-
215	m47	na - during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	0	6841	-
216	m48	na - during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	0	6841	-
217	m49a	during pregnancy took: sp/ fansidar for malaria	discrete	numeric-8.0	4875	1966	-
218	m49b	during pregnancy took: chloroquine for malaria	discrete	numeric-8.0	4875	1966	-
219	m49c	during pregnancy took: quinine	discrete	numeric-8.0	4875	1966	-
220	m49d	during pregnancy took: artesunate	discrete	numeric-8.0	0	6841	-
221	m49e	during pregnancy took: amodiaquine	discrete	numeric-8.0	0	6841	-
222	m49f	during pregnancy took: combination with artémisininne	discrete	numeric-8.0	0	6841	-
223	m49g	during pregnancy took: traditional drug	discrete	numeric-8.0	0	6841	-
224	m49x	during pregnancy took: other drug for malaria	discrete	numeric-8.0	4875	1966	-
225	m49z	during pregnancy took: don't know	discrete	numeric-8.0	4875	1966	-
226	m49y	during pregnancy took: no drug for malaria	discrete	numeric-8.0	4875	1966	-
227	m50	na - respondent's check up after delivery	discrete	numeric-8.0	0	6841	-
228	m51	na - respondent's checkup after deliver timing	discrete	numeric-8.0	0	6841	-
229	m52	na - respondent's health professional checked up after delivery	discrete	numeric-8.0	0	6841	-
230	m54	na - received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
231	m55a	na - first 3 days, given milk (other than breast milk)	discrete	numeric-8.0	0	6841	-
232	m55b	na - first 3 days, given plain water	discrete	numeric-8.0	0	6841	-
233	m55c	na - first 3 days, given sugar/ glucose water	discrete	numeric-8.0	0	6841	-
234	m55d	na - first 3 days, given gripe water	discrete	numeric-8.0	0	6841	-
235	m55e	na - first 3 days, given sugar/ salt solution	discrete	numeric-8.0	0	6841	-
236	m55f	na - first 3 days, given fruit juice	discrete	numeric-8.0	0	6841	-
237	m55g	na - first 3 days, given infant formula	discrete	numeric-8.0	0	6841	-
238	m55h	na - first 3 days, given tea/ infusions	discrete	numeric-8.0	0	6841	-
239	m55i	na - first 3 days, given honey	discrete	numeric-8.0	0	6841	-
240	m55j	na - first 3 days, given coffee	discrete	numeric-8.0	0	6841	-
241	m55k	na - first 3 days, given country specific	discrete	numeric-8.0	0	6841	-
242	m55l	na - first 3 days, given country specific	discrete	numeric-8.0	0	6841	-
243	m55m	na - first 3 days, given country specific	discrete	numeric-8.0	0	6841	-
244	m55n	na - first 3 days, given country specific	discrete	numeric-8.0	0	6841	-
245	m55o	na - first 3 days, given country specific	discrete	numeric-8.0	0	6841	-
246	m55x	na - first 3 days, given other	discrete	numeric-8.0	0	6841	-
247	m55z	na - first 3 days, given nothing	discrete	numeric-8.0	0	6841	-
248	m57a	na - antenatal care: respondent's home	discrete	numeric-8.0	0	6841	-
249	m57b	na - antenatal care: other home	discrete	numeric-8.0	0	6841	-
250	m57c	na - antenatal care: cs home	discrete	numeric-8.0	0	6841	-
251	m57d	na - antenatal care: cs home	discrete	numeric-8.0	0	6841	-
252	m57e	na - antenatal care: government hospital	discrete	numeric-8.0	0	6841	-
253	m57f	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-
254	m57g	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-
255	m57h	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-
256	m57i	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
257	m57j	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-
258	m57k	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-
259	m57l	na - antenatal care: cs public health	discrete	numeric-8.0	0	6841	-
260	m57m	na - antenatal care: private hospital/clinic	discrete	numeric-8.0	0	6841	-
261	m57n	na - antenatal care: cs private medical	discrete	numeric-8.0	0	6841	-
262	m57o	na - antenatal care: cs private medical	discrete	numeric-8.0	0	6841	-
263	m57p	na - antenatal care: cs private medical	discrete	numeric-8.0	0	6841	-
264	m57q	na - antenatal care: cs private medical	discrete	numeric-8.0	0	6841	-
265	m57r	na - antenatal care: cs private medical	discrete	numeric-8.0	0	6841	-
266	m57s	na - antenatal care: cs other	discrete	numeric-8.0	0	6841	-
267	m57t	na - antenatal care: cs other	discrete	numeric-8.0	0	6841	-
268	m57u	na - antenatal care: cs other	discrete	numeric-8.0	0	6841	-
269	m57v	na - antenatal care: cs other	discrete	numeric-8.0	0	6841	-
270	m57x	na - antenatal care: other	discrete	numeric-8.0	0	6841	-
271	m60	na - drugs for intestinal parasites during pregnancy	discrete	numeric-8.0	0	6841	-
272	m61	na - time spent at place of delivery	discrete	numeric-8.0	0	6841	-
273	m62	na - respondent's health checked before discharge	discrete	numeric-8.0	0	6841	-
274	m65a	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	6841	-
275	m65b	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	6841	-
276	m65c	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	6841	-
277	m65d	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	6841	-
278	m65e	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	6841	-
279	m65f	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	6841	-
280	m65g	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
281	m65h	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	6841	-
282	m65i	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	6841	-
283	m65j	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	6841	-
284	m65k	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	6841	-
285	m65l	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	6841	-
286	m65x	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	6841	-
287	m66	na - respondent's health checked after discharge/ delivery at home	discrete	numeric-8.0	0	6841	-
288	m70	na - baby postnatal check within 2 months	discrete	numeric-8.0	0	6841	-
289	m71	na - time after delivery postnatal check took place	discrete	numeric-8.0	0	6841	-
290	m72	na - person who performed postnatal checkup	discrete	numeric-8.0	0	6841	-
291	m73	na - place baby was first checked	discrete	numeric-8.0	0	6841	-
292	h1	na - has health card	discrete	numeric-8.0	0	6841	-
293	h2	na - received bcg	discrete	numeric-8.0	0	6841	-
294	h2d	na - bcg day	discrete	numeric-8.0	0	6841	-
295	h2m	na - bcg month	discrete	numeric-8.0	0	6841	-
296	h2y	na - bcg year	discrete	numeric-8.0	0	6841	-
297	h3	na - received dpt 1	discrete	numeric-8.0	0	6841	-
298	h3d	na - dpt 1 day	discrete	numeric-8.0	0	6841	-
299	h3m	na - dpt 1 month	discrete	numeric-8.0	0	6841	-
300	h3y	na - dpt 1 year	discrete	numeric-8.0	0	6841	-
301	h4	na - received polio 1	discrete	numeric-8.0	0	6841	-
302	h4d	na - polio 1 day	discrete	numeric-8.0	0	6841	-
303	h4m	na - polio 1 month	discrete	numeric-8.0	0	6841	-
304	h4y	na - polio 1 year	discrete	numeric-8.0	0	6841	-
305	h5	na - received dpt 2	discrete	numeric-8.0	0	6841	-
306	h5d	na - dpt 2 day	discrete	numeric-8.0	0	6841	-
307	h5m	na - dpt 2 month	discrete	numeric-8.0	0	6841	-
308	h5y	na - dpt 2 year	discrete	numeric-8.0	0	6841	-
309	h6	na - received polio 2	discrete	numeric-8.0	0	6841	-
310	h6d	na - polio 2 day	discrete	numeric-8.0	0	6841	-
311	h6m	na - polio 2 month	discrete	numeric-8.0	0	6841	-
312	h6y	na - polio 2 year	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
313	h7	na - received dpt 3	discrete	numeric-8.0	0	6841	-
314	h7d	na - dpt 3 day	discrete	numeric-8.0	0	6841	-
315	h7m	na - dpt 3 month	discrete	numeric-8.0	0	6841	-
316	h7y	na - dpt 3 year	discrete	numeric-8.0	0	6841	-
317	h8	na - received polio 3	discrete	numeric-8.0	0	6841	-
318	h8d	na - polio 3 day	discrete	numeric-8.0	0	6841	-
319	h8m	na - polio 3 month	discrete	numeric-8.0	0	6841	-
320	h8y	na - polio 3 year	discrete	numeric-8.0	0	6841	-
321	h9	na - received measles	discrete	numeric-8.0	0	6841	-
322	h9d	na - measles day	discrete	numeric-8.0	0	6841	-
323	h9m	na - measles month	discrete	numeric-8.0	0	6841	-
324	h9y	na - measles year	discrete	numeric-8.0	0	6841	-
325	h0	na - received polio 0	discrete	numeric-8.0	0	6841	-
326	h0d	na - polio 0 day	discrete	numeric-8.0	0	6841	-
327	h0m	na - polio 0 month	discrete	numeric-8.0	0	6841	-
328	h0y	na - polio 0 year	discrete	numeric-8.0	0	6841	-
329	h10	na - ever had vaccination	discrete	numeric-8.0	0	6841	-
330	h11	na - had diarrhea recently	discrete	numeric-8.0	0	6841	-
331	h11b	na - blood in the stools	discrete	numeric-8.0	0	6841	-
332	h12a	na - diarrhea: government hospital	discrete	numeric-8.0	0	6841	-
333	h12b	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
334	h12c	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
335	h12d	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
336	h12e	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
337	h12f	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
338	h12g	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
339	h12h	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
340	h12i	na - diarrhea: cs public sector	discrete	numeric-8.0	0	6841	-
341	h12j	na - diarrhea: private hospital/clinic	discrete	numeric-8.0	0	6841	-
342	h12k	na - diarrhea: private pharmacy	discrete	numeric-8.0	0	6841	-
343	h12l	na - diarrhea: private doctor	discrete	numeric-8.0	0	6841	-
344	h12m	na - diarrhea: cs private medical	discrete	numeric-8.0	0	6841	-
345	h12n	na - diarrhea: cs private medical	discrete	numeric-8.0	0	6841	-
346	h12o	na - diarrhea: cs private medical	discrete	numeric-8.0	0	6841	-
347	h12p	na - diarrhea: cs private medical	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
348	h12q	na - diarrhea: cs private medical	discrete	numeric-8.0	0	6841	-
349	h12r	na - diarrhea: cs private medical	discrete	numeric-8.0	0	6841	-
350	h12s	na - diarrhea: cs other sector	discrete	numeric-8.0	0	6841	-
351	h12t	na - diarrhea: cs other sector	discrete	numeric-8.0	0	6841	-
352	h12u	na - diarrhea: cs other sector	discrete	numeric-8.0	0	6841	-
353	h12v	na - diarrhea: cs other sector	discrete	numeric-8.0	0	6841	-
354	h12w	na - diarrhea: cs other sector	discrete	numeric-8.0	0	6841	-
355	h12x	na - diarrhea: other	discrete	numeric-8.0	0	6841	-
356	h12y	na - diarrhea: no treatment	discrete	numeric-8.0	0	6841	-
357	h12z	na - diarrhea: medical treatment	discrete	numeric-8.0	0	6841	-
358	h13	na - given oral rehydration	discrete	numeric-8.0	0	6841	-
359	h13b	na - given pre-packaged ors liquid	discrete	numeric-8.0	0	6841	-
360	h14	na - given recommended home solution	discrete	numeric-8.0	0	6841	-
361	h15	na - given antibiotic pills or syrups	discrete	numeric-8.0	0	6841	-
362	h15a	na - given antimotility	discrete	numeric-8.0	0	6841	-
363	h15b	na - given antibiotic injection	discrete	numeric-8.0	0	6841	-
364	h15c	na - given intravenous (iv)	discrete	numeric-8.0	0	6841	-
365	h15d	na - given home remedy, herbal medicine	discrete	numeric-8.0	0	6841	-
366	h15e	na - given zinc	discrete	numeric-8.0	0	6841	-
367	h15f	na - given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	0	6841	-
368	h15g	na - given unknown pill or syrup	discrete	numeric-8.0	0	6841	-
369	h15h	na - given non-antibiotic injection	discrete	numeric-8.0	0	6841	-
370	h15i	na - given unknown injection	discrete	numeric-8.0	0	6841	-
371	h15j	na - given cs	discrete	numeric-8.0	0	6841	-
372	h15k	na - given cs	discrete	numeric-8.0	0	6841	-
373	h15l	na - given cs	discrete	numeric-8.0	0	6841	-
374	h15m	na - given cs	discrete	numeric-8.0	0	6841	-
375	h20	na - given other treatment	discrete	numeric-8.0	0	6841	-
376	h21a	na - given no treatment	discrete	numeric-8.0	0	6841	-
377	h21	na - received any treatment	discrete	numeric-8.0	0	6841	-
378	h22	had fever in last two weeks	discrete	numeric-8.0	6436	405	-
379	h31	na - had cough in last two weeks	discrete	numeric-8.0	0	6841	-
380	h31b	na - short, rapid breaths	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
381	h31c	na - problem in the chest or blocked or running nose	discrete	numeric-8.0	0	6841	-
382	h31d	na - had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	6841	-
383	h31e	na - had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	6841	-
384	h32a	fever/cough: government hospital	discrete	numeric-8.0	2613	4228	-
385	h32b	fever/cough: government health center	discrete	numeric-8.0	2613	4228	-
386	h32c	fever/cough: government health post	discrete	numeric-8.0	2613	4228	-
387	h32d	na - fever/cough: cs public sector	discrete	numeric-8.0	0	6841	-
388	h32e	fever/cough: health worker	discrete	numeric-8.0	2613	4228	-
389	h32f	fever/cough: other public sector	discrete	numeric-8.0	2613	4228	-
390	h32g	na - fever/cough: cs public sector	discrete	numeric-8.0	0	6841	-
391	h32h	na - fever/cough: cs public sector	discrete	numeric-8.0	0	6841	-
392	h32i	na - fever/cough: cs public sector	discrete	numeric-8.0	0	6841	-
393	h32j	fever/cough: private hospital/ clinic	discrete	numeric-8.0	2613	4228	-
394	h32k	fever/cough: private pharmacy	discrete	numeric-8.0	2613	4228	-
395	h32l	fever/cough: private doctor	discrete	numeric-8.0	2613	4228	-
396	h32m	fever/cough: private mobile clinic	discrete	numeric-8.0	2613	4228	-
397	h32n	fever/cough: private health worker	discrete	numeric-8.0	2613	4228	-
398	h32o	fever/cough: other private medical	discrete	numeric-8.0	2613	4228	-
399	h32p	na - fever/cough: cs private medical	discrete	numeric-8.0	0	6841	-
400	h32q	na - fever/cough: cs private medical	discrete	numeric-8.0	0	6841	-
401	h32r	na - fever/cough: cs private medical	discrete	numeric-8.0	0	6841	-
402	h32s	fever/cough: shop	discrete	numeric-8.0	2613	4228	-
403	h32t	fever/cough: traditional pract	discrete	numeric-8.0	2613	4228	-
404	h32u	fever/cough: market	discrete	numeric-8.0	2613	4228	-
405	h32v	fever/cough: community health worker	discrete	numeric-8.0	2613	4228	-
406	h32w	na - fever/cough: cs other sector	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
407	h32x	fever/cough: other	discrete	numeric-8.0	2613	4228	-
408	h32y	fever/cough: no treatment	discrete	numeric-8.0	2613	4228	-
409	h32z	fever/cough: medical treatment	discrete	numeric-8.0	2613	4228	-
410	h33	na - received vitamin a1 (most recent)	discrete	numeric-8.0	0	6841	-
411	h33d	na - vitamin a1 day	discrete	numeric-8.0	0	6841	-
412	h33m	na - vitamin a1 month	discrete	numeric-8.0	0	6841	-
413	h33y	na - vitamin a1 year	discrete	numeric-8.0	0	6841	-
414	h34	na - vitamin a in last 6 months	discrete	numeric-8.0	0	6841	-
415	h35	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	6841	-
416	h36a	na - vaccinated during campaign a	discrete	numeric-8.0	0	6841	-
417	h36b	na - vaccinated during campaign b	discrete	numeric-8.0	0	6841	-
418	h36c	na - vaccinated during campaign c	discrete	numeric-8.0	0	6841	-
419	h36d	na - vaccinated during campaign d	discrete	numeric-8.0	0	6841	-
420	h36e	na - vaccinated during campaign e	discrete	numeric-8.0	0	6841	-
421	h36f	na - vaccinated during campaign f	discrete	numeric-8.0	0	6841	-
422	h37a	na - sp/fansidar taken for fever/cough	discrete	numeric-8.0	0	6841	-
423	h37b	na - chloroquine taken for fever/cough	discrete	numeric-8.0	0	6841	-
424	h37c	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	6841	-
425	h37d	na - quinine taken for fever/ cough	discrete	numeric-8.0	0	6841	-
426	h37e	na - combination with artemisinin taken for fever/ cough	discrete	numeric-8.0	0	6841	-
427	h37f	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	6841	-
428	h37g	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	6841	-
429	h37h	na - other antimalarial taken for fever/cough	discrete	numeric-8.0	0	6841	-
430	h37i	na - antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	0	6841	-
431	h37j	na - antibiotic injection taken for fever/cough	discrete	numeric-8.0	0	6841	-
432	h37k	na - aspirin taken for fever/ cough	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
433	h37l	na - acetaminophen/ paracetamol/panadol taken for fever/cough	discrete	numeric-8.0	0	6841	-
434	h37m	na - ibuprofen taken for fever/cough	discrete	numeric-8.0	0	6841	-
435	h37n	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	6841	-
436	h37o	na - cs other for fever/cough	discrete	numeric-8.0	0	6841	-
437	h37p	na - cs other for fever/cough	discrete	numeric-8.0	0	6841	-
438	h37x	na - other taken for fever/ cough	discrete	numeric-8.0	0	6841	-
439	h37y	na - nothing taken for fever/ cough	discrete	numeric-8.0	0	6841	-
440	h37z	na - don't know if or what was taken for fever/cough	discrete	numeric-8.0	0	6841	-
441	h38	na - diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	0	6841	-
442	h39	na - diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	0	6841	-
443	h40	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	6841	-
444	h40d	na - vitamin a2 day	discrete	numeric-8.0	0	6841	-
445	h40m	na - vitamin a2 month	discrete	numeric-8.0	0	6841	-
446	h40y	na - vitamin a2 year	discrete	numeric-8.0	0	6841	-
447	h41a	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	6841	-
448	h41b	na - ever received vitamin a dose	discrete	numeric-8.0	0	6841	-
449	h42	na - taking iron pills, sprinkles or syrup	discrete	numeric-8.0	0	6841	-
450	h43	na - drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	0	6841	-
451	h44a	na - place first sought treatment for diarrhea	discrete	numeric-8.0	0	6841	-
452	h44b	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	6841	-
453	h44c	na - still has diarrhea	discrete	numeric-8.0	0	6841	-
454	h45	na - times zinc was given	discrete	numeric-8.0	0	6841	-
455	h46a	place first sought treatment for fever	discrete	numeric-8.0	1693	5148	-
456	h46b	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	6841	-
457	h47	blood taken from child's finger/heel for testing	discrete	numeric-8.0	2615	4226	-
458	hwidx	index to birth history	discrete	numeric-8.0	6841	0	-
459	hw1	child's age in months	continuous	numeric-8.0	6324	517	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
460	hw2	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	6841	-
461	hw3	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	6841	-
462	hw4	na - height/age percentile	discrete	numeric-8.0	0	6841	-
463	hw5	na - height/age standard deviation	discrete	numeric-8.0	0	6841	-
464	hw6	na - height/age percent of ref. median	discrete	numeric-8.0	0	6841	-
465	hw7	na - weight/age percentile	discrete	numeric-8.0	0	6841	-
466	hw8	na - weight/age standard deviation	discrete	numeric-8.0	0	6841	-
467	hw9	na - weight/age percent of ref. median	discrete	numeric-8.0	0	6841	-
468	hw10	na - weight/height percentile	discrete	numeric-8.0	0	6841	-
469	hw11	na - weight/height standard deviation	discrete	numeric-8.0	0	6841	-
470	hw12	na - weight/height percent of ref. median	discrete	numeric-8.0	0	6841	-
471	hw13	na - result of measurement - height/weight	discrete	numeric-8.0	0	6841	-
472	hw15	na - height: lying or standing	discrete	numeric-8.0	0	6841	-
473	hw16	day of birth of child	discrete	numeric-8.0	6187	654	-
474	hw17	date measured (day)	continuous	numeric-8.0	6324	517	-
475	hw18	date measured (month)	discrete	numeric-8.0	6324	517	-
476	hw19	date measured (year)	discrete	numeric-8.0	6324	517	-
477	hw51	line number of parent/ caretaker	discrete	numeric-8.0	5604	1237	-
478	hw52	read consent statement - hemoglobin	discrete	numeric-8.0	5583	1258	-
479	hw53	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	5580	1261	-
480	hw55	result of measurement - hemoglobin	discrete	numeric-8.0	6097	744	-
481	hw56	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	5504	1337	-
482	hw57	anemia level	discrete	numeric-8.0	5504	1337	-
483	hw58	na - agrees to referral - anemia	discrete	numeric-8.0	0	6841	-
484	hw70	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	6841	-
485	hw71	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	6841	-
486	hw72	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	6841	-
487	hw73	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
488	idxml	index to birth history	discrete	numeric-8.0	6841	0	-
489	ml0	type of mosquito bed net(s) child slept under last night	discrete	numeric-8.0	6324	517	-
490	ml1	number of times took fansidar during pregnancy	discrete	numeric-8.0	3404	3437	-
491	ml2	na - source of antimalarial during pregnancy	discrete	numeric-8.0	0	6841	-
492	ml11	na - child has fever/cough now	discrete	numeric-8.0	0	6841	-
493	ml12	na - child has had convulsions in last 2 weeks	discrete	numeric-8.0	0	6841	-
494	ml13a	fansidar taken for fever/ cough	discrete	numeric-8.0	2614	4227	-
495	ml13b	chloroquine taken for fever/ cough	discrete	numeric-8.0	2614	4227	-
496	ml13c	amodiaquine taken for fever/ cough	discrete	numeric-8.0	2614	4227	-
497	ml13d	quinine taken for fever/cough	discrete	numeric-8.0	2614	4227	-
498	ml13e	combination with artemisinin taken for fever/cough	discrete	numeric-8.0	2614	4227	-
499	ml13f	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	6841	-
500	ml13g	na - cs antimalarial taken for fever/cough	discrete	numeric-8.0	0	6841	-
501	ml13h	other antimalarial taken for fever/cough	discrete	numeric-8.0	2614	4227	-
502	ml13i	antibiotic pill/syrup taken for fever/cough	discrete	numeric-8.0	2614	4227	-
503	ml13j	antibiotic injection taken for fever/cough	discrete	numeric-8.0	2614	4227	-
504	ml13k	aspirin taken for fever/cough	discrete	numeric-8.0	2614	4227	-
505	ml13l	acetaminophen/paracetamol/ panadol taken for fever/ cough	discrete	numeric-8.0	2614	4227	-
506	ml13m	ibuprofen taken for fever/ cough	discrete	numeric-8.0	2614	4227	-
507	ml13n	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	6841	-
508	ml13o	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	6841	-
509	ml13p	na - cs other taken for fever/ cough	discrete	numeric-8.0	0	6841	-
510	ml13x	other taken for fever/cough	discrete	numeric-8.0	2614	4227	-
511	ml13y	nothing taken for fever/cough	discrete	numeric-8.0	2614	4227	-
512	ml13z	don't know if or what was taken for fever/cough	discrete	numeric-8.0	2614	4227	-
513	ml14a	na - injection given for fever/ convulsion***	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
514	ml14b	na - suppository given for fever/convulsion***	discrete	numeric-8.0	0	6841	-
515	ml14y	na - no suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	6841	-
516	ml14z	na - don't know if suppository or injection given for fever/ convulsion***	discrete	numeric-8.0	0	6841	-
517	ml15a	timing of start of fansidar	discrete	numeric-8.0	287	6554	-
518	ml15b	na - number of days child took fansidar	discrete	numeric-8.0	0	6841	-
519	ml15c	na - first source for fansidar	discrete	numeric-8.0	0	6841	-
520	ml16a	timing of start of chloroquine	discrete	numeric-8.0	17	6824	-
521	ml16b	na - number of days child took chloroquine	discrete	numeric-8.0	0	6841	-
522	ml16c	na - first source for chloroquine	discrete	numeric-8.0	0	6841	-
523	ml17a	timing of start of amodiaquine	discrete	numeric-8.0	546	6295	-
524	ml17b	na - number of days child took amodiaquine	discrete	numeric-8.0	0	6841	-
525	ml17c	na - first source for amodiaquine	discrete	numeric-8.0	0	6841	-
526	ml18a	timing of start of quinine	discrete	numeric-8.0	30	6811	-
527	ml18b	na - number of days child took quinine	discrete	numeric-8.0	0	6841	-
528	ml18c	na - first source for quinine	discrete	numeric-8.0	0	6841	-
529	ml19a	na - for fever/convulsion: consulted traditional healer***	discrete	numeric-8.0	0	6841	-
530	ml19b	na - for fever/convulsion: gave tepid sponging***	discrete	numeric-8.0	0	6841	-
531	ml19c	na - for fever/convulsion: gave herbs***	discrete	numeric-8.0	0	6841	-
532	ml19d	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	6841	-
533	ml19e	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	6841	-
534	ml19f	na - for fever/convulsion: cs***	discrete	numeric-8.0	0	6841	-
535	ml19x	na - for fever/convulsion: other***	discrete	numeric-8.0	0	6841	-
536	ml19y	na - for fever/convulsion: gave/did nothing***	discrete	numeric-8.0	0	6841	-
537	ml19z	na - for fever/convulsion: don't know if something else was done***	discrete	numeric-8.0	0	6841	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
538	ml20a	timing of start of combination with artemisinin	discrete	numeric-8.0	216	6625	-
539	ml20b	na - number of days child took combination with artemisinin	discrete	numeric-8.0	0	6841	-
540	ml20c	na - first source for combination with artemisinin	discrete	numeric-8.0	0	6841	-
541	ml21a	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	6841	-
542	ml21b	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	6841	-
543	ml21c	na - first source for cs antimalarial	discrete	numeric-8.0	0	6841	-
544	ml22a	na - timing of start of cs antimalarial use	discrete	numeric-8.0	0	6841	-
545	ml22b	na - number of days child took cs antimalarial	discrete	numeric-8.0	0	6841	-
546	ml22c	na - first source for cs antimalarial	discrete	numeric-8.0	0	6841	-
547	ml23a	timing of start of other anti-malarial use	discrete	numeric-8.0	79	6762	-
548	ml23b	na - number of days child took other anti-malarial	discrete	numeric-8.0	0	6841	-
549	ml23c	na - first source for other anti-malarial	discrete	numeric-8.0	0	6841	-
550	ml24c	na - first source for antibiotic pill/syrup	discrete	numeric-8.0	0	6841	-
551	sconces	concession	continuous	numeric-8.0	6841	0	-
552	sqlang	questionnaire language	discrete	numeric-8.0	6836	5	-
553	silang	interview language	discrete	numeric-8.0	6834	7	-
554	sinterp	interpreter	discrete	numeric-8.0	6830	11	-
555	s105	woman's highest educational level (questionnaire configuration)	discrete	numeric-8.0	6841	0	-
556	s106	highest grade	discrete	numeric-8.0	1321	5520	-
557	s111	heard or seen any messages on malaria during the last 6 months	discrete	numeric-8.0	6837	4	-
558	s112a	source of information : radio	discrete	numeric-8.0	6824	17	-
559	s112b	source of information : television	discrete	numeric-8.0	6824	17	-
560	s112c	source of information : poster	discrete	numeric-8.0	6824	17	-
561	s112d	source of information : community health worker	discrete	numeric-8.0	6824	17	-
562	s112e	source of information : event in the community	discrete	numeric-8.0	6824	17	-
563	s112f	source of information : moderators of ngo	discrete	numeric-8.0	6824	17	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
564	s112g	source of information : personal health	discrete	numeric-8.0	6824	17	-
565	s112h	source of information : crieurs publics	discrete	numeric-8.0	6824	17	-
566	s112i	source of information : educational institution	discrete	numeric-8.0	6824	17	-
567	s112j	source of information : health facility	discrete	numeric-8.0	6824	17	-
568	s112k	source of information : neighborhood/village	discrete	numeric-8.0	6824	17	-
569	s112l	source of information : friends/neighbors	discrete	numeric-8.0	6824	17	-
570	s112x	source of information : others	discrete	numeric-8.0	6824	17	-
571	s113	do you know the intra spraying ?	discrete	numeric-8.0	6837	4	-
572	s114	would you want your home to be sprayed ?	discrete	numeric-8.0	276	6565	-
573	s115a	main cause of malaria : mosquito bite	discrete	numeric-8.0	6841	0	-
574	s115b	main cause of malaria : heavy oil consumption	discrete	numeric-8.0	6841	0	-
575	s115c	main cause of malaria : work-related fatigue	discrete	numeric-8.0	6841	0	-
576	s115d	main cause of malaria : insufficient sleeping	discrete	numeric-8.0	6841	0	-
577	s115e	main cause of malaria : direct exposure to sunlight	discrete	numeric-8.0	6841	0	-
578	s115f	main cause of malaria : consumption of mangoes / sweet fruits	discrete	numeric-8.0	6841	0	-
579	s115g	main cause of malaria : milk consumption	discrete	numeric-8.0	6841	0	-
580	s115h	main cause of malaria : dirty water	discrete	numeric-8.0	6841	0	-
581	s115x	how can contract malaria : other (2)	discrete	numeric-8.0	6841	0	-
582	s115z	how can contract malaria : don't know	discrete	numeric-8.0	6841	0	-
583	s116	when do the mosquitoes that transmit malaria bite ?	discrete	numeric-8.0	5756	1085	-
584	s117a	symptom of malaria : fever	discrete	numeric-8.0	6839	2	-
585	s117b	symptom of malaria : vomiting, lack of appetite	discrete	numeric-8.0	6839	2	-
586	s117c	symptom of malaria : high temperature with convulsions	discrete	numeric-8.0	6839	2	-
587	s117d	symptom of malaria : high temperature with fainting	discrete	numeric-8.0	6839	2	-
588	s117e	symptom of malaria : persistent fever	discrete	numeric-8.0	6839	2	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
589	s117f	symptom of malaria : convulsions	discrete	numeric-8.0	6839	2	-
590	s117g	symptom of malaria : jaundice	discrete	numeric-8.0	6839	2	-
591	s117h	symptom of malaria : headache	discrete	numeric-8.0	6839	2	-
592	s117i	symptom of malaria : urine	discrete	numeric-8.0	6839	2	-
593	s117x	symptom of malaria : others	discrete	numeric-8.0	6839	2	-
594	s117z	symptom of malaria : don't know	discrete	numeric-8.0	6839	2	-
595	s118a	best way to prevent malaria : sleep under a mosquito net	discrete	numeric-8.0	6841	0	-
596	s118b	best way to prevent malaria : sleep under a mosquito net impregnated with insect	discrete	numeric-8.0	6841	0	-
597	s118c	best way to prevent malaria : take preventative medications	discrete	numeric-8.0	6841	0	-
598	s118d	best way to prevent malaria : using insecticide sprays, creams, lotions	discrete	numeric-8.0	6841	0	-
599	s118e	best way to prevent malaria : using insecticide coils	discrete	numeric-8.0	6841	0	-
600	s118f	best way to prevent malaria : decoction/plant juice/root to drink as a preventiv	discrete	numeric-8.0	6841	0	-
601	s118g	best way to prevent malaria : making sure surroundings are clean	discrete	numeric-8.0	6841	0	-
602	s118h	best way to prevent malaria : spraying inside the house	discrete	numeric-8.0	6841	0	-
603	s118i	best way to prevent malaria : screens on the widows	discrete	numeric-8.0	6841	0	-
604	s118j	best way to prevent malaria : using a coil smoke	discrete	numeric-8.0	6841	0	-
605	s118k	best way to prevent malaria : using electrical plates	discrete	numeric-8.0	6841	0	-
606	s118l	best way to prevent malaria : air conditioning/fans	discrete	numeric-8.0	6841	0	-
607	s118m	best way to prevent malaria : powder (spill)	discrete	numeric-8.0	6841	0	-
608	s118n	best way to prevent malaria : cover the body	discrete	numeric-8.0	6841	0	-
609	s118w	best way to prevent malaria : other (1)	discrete	numeric-8.0	6841	0	-
610	s118x	best way to prevent malaria : other(2)	discrete	numeric-8.0	6841	0	-
611	s118z	best way to prevent malaria : don't know	discrete	numeric-8.0	6841	0	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
612	s119a	to prevent malaria, household uses : sleep under a mosquito net	discrete	numeric-8.0	6841	0	-
613	s119b	to prevent malaria, household uses : sleep under a mosquito net impregnated with	discrete	numeric-8.0	6841	0	-
614	s119c	to prevent malaria, household uses : take preventative medications	discrete	numeric-8.0	6841	0	-
615	s119d	to prevent malaria, household uses : using insecticide sprays, creams, lotions	discrete	numeric-8.0	6841	0	-
616	s119e	to prevent malaria, household uses : using insecticide coils	discrete	numeric-8.0	6841	0	-
617	s119f	to prevent malaria, household uses : decoction/plant juice/ root to drink as a pr	discrete	numeric-8.0	6841	0	-
618	s119g	to prevent malaria, household uses : making sure surroundings are clean	discrete	numeric-8.0	6841	0	-
619	s119h	to prevent malaria, household uses : spraying inside the house	discrete	numeric-8.0	6841	0	-
620	s119i	to prevent malaria, household uses : screens on the widows	discrete	numeric-8.0	6841	0	-
621	s119j	to prevent malaria, household uses : using a coil smoke	discrete	numeric-8.0	6841	0	-
622	s119k	to prevent malaria, household uses : using electrical plates	discrete	numeric-8.0	6841	0	-
623	s119l	to prevent malaria, household uses : air conditioning/fans	discrete	numeric-8.0	6841	0	-
624	s119m	to prevent malaria, household uses : powder (spill)	discrete	numeric-8.0	6841	0	-
625	s119n	to prevent malaria, household uses : cover the body	discrete	numeric-8.0	6841	0	-
626	s119w	to prevent malaria, household uses : other (1)	discrete	numeric-8.0	6841	0	-
627	s119x	to prevent malaria, household uses : other(2)	discrete	numeric-8.0	6841	0	-
628	s119z	to prevent malaria, household uses : don't know	discrete	numeric-8.0	6841	0	-
629	s120a	hear messages about malaria on the local radio	discrete	numeric-8.0	6841	0	-
630	s120ba	language of the message on the local radio : french	discrete	numeric-8.0	6837	4	-
631	s120bb	language of the message on the local radio : moore	discrete	numeric-8.0	6837	4	-
632	s120bc	language of the message on the local radio : dioula	discrete	numeric-8.0	6837	4	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
633	s120bd	language of the message on the local radio : peuhl/ fulfuldé	discrete	numeric-8.0	6837	4	-
634	s120be	language of the message on the local radio : goulmantchema	discrete	numeric-8.0	6837	4	-
635	s120bf	language of the message on the local radio : bissa	discrete	numeric-8.0	6837	4	-
636	s120bg	language of the message on the local radio : dagara	discrete	numeric-8.0	6837	4	-
637	s120bx	language of the message on the local radio : others	discrete	numeric-8.0	6837	4	-
638	s120c	are these messages understandable to the local radio	discrete	numeric-8.0	2831	4010	-
639	s120da	messages broadcast time on the local radio : morning	discrete	numeric-8.0	6838	3	-
640	s120db	messages broadcast time on the local radio : noon	discrete	numeric-8.0	6838	3	-
641	s120dc	messages broadcast time on the local radio : afternoon	discrete	numeric-8.0	6838	3	-
642	s120dd	messages broadcast time on the local radio : evening	discrete	numeric-8.0	6838	3	-
643	s121a	see/hear messages about malaria on the local television	discrete	numeric-8.0	6840	1	-
644	s121ba	language of the message on the local television : french	discrete	numeric-8.0	6841	0	-
645	s121bb	language of the message on the local television : moore	discrete	numeric-8.0	6841	0	-
646	s121bc	language of the message on the local television : dioula	discrete	numeric-8.0	6841	0	-
647	s121bd	language of the message on the local television : peuhl/ fulfuldé	discrete	numeric-8.0	6841	0	-
648	s121be	language of the message on the local television : goulmantchema	discrete	numeric-8.0	6841	0	-
649	s121bf	language of the message on the local television : bissa	discrete	numeric-8.0	6841	0	-
650	s121bg	language of the message on the local television : dagara	discrete	numeric-8.0	6841	0	-
651	s121bx	language of the message on the local television : others	discrete	numeric-8.0	6841	0	-
652	s121c	are these messages understandable to the local television	discrete	numeric-8.0	705	6136	-
653	s121da	messages broadcast time on the local television : morning	discrete	numeric-8.0	6839	2	-
654	s121db	messages broadcast time on the local television : noon	discrete	numeric-8.0	6839	2	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
655	s121dc	messages broadcast time on the local television : afternoon	discrete	numeric-8.0	6839	2	-
656	s121dd	messages broadcast time on the local television : evening	discrete	numeric-8.0	6839	2	-
657	s122a	hear messages about malaria with health worker/ngos	discrete	numeric-8.0	6839	2	-
658	s122ba	language of the message with health worker/ngos : french	discrete	numeric-8.0	6837	4	-
659	s122bb	language of the message with health worker/ngos : moore	discrete	numeric-8.0	6837	4	-
660	s122bc	language of the message with health worker/ngos : dioula	discrete	numeric-8.0	6837	4	-
661	s122bd	language of the message with health worker/ngos : peuhl/ fulfuldé	discrete	numeric-8.0	6837	4	-
662	s122be	language of the message with health worker/ngos : goulmantchema	discrete	numeric-8.0	6837	4	-
663	s122bf	language of the message with health worker/ngos : bissa	discrete	numeric-8.0	6837	4	-
664	s122bg	language of the message with health worker/ngos : dagara	discrete	numeric-8.0	6837	4	-
665	s122bx	language of the message with health worker/ngos : others	discrete	numeric-8.0	6837	4	-
666	s122c	are these messages understandable with health worker/ngos	discrete	numeric-8.0	2350	4491	-
667	s123a	hear messages about malaria in the worship places	discrete	numeric-8.0	6834	7	-
668	s123ba	language of the message in the worship places : french	discrete	numeric-8.0	6840	1	-
669	s123bb	language of the message in the worship places : moore	discrete	numeric-8.0	6840	1	-
670	s123bc	language of the message in the worship places : dioula	discrete	numeric-8.0	6840	1	-
671	s123bd	language of the message in the worship places : peuhl/ fulfuldé	discrete	numeric-8.0	6840	1	-
672	s123be	language of the message in the worship places : goulmantchema	discrete	numeric-8.0	6840	1	-
673	s123bf	language of the message in the worship places : bissa	discrete	numeric-8.0	6840	1	-
674	s123bg	language of the message in the worship places : dagara	discrete	numeric-8.0	6840	1	-
675	s123bx	language of the message in the worship places : others	discrete	numeric-8.0	6840	1	-
676	s123c	are these messages understandable in the worship places	discrete	numeric-8.0	1197	5644	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
677	s124a	last 12 months : heard message on the radio	discrete	numeric-8.0	6841	0	-
678	s124b	last 12 months : heard /seen message on the television	discrete	numeric-8.0	6839	2	-
679	s124c	last 12 months : seen clips on the television	discrete	numeric-8.0	6839	2	-
680	s125	preferred form of mosquito net	discrete	numeric-8.0	6836	5	-
681	s126	preferred color of mosquito net	discrete	numeric-8.0	6837	4	-
682	s127	owns an itn	discrete	numeric-8.0	6838	3	-
683	s128	is satisfied with the size of the itn	discrete	numeric-8.0	6181	660	-
684	s129	slept under an itn previous night	discrete	numeric-8.0	6840	1	-
685	s130a	reason didn?t sleep under itn : bad odor	discrete	numeric-8.0	6837	4	-
686	s130b	reason didn?t sleep under itn : causes irritations/cough	discrete	numeric-8.0	6837	4	-
687	s130c	reason didn?t sleep under itn : makes person ill	discrete	numeric-8.0	6837	4	-
688	s130d	reason didn?t sleep under itn : nausea	discrete	numeric-8.0	6837	4	-
689	s130e	reason didn?t sleep under itn : has dangerous chemicals	discrete	numeric-8.0	6837	4	-
690	s130f	reason didn?t sleep under itn : can kill a foetus or cause miscarriage/stillbirt	discrete	numeric-8.0	6837	4	-
691	s130g	reason didn?t sleep under itn : can suffocate or cause difficulty breathing	discrete	numeric-8.0	6837	4	-
692	s130h	reason didn?t sleep under itn : do not like the form	discrete	numeric-8.0	6837	4	-
693	s130i	reason didn?t sleep under itn : heat	discrete	numeric-8.0	6837	4	-
694	s130j	reason didn?t sleep under itn : net quickly becomes dirty	discrete	numeric-8.0	6837	4	-
695	s130k	reason didn?t sleep under itn : do not like net	discrete	numeric-8.0	6837	4	-
696	s130l	reason didn?t sleep under itn : no net	discrete	numeric-8.0	6837	4	-
697	s130m	reason didn?t sleep under itn : unsatisfactory size	discrete	numeric-8.0	6837	4	-
698	s130n	reason didn?t sleep under itn : net not effective	discrete	numeric-8.0	6837	4	-
699	s130o	reason didn?t sleep under itn : no reason	discrete	numeric-8.0	6837	4	-
700	s130x	reason didn?t sleep under itn : other	discrete	numeric-8.0	6837	4	-

File BFKR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
701	s130z	reason didn?t sleep under itn : don't know	discrete	numeric-8.0	6837	4	-
702	s210	number of births in last 6 years	discrete	numeric-8.0	6841	0	-
703	s223	number of births since 2009	discrete	numeric-8.0	6841	0	-
704	s310	number of fansidar pills taken	discrete	numeric-8.0	4821	2020	-
705	s311	have you taken in the presence of health worker, at home or elsewhere?	discrete	numeric-8.0	4792	2049	-
706	s313	source of antimalarial during pregnancy	discrete	numeric-8.0	4696	2145	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
1	hhid	case identification	discrete	character-12	39529	0	-
2	hv002	household number	continuous	numeric-8.0	39529	0	-
3	hv003	respondent's line number (answering household questionnaire)	discrete	numeric-8.0	39529	0	-
4	hv004	ultimate area unit	continuous	numeric-8.0	39529	0	-
5	hv005	household sample weight (6 decimals)	continuous	numeric-12.0	39529	0	-
6	hv006	month of interview	discrete	numeric-8.0	39529	0	-
7	hv007	year of interview	discrete	numeric-8.0	39529	0	-
8	hv008	date of interview (cmc)	discrete	numeric-8.0	39529	0	-
9	hv009	number of household members	continuous	numeric-8.0	39529	0	-
10	hv010	number of eligible women in household	discrete	numeric-8.0	39529	0	-
11	hv011	na - number of eligible men in household	discrete	numeric-8.0	0	39529	-
12	hv012	number of de jure members	continuous	numeric-8.0	39529	0	-
13	hv013	number of de facto members	continuous	numeric-8.0	39529	0	-
14	hv014	number of children 5 and under (de jure)	discrete	numeric-8.0	39529	0	-
15	hv015	result of household interview	discrete	numeric-8.0	39529	0	-
16	hv016	day of interview	continuous	numeric-8.0	39529	0	-
17	hv017	number of visits	discrete	numeric-8.0	39529	0	-
18	hv020	ever-married sample	discrete	numeric-8.0	39529	0	-
19	hv021	primary sampling unit	continuous	numeric-8.0	39529	0	-
20	hv022	sample strata for sampling errors	discrete	numeric-8.0	39529	0	-
21	hv023	stratification used in sample design	discrete	numeric-8.0	39529	0	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
22	hv024	region	discrete	numeric-8.0	39529	0	-
23	hv025	type of place of residence	discrete	numeric-8.0	39529	0	-
24	hv026	place of residence	discrete	numeric-8.0	39529	0	-
25	hv027	na - household selected for male interview	discrete	numeric-8.0	0	39529	-
26	hv028	na - household weight for male subsample (6 decimals)	discrete	numeric-8.0	0	39529	-
27	hv035	number of eligible children for height and weight	discrete	numeric-8.0	39529	0	-
28	hv040	na - cluster altitude in meters	discrete	numeric-8.0	0	39529	-
29	hv041	na - total adults measured	discrete	numeric-8.0	0	39529	-
30	hv042	household selected for hemoglobin	discrete	numeric-8.0	39529	0	-
31	hv044	na - household selected for domestic violence module	discrete	numeric-8.0	0	39529	-
32	hv201	source of drinking water	discrete	numeric-8.0	39526	3	-
33	hv202	na - source of non-drinking water	discrete	numeric-8.0	0	39529	-
34	hv204	time to get to water source (minutes)	discrete	numeric-8.0	39325	204	-
35	hv205	type of toilet facility	discrete	numeric-8.0	39479	50	-
36	hv206	has electricity	discrete	numeric-8.0	39462	67	-
37	hv207	has radio	discrete	numeric-8.0	39464	65	-
38	hv208	has television	discrete	numeric-8.0	39434	95	-
39	hv209	has refrigerator	discrete	numeric-8.0	39433	96	-
40	hv210	has bicycle	discrete	numeric-8.0	39463	66	-
41	hv211	has motorcycle/scooter	discrete	numeric-8.0	39445	84	-
42	hv212	has car/truck	discrete	numeric-8.0	39484	45	-
43	hv213	main floor material	discrete	numeric-8.0	39505	24	-
44	hv214	main wall material	discrete	numeric-8.0	39513	16	-
45	hv215	main roof material	discrete	numeric-8.0	39504	25	-
46	hv216	number of rooms used for sleeping	continuous	numeric-8.0	39346	183	-
47	hv217	relationship structure	discrete	numeric-8.0	39529	0	-
48	hv218	line number of head of household	discrete	numeric-8.0	39529	0	-
49	hv219	sex of head of household	discrete	numeric-8.0	39529	0	-
50	hv220	age of head of household	discrete	numeric-8.0	39516	13	-
51	hv221	has telephone (land-line)	discrete	numeric-8.0	39463	66	-
52	hv225	share toilet with other households	discrete	numeric-8.0	17681	21848	-
53	hv226	type of cooking fuel	discrete	numeric-8.0	39471	58	-
54	hv227	has mosquito bed net for sleeping	discrete	numeric-8.0	39529	0	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
55	hv228	children under 5 slept under mosquito bed net last night	discrete	numeric-8.0	30033	9496	-
56	hv230a	na - place where household members wash their hands	discrete	numeric-8.0	0	39529	-
57	hv230b	na - presence of water at hand washing place	discrete	numeric-8.0	0	39529	-
58	hv232	na - items present: soap or detergent	discrete	numeric-8.0	0	39529	-
59	hv232b	na - items present: ash, mud, sand	discrete	numeric-8.0	0	39529	-
60	hv232c	na - items present: cs	discrete	numeric-8.0	0	39529	-
61	hv232d	na - items present: cs	discrete	numeric-8.0	0	39529	-
62	hv232e	na - items present: cs	discrete	numeric-8.0	0	39529	-
63	hv232y	na - items present: none	discrete	numeric-8.0	0	39529	-
64	hv234	na - result of salt test for iodine (ppm)	discrete	numeric-8.0	0	39529	-
65	hv234a	na - result of salt test for iodine	discrete	numeric-8.0	0	39529	-
66	hv235	location of source for water	discrete	numeric-8.0	36564	2965	-
67	hv236	na - person fetching water	discrete	numeric-8.0	0	39529	-
68	hv237	na - anything done to water to make safe to drink	discrete	numeric-8.0	0	39529	-
69	hv237a	na - water usually treated by: boil	discrete	numeric-8.0	0	39529	-
70	hv237b	na - water usually treated by: add bleach/chlorine	discrete	numeric-8.0	0	39529	-
71	hv237c	na - water usually treated by: strain through a cloth	discrete	numeric-8.0	0	39529	-
72	hv237d	na - water usually treated by: use water filter	discrete	numeric-8.0	0	39529	-
73	hv237e	na - water usually treated by: solar disinfection	discrete	numeric-8.0	0	39529	-
74	hv237f	na - water usually treated by: let it stand and settle	discrete	numeric-8.0	0	39529	-
75	hv237g	na - water usually treated by: cs	discrete	numeric-8.0	0	39529	-
76	hv237h	na - water usually treated by: cs	discrete	numeric-8.0	0	39529	-
77	hv237i	na - water usually treated by: cs	discrete	numeric-8.0	0	39529	-
78	hv237j	na - water usually treated by: cs	discrete	numeric-8.0	0	39529	-
79	hv237k	na - water usually treated by: cs	discrete	numeric-8.0	0	39529	-
80	hv237x	na - water usually treated by: other	discrete	numeric-8.0	0	39529	-
81	hv237z	na - water usually treated by: don't know	discrete	numeric-8.0	0	39529	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
82	hv238	number of households sharing toilet	discrete	numeric-8.0	9280	30249	-
83	hv239	na - food cooked on stove or open fire	discrete	numeric-8.0	0	39529	-
84	hv240	na - household has a chimney, hood or neither	discrete	numeric-8.0	0	39529	-
85	hv241	na - food cooked in the house/ separate building/ outdoors	discrete	numeric-8.0	0	39529	-
86	hv242	na - household has separate room used as kitchen	discrete	numeric-8.0	0	39529	-
87	hv243a	has mobile telephone	discrete	numeric-8.0	39467	62	-
88	hv243b	has watch	discrete	numeric-8.0	39441	88	-
89	hv243c	has animal-drawn cart	discrete	numeric-8.0	39454	75	-
90	hv243d	has boat with a motor	discrete	numeric-8.0	39468	61	-
91	hv244	owns land usable for agriculture	discrete	numeric-8.0	39518	11	-
92	hv245	hectares of agricultural land (1 decimal)	discrete	numeric-8.0	34017	5512	-
93	hv246	owns livestock, herds or farm animals	discrete	numeric-8.0	39529	0	-
94	hv246a	na - owns cattle	discrete	numeric-8.0	0	39529	-
95	hv246b	owns cows/ bulls	discrete	numeric-8.0	39512	17	-
96	hv246c	owns horses/ donkeys/ mules	discrete	numeric-8.0	39512	17	-
97	hv246d	owns goats	discrete	numeric-8.0	39512	17	-
98	hv246e	owns sheep	discrete	numeric-8.0	39512	17	-
99	hv246f	owns chickens	discrete	numeric-8.0	39470	59	-
100	hv246g	owns pigs	discrete	numeric-8.0	39512	17	-
101	hv246h	na - owns cs	discrete	numeric-8.0	0	39529	-
102	hv246i	na - owns cs	discrete	numeric-8.0	0	39529	-
103	hv246j	na - owns cs	discrete	numeric-8.0	0	39529	-
104	hv246k	na - owns cs	discrete	numeric-8.0	0	39529	-
105	hv247	has bank account	discrete	numeric-8.0	39255	274	-
106	hv252	na - frequency household members smoke inside the house	discrete	numeric-8.0	0	39529	-
107	hv253	has dwelling been sprayed against mosquitoes in last 12 months	discrete	numeric-8.0	39446	83	-
108	hv253a	dwelling sprayed by: government worker/program	discrete	numeric-8.0	39415	114	-
109	hv253b	dwelling sprayed by: private company	discrete	numeric-8.0	39415	114	-
110	hv253c	dwelling sprayed by: ngo	discrete	numeric-8.0	39415	114	-
111	hv253d	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	39529	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
112	hv253e	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	39529	-
113	hv253f	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	39529	-
114	hv253g	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	39529	-
115	hv253h	na - dwelling sprayed by: cs	discrete	numeric-8.0	0	39529	-
116	hv253x	dwelling sprayed by: other	discrete	numeric-8.0	39415	114	-
117	hv253z	dwelling sprayed by: don't know	discrete	numeric-8.0	39415	114	-
118	hv270	wealth index	discrete	numeric-8.0	39529	0	-
119	hv271	wealth index factor score (5 decimals)	continuous	numeric-12.0	39529	0	-
120	hml1	number of mosquito bed nets	discrete	numeric-8.0	39529	0	-
121	hml1a	number of mosquito bed nets with specific information	discrete	numeric-8.0	39529	0	-
122	hml2	number of children under mosquito bed net previous night	discrete	numeric-8.0	39529	0	-
123	chl0	na - number of de-jure children 5-14 for child labor module	discrete	numeric-8.0	0	39529	-
124	shconces	concession	continuous	numeric-8.0	39529	0	-
125	sh110g	table	discrete	numeric-8.0	39447	82	-
126	sh110h	chair	discrete	numeric-8.0	39472	57	-
127	sh110i	cupboard/library	discrete	numeric-8.0	39468	61	-
128	sh110j	stove/cooker	discrete	numeric-8.0	39491	38	-
129	sh110k	freezer	discrete	numeric-8.0	39487	42	-
130	sh110l	shotgun	discrete	numeric-8.0	39468	61	-
131	sh110m	plow	discrete	numeric-8.0	39434	95	-
132	sh118a	has canoe	discrete	numeric-8.0	39453	76	-
133	sh125a	mosquitoes reduced since the sprayed?	discrete	numeric-8.0	264	39265	-
134	sh137	has mosquito nets before 2013 distribution campaign	discrete	numeric-8.0	39523	6	-
135	sh138	number of nets before the campaign	discrete	numeric-8.0	30627	8902	-
136	sh140	the net from the campaign was used	discrete	numeric-8.0	6377	33152	-
137	sh141a	reason not used: net not powerfull	discrete	numeric-8.0	39518	11	-
138	sh141b	reason not used: members don't like mosquito	discrete	numeric-8.0	39518	11	-
139	sh141c	reason not used: size not satisfy	discrete	numeric-8.0	39518	11	-
140	sh141d	reason not used: form not satify	discrete	numeric-8.0	39518	11	-
141	sh141e	reason not used: bad odor	discrete	numeric-8.0	39518	11	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
142	sh141f	reason not used: causes irritation/cough	discrete	numeric-8.0	39518	11	-
143	sh141g	reason not used: make sick	discrete	numeric-8.0	39518	11	-
144	sh141h	reason not used: gives nausea	discrete	numeric-8.0	39518	11	-
145	sh141i	reason not used: hazardous chemical	discrete	numeric-8.0	39518	11	-
146	sh141j	reason not used: can suffocate/breathing difficult	discrete	numeric-8.0	39518	11	-
147	sh141k	reason not used: heat	discrete	numeric-8.0	39518	11	-
148	sh141l	reason not used: mosquito dirty quickly	discrete	numeric-8.0	39518	11	-
149	sh141m	reason not used : no raison	discrete	numeric-8.0	39518	11	-
150	sh141x	reason not used: other	discrete	numeric-8.0	39518	11	-
151	sh141z	reason not used: don't now	discrete	numeric-8.0	39518	11	-
152	sh142	are all these mosquito nets used?	discrete	numeric-8.0	24231	15298	-
153	sh143a	reason not using all campaign nets : net not powerfull	discrete	numeric-8.0	39364	165	-
154	sh143b	reason not using all campaign nets : members don't like mosquito	discrete	numeric-8.0	39364	165	-
155	sh143c	reason not using all campaign nets : size not satisfy	discrete	numeric-8.0	39364	165	-
156	sh143d	reason not using all campaign nets : form not satify	discrete	numeric-8.0	39364	165	-
157	sh143e	reason not using all campaign nets : bad odor	discrete	numeric-8.0	39364	165	-
158	sh143f	reason not using all campaign nets : causes irritation/cough	discrete	numeric-8.0	39364	165	-
159	sh143g	reason not using all campaign nets : make sick	discrete	numeric-8.0	39364	165	-
160	sh143h	reason not using all campaign nets : gives nausea	discrete	numeric-8.0	39364	165	-
161	sh143i	reason not using all campaign nets : hazardous chemical	discrete	numeric-8.0	39364	165	-
162	sh143j	reason not using all campaign nets : can suffocate/breathing difficult	discrete	numeric-8.0	39364	165	-
163	sh143k	reason not using all campaign nets : heat	discrete	numeric-8.0	39364	165	-
164	sh143l	reason not using all campaign nets :mosquito dirty quickly	discrete	numeric-8.0	39364	165	-
165	sh143m	reason not using all campaign nets : no reason	discrete	numeric-8.0	39364	165	-
166	sh143x	reason not using all campaign nets : other	discrete	numeric-8.0	39364	165	-
167	sh143z	reason not using all campaign nets : don't now	discrete	numeric-8.0	39364	165	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
168	sh144	received nets during the distribution campaign 2013-2014	discrete	numeric-8.0	39528	1	-
169	sh145	number of nets received	discrete	numeric-8.0	32659	6870	-
170	sh146	does anyone have visited your household after the campaign to talk about nets?	discrete	numeric-8.0	39437	92	-
171	sh147a	showed how to suspend the net?	discrete	numeric-8.0	2656	36873	-
172	sh147b	explained the importance of sleeping each night under a llin	discrete	numeric-8.0	2712	36817	-
173	hv101	relationship to head	discrete	numeric-8.0	39524	5	-
174	hv102	usual resident	discrete	numeric-8.0	39524	5	-
175	hv103	slept last night	discrete	numeric-8.0	39367	162	-
176	hv104	sex of household member	discrete	numeric-8.0	39529	0	-
177	hv105	age of household members	discrete	numeric-8.0	39525	4	-
178	hv106	na - highest educational level attained	discrete	numeric-8.0	0	39529	-
179	hv107	na - highest year of education completed	discrete	numeric-8.0	0	39529	-
180	hv108	na - education completed in single years	discrete	numeric-8.0	0	39529	-
181	hv109	na - educational attainment	discrete	numeric-8.0	0	39529	-
182	hv110	na - member still in school	discrete	numeric-8.0	0	39529	-
183	hv111	na - mother alive	discrete	numeric-8.0	0	39529	-
184	hv112	na - mother's line number	discrete	numeric-8.0	0	39529	-
185	hv113	na - father alive	discrete	numeric-8.0	0	39529	-
186	hv114	na - father's line number	discrete	numeric-8.0	0	39529	-
187	hv115	current marital status	discrete	numeric-8.0	19944	19585	-
188	hv116	currently, formerly, never married	discrete	numeric-8.0	19944	19585	-
189	hv117	eligibility for female interview	discrete	numeric-8.0	39529	0	-
190	hv118	na - eligibility for male interview	discrete	numeric-8.0	0	39529	-
191	hv120	children eligibility for height/ weight and hemoglobin	discrete	numeric-8.0	39529	0	-
192	hv121	na - member attended school during current school year	discrete	numeric-8.0	0	39529	-
193	hv122	na - educational level during current school year	discrete	numeric-8.0	0	39529	-
194	hv123	na - grade of education during current school year	discrete	numeric-8.0	0	39529	-
195	hv124	na - education in single years - current school year	discrete	numeric-8.0	0	39529	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
196	hv125	na - member attended school during previous school year	discrete	numeric-8.0	0	39529	-
197	hv126	na - educational level during previous school year	discrete	numeric-8.0	0	39529	-
198	hv127	na - grade of education during previous school year	discrete	numeric-8.0	0	39529	-
199	hv128	na - education in single years - previous school year	discrete	numeric-8.0	0	39529	-
200	hv129	na - school attendance status	discrete	numeric-8.0	0	39529	-
201	hv140	na - member has a birth certificate	discrete	numeric-8.0	0	39529	-
202	idxh4	index to household schedule	continuous	numeric-8.0	39529	0	-
203	sh03	relationship to head	discrete	numeric-8.0	39524	5	-
204	sh215	result of malaria rapid test	discrete	numeric-8.0	6155	33374	-
205	sh218a	child suffering any illnesses or symptoms: extreme weakness	discrete	numeric-8.0	3958	35571	-
206	sh218b	child suffering any illnesses or symptoms: heart problem	discrete	numeric-8.0	3958	35571	-
207	sh218c	child suffering any illnesses or symptoms: loss of consciousness	discrete	numeric-8.0	3958	35571	-
208	sh218d	child suffering any illnesses or symptoms: deep breathing	discrete	numeric-8.0	3958	35571	-
209	sh218e	child suffering any illnesses or symptoms: convulsions	discrete	numeric-8.0	3958	35571	-
210	sh218f	child suffering any illnesses or symptoms: bleeding	discrete	numeric-8.0	3958	35571	-
211	sh218g	child suffering any illnesses or symptoms: jaundice	discrete	numeric-8.0	3958	35571	-
212	sh218h	child suffering any illnesses or symptoms: dark urine	discrete	numeric-8.0	3958	35571	-
213	sh218y	child suffering any illnesses or symptoms: no symptoms	discrete	numeric-8.0	3958	35571	-
214	sh222	taking cta to treat the malaria	discrete	numeric-8.0	3316	36213	-
215	sh225	acceptance of medicine	discrete	numeric-8.0	2547	36982	-
216	sh227	result code of malaria treatment and referral	discrete	numeric-8.0	3948	35581	-
217	scweight	child weight (to be used only for malaria laboratory test results - 6 decimals)	continuous	numeric-12.0	6336	33193	-
218	ha0	na - index to household schedule	discrete	numeric-8.0	0	39529	-
219	ha1	na - woman's age in years	discrete	numeric-8.0	0	39529	-
220	ha2	na - woman's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	39529	-
221	ha3	na - woman's height in centimeters (1 decimal)	discrete	numeric-8.0	0	39529	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
222	ha4	na - height/age percentile	discrete	numeric-8.0	0	39529	-
223	ha5	na - height/age standard deviation	discrete	numeric-8.0	0	39529	-
224	ha6	na - height/age percent ref. median	discrete	numeric-8.0	0	39529	-
225	ha11	na - weight/height standard deviation (dhs)	discrete	numeric-8.0	0	39529	-
226	ha12	na - weight/height percent ref. median (dhs)	discrete	numeric-8.0	0	39529	-
227	ha12a	na - weight/height percent ref. median (fog)	discrete	numeric-8.0	0	39529	-
228	ha12b	na - weight/height percent ref. median (who)	discrete	numeric-8.0	0	39529	-
229	ha13	na - result of measurement - height/weight	discrete	numeric-8.0	0	39529	-
230	ha32	na - date of birth (cmc)	discrete	numeric-8.0	0	39529	-
231	ha33	na - completeness of ha32 information	discrete	numeric-8.0	0	39529	-
232	ha35	na - smoking (cigarettes in last 24 hours)	discrete	numeric-8.0	0	39529	-
233	ha40	na - body mass index	discrete	numeric-8.0	0	39529	-
234	ha41	na - rohrer's index	discrete	numeric-8.0	0	39529	-
235	ha50	na - under age 18	discrete	numeric-8.0	0	39529	-
236	ha51	na - line number of parent/ caretaker	discrete	numeric-8.0	0	39529	-
237	ha52	na - read consent statement - hemoglobin	discrete	numeric-8.0	0	39529	-
238	ha53	na - hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	0	39529	-
239	ha54	na - currently pregnant	discrete	numeric-8.0	0	39529	-
240	ha55	na - result of measurement - hemoglobin	discrete	numeric-8.0	0	39529	-
241	ha56	na - hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)	discrete	numeric-8.0	0	39529	-
242	ha57	na - anemia level	discrete	numeric-8.0	0	39529	-
243	ha58	na - agrees to referral - anemia	discrete	numeric-8.0	0	39529	-
244	ha60	na - marital status	discrete	numeric-8.0	0	39529	-
245	ha61	na - read consent statement - hiv	discrete	numeric-8.0	0	39529	-
246	ha62	na - bar code for hiv blood sample	discrete	character-1	0	0	-
247	ha63	na - result of measurement - hiv	discrete	numeric-8.0	0	39529	-
248	ha64	na - consent for additional tests	discrete	numeric-8.0	0	39529	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
249	ha65	na - result of woman's individual interview	discrete	numeric-8.0	0	39529	-
250	ha66	na - woman's highest educational level	discrete	numeric-8.0	0	39529	-
251	ha67	na - woman's highest year of education	discrete	numeric-8.0	0	39529	-
252	ha68	na - woman's highest educational level (for preliminary and final report)	discrete	numeric-8.0	0	39529	-
253	ha69	na - hiv weight (6 decimals)	discrete	numeric-8.0	0	39529	-
254	ha70	na - interviewer that took blood for hiv testing	discrete	numeric-8.0	0	39529	-
255	hc0	index to household schedule	continuous	numeric-8.0	7074	32455	-
256	hc1	child's age in months	continuous	numeric-8.0	7074	32455	-
257	hc2	na - child's weight in kilograms (1 decimal)	discrete	numeric-8.0	0	39529	-
258	hc3	na - child's height in centimeters (1 decimal)	discrete	numeric-8.0	0	39529	-
259	hc4	na - height/age percentile	discrete	numeric-8.0	0	39529	-
260	hc5	na - height/age standard deviation	discrete	numeric-8.0	0	39529	-
261	hc6	na - height/age percent of ref. median	discrete	numeric-8.0	0	39529	-
262	hc7	na - weight/age percentile	discrete	numeric-8.0	0	39529	-
263	hc8	na - weight/age standard deviation	discrete	numeric-8.0	0	39529	-
264	hc9	na - weight/age percent of ref. median	discrete	numeric-8.0	0	39529	-
265	hc10	na - weight/height percentile	discrete	numeric-8.0	0	39529	-
266	hc11	na - weight/height standard deviation	discrete	numeric-8.0	0	39529	-
267	hc12	na - weight/height percent of ref. median	discrete	numeric-8.0	0	39529	-
268	hc13	na - result of measurement - height/weight	discrete	numeric-8.0	0	39529	-
269	hc15	na - height: lying or standing	discrete	numeric-8.0	0	39529	-
270	hc16	day of birth	discrete	numeric-8.0	6878	32651	-
271	hc17	date measured (day)	continuous	numeric-8.0	7074	32455	-
272	hc18	date measured (month)	discrete	numeric-8.0	7074	32455	-
273	hc19	date measured (year)	discrete	numeric-8.0	7074	32455	-
274	hc27	sex	discrete	numeric-8.0	7074	32455	-
275	hc30	month of birth	discrete	numeric-8.0	7074	32455	-
276	hc31	year of birth	discrete	numeric-8.0	7074	32455	-
277	hc32	date of birth (cmc)	continuous	numeric-8.0	7074	32455	-
278	hc33	completeness of hc32 information	discrete	numeric-8.0	7074	32455	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
279	hc51	line number of parent/ caretaker	discrete	numeric-8.0	6311	33218	-
280	hc52	read consent statement - hemoglobin	discrete	numeric-8.0	6288	33241	-
281	hc53	hemoglobin level (g/dl - 1 decimal)	discrete	numeric-8.0	6283	33246	-
282	hc55	result of measurement - hemoglobin	discrete	numeric-8.0	6283	33246	-
283	hc56	hemoglobin level adjusted for altitude (g/dl - 1 decimal)	discrete	numeric-8.0	6155	33374	-
284	hc57	anemia level	discrete	numeric-8.0	6155	33374	-
285	hc58	na - agrees to referral - anemia	discrete	numeric-8.0	0	39529	-
286	hc60	mother's line number (woman's questionnaire)	discrete	numeric-8.0	7074	32455	-
287	hc61	mother's highest educational level	discrete	numeric-8.0	6327	33202	-
288	hc62	mother's highest year of education	discrete	numeric-8.0	1198	38331	-
289	hc63	preceding birth interval (months)	continuous	numeric-8.0	3244	36285	-
290	hc64	birth order number	discrete	numeric-8.0	6327	33202	-
291	hc68	mother's highest educational level (for preliminary and final report)	discrete	numeric-8.0	6327	33202	-
292	hc70	na - height/age standard deviation (new who)	discrete	numeric-8.0	0	39529	-
293	hc71	na - weight/age standard deviation (new who)	discrete	numeric-8.0	0	39529	-
294	hc72	na - weight/height standard deviation (new who)	discrete	numeric-8.0	0	39529	-
295	hc73	na - bmi standard deviation (new who)	discrete	numeric-8.0	0	39529	-
296	hmlidx	mosquito bed net designation number	discrete	numeric-8.0	26778	12751	-
297	hml3	net observed by interviewer	discrete	numeric-8.0	26731	12798	-
298	hml4	months ago net obtained	discrete	numeric-8.0	26748	12781	-
299	hml5	net treated with insecticide when bought	discrete	numeric-8.0	371	39158	-
300	hml6	net treatment status	discrete	numeric-8.0	26749	12780	-
301	hml7	brand of net	discrete	numeric-8.0	26749	12780	-
302	hml8	na - net treated since receiving	discrete	numeric-8.0	0	39529	-
303	hml9	na - time since last re-treatment (months)	discrete	numeric-8.0	0	39529	-
304	hml10	insecticide-treated net (itn)	discrete	numeric-8.0	26778	12751	-
305	hml11	number of persons who slept under this net	discrete	numeric-8.0	26778	12751	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
306	hml21	someone slept under this net last night	discrete	numeric-8.0	26778	12751	-
307	hmla	line number of person who slept in this net	discrete	numeric-8.0	26776	12753	-
308	hmlb	line number of person who slept in this net	continuous	numeric-8.0	21492	18037	-
309	hmlc	line number of person who slept in this net	continuous	numeric-8.0	12620	26909	-
310	hmld	line number of person who slept in this net	continuous	numeric-8.0	4089	35440	-
311	hmle	na - line number of person who slept in this net	discrete	numeric-8.0	0	39529	-
312	sh131a	form of mosquito net	discrete	numeric-8.0	26705	12824	-
313	sh131b	source obtained net	discrete	numeric-8.0	25822	13707	-
314	sh131c	net hung when obtained	discrete	numeric-8.0	26778	12751	-
315	sh131d	person who hung the net	discrete	numeric-8.0	26570	12959	-
316	hmhidx	index to household schedule	continuous	numeric-8.0	39529	0	-
317	hml12	type of mosquito bed net(s) person slept under last night	discrete	numeric-8.0	39529	0	-
318	hml13	net designation number (hmlidx) for 1st net person slept under last night	discrete	numeric-8.0	39529	0	-
319	hml14	net designation number (hmlidx) for 2nd net person slept under last night	discrete	numeric-8.0	109	39420	-
320	hml15	net designation number (hmlidx) for 3rd net person slept under last night	discrete	numeric-8.0	1	39528	-
321	hml16	corrected age from individual file	discrete	numeric-8.0	39525	4	-
322	hml16a	age in months (for children)	continuous	numeric-8.0	8419	31110	-
323	hml17	flag for age from individual file	discrete	numeric-8.0	39529	0	-
324	hml18	pregnancy status from individual file	discrete	numeric-8.0	8280	31249	-
325	hml19	person slept under an ever-treated net	discrete	numeric-8.0	39529	0	-
326	hml20	person slept under an llin net	discrete	numeric-8.0	39529	0	-
327	hml30	line number of parent/ caretaker (for malaria testing)	discrete	numeric-8.0	6311	33218	-
328	hml31	read consent statement for malaria	discrete	numeric-8.0	6283	33246	-
329	hml32	final result of malaria from blood smear test	discrete	numeric-8.0	6282	33247	-
330	hml32a	na - presence of species: falciparum (pf)	discrete	numeric-8.0	0	39529	-
331	hml32b	na - presence of species: malariae (pm)	discrete	numeric-8.0	0	39529	-

File BFPR71FL

#	Name	Label	Type	Format	Valid	Invalid	Question
332	hml32c	na - presence of species: ovale (po)	discrete	numeric-8.0	0	39529	-
333	hml32d	na - presence of species: vivax (pv)	discrete	numeric-8.0	0	39529	-
334	hml32e	na - presence of species: cs	discrete	numeric-8.0	0	39529	-
335	hml32f	na - presence of species: cs	discrete	numeric-8.0	0	39529	-
336	hml32g	na - presence of species: cs	discrete	numeric-8.0	0	39529	-
337	hml33	result of malaria measurement	discrete	numeric-8.0	6284	33245	-
338	hml34	bar code for blood smear sample	discrete	character-5	6311	0	-
339	hml35	result of malaria rapid test	discrete	numeric-8.0	6155	33374	-

Variables Description

Dataset contains 7724 variable(s)

File : BFHR71FL

hhid: case identification

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

hv000: country code and phase

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
BF6		6448	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv001: cluster number

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=125.965 /-] [StdDev=72.778 /-]

hv004: ultimate area unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=125.965 /-] [StdDev=72.778 /-]

hv005: household sample weight (6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 242411-5743427] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=999999.982 /-] [StdDev=621531.887 /-]

hv006: month of interview

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
9		255	4.0%
10		3184	49.4%
11		3003	46.6%
12		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv007: year of interview

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2014		6448	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv008: date of interview (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 1377-1380] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1377		255	4.0%
1378		3184	49.4%
1379		3003	46.6%

File : BFHR71FL

hv008: date of interview (cmc)

Value	Label	Cases	Percentage
1380		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv010: number of eligible women in household

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1121	17.4%
1		3376	52.4%
2		1327	20.6%
3		410	6.4%
4		147	2.3%
5		50	0.8%
6		7	0.1%
7		8	0.1%
10		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv011: na - number of eligible men in household

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv012: number of de jure members

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=6.084 /-] [StdDev=3.688 /-]

hv013: number of de facto members

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=5.954 /-] [StdDev=3.695 /-]

hv014: number of children 5 and under (de jure)

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		2031	31.5%
1		1914	29.7%
2		1631	25.3%
3		536	8.3%
4		213	3.3%
5		75	1.2%
6		31	0.5%
7		11	0.2%

File : BFHR71FL

hv014: number of children 5 and under (de jure)

Value	Label	Cases	Percentage
8		4	0.1%
9		1	0.0%
10		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv015: result of household interview

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	completed	6448	100.0%
2	no household member/no competent member at home	0	
3	entire household absent for extended period of time	0	
4	postponed	0	
5	refused	0	
6	dwelling vacant or address not a dwelling	0	
7	dwelling destroyed	0	
8	dwelling not found	0	
9	other	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv016: day of interview

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=16.547 /-] [StdDev=8.519 /-]

hv017: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6086	94.4%
2		281	4.4%
3		81	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv020: ever-married sample

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	all woman sample	6448	100.0%
1	ever married sample	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv021: primary sampling unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=125.965 /-] [StdDev=72.778 /-]

File : BFHR71FL

hv022: sample strata for sampling errors

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	52	0.8%
2	boucle du mouhoun rural	467	7.2%
3	cascades urbain	102	1.6%
4	cascades rural	388	6.0%
5	centre urbain	384	6.0%
6	centre rural	104	1.6%
7	centre est urbain	103	1.6%
8	centre est rural	416	6.5%
9	centre nord urbain	52	0.8%
10	centre nord rural	433	6.7%
11	centre ouest urbain	71	1.1%
12	centre ouest rural	414	6.4%
13	centre sud urbain	78	1.2%
14	centre sud rural	413	6.4%
15	est urbain	50	0.8%
16	est rural	463	7.2%
17	hauts-bassins urbain	182	2.8%
18	hauts-bassins rural	308	4.8%
19	nord urbain	76	1.2%
20	nord rural	424	6.6%
21	plateau central urbain	49	0.8%
22	plateau central rural	423	6.6%
23	sahel urbain	46	0.7%
24	sahel rural	463	7.2%
25	sud ouest urbain	73	1.1%
26	sud ouest rural	414	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv023: stratification used in sample design

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	52	0.8%
2	boucle du mouhoun rural	467	7.2%
3	cascades urbain	102	1.6%
4	cascades rural	388	6.0%
5	centre urbain	384	6.0%
6	centre rural	104	1.6%
7	centre est urbain	103	1.6%
8	centre est rural	416	6.5%
9	centre nord urbain	52	0.8%

File : BFHR71FL

hv023: stratification used in sample design

Value	Label	Cases	Percentage
10	centre nord rural	433	6.7%
11	centre ouest urbain	71	1.1%
12	centre ouest rural	414	6.4%
13	centre sud urbain	78	1.2%
14	centre sud rural	413	6.4%
15	est urbain	50	0.8%
16	est rural	463	7.2%
17	hauts-bassins urbain	182	2.8%
18	hauts-bassins rural	308	4.8%
19	nord urbain	76	1.2%
20	nord rural	424	6.6%
21	plateau central urbain	49	0.8%
22	plateau central rural	423	6.6%
23	sahel urbain	46	0.7%
24	sahel rural	463	7.2%
25	sud ouest urbain	73	1.1%
26	sud ouest rural	414	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle de mouhoun	519	8.0%
2	cascades	490	7.6%
3	centre	488	7.6%
4	centre-est	519	8.0%
5	centre-nord	485	7.5%
6	centre-ouest	485	7.5%
7	centre-sud	491	7.6%
8	est	513	8.0%
9	hauts basins	490	7.6%
10	nord	500	7.8%
11	plateau central	472	7.3%
12	sahel	509	7.9%
13	sud-ouest	487	7.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	1318	20.4%
2	rural	5130	79.6%

File : BFHR71FL

hv025: type of place of residence

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv026: place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	384	6.0%
1	small city	934	14.5%
2	countryside	5130	79.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv027: na - household selected for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not selected	0	
1	men's survey	0	
2	husband's survey	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv028: na - household weight for male subsample (6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv035: number of eligible children for height and weight

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		2237	34.7%
1		2233	34.6%
2		1385	21.5%
3		391	6.1%
4		141	2.2%
5		41	0.6%
6		13	0.2%
7		5	0.1%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv040: na - cluster altitude in meters

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

File : BFHR71FL

hv040: na - cluster altitude in meters

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv041: na - total adults measured

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv042: household selected for hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not selected	0	
1	selected	6448	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv044: na - household selected for domestic violence module

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	household not selected	0	
1	household selected	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv201: source of drinking water

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
10	piped water	0	
11	piped into dwelling	61	0.9%
12	piped to yard/plot	444	6.9%
13	public tap/standpipe	854	13.2%
14	piped from the neighbor	8	0.1%
20	tube well water	0	
21	tube well or borehole	3224	50.0%
30	dug well (open/protected)	0	
31	protected well	351	5.4%
32	unprotected well	1084	16.8%
40	surface water	0	
41	protected spring	9	0.1%
42	unprotected spring	140	2.2%

File : BFHR71FL

hv201: source of drinking water

Value	Label	Cases	Percentage
43	river/dam/lake/ponds/stream/canal/irrigation channel	184	2.9%
51	rainwater	3	0.0%
61	tanker truck	1	0.0%
62	cart with small tank	42	0.7%
71	bottled water	40	0.6%
96	other	2	0.0%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv202: na - source of non-drinking water

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
10	piped water	0	
11	piped into dwelling	0	
12	piped to yard/plot	0	
13	public tap/standpipe	0	
20	tube well water	0	
21	tube well or borehole	0	
30	dug well (open/protected)	0	
31	protected well	0	
32	unprotected well	0	
40	surface water	0	
41	protected spring	0	
42	unprotected spring	0	
43	river/dam/lake/ponds/stream/canal/irrigation channel	0	
51	rainwater	0	
61	tanker truck	0	
62	cart with small tank	0	
71	bottled water	0	
96	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv204: time to get to water source (minutes)

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=6400 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
1		28	0.4%
2		64	1.0%
3		59	0.9%
4		29	0.5%
5		522	8.2%
6		38	0.6%

File : BFHR71FL

hv204: time to get to water source (minutes)

Value	Label	Cases	Percentage
7		27	0.4%
8		28	0.4%
9		6	0.1%
10		865	13.5%
11		3	0.0%
12		10	0.2%
13		5	0.1%
14		3	0.0%
15		671	10.5%
16		10	0.2%
17		5	0.1%
18		4	0.1%
19		1	0.0%
20		588	9.2%
21		2	0.0%
23		2	0.0%
24		1	0.0%
25		74	1.2%
26		2	0.0%
27		1	0.0%
30		859	13.4%
32		1	0.0%
34		1	0.0%
35		42	0.7%
36		2	0.0%
37		1	0.0%
39		1	0.0%
40		169	2.6%
42		1	0.0%
45		136	2.1%
46		1	0.0%
48		1	0.0%
49		1	0.0%
50		33	0.5%
52		1	0.0%
55		1	0.0%
59		1	0.0%
60		665	10.4%
61		1	0.0%
63		3	0.0%
64		1	0.0%
65		12	0.2%
66		1	0.0%

File : BFHR71FL

hv204: time to get to water source (minutes)

Value	Label	Cases	Percentage
68		1	0.0%
70		13	0.2%
75		7	0.1%
80		9	0.1%
90		72	1.1%
95		2	0.0%
100		2	0.0%
110		2	0.0%
120		272	4.2%
125		3	0.0%
138		1	0.0%
140		3	0.0%
145		3	0.0%
150		5	0.1%
160		2	0.0%
180		45	0.7%
190		1	0.0%
200		1	0.0%
210		1	0.0%
240		17	0.3%
280		1	0.0%
300		10	0.2%
480		1	0.0%
996	on premises	730	11.4%
998	don't know	213	3.3%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv205: type of toilet facility

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=6439 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
10	flush toilet	0	
11	flush to piped sewer system	17	0.3%
12	flush to septic tank	118	1.8%
13	flush to pit latrine	6	0.1%
14	flush to somewhere else	0	
15	flush, don't know where	0	
20	pit toilet latrine	0	
21	ventilated improved pit latrine (vip)	21	0.3%
22	pit latrine with slab	2568	39.9%
23	pit latrine without slab/open pit	153	2.4%
30	no facility	0	
31	no facility/bush/field	3538	54.9%

File : BFHR71FL

hv205: type of toilet facility

Value	Label	Cases	Percentage
41	composting toilet	12	0.2%
42	bucket toilet	0	
43	hanging toilet/latrine	0	
96	other	6	0.1%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv206: has electricity

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6440 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	5558	86.3%
1	yes	882	13.7%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv207: has radio

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6440 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	2765	42.9%
1	yes	3675	57.1%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv208: has television

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6437 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	5226	81.2%
1	yes	1211	18.8%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv209: has refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6432 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6158	95.7%
1	yes	274	4.3%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv210: has bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File : BFHR71FL

hv210: has bicycle

Statistics [NW/ W]	[Valid=6437 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	1206	18.7%
1	yes	5231	81.3%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv211: has motorcycle/scooter

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6436 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	3382	52.5%
1	yes	3054	47.5%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv212: has car/truck

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6442 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	no	6316	98.0%
1	yes	126	2.0%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv213: main floor material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=6440 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	earth/sand	3120	48.4%
12	dung	505	7.8%
20	rudimentary	0	
21	wood planks	0	
22	palm/bambou	0	
30	finished	0	
31	parquet or polished wood	0	
32	vinyl or asphalt strips	0	
33	ceramic tiles	138	2.1%
34	cement	2674	41.5%
35	carpet	0	
96	other	3	0.0%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFHR71FL

hv214: main wall material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no walls	0	
12	cane/palm/trunks	293	4.5%
13	dirt	3485	54.1%
20	rudimentary	0	
21	bamboo with mud	61	0.9%
22	stone with mud	318	4.9%
23	uncovered adobe	254	3.9%
24	plywood	0	
25	cardboard	0	
26	reused wood	0	
30	finished	0	
31	cement	1175	18.2%
32	stone with lime/cement	52	0.8%
33	bricks	426	6.6%
34	cement blocks	36	0.6%
35	covered adobe	149	2.3%
36	wood planks/shingles	9	0.1%
96	other	185	2.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv215: main roof material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no roof	0	
12	thatch/palm leaf	1555	24.1%
13	sod	0	
20	rudimentary	0	
21	rustic mat	0	
22	palm/bamboo	0	
23	wood planks	0	
24	cardboard	0	
30	finished	0	
31	metal	4132	64.1%
32	wood	725	11.3%
33	zinc/cement fiber	0	
34	tiles/slate	0	
35	cement	0	

File : BFHR71FL

hv215: main roof material

Value	Label	Cases	Percentage
36	shingles	0	
96	other	31	0.5%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv216: number of rooms used for sleeping

Information	[Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=6421 /-] [Invalid=27 /-] [Mean=2.497 /-] [StdDev=1.528 /-]

hv217: relationship structure

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no adults	6	0.1%
1	one adult	674	10.5%
2	two adults, opposite sex	2306	35.8%
3	two adults, same sex	159	2.5%
4	three+ related adults	3089	47.9%
5	unrelated adults	214	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv218: line number of head of household

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6446	100.0%
2		1	0.0%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv219: sex of head of household

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	5665	87.9%
2	female	783	12.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv220: age of head of household

Information	[Type= discrete] [Format=numeric] [Range= 13-98] [Missing=*]
Statistics [NW/ W]	[Valid=6445 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
13		1	0.0%
15		1	0.0%
16		8	0.1%

File : BFHR71FL

hv220: age of head of household

Value	Label	Cases	Percentage
17		13	0.2%
18		20	0.3%
19		19	0.3%
20		59	0.9%
21		64	1.0%
22		84	1.3%
23		97	1.5%
24		108	1.7%
25		159	2.5%
26		125	1.9%
27		170	2.6%
28		145	2.2%
29		137	2.1%
30		253	3.9%
31		148	2.3%
32		222	3.4%
33		137	2.1%
34		137	2.1%
35		233	3.6%
36		149	2.3%
37		155	2.4%
38		118	1.8%
39		120	1.9%
40		228	3.5%
41		109	1.7%
42		167	2.6%
43		111	1.7%
44		104	1.6%
45		199	3.1%
46		103	1.6%
47		106	1.6%
48		103	1.6%
49		117	1.8%
50		167	2.6%
51		68	1.1%
52		127	2.0%
53		99	1.5%
54		92	1.4%
55		128	2.0%
56		102	1.6%
57		75	1.2%
58		76	1.2%
59		63	1.0%

File : BFHR71FL

hv220: age of head of household

Value	Label	Cases	Percentage
60		178	2.8%
61		53	0.8%
62		64	1.0%
63		45	0.7%
64		66	1.0%
65		103	1.6%
66		42	0.7%
67		49	0.8%
68		50	0.8%
69		35	0.5%
70		105	1.6%
71		27	0.4%
72		43	0.7%
73		29	0.4%
74		25	0.4%
75		52	0.8%
76		17	0.3%
77		20	0.3%
78		28	0.4%
79		12	0.2%
80		47	0.7%
81		14	0.2%
82		11	0.2%
83		6	0.1%
84		9	0.1%
85		18	0.3%
86		3	0.0%
87		12	0.2%
88		4	0.1%
89		6	0.1%
90		18	0.3%
91		1	0.0%
92		1	0.0%
93		3	0.0%
94		2	0.0%
95		21	0.3%
97	97+	0	
98	don't know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv221: has telephone (land-line)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6438 /-] [Invalid=10 /-]

File : BFHR71FL

hv221: has telephone (land-line)

Value	Label	Cases	Percentage
0	no	6365	98.9%
1	yes	73	1.1%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv225: share toilet with other households

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2899 /-] [Invalid=3549 /-]

Value	Label	Cases	Percentage
0	no	1202	41.5%
1	yes	1697	58.5%
Sysmiss		3549	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv226: type of cooking fuel

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=6441 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1	electricity	0	
2	lpg	421	6.5%
3	natural gas	0	
4	biogas	0	
5	kerosene	0	
6	coal, lignite	0	
7	charcoal	312	4.8%
8	wood	5577	86.6%
9	straw/shrubs/grass	0	
10	agricultural crop	0	
11	animal dung	0	
95	no food cooked in house	124	1.9%
96	other	7	0.1%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv227: has mosquito bed net for sleeping

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	540	8.4%
1	yes	5908	91.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv228: children under 5 slept under mosquito bed net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4129 /-] [Invalid=2319 /-]

Value	Label	Cases	Percentage
0	no	446	10.8%
1	all children	3080	74.6%
2	some children	305	7.4%
3	no net in household	298	7.2%
Sysmiss		2319	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv230a: na - place where household members wash their hands

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	observed	0	
2	not observed: not in dwelling	0	
3	not observed: no permission to see	0	
4	not observed: other reason	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv230b: na - presence of water at hand washing place

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	water not available	0	
1	water is available	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232: na - items present: soap or detergent

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232b: na - items present: ash, mud, sand

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232c: na - items present: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232d: na - items present: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

hv232d: na - items present: cs

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232e: na - items present: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232y: na - items present: none

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: no cleansing agent observed	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv234: na - result of salt test for iodine (ppm)

Information	[Type= discrete] [Format=numeric] [Range= 0-995] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	0 ppm (no iodine)	0	
7	below 15 ppm	0	
15	15 ppm and above	0	
30	30 ppm	0	
994	salt not tested	0	
995	no salt in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv234a: na - result of salt test for iodine

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no iodine	0	
1	iodine present	0	
3	no salt in household	0	
6	salt not tested	0	
Sysmiss		6448	

hv234a: na - result of salt test for iodine

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv235: location of source for water

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=5913 /-] [Invalid=535 /-]

Value	Label	Cases	Percentage
1	in own dwelling	42	0.7%
2	in own yard/plot	180	3.0%
3	elsewhere	5691	96.2%
Sysmiss		535	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv236: na - person fetching water

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	adult woman	0	
2	adult man	0	
3	female child under 15 years old	0	
4	male child under 15 years old	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237: na - anything done to water to make safe to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237a: na - water usually treated by: boil

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237b: na - water usually treated by: add bleach/chlorine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv237b: na - water usually treated by: add bleach/chlorine

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237c: na - water usually treated by: strain through a cloth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237d: na - water usually treated by: use water filter

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237e: na - water usually treated by: solar disinfection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237f: na - water usually treated by: let it stand and settle

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237g: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237h: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237i: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237j: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237k: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

hv237k: na - water usually treated by: cs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237x: na - water usually treated by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237z: na - water usually treated by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know what is done to water	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv238: number of households sharing toilet

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=1697 /-] [Invalid=4751 /-]

Value	Label	Cases	Percentage
2		470	27.7%
3		355	20.9%
4		273	16.1%
5		203	12.0%
6		118	7.0%
7		64	3.8%
8		44	2.6%
9		25	1.5%
95	10 or more households	131	7.7%
98	don't know	14	0.8%
Sysmiss		4751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv239: na - food cooked on stove or open fire

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	open fire	0	
2	open stove	0	
3	closed stove with chimney	0	
6	other	0	

hv239: na - food cooked on stove or open fire

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv240: na - household has a chimney, hood or neither

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither chimney or hood	0	
1	chimney	0	
2	hood	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv241: na - food cooked in the house/ separate building/ outdoors

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	in the house	0	
2	in a separate building	0	
3	outdoors	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv242: na - household has separate room used as kitchen

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243a: has mobile telephone

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6438 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	no	951	14.8%
1	yes	5487	85.2%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243b: has watch

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6437 /-] [Invalid=11 /-]

hv243b: has watch

Value	Label	Cases	Percentage
0	no	5148	80.0%
1	yes	1289	20.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243c: has animal-drawn cart

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6437 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	3859	60.0%
1	yes	2578	40.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243d: has boat with a motor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6437 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	6436	100.0%
1	yes	1	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv244: owns land usable for agriculture

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6446 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	1197	18.6%
1	yes	5249	81.4%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv245: hectares of agricultural land (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=5246 /-] [Invalid=1202 /-]

Value	Label	Cases	Percentage
1		3	0.1%
2		9	0.2%
3		6	0.1%
4		4	0.1%
5		239	4.6%
7		4	0.1%
8		7	0.1%
10		648	12.4%
12		2	0.0%
13		2	0.0%

hv245: hectares of agricultural land (1 decimal)

Value	Label	Cases	Percentage
15		259	4.9%
20		944	18.0%
21		1	0.0%
25		119	2.3%
28		2	0.0%
30		677	12.9%
35		73	1.4%
36		1	0.0%
40		482	9.2%
45		32	0.6%
50		431	8.2%
54		1	0.0%
55		17	0.3%
56		1	0.0%
60		221	4.2%
62		1	0.0%
65		5	0.1%
70		99	1.9%
73		1	0.0%
75		10	0.2%
80		70	1.3%
85		5	0.1%
90		26	0.5%
95		4	0.1%
100		199	3.8%
105		6	0.1%
110		7	0.1%
115		1	0.0%
120		22	0.4%
125		3	0.1%
130		5	0.1%
135		1	0.0%
140		6	0.1%
150		41	0.8%
155		1	0.0%
160		9	0.2%
170		3	0.1%
180		1	0.0%
190		1	0.0%
200		41	0.8%
220		1	0.0%
225		1	0.0%
230		2	0.0%
240		2	0.0%
250		6	0.1%

hv245: hectares of agricultural land (1 decimal)

Value	Label	Cases	Percentage
300		9	0.2%
305		1	0.0%
310		1	0.0%
320		1	0.0%
330		1	0.0%
400		7	0.1%
500		2	0.0%
600		1	0.0%
700		1	0.0%
750		1	0.0%
950	95 or more	29	0.6%
998	unknown	427	8.1%
Sysmiss		1202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246: owns livestock, herds or farm animals

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	1624	25.2%
1	yes	4824	74.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246a: na - owns cattle

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246b: owns cows/ bulls

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	none	3835	59.5%
1		454	7.0%
2		730	11.3%
3		275	4.3%
4		253	3.9%
5		180	2.8%
6		102	1.6%
7		64	1.0%
8		33	0.5%

hv246b: owns cows/ bulls

Value	Label	Cases	Percentage
9		22	0.3%
10		148	2.3%
11		9	0.1%
12		32	0.5%
13		7	0.1%
14		3	0.0%
15		36	0.6%
16		11	0.2%
17		1	0.0%
18		1	0.0%
19		1	0.0%
20		83	1.3%
21		2	0.0%
22		4	0.1%
23		1	0.0%
24		2	0.0%
25		7	0.1%
26		2	0.0%
27		2	0.0%
28		2	0.0%
29		2	0.0%
30		31	0.5%
31		1	0.0%
34		1	0.0%
35		1	0.0%
36		2	0.0%
40		15	0.2%
41		1	0.0%
45		3	0.0%
48		1	0.0%
49		1	0.0%
50		17	0.3%
54		1	0.0%
55		2	0.0%
60		7	0.1%
65		1	0.0%
70		4	0.1%
90		1	0.0%
95	95 or more	28	0.4%
98	unknown	25	0.4%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246c: owns horses/ donkeys/ mules

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

hv246c: owns horses/ donkeys/ mules

Value	Label	Cases	Percentage
0	none	3855	59.8%
1		1502	23.3%
2		649	10.1%
3		267	4.1%
4		102	1.6%
5		33	0.5%
6		20	0.3%
7		5	0.1%
8		3	0.0%
10		2	0.0%
12		1	0.0%
41		1	0.0%
95	95 or more	1	0.0%
98	unknown	6	0.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246d: owns goats

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	none	3109	48.2%
1		307	4.8%
2		509	7.9%
3		383	5.9%
4		371	5.8%
5		401	6.2%
6		237	3.7%
7		166	2.6%
8		67	1.0%
9		41	0.6%
10		387	6.0%
11		18	0.3%
12		46	0.7%
13		20	0.3%
14		15	0.2%
15		78	1.2%
16		8	0.1%
17		8	0.1%
18		8	0.1%
19		3	0.0%
20		116	1.8%
21		2	0.0%
22		3	0.0%
23		3	0.0%

hv246d: owns goats

Value	Label	Cases	Percentage
24		2	0.0%
25		14	0.2%
26		2	0.0%
27		1	0.0%
28		1	0.0%
29		2	0.0%
30		45	0.7%
32		2	0.0%
34		1	0.0%
35		2	0.0%
36		1	0.0%
40		14	0.2%
45		1	0.0%
50		6	0.1%
56		1	0.0%
60		7	0.1%
65		1	0.0%
70		1	0.0%
86		1	0.0%
95	95 or more	8	0.1%
98	unknown	28	0.4%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246e: owns sheep

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	none	3705	57.5%
1		273	4.2%
2		465	7.2%
3		316	4.9%
4		276	4.3%
5		319	4.9%
6		167	2.6%
7		129	2.0%
8		71	1.1%
9		38	0.6%
10		246	3.8%
11		20	0.3%
12		48	0.7%
13		11	0.2%
14		17	0.3%
15		76	1.2%
16		12	0.2%

hv246e: owns sheep

Value	Label	Cases	Percentage
17		3	0.0%
18		9	0.1%
19		3	0.0%
20		88	1.4%
21		2	0.0%
22		9	0.1%
23		2	0.0%
24		3	0.0%
25		19	0.3%
26		3	0.0%
27		3	0.0%
28		1	0.0%
29		1	0.0%
30		39	0.6%
31		2	0.0%
32		2	0.0%
35		5	0.1%
36		1	0.0%
40		22	0.3%
41		1	0.0%
44		1	0.0%
50		7	0.1%
60		3	0.0%
65		1	0.0%
78		1	0.0%
80		1	0.0%
95	95 or more	10	0.2%
98	unknown	16	0.2%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246f: owns chickens

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6440 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	none	2432	37.8%
1		121	1.9%
2		273	4.2%
3		252	3.9%
4		207	3.2%
5		366	5.7%
6		182	2.8%
7		141	2.2%
8		78	1.2%
9		48	0.7%

hv246f: owns chickens

Value	Label	Cases	Percentage
10		661	10.3%
11		29	0.5%
12		93	1.4%
13		35	0.5%
14		25	0.4%
15		201	3.1%
16		27	0.4%
17		25	0.4%
18		25	0.4%
19		5	0.1%
20		423	6.6%
21		19	0.3%
22		19	0.3%
23		12	0.2%
24		9	0.1%
25		74	1.1%
26		13	0.2%
27		8	0.1%
28		6	0.1%
29		2	0.0%
30		188	2.9%
32		11	0.2%
33		3	0.0%
34		5	0.1%
35		18	0.3%
36		9	0.1%
37		3	0.0%
38		1	0.0%
40		104	1.6%
41		1	0.0%
42		2	0.0%
43		4	0.1%
44		3	0.0%
45		4	0.1%
46		1	0.0%
48		2	0.0%
49		1	0.0%
50		65	1.0%
52		1	0.0%
54		1	0.0%
55		2	0.0%
56		2	0.0%
57		1	0.0%
60		39	0.6%
65		3	0.0%

hv246f: owns chickens

Value	Label	Cases	Percentage
68		1	0.0%
70		13	0.2%
71		1	0.0%
73		1	0.0%
75		1	0.0%
80		5	0.1%
90		4	0.1%
95	95 or more	71	1.1%
98	unknown	58	0.9%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246g: owns pigs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	none	5629	87.3%
1		214	3.3%
2		191	3.0%
3		98	1.5%
4		70	1.1%
5		65	1.0%
6		46	0.7%
7		28	0.4%
8		21	0.3%
9		11	0.2%
10		26	0.4%
11		5	0.1%
12		10	0.2%
13		4	0.1%
14		6	0.1%
15		6	0.1%
16		1	0.0%
17		1	0.0%
18		1	0.0%
19		1	0.0%
20		9	0.1%
26		1	0.0%
95	95 or more	0	
98	unknown	3	0.0%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246h: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv246h: na - owns cs

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246i: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246j: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246k: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv247: has bank account

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6400 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	no	5430	84.8%
1	yes	970	15.2%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv252: na - frequency household members smoke inside the house

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never	0	
1	daily	0	
2	weekly	0	
3	monthly	0	
4	less than monthly	0	

hv252: na - frequency household members smoke inside the house

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253: has dwelling been sprayed against mosquitoes in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6436 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	6334	98.4%
1	yes	48	0.7%
8	don't know	54	0.8%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253a: dwelling sprayed by: government worker/program

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6432 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6362	98.9%
1	yes	16	0.2%
8	don't know	54	0.8%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253b: dwelling sprayed by: private company

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6432 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6364	98.9%
1	yes	14	0.2%
8	don't know	54	0.8%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253c: dwelling sprayed by: ngo

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6432 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6376	99.1%
1	yes	2	0.0%
8	don't know	54	0.8%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253d: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv253d: na - dwelling sprayed by: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253e: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253f: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253g: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253h: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253x: dwelling sprayed by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6432 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6373	99.1%
1	yes	5	0.1%
8	don't know	54	0.8%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253z: dwelling sprayed by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6432 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6370	99.0%
1	yes: don't know who sprayed the dwelling	8	0.1%
8	don't know if it was sprayed	54	0.8%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv270: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	poorest	1517	23.5%
2	poorer	1392	21.6%
3	middle	1294	20.1%
4	richer	1243	19.3%
5	richest	1002	15.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv271: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -167764-538062] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=0.00682 /-] [StdDev=97976.199 /-]

hml1: number of mosquito bed nets

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		540	8.4%
1		1074	16.7%
2		1898	29.4%
3		1825	28.3%
4		439	6.8%
5		305	4.7%
6		274	4.2%
7		93	1.4%
98	don't know	0	

hml1: number of mosquito bed nets

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml1a: number of mosquito bed nets with specific information

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		540	8.4%
1		1074	16.7%
2		1898	29.4%
3		1825	28.3%
4		439	6.8%
5		305	4.7%
6		274	4.2%
7		93	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml2: number of children under mosquito bed net previous night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3063	47.5%
1		1925	29.9%
2		1121	17.4%
3		238	3.7%
4		72	1.1%
5		21	0.3%
6		6	0.1%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

chl0: na - number of de-jure children 5-14 for child labor module

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

shconces: concession

Information	[Type= continuous] [Format=numeric] [Range= 1-333] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-] [Mean=46.9 /-] [StdDev=37.812 /-]

sh110g: table

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6436 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	3205	49.8%
1	yes	3231	50.2%

sh110g: table

Value	Label	Cases	Percentage
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110h: chair

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6439 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
0	no	2107	32.7%
1	yes	4332	67.3%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110i: cupboard/library

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6436 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	5990	93.1%
1	yes	446	6.9%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110j: stove/cooker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6439 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
0	no	5782	89.8%
1	yes	657	10.2%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110k: freezer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6438 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	no	6356	98.7%
1	yes	82	1.3%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110l: shotgun

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6440 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	6166	95.7%
1	yes	274	4.3%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110m: plow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6434 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	3477	54.0%
1	yes	2957	46.0%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh118a: has canoe

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6438 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	no	6426	99.8%
1	yes	12	0.2%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh125a: mosquitoes reduced since the sprayed?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=6403 /-]

Value	Label	Cases	Percentage
0	no	7	15.6%
1	yes	38	84.4%
Sysmiss		6403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh137: has mosquito nets before 2013 distribution campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	1615	25.1%
1	yes	4832	74.9%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh138: number of nets before the campaign

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=4827 /-] [Invalid=1621 /-]

Value	Label	Cases	Percentage
1		1490	30.9%
2		1580	32.7%
3		947	19.6%
4		436	9.0%
5		161	3.3%
6		107	2.2%
7	7+	72	1.5%
8	don't know	34	0.7%

sh138: number of nets before the campaign

Value	Label	Cases	Percentage
Sysmiss		1621	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh140: the net from the campaign was used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1490 /-] [Invalid=4958 /-]

Value	Label	Cases	Percentage
0	no	9	0.6%
1	yes	1481	99.4%
Sysmiss		4958	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141a: reason not used: net not powerfull

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6442	100.0%
1	yes	1	0.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141b: reason not used: members don't like mosquito

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6440	100.0%
1	yes	3	0.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141c: reason not used: size not satisfy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141d: reason not used: form not satify

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141e: reason not used: bad odor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141f: reason not used: causes irritation/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141g: reason not used: make sick

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141h: reason not used: gives nausea

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141i: reason not used: hazardous chemical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141j: reason not used: can suffocate/breathing difficult

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

sh141j: reason not used: can suffocate/breathing difficult

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141k: reason not used: heat

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6442	100.0%
1	yes	1	0.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141l: reason not used: mosquito dirty quickly

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141m: reason not used : no raison

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6440	100.0%
1	yes	3	0.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141x: reason not used: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6441	100.0%
1	yes	2	0.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141z: reason not used: don't now

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6443 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	6443	100.0%

sh141z: reason not used: don't now

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh142: are all these mosquito nets used?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3334 /-] [Invalid=3114 /-]

Value	Label	Cases	Percentage
1	ye all	3202	96.0%
2	yes some	111	3.3%
3	no none	21	0.6%
Sysmiss		3114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143a: reason not using all campaign nets : net not powerfull

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6423	100.0%
1	yes	0	
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143b: reason not using all campaign nets : members don't like mosquito

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6414	99.9%
1	yes	9	0.1%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143c: reason not using all campaign nets : size not satisfy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6422	100.0%
1	yes	1	0.0%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143d: reason not using all campaign nets : form not satify

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6423	100.0%
1	yes	0	
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143e: reason not using all campaign nets : bad odor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

sh143e: reason not using all campaign nets : bad odor

Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6422	100.0%
1	yes	1	0.0%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143f: reason not using all campaign nets : causes irritation/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6421	100.0%
1	yes	2	0.0%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143g: reason not using all campaign nets : make sick

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6423	100.0%
1	yes	0	
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143h: reason not using all campaign nets : gives nausea

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6423	100.0%
1	yes	0	
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143i: reason not using all campaign nets : hazardous chemical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6421	100.0%
1	yes	2	0.0%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143j: reason not using all campaign nets : can suffocate/breathing difficult

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

sh143j: reason not using all campaign nets : can suffocate/breathing difficult

Value	Label	Cases	Percentage
0	no	6423	100.0%
1	yes	0	
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143k: reason not using all campaign nets : heat

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6419	99.9%
1	yes	4	0.1%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143l: reason not using all campaign nets :mosquito dirty quickly

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6421	100.0%
1	yes	2	0.0%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143m: reason not using all campaign nets : no reason

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6390	99.5%
1	yes	33	0.5%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143x: reason not using all campaign nets : other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6349	98.8%
1	yes	74	1.2%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143z: reason not using all campaign nets : don't now

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6423 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	6422	100.0%

sh143z: reason not using all campaign nets : don't now

Value	Label	Cases	Percentage
1	yes	1	0.0%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh144: received nets during the distribution campaign 2013-2014

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	1249	19.4%
1	yes	5198	80.6%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh145: number of nets received

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=5198 /-] [Invalid=1250 /-]

Value	Label	Cases	Percentage
1		883	17.0%
2		1699	32.7%
3		1350	26.0%
4		581	11.2%
5		309	5.9%
6		186	3.6%
7		77	1.5%
8		33	0.6%
9		16	0.3%
10		23	0.4%
11		4	0.1%
12		9	0.2%
13		3	0.1%
15		2	0.0%
20		2	0.0%
98	don't know	21	0.4%
Sysmiss		1250	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh146: does anyone have visited your household after the campaign to talk about nets?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6436 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	6037	93.8%
1	yes	399	6.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh147a: showed how to suspend the net?

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

sh147a: showed how to suspend the net?

Statistics [NW/ W]	[Valid=381 /-] [Invalid=6067 /-]

Value	Label	Cases	Percentage
0	no	26	6.8%
1	yes	350	91.9%
8	don't know	5	1.3%
Sysmiss		6067	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh147b: explained the importance of sleeping each night under a llin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=388 /-] [Invalid=6060 /-]

Value	Label	Cases	Percentage
0	no	19	4.9%
1	yes	362	93.3%
8	don't know	7	1.8%
Sysmiss		6060	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_01: line number

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6448	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_02: line number

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
2		6071	100.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_03: line number

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
3		5593	100.0%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_04: line number

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
4		4882	100.0%
Sysmiss		1566	

hvidx_04: line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_05: line number

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
5		4021	100.0%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_06: line number

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
6		3172	100.0%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_07: line number

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
7		2405	100.0%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_08: line number

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
8		1820	100.0%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_09: line number

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
9		1359	100.0%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_10: line number

Information	[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
10		1007	100.0%
Sysmiss		5441	

hvidx_10: line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_11: line number

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
11		747	100.0%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_12: line number

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
12		559	100.0%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_13: line number

Information	[Type= discrete] [Format=numeric] [Range= 13-13] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
13		411	100.0%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_14: line number

Information	[Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
14		294	100.0%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_15: line number

Information	[Type= discrete] [Format=numeric] [Range= 15-15] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
15		205	100.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_16: line number

Information	[Type= discrete] [Format=numeric] [Range= 16-16] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
16		147	100.0%
Sysmiss		6301	

hvidx_16: line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_17: line number

Information	[Type= discrete] [Format=numeric] [Range= 17-17] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
17		110	100.0%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_18: line number

Information	[Type= discrete] [Format=numeric] [Range= 18-18] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
18		84	100.0%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_19: line number

Information	[Type= discrete] [Format=numeric] [Range= 19-19] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
19		60	100.0%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_20: line number

Information	[Type= discrete] [Format=numeric] [Range= 20-20] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
20		39	100.0%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_21: line number

Information	[Type= discrete] [Format=numeric] [Range= 21-21] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
21		26	100.0%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_22: line number

Information	[Type= discrete] [Format=numeric] [Range= 22-22] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
22		18	100.0%
Sysmiss		6430	

hvidx_22: line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_23: line number

Information	[Type= discrete] [Format=numeric] [Range= 23-23] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
23		11	100.0%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_24: line number

Information	[Type= discrete] [Format=numeric] [Range= 24-24] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
24		8	100.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_25: line number

Information	[Type= discrete] [Format=numeric] [Range= 25-25] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
25		6	100.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_26: line number

Information	[Type= discrete] [Format=numeric] [Range= 26-26] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
26		4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_27: line number

Information	[Type= discrete] [Format=numeric] [Range= 27-27] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
27		4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_28: line number

Information	[Type= discrete] [Format=numeric] [Range= 28-28] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
28		3	100.0%
Sysmiss		6445	

hvidx_28: line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_29: line number

Information	[Type= discrete] [Format=numeric] [Range= 29-29] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
29		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_30: line number

Information	[Type= discrete] [Format=numeric] [Range= 30-30] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
30		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_31: line number

Information	[Type= discrete] [Format=numeric] [Range= 31-31] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
31		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_32: line number

Information	[Type= discrete] [Format=numeric] [Range= 32-32] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
32		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_33: line number

Information	[Type= discrete] [Format=numeric] [Range= 33-33] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
33		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_34: line number

Information	[Type= discrete] [Format=numeric] [Range= 34-34] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
34		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_35: line number

Information	[Type= discrete] [Format=numeric] [Range= 35-35] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
35		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_36: line number

Information	[Type= discrete] [Format=numeric] [Range= 36-36] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
36		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_37: line number

Information	[Type= discrete] [Format=numeric] [Range= 37-37] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
37		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_38: line number

Information	[Type= discrete] [Format=numeric] [Range= 38-38] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
38		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_39: line number

Information	[Type= discrete] [Format=numeric] [Range= 39-39] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
39		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hvidx_40: line number

Information	[Type= discrete] [Format=numeric] [Range= 40-40] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
40		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_01: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	head	6446	100.0%
2	wife or husband	0	
3	son/daughter	2	0.0%
4	son/daughter-in-law	0	

hv101_01: relationship to head

Value	Label	Cases	Percentage
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_02: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6070 /-] [Invalid=378 /-]

Value	Label	Cases	Percentage
1	head	1	0.0%
2	wife or husband	4967	81.8%
3	son/daughter	557	9.2%
4	son/daughter-in-law	37	0.6%
5	grandchild	116	1.9%
6	parent	118	1.9%
7	parent-in-law	11	0.2%
8	brother/sister	118	1.9%
9	co-spouse	19	0.3%
10	other relative	89	1.5%
11	adopted/foster child	12	0.2%
12	not related	25	0.4%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		378	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_03: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	909	16.3%
3	son/daughter	3942	70.5%
4	son/daughter-in-law	44	0.8%
5	grandchild	233	4.2%
6	parent	96	1.7%
7	parent-in-law	20	0.4%

hv101_03: relationship to head

Value	Label	Cases	Percentage
8	brother/sister	118	2.1%
9	co-spouse	9	0.2%
10	other relative	140	2.5%
11	adopted/foster child	49	0.9%
12	not related	33	0.6%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_04: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	328	6.7%
3	son/daughter	3771	77.2%
4	son/daughter-in-law	59	1.2%
5	grandchild	260	5.3%
6	parent	60	1.2%
7	parent-in-law	20	0.4%
8	brother/sister	126	2.6%
9	co-spouse	4	0.1%
10	other relative	150	3.1%
11	adopted/foster child	66	1.4%
12	not related	38	0.8%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_05: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
1	head	1	0.0%
2	wife or husband	187	4.7%
3	son/daughter	3072	76.4%
4	son/daughter-in-law	49	1.2%
5	grandchild	244	6.1%
6	parent	59	1.5%
7	parent-in-law	18	0.4%
8	brother/sister	107	2.7%
9	co-spouse	3	0.1%

hv101_05: relationship to head

Value	Label	Cases	Percentage
10	other relative	184	4.6%
11	adopted/foster child	54	1.3%
12	not related	43	1.1%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_06: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	165	5.2%
3	son/daughter	2281	71.9%
4	son/daughter-in-law	34	1.1%
5	grandchild	219	6.9%
6	parent	72	2.3%
7	parent-in-law	13	0.4%
8	brother/sister	87	2.7%
9	co-spouse	3	0.1%
10	other relative	198	6.2%
11	adopted/foster child	51	1.6%
12	not related	49	1.5%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_07: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	135	5.6%
3	son/daughter	1652	68.7%
4	son/daughter-in-law	27	1.1%
5	grandchild	195	8.1%
6	parent	59	2.5%
7	parent-in-law	9	0.4%
8	brother/sister	70	2.9%
9	co-spouse	1	0.0%
10	other relative	157	6.5%
11	adopted/foster child	57	2.4%

hv101_07: relationship to head

Value	Label	Cases	Percentage
12	not related	43	1.8%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_08: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1819 /-] [Invalid=4629 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	79	4.3%
3	son/daughter	1220	67.1%
4	son/daughter-in-law	25	1.4%
5	grandchild	174	9.6%
6	parent	49	2.7%
7	parent-in-law	7	0.4%
8	brother/sister	55	3.0%
9	co-spouse	1	0.1%
10	other relative	144	7.9%
11	adopted/foster child	45	2.5%
12	not related	20	1.1%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		4629	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_09: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=5091 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	65	4.8%
3	son/daughter	888	65.4%
4	son/daughter-in-law	24	1.8%
5	grandchild	146	10.8%
6	parent	23	1.7%
7	parent-in-law	6	0.4%
8	brother/sister	29	2.1%
9	co-spouse	0	
10	other relative	124	9.1%
11	adopted/foster child	33	2.4%
12	not related	19	1.4%
13	niece/nephew by blood	0	

hv101_09: relationship to head

Value	Label	Cases	Percentage
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		5091	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_10: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1006 /-] [Invalid=5442 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	38	3.8%
3	son/daughter	647	64.3%
4	son/daughter-in-law	16	1.6%
5	grandchild	126	12.5%
6	parent	19	1.9%
7	parent-in-law	4	0.4%
8	brother/sister	15	1.5%
9	co-spouse	3	0.3%
10	other relative	93	9.2%
11	adopted/foster child	22	2.2%
12	not related	23	2.3%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		5442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_11: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	34	4.6%
3	son/daughter	483	64.7%
4	son/daughter-in-law	14	1.9%
5	grandchild	93	12.4%
6	parent	17	2.3%
7	parent-in-law	3	0.4%
8	brother/sister	14	1.9%
9	co-spouse	2	0.3%
10	other relative	68	9.1%
11	adopted/foster child	11	1.5%
12	not related	8	1.1%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	

hv101_11: relationship to head

Value	Label	Cases	Percentage
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_12: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	27	4.8%
3	son/daughter	358	64.0%
4	son/daughter-in-law	5	0.9%
5	grandchild	74	13.2%
6	parent	15	2.7%
7	parent-in-law	4	0.7%
8	brother/sister	7	1.3%
9	co-spouse	0	
10	other relative	47	8.4%
11	adopted/foster child	17	3.0%
12	not related	5	0.9%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_13: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	16	3.9%
3	son/daughter	247	60.1%
4	son/daughter-in-law	4	1.0%
5	grandchild	59	14.4%
6	parent	11	2.7%
7	parent-in-law	2	0.5%
8	brother/sister	4	1.0%
9	co-spouse	1	0.2%
10	other relative	47	11.4%
11	adopted/foster child	11	2.7%
12	not related	9	2.2%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_14: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	8	2.7%
3	son/daughter	177	60.2%
4	son/daughter-in-law	7	2.4%
5	grandchild	43	14.6%
6	parent	6	2.0%
7	parent-in-law	2	0.7%
8	brother/sister	7	2.4%
9	co-spouse	1	0.3%
10	other relative	36	12.2%
11	adopted/foster child	3	1.0%
12	not related	4	1.4%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_15: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	7	3.4%
3	son/daughter	119	58.0%
4	son/daughter-in-law	3	1.5%
5	grandchild	31	15.1%
6	parent	6	2.9%
7	parent-in-law	0	
8	brother/sister	3	1.5%
9	co-spouse	0	
10	other relative	25	12.2%
11	adopted/foster child	6	2.9%
12	not related	5	2.4%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_16: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

hv101_16: relationship to head

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	5	3.4%
3	son/daughter	86	58.5%
4	son/daughter-in-law	1	0.7%
5	grandchild	25	17.0%
6	parent	4	2.7%
7	parent-in-law	1	0.7%
8	brother/sister	3	2.0%
9	co-spouse	0	
10	other relative	13	8.8%
11	adopted/foster child	5	3.4%
12	not related	4	2.7%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_17: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	67	60.9%
4	son/daughter-in-law	2	1.8%
5	grandchild	20	18.2%
6	parent	3	2.7%
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	15	13.6%
11	adopted/foster child	2	1.8%
12	not related	1	0.9%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_18: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
1	head	0	

hv101_18: relationship to head

Value	Label	Cases	Percentage
2	wife or husband	5	6.0%
3	son/daughter	48	57.1%
4	son/daughter-in-law	3	3.6%
5	grandchild	15	17.9%
6	parent	2	2.4%
7	parent-in-law	0	
8	brother/sister	1	1.2%
9	co-spouse	0	
10	other relative	9	10.7%
11	adopted/foster child	1	1.2%
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_19: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	3	5.0%
3	son/daughter	41	68.3%
4	son/daughter-in-law	2	3.3%
5	grandchild	10	16.7%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	2	3.3%
9	co-spouse	0	
10	other relative	1	1.7%
11	adopted/foster child	0	
12	not related	1	1.7%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_20: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	26	66.7%

hv101_20: relationship to head

Value	Label	Cases	Percentage
4	son/daughter-in-law	1	2.6%
5	grandchild	6	15.4%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	5	12.8%
11	adopted/foster child	1	2.6%
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_21: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	1	3.8%
3	son/daughter	12	46.2%
4	son/daughter-in-law	0	
5	grandchild	7	26.9%
6	parent	1	3.8%
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	4	15.4%
11	adopted/foster child	1	3.8%
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_22: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	10	55.6%
4	son/daughter-in-law	0	
5	grandchild	3	16.7%

hv101_22: relationship to head

Value	Label	Cases	Percentage
6	parent	1	5.6%
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	4	22.2%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_23: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	5	45.5%
4	son/daughter-in-law	0	
5	grandchild	1	9.1%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	5	45.5%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_24: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	5	62.5%
4	son/daughter-in-law	0	
5	grandchild	2	25.0%
6	parent	0	
7	parent-in-law	0	

hv101_24: relationship to head

Value	Label	Cases	Percentage
8	brother/sister	0	
9	co-spouse	0	
10	other relative	1	12.5%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_25: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	5	83.3%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	1	16.7%
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_26: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	3	75.0%
4	son/daughter-in-law	1	25.0%
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	

hv101_26: relationship to head

Value	Label	Cases	Percentage
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_27: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	2	50.0%
4	son/daughter-in-law	1	25.0%
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	1	25.0%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_28: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	33.3%
4	son/daughter-in-law	1	33.3%
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	1	33.3%
11	adopted/foster child	0	

hv101_28: relationship to head

Value	Label	Cases	Percentage
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_29: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	50.0%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	1	50.0%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_30: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	50.0%
4	son/daughter-in-law	0	
5	grandchild	1	50.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	

hv101_30: relationship to head

Value	Label	Cases	Percentage
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_31: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	50.0%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	1	50.0%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_32: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	

hv101_32: relationship to head

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_33: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_34: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	1	100.0%
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_35: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_36: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_37: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hv101_37: relationship to head

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	100.0%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_38: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_39: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	

hv101_39: relationship to head

Value	Label	Cases	Percentage
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	0	
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101_40: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	co-spouse	0	
10	other relative	1	100.0%
11	adopted/foster child	0	
12	not related	0	
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_01: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6447 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	20	0.3%
1	yes	6427	99.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_02: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	no	28	0.5%
1	yes	6043	99.5%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_03: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5592 /-] [Invalid=856 /-]

Value	Label	Cases	Percentage
0	no	30	0.5%
1	yes	5562	99.5%
Sysmiss		856	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_04: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4880 /-] [Invalid=1568 /-]

Value	Label	Cases	Percentage
0	no	33	0.7%
1	yes	4847	99.3%
Sysmiss		1568	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_05: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	no	32	0.8%
1	yes	3989	99.2%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_06: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	no	29	0.9%
1	yes	3143	99.1%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_07: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	no	26	1.1%
1	yes	2379	98.9%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_08: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	no	24	1.3%
1	yes	1796	98.7%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_09: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

hv102_09: usual resident

Value	Label	Cases	Percentage
0	no	17	1.3%
1	yes	1342	98.7%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_10: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1006 /-] [Invalid=5442 /-]

Value	Label	Cases	Percentage
0	no	8	0.8%
1	yes	998	99.2%
Sysmiss		5442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_11: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	no	10	1.3%
1	yes	737	98.7%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_12: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0	no	9	1.6%
1	yes	550	98.4%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_13: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	no	6	1.5%
1	yes	405	98.5%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_14: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	no	6	2.0%

hv102_14: usual resident

Value	Label	Cases	Percentage
1	yes	288	98.0%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_15: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	no	2	1.0%
1	yes	203	99.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_16: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	no	6	4.1%
1	yes	141	95.9%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_17: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	no	5	4.5%
1	yes	105	95.5%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_18: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	no	2	2.4%
1	yes	82	97.6%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_19: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	no	1	1.7%
1	yes	59	98.3%

hv102_19: usual resident

Value	Label	Cases	Percentage
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_20: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	39	100.0%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_21: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	26	100.0%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_22: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	18	100.0%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_23: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	11	100.0%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_24: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	8	100.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_25: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	6	100.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_26: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_27: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_28: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	3	100.0%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_29: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_30: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

hv102_30: usual resident

Value	Label	Cases	Percentage
0	no	0	
1	yes	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_31: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_32: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_33: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_34: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_35: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	

hv102_35: usual resident

Value	Label	Cases	Percentage
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_36: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_37: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_38: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_39: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102_40: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%

hv102_40: usual resident

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_01: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6429 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
0	no	332	5.2%
1	yes	6097	94.8%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_02: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6051 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	149	2.5%
1	yes	5902	97.5%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_03: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5573 /-] [Invalid=875 /-]

Value	Label	Cases	Percentage
0	no	119	2.1%
1	yes	5454	97.9%
Sysmiss		875	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_04: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4869 /-] [Invalid=1579 /-]

Value	Label	Cases	Percentage
0	no	82	1.7%
1	yes	4787	98.3%
Sysmiss		1579	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_05: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4003 /-] [Invalid=2445 /-]

Value	Label	Cases	Percentage
0	no	82	2.0%
1	yes	3921	98.0%
Sysmiss		2445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_06: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3158 /-] [Invalid=3290 /-]

Value	Label	Cases	Percentage
0	no	65	2.1%
1	yes	3093	97.9%
Sysmiss		3290	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_07: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2393 /-] [Invalid=4055 /-]

Value	Label	Cases	Percentage
0	no	37	1.5%
1	yes	2356	98.5%
Sysmiss		4055	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_08: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1808 /-] [Invalid=4640 /-]

Value	Label	Cases	Percentage
0	no	33	1.8%
1	yes	1775	98.2%
Sysmiss		4640	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_09: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1351 /-] [Invalid=5097 /-]

Value	Label	Cases	Percentage
0	no	23	1.7%
1	yes	1328	98.3%
Sysmiss		5097	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_10: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=997 /-] [Invalid=5451 /-]

Value	Label	Cases	Percentage
0	no	14	1.4%
1	yes	983	98.6%
Sysmiss		5451	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_11: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=743 /-] [Invalid=5705 /-]

Value	Label	Cases	Percentage
0	no	7	0.9%
1	yes	736	99.1%
Sysmiss		5705	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_12: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=5893 /-]

Value	Label	Cases	Percentage
0	no	4	0.7%
1	yes	551	99.3%
Sysmiss		5893	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_13: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=408 /-] [Invalid=6040 /-]

Value	Label	Cases	Percentage
0	no	6	1.5%
1	yes	402	98.5%
Sysmiss		6040	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_14: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=291 /-] [Invalid=6157 /-]

Value	Label	Cases	Percentage
0	no	5	1.7%
1	yes	286	98.3%
Sysmiss		6157	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_15: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

hv103_15: slept last night

Value	Label	Cases	Percentage
0	no	5	2.4%
1	yes	200	97.6%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_16: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	no	1	0.7%
1	yes	146	99.3%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_17: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	110	100.0%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_18: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	no	2	2.4%
1	yes	82	97.6%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_19: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=59 /-] [Invalid=6389 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	59	100.0%
Sysmiss		6389	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_20: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=38 /-] [Invalid=6410 /-]

Value	Label	Cases	Percentage
0	no	0	

hv103_20: slept last night

Value	Label	Cases	Percentage
1	yes	38	100.0%
Sysmiss		6410	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_21: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	1	3.8%
1	yes	25	96.2%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_22: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	no	1	5.6%
1	yes	17	94.4%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_23: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	no	1	9.1%
1	yes	10	90.9%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_24: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	2	25.0%
1	yes	6	75.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_25: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	6	100.0%

hv103_25: slept last night

Value	Label	Cases	Percentage
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_26: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	1	25.0%
1	yes	3	75.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_27: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	1	25.0%
1	yes	3	75.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_28: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	1	33.3%
1	yes	2	66.7%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_29: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_30: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_31: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_32: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_33: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_34: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_35: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_36: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hv103_36: slept last night

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_37: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_38: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_39: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103_40: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_01: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	5667	87.9%

hv104_01: sex of household member

Value	Label	Cases	Percentage
2	female	781	12.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_02: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
1	male	606	10.0%
2	female	5465	90.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_03: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
1	male	2545	45.5%
2	female	3048	54.5%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_04: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
1	male	2430	49.8%
2	female	2452	50.2%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_05: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
1	male	2027	50.4%
2	female	1994	49.6%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_06: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
1	male	1572	49.6%
2	female	1600	50.4%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_07: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
1	male	1150	47.8%
2	female	1255	52.2%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_08: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
1	male	904	49.7%
2	female	916	50.3%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_09: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
1	male	637	46.9%
2	female	722	53.1%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_10: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
1	male	464	46.1%
2	female	543	53.9%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_11: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
1	male	334	44.7%
2	female	413	55.3%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_12: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

hv104_12: sex of household member

Value	Label	Cases	Percentage
1	male	247	44.2%
2	female	312	55.8%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_13: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
1	male	197	47.9%
2	female	214	52.1%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_14: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
1	male	145	49.3%
2	female	149	50.7%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_15: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
1	male	82	40.0%
2	female	123	60.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_16: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
1	male	65	44.2%
2	female	82	55.8%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_17: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
1	male	53	48.2%

hv104_17: sex of household member

Value	Label	Cases	Percentage
2	female	57	51.8%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_18: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
1	male	38	45.2%
2	female	46	54.8%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_19: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
1	male	30	50.0%
2	female	30	50.0%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_20: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
1	male	20	51.3%
2	female	19	48.7%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_21: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
1	male	17	65.4%
2	female	9	34.6%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_22: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
1	male	7	38.9%
2	female	11	61.1%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_23: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
1	male	5	45.5%
2	female	6	54.5%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_24: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
1	male	4	50.0%
2	female	4	50.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_25: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

hv104_25: sex of household member

Value	Label	Cases	Percentage
1	male	0	
2	female	6	100.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_26: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	male	2	50.0%
2	female	2	50.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_27: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	male	3	75.0%
2	female	1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_28: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	male	1	33.3%
2	female	2	66.7%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_29: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	male	1	50.0%
2	female	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_30: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	male	0	

hv104_30: sex of household member

Value	Label	Cases	Percentage
2	female	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_31: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	male	1	50.0%
2	female	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_32: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_33: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_34: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_35: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	1	100.0%
2	female	0	

hv104_35: sex of household member

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_36: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_37: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_38: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	1	100.0%
2	female	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_39: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104_40: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	male	1	100.0%
2	female	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_01: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6445 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0		1	0.0%
13		1	0.0%
15		1	0.0%
16		8	0.1%
17		13	0.2%
18		20	0.3%
19		19	0.3%
20		59	0.9%
21		64	1.0%
22		84	1.3%
23		97	1.5%
24		108	1.7%
25		160	2.5%
26		125	1.9%
27		170	2.6%
28		145	2.2%
29		136	2.1%
30		253	3.9%
31		148	2.3%
32		222	3.4%
33		137	2.1%
34		137	2.1%
35		233	3.6%
36		149	2.3%
37		155	2.4%
38		118	1.8%
39		120	1.9%
40		228	3.5%
41		109	1.7%
42		167	2.6%
43		111	1.7%
44		103	1.6%
45		199	3.1%
46		103	1.6%
47		106	1.6%
48		103	1.6%
49		117	1.8%
50		167	2.6%
51		68	1.1%
52		127	2.0%
53		99	1.5%
54		92	1.4%
55		128	2.0%

hv105_01: age of household members

Value	Label	Cases	Percentage
56		102	1.6%
57		75	1.2%
58		76	1.2%
59		63	1.0%
60		178	2.8%
61		53	0.8%
62		64	1.0%
63		45	0.7%
64		66	1.0%
65		103	1.6%
66		42	0.7%
67		49	0.8%
68		50	0.8%
69		35	0.5%
70		105	1.6%
71		27	0.4%
72		43	0.7%
73		29	0.4%
74		25	0.4%
75		52	0.8%
76		17	0.3%
77		20	0.3%
78		28	0.4%
79		12	0.2%
80		47	0.7%
81		14	0.2%
82		11	0.2%
83		6	0.1%
84		9	0.1%
85		18	0.3%
86		3	0.0%
87		12	0.2%
88		4	0.1%
89		6	0.1%
90		18	0.3%
91		1	0.0%
92		1	0.0%
93		3	0.0%
94		2	0.0%
95	95+	21	0.3%
98	don't know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_02: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

hv105_02: age of household members

Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0		8	0.1%
1		22	0.4%
2		14	0.2%
3		17	0.3%
4		29	0.5%
5		24	0.4%
6		20	0.3%
7		34	0.6%
8		34	0.6%
9		20	0.3%
10		45	0.7%
11		35	0.6%
12		44	0.7%
13		63	1.0%
14		31	0.5%
15		46	0.8%
16		69	1.1%
17		102	1.7%
18		158	2.6%
19		126	2.1%
20		218	3.6%
21		138	2.3%
22		178	2.9%
23		162	2.7%
24		152	2.5%
25		232	3.8%
26		162	2.7%
27		176	2.9%
28		174	2.9%
29		177	2.9%
30		234	3.9%
31		122	2.0%
32		173	2.8%
33		115	1.9%
34		132	2.2%
35		217	3.6%
36		129	2.1%
37		138	2.3%
38		110	1.8%
39		120	2.0%
40		163	2.7%
41		102	1.7%
42		99	1.6%
43		77	1.3%

hv105_02: age of household members

Value	Label	Cases	Percentage
44		80	1.3%
45		103	1.7%
46		68	1.1%
47		63	1.0%
48		68	1.1%
49		71	1.2%
50		70	1.2%
51		60	1.0%
52		84	1.4%
53		64	1.1%
54		82	1.4%
55		75	1.2%
56		58	1.0%
57		38	0.6%
58		44	0.7%
59		31	0.5%
60		80	1.3%
61		22	0.4%
62		32	0.5%
63		24	0.4%
64		20	0.3%
65		31	0.5%
66		15	0.2%
67		12	0.2%
68		16	0.3%
69		8	0.1%
70		27	0.4%
71		8	0.1%
72		15	0.2%
73		8	0.1%
74		6	0.1%
75		13	0.2%
76		3	0.0%
77		3	0.0%
78		1	0.0%
79		2	0.0%
80		7	0.1%
81		2	0.0%
82		2	0.0%
83		1	0.0%
84		3	0.0%
85		3	0.0%
88		1	0.0%
89		1	0.0%
90		3	0.0%

hv105_02: age of household members

Value	Label	Cases	Percentage
91		1	0.0%
95	95+	1	0.0%
98	don't know	0	
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_03: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0		262	4.7%
1		242	4.3%
2		234	4.2%
3		205	3.7%
4		215	3.8%
5		219	3.9%
6		156	2.8%
7		238	4.3%
8		192	3.4%
9		171	3.1%
10		227	4.1%
11		152	2.7%
12		211	3.8%
13		198	3.5%
14		194	3.5%
15		198	3.5%
16		166	3.0%
17		192	3.4%
18		146	2.6%
19		104	1.9%
20		151	2.7%
21		89	1.6%
22		101	1.8%
23		68	1.2%
24		60	1.1%
25		100	1.8%
26		55	1.0%
27		59	1.1%
28		46	0.8%
29		58	1.0%
30		80	1.4%
31		35	0.6%
32		52	0.9%
33		20	0.4%
34		44	0.8%

hv105_03: age of household members

Value	Label	Cases	Percentage
35		52	0.9%
36		33	0.6%
37		37	0.7%
38		28	0.5%
39		23	0.4%
40		28	0.5%
41		15	0.3%
42		23	0.4%
43		10	0.2%
44		22	0.4%
45		27	0.5%
46		14	0.3%
47		10	0.2%
48		16	0.3%
49		13	0.2%
50		32	0.6%
51		18	0.3%
52		26	0.5%
53		15	0.3%
54		14	0.3%
55		23	0.4%
56		16	0.3%
57		12	0.2%
58		10	0.2%
59		8	0.1%
60		16	0.3%
61		5	0.1%
62		8	0.1%
63		6	0.1%
64		7	0.1%
65		22	0.4%
66		3	0.1%
67		4	0.1%
68		5	0.1%
69		7	0.1%
70		9	0.2%
71		2	0.0%
72		5	0.1%
73		4	0.1%
74		1	0.0%
75		4	0.1%
76		2	0.0%
77		2	0.0%
78		2	0.0%
80		6	0.1%

hv105_03: age of household members

Value	Label	Cases	Percentage
81		1	0.0%
84		1	0.0%
85		1	0.0%
87		2	0.0%
90		2	0.0%
95	95+	1	0.0%
98	don't know	0	
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_04: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0		188	3.9%
1		175	3.6%
2		209	4.3%
3		244	5.0%
4		253	5.2%
5		257	5.3%
6		192	3.9%
7		280	5.7%
8		250	5.1%
9		263	5.4%
10		251	5.1%
11		174	3.6%
12		246	5.0%
13		220	4.5%
14		167	3.4%
15		179	3.7%
16		141	2.9%
17		138	2.8%
18		115	2.4%
19		88	1.8%
20		96	2.0%
21		56	1.1%
22		64	1.3%
23		50	1.0%
24		41	0.8%
25		53	1.1%
26		13	0.3%
27		32	0.7%
28		35	0.7%
29		16	0.3%
30		37	0.8%

hv105_04: age of household members

Value	Label	Cases	Percentage
31		17	0.3%
32		20	0.4%
33		11	0.2%
34		13	0.3%
35		23	0.5%
36		13	0.3%
37		19	0.4%
38		9	0.2%
39		6	0.1%
40		16	0.3%
41		6	0.1%
42		5	0.1%
43		8	0.2%
44		6	0.1%
45		14	0.3%
46		5	0.1%
47		3	0.1%
48		7	0.1%
49		7	0.1%
50		10	0.2%
51		11	0.2%
52		16	0.3%
53		9	0.2%
54		12	0.2%
55		16	0.3%
56		2	0.0%
57		7	0.1%
58		2	0.0%
59		4	0.1%
60		12	0.2%
61		4	0.1%
62		1	0.0%
63		4	0.1%
64		2	0.0%
65		6	0.1%
66		5	0.1%
69		1	0.0%
70		4	0.1%
71		2	0.0%
74		3	0.1%
75		2	0.0%
77		1	0.0%
78		1	0.0%
79		1	0.0%
80		6	0.1%

hv105_04: age of household members

Value	Label	Cases	Percentage
82		1	0.0%
84		2	0.0%
85		1	0.0%
87		1	0.0%
88		1	0.0%
91		1	0.0%
95	95+	0	
98	don't know	0	
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_05: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0		179	4.5%
1		170	4.2%
2		168	4.2%
3		224	5.6%
4		182	4.5%
5		205	5.1%
6		185	4.6%
7		289	7.2%
8		236	5.9%
9		246	6.1%
10		244	6.1%
11		168	4.2%
12		194	4.8%
13		201	5.0%
14		122	3.0%
15		118	2.9%
16		93	2.3%
17		87	2.2%
18		86	2.1%
19		72	1.8%
20		68	1.7%
21		46	1.1%
22		35	0.9%
23		24	0.6%
24		29	0.7%
25		34	0.8%
26		22	0.5%
27		18	0.4%
28		14	0.3%
29		18	0.4%

hv105_05: age of household members

Value	Label	Cases	Percentage
30		22	0.5%
31		6	0.1%
32		12	0.3%
33		7	0.2%
34		7	0.2%
35		15	0.4%
36		13	0.3%
37		5	0.1%
38		6	0.1%
39		4	0.1%
40		3	0.1%
41		2	0.0%
42		4	0.1%
43		6	0.1%
44		2	0.0%
45		6	0.1%
46		3	0.1%
47		2	0.0%
48		3	0.1%
49		1	0.0%
50		5	0.1%
51		8	0.2%
52		10	0.2%
53		6	0.1%
54		4	0.1%
55		6	0.1%
56		3	0.1%
57		5	0.1%
58		2	0.0%
59		5	0.1%
60		11	0.3%
61		4	0.1%
62		6	0.1%
63		4	0.1%
64		3	0.1%
65		6	0.1%
66		1	0.0%
67		1	0.0%
68		1	0.0%
69		2	0.0%
70		4	0.1%
71		3	0.1%
73		1	0.0%
76		1	0.0%
77		2	0.0%

hv105_05: age of household members

Value	Label	Cases	Percentage
78		1	0.0%
80		2	0.0%
81		1	0.0%
82		2	0.0%
83		3	0.1%
93		2	0.0%
95	95+	0	
98	don't know	0	
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_06: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0		175	5.5%
1		141	4.4%
2		154	4.9%
3		178	5.6%
4		153	4.8%
5		156	4.9%
6		170	5.4%
7		197	6.2%
8		176	5.5%
9		174	5.5%
10		192	6.1%
11		126	4.0%
12		139	4.4%
13		137	4.3%
14		103	3.2%
15		89	2.8%
16		73	2.3%
17		66	2.1%
18		61	1.9%
19		45	1.4%
20		55	1.7%
21		31	1.0%
22		39	1.2%
23		21	0.7%
24		19	0.6%
25		25	0.8%
26		16	0.5%
27		13	0.4%
28		11	0.3%
29		6	0.2%

hv105_06: age of household members

Value	Label	Cases	Percentage
30		12	0.4%
31		3	0.1%
32		13	0.4%
33		6	0.2%
34		6	0.2%
35		14	0.4%
36		3	0.1%
37		5	0.2%
38		9	0.3%
39		2	0.1%
40		6	0.2%
41		6	0.2%
42		2	0.1%
43		4	0.1%
44		4	0.1%
45		7	0.2%
46		2	0.1%
47		1	0.0%
48		2	0.1%
49		4	0.1%
50		6	0.2%
51		10	0.3%
52		4	0.1%
53		3	0.1%
54		7	0.2%
55		9	0.3%
56		2	0.1%
57		5	0.2%
58		2	0.1%
59		4	0.1%
60		15	0.5%
61		2	0.1%
62		2	0.1%
63		3	0.1%
64		3	0.1%
65		10	0.3%
66		1	0.0%
67		1	0.0%
68		1	0.0%
69		3	0.1%
70		4	0.1%
71		1	0.0%
72		4	0.1%
74		1	0.0%
75		2	0.1%

hv105_06: age of household members

Value	Label	Cases	Percentage
76		1	0.0%
77		1	0.0%
78		3	0.1%
80		2	0.1%
82		2	0.1%
85		2	0.1%
89		1	0.0%
90		1	0.0%
91		1	0.0%
95	95+	1	0.0%
98	don't know	0	
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_07: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0		139	5.8%
1		126	5.2%
2		137	5.7%
3		137	5.7%
4		141	5.9%
5		115	4.8%
6		143	5.9%
7		133	5.5%
8		131	5.4%
9		105	4.4%
10		128	5.3%
11		83	3.5%
12		104	4.3%
13		88	3.7%
14		66	2.7%
15		80	3.3%
16		54	2.2%
17		50	2.1%
18		45	1.9%
19		35	1.5%
20		38	1.6%
21		24	1.0%
22		19	0.8%
23		15	0.6%
24		18	0.7%
25		20	0.8%
26		12	0.5%

hv105_07: age of household members

Value	Label	Cases	Percentage
27		10	0.4%
28		9	0.4%
29		14	0.6%
30		15	0.6%
31		7	0.3%
32		14	0.6%
33		6	0.2%
34		7	0.3%
35		10	0.4%
36		5	0.2%
37		5	0.2%
38		6	0.2%
39		3	0.1%
40		4	0.2%
41		2	0.1%
42		1	0.0%
43		3	0.1%
44		1	0.0%
45		2	0.1%
46		2	0.1%
47		3	0.1%
49		1	0.0%
50		2	0.1%
51		5	0.2%
52		3	0.1%
53		5	0.2%
54		4	0.2%
55		3	0.1%
56		4	0.2%
57		3	0.1%
58		1	0.0%
59		4	0.2%
60		8	0.3%
61		1	0.0%
62		2	0.1%
63		3	0.1%
64		1	0.0%
65		4	0.2%
66		1	0.0%
67		2	0.1%
68		4	0.2%
69		1	0.0%
70		10	0.4%
73		2	0.1%
74		2	0.1%

hv105_07: age of household members

Value	Label	Cases	Percentage
75		1	0.0%
77		1	0.0%
78		1	0.0%
80		5	0.2%
85		2	0.1%
87		1	0.0%
89		1	0.0%
95	95+	2	0.1%
98	don't know	0	
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_08: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1819 /-] [Invalid=4629 /-]

Value	Label	Cases	Percentage
0		131	7.2%
1		86	4.7%
2		116	6.4%
3		101	5.6%
4		98	5.4%
5		96	5.3%
6		96	5.3%
7		110	6.0%
8		101	5.6%
9		82	4.5%
10		83	4.6%
11		56	3.1%
12		84	4.6%
13		74	4.1%
14		45	2.5%
15		60	3.3%
16		45	2.5%
17		41	2.3%
18		34	1.9%
19		25	1.4%
20		25	1.4%
21		10	0.5%
22		17	0.9%
23		13	0.7%
24		9	0.5%
25		13	0.7%
26		9	0.5%
27		11	0.6%
28		8	0.4%

hv105_08: age of household members

Value	Label	Cases	Percentage
29		7	0.4%
30		9	0.5%
31		2	0.1%
32		1	0.1%
33		2	0.1%
34		4	0.2%
35		5	0.3%
36		5	0.3%
37		7	0.4%
38		2	0.1%
39		4	0.2%
40		8	0.4%
42		2	0.1%
43		2	0.1%
44		1	0.1%
45		4	0.2%
46		2	0.1%
49		2	0.1%
50		4	0.2%
51		3	0.2%
52		2	0.1%
53		1	0.1%
54		6	0.3%
55		3	0.2%
58		2	0.1%
60		7	0.4%
61		1	0.1%
62		3	0.2%
63		2	0.1%
64		2	0.1%
65		4	0.2%
67		2	0.1%
68		3	0.2%
69		1	0.1%
70		5	0.3%
71		2	0.1%
72		1	0.1%
74		2	0.1%
75		4	0.2%
80		2	0.1%
82		1	0.1%
83		1	0.1%
84		1	0.1%
85		1	0.1%
86		1	0.1%

hv105_08: age of household members

Value	Label	Cases	Percentage
87		1	0.1%
90		1	0.1%
94		1	0.1%
95	95+	1	0.1%
98	don't know	0	
Sysmiss		4629	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_09: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0		86	6.3%
1		83	6.1%
2		101	7.4%
3		82	6.0%
4		92	6.8%
5		62	4.6%
6		82	6.0%
7		112	8.2%
8		56	4.1%
9		63	4.6%
10		64	4.7%
11		36	2.6%
12		49	3.6%
13		50	3.7%
14		43	3.2%
15		29	2.1%
16		23	1.7%
17		33	2.4%
18		32	2.4%
19		14	1.0%
20		17	1.3%
21		12	0.9%
22		15	1.1%
23		7	0.5%
24		7	0.5%
25		7	0.5%
26		3	0.2%
27		8	0.6%
28		5	0.4%
29		2	0.1%
30		5	0.4%
31		3	0.2%
32		8	0.6%

hv105_09: age of household members

Value	Label	Cases	Percentage
33		2	0.1%
34		3	0.2%
35		2	0.1%
36		2	0.1%
37		2	0.1%
38		1	0.1%
39		2	0.1%
40		2	0.1%
42		1	0.1%
43		2	0.1%
44		1	0.1%
46		1	0.1%
48		3	0.2%
51		2	0.1%
52		6	0.4%
53		1	0.1%
55		1	0.1%
57		2	0.1%
58		1	0.1%
59		1	0.1%
60		5	0.4%
61		4	0.3%
62		2	0.1%
63		1	0.1%
65		3	0.2%
66		3	0.2%
69		2	0.1%
70		1	0.1%
73		1	0.1%
74		1	0.1%
80		4	0.3%
84		1	0.1%
90		1	0.1%
95	95+	1	0.1%
98	don't know	0	
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_10: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0		70	7.0%
1		62	6.2%
2		68	6.8%

hv105_10: age of household members

Value	Label	Cases	Percentage
3		75	7.4%
4		79	7.8%
5		65	6.5%
6		39	3.9%
7		73	7.2%
8		48	4.8%
9		50	5.0%
10		45	4.5%
11		30	3.0%
12		34	3.4%
13		36	3.6%
14		25	2.5%
15		23	2.3%
16		17	1.7%
17		19	1.9%
18		11	1.1%
19		11	1.1%
20		13	1.3%
21		8	0.8%
22		6	0.6%
23		7	0.7%
24		4	0.4%
25		7	0.7%
26		3	0.3%
27		4	0.4%
28		8	0.8%
29		4	0.4%
30		4	0.4%
32		4	0.4%
33		2	0.2%
34		2	0.2%
35		2	0.2%
37		1	0.1%
38		1	0.1%
39		1	0.1%
40		4	0.4%
41		2	0.2%
42		1	0.1%
43		1	0.1%
44		1	0.1%
45		2	0.2%
47		1	0.1%
49		2	0.2%
51		3	0.3%
52		2	0.2%

hv105_10: age of household members

Value	Label	Cases	Percentage
53		1	0.1%
54		1	0.1%
55		2	0.2%
56		1	0.1%
57		1	0.1%
58		2	0.2%
60		3	0.3%
61		1	0.1%
62		1	0.1%
63		1	0.1%
64		1	0.1%
67		1	0.1%
68		1	0.1%
70		2	0.2%
71		1	0.1%
73		1	0.1%
75		1	0.1%
76		1	0.1%
80		1	0.1%
81		1	0.1%
85		1	0.1%
87		1	0.1%
95	95+	0	
98	don't know	0	
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_11: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0		63	8.4%
1		53	7.1%
2		55	7.4%
3		42	5.6%
4		49	6.6%
5		32	4.3%
6		36	4.8%
7		53	7.1%
8		44	5.9%
9		25	3.3%
10		36	4.8%
11		18	2.4%
12		24	3.2%
13		14	1.9%

hv105_11: age of household members

Value	Label	Cases	Percentage
14		19	2.5%
15		21	2.8%
16		12	1.6%
17		11	1.5%
18		10	1.3%
19		8	1.1%
20		6	0.8%
21		9	1.2%
22		6	0.8%
23		6	0.8%
24		7	0.9%
25		10	1.3%
26		5	0.7%
27		5	0.7%
29		4	0.5%
30		9	1.2%
31		3	0.4%
32		2	0.3%
33		1	0.1%
34		1	0.1%
35		3	0.4%
39		1	0.1%
40		2	0.3%
42		3	0.4%
43		1	0.1%
45		1	0.1%
48		2	0.3%
49		2	0.3%
50		4	0.5%
52		1	0.1%
53		1	0.1%
54		1	0.1%
56		1	0.1%
58		1	0.1%
60		3	0.4%
62		2	0.3%
64		1	0.1%
65		2	0.3%
66		2	0.3%
67		2	0.3%
70		6	0.8%
73		1	0.1%
76		1	0.1%
78		1	0.1%
80		2	0.3%

hv105_11: age of household members

Value	Label	Cases	Percentage
95	95+	1	0.1%
98	don't know	0	
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_12: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0		57	10.2%
1		30	5.4%
2		51	9.1%
3		37	6.6%
4		36	6.4%
5		35	6.3%
6		31	5.5%
7		30	5.4%
8		36	6.4%
9		25	4.5%
10		20	3.6%
11		17	3.0%
12		13	2.3%
13		17	3.0%
14		10	1.8%
15		8	1.4%
16		12	2.1%
17		9	1.6%
18		4	0.7%
19		5	0.9%
20		6	1.1%
21		2	0.4%
22		2	0.4%
23		4	0.7%
24		5	0.9%
25		4	0.7%
26		3	0.5%
27		3	0.5%
28		2	0.4%
29		3	0.5%
30		4	0.7%
31		2	0.4%
32		3	0.5%
33		2	0.4%
35		1	0.2%
36		1	0.2%

hv105_12: age of household members

Value	Label	Cases	Percentage
37		1	0.2%
38		1	0.2%
40		2	0.4%
41		2	0.4%
42		3	0.5%
48		1	0.2%
52		2	0.4%
58		1	0.2%
62		1	0.2%
64		1	0.2%
65		1	0.2%
66		1	0.2%
70		2	0.4%
72		2	0.4%
75		3	0.5%
80		1	0.2%
91		1	0.2%
95	95+	2	0.4%
98	don't know	1	0.2%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_13: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0		39	9.5%
1		32	7.8%
2		32	7.8%
3		30	7.3%
4		23	5.6%
5		25	6.1%
6		21	5.1%
7		30	7.3%
8		14	3.4%
9		15	3.6%
10		16	3.9%
11		15	3.6%
12		11	2.7%
13		7	1.7%
14		8	1.9%
15		13	3.2%
16		6	1.5%
17		5	1.2%
18		5	1.2%

hv105_13: age of household members

Value	Label	Cases	Percentage
19		5	1.2%
20		4	1.0%
21		3	0.7%
22		2	0.5%
23		4	1.0%
24		2	0.5%
25		4	1.0%
26		2	0.5%
27		5	1.2%
29		1	0.2%
30		1	0.2%
31		1	0.2%
32		1	0.2%
33		2	0.5%
34		1	0.2%
35		1	0.2%
36		1	0.2%
37		2	0.5%
39		1	0.2%
40		1	0.2%
42		1	0.2%
43		1	0.2%
45		1	0.2%
48		1	0.2%
49		1	0.2%
52		1	0.2%
55		1	0.2%
60		1	0.2%
64		1	0.2%
65		2	0.5%
66		1	0.2%
67		1	0.2%
70		4	1.0%
76		1	0.2%
85		1	0.2%
95	95+	1	0.2%
98	don't know	0	
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_14: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0		25	8.5%

hv105_14: age of household members

Value	Label	Cases	Percentage
1		27	9.2%
2		25	8.5%
3		24	8.2%
4		11	3.7%
5		13	4.4%
6		14	4.8%
7		13	4.4%
8		10	3.4%
9		19	6.5%
10		14	4.8%
11		14	4.8%
12		9	3.1%
13		9	3.1%
14		6	2.0%
15		5	1.7%
16		2	0.7%
17		5	1.7%
18		5	1.7%
19		1	0.3%
20		4	1.4%
21		2	0.7%
22		2	0.7%
23		2	0.7%
24		3	1.0%
25		3	1.0%
26		4	1.4%
27		2	0.7%
28		1	0.3%
30		1	0.3%
31		1	0.3%
33		1	0.3%
35		1	0.3%
40		1	0.3%
41		1	0.3%
42		1	0.3%
43		1	0.3%
48		1	0.3%
51		1	0.3%
54		1	0.3%
56		1	0.3%
60		1	0.3%
70		1	0.3%
74		1	0.3%
75		1	0.3%
76		1	0.3%

hv105_14: age of household members

Value	Label	Cases	Percentage
80		3	1.0%
95	95+	0	
98	don't know	0	
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_15: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0		19	9.3%
1		15	7.3%
2		14	6.8%
3		12	5.9%
4		14	6.8%
5		11	5.4%
6		15	7.3%
7		11	5.4%
8		12	5.9%
9		8	3.9%
10		10	4.9%
11		6	2.9%
12		7	3.4%
13		3	1.5%
14		4	2.0%
15		8	3.9%
16		1	0.5%
17		4	2.0%
18		2	1.0%
19		2	1.0%
20		4	2.0%
21		5	2.4%
23		1	0.5%
29		1	0.5%
30		1	0.5%
31		1	0.5%
32		1	0.5%
35		1	0.5%
39		1	0.5%
45		1	0.5%
50		1	0.5%
51		1	0.5%
68		1	0.5%
70		3	1.5%
71		1	0.5%

hv105_15: age of household members

Value	Label	Cases	Percentage
77		1	0.5%
78		1	0.5%
80		1	0.5%
95	95+	0	
98	don't know	0	
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_16: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0		10	6.8%
1		11	7.5%
2		8	5.4%
3		12	8.2%
4		5	3.4%
5		9	6.1%
6		12	8.2%
7		8	5.4%
8		11	7.5%
9		8	5.4%
10		5	3.4%
11		3	2.0%
12		4	2.7%
13		6	4.1%
14		4	2.7%
15		4	2.7%
17		6	4.1%
18		3	2.0%
19		2	1.4%
20		3	2.0%
22		1	0.7%
23		1	0.7%
30		1	0.7%
34		4	2.7%
42		1	0.7%
55		1	0.7%
63		1	0.7%
68		1	0.7%
95	95+	2	1.4%
98	don't know	0	
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_17: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0		8	7.3%
1		6	5.5%
2		4	3.6%
3		17	15.5%
4		12	10.9%
5		10	9.1%
6		6	5.5%
7		12	10.9%
8		3	2.7%
9		4	3.6%
10		3	2.7%
11		1	0.9%
12		7	6.4%
13		2	1.8%
14		3	2.7%
15		2	1.8%
17		1	0.9%
19		1	0.9%
21		1	0.9%
24		1	0.9%
28		1	0.9%
32		1	0.9%
50		1	0.9%
65		1	0.9%
80		1	0.9%
94		1	0.9%
95	95+	0	
98	don't know	0	
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_18: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0		14	16.7%
1		10	11.9%
2		1	1.2%
3		8	9.5%
4		4	4.8%
5		3	3.6%
6		6	7.1%
7		5	6.0%

hv105_18: age of household members

Value	Label	Cases	Percentage
8		4	4.8%
9		2	2.4%
10		2	2.4%
11		2	2.4%
12		1	1.2%
13		1	1.2%
14		2	2.4%
15		3	3.6%
16		1	1.2%
19		3	3.6%
21		1	1.2%
22		2	2.4%
24		1	1.2%
25		1	1.2%
26		1	1.2%
27		1	1.2%
49		1	1.2%
53		1	1.2%
57		1	1.2%
70		1	1.2%
95	95+	1	1.2%
98	don't know	0	
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_19: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0		2	3.3%
1		4	6.7%
2		3	5.0%
3		8	13.3%
4		8	13.3%
5		2	3.3%
6		4	6.7%
7		3	5.0%
8		4	6.7%
10		4	6.7%
11		2	3.3%
12		2	3.3%
14		2	3.3%
15		1	1.7%
16		1	1.7%
18		1	1.7%

hv105_19: age of household members

Value	Label	Cases	Percentage
20		2	3.3%
22		1	1.7%
23		1	1.7%
24		1	1.7%
25		1	1.7%
26		1	1.7%
27		1	1.7%
29		1	1.7%
95	95+	0	
98	don't know	0	
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_20: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0		6	15.4%
1		6	15.4%
2		2	5.1%
3		1	2.6%
4		2	5.1%
5		3	7.7%
6		1	2.6%
7		3	7.7%
9		4	10.3%
10		1	2.6%
13		1	2.6%
14		1	2.6%
15		1	2.6%
16		1	2.6%
17		1	2.6%
18		1	2.6%
19		1	2.6%
22		1	2.6%
27		1	2.6%
52		1	2.6%
95	95+	0	
98	don't know	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_21: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

hv105_21: age of household members

Value	Label	Cases	Percentage
0		5	19.2%
1		1	3.8%
2		5	19.2%
3		1	3.8%
4		1	3.8%
5		1	3.8%
6		1	3.8%
7		2	7.7%
9		1	3.8%
11		1	3.8%
12		1	3.8%
13		1	3.8%
15		1	3.8%
22		1	3.8%
27		1	3.8%
60		1	3.8%
85		1	3.8%
95	95+	0	
98	don't know	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_22: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0		2	11.1%
1		2	11.1%
4		1	5.6%
6		2	11.1%
9		1	5.6%
10		1	5.6%
12		1	5.6%
13		1	5.6%
17		2	11.1%
18		1	5.6%
20		1	5.6%
21		1	5.6%
54		1	5.6%
95	95+	1	5.6%
98	don't know	0	
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_23: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]

hv105_23: age of household members

Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
2		2	18.2%
3		1	9.1%
6		2	18.2%
9		1	9.1%
16		1	9.1%
17		2	18.2%
21		1	9.1%
60		1	9.1%
95	95+	0	
98	don't know	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_24: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0		2	25.0%
3		1	12.5%
4		1	12.5%
12		1	12.5%
14		1	12.5%
15		1	12.5%
25		1	12.5%
95	95+	0	
98	don't know	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_25: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1		1	16.7%
10		1	16.7%
13		2	33.3%
16		1	16.7%
74		1	16.7%
95	95+	0	
98	don't know	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_26: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 4-98] [Missing=*]

hv105_26: age of household members

Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
4		1	25.0%
6		1	25.0%
23		1	25.0%
42		1	25.0%
95	95+	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_27: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1		1	25.0%
2		1	25.0%
3		1	25.0%
43		1	25.0%
95	95+	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_28: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1		1	33.3%
5		1	33.3%
16		1	33.3%
95	95+	0	
98	don't know	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_29: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 8-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
8		1	50.0%
15		1	50.0%
95	95+	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_30: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 8-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
8		1	50.0%
9		1	50.0%
95	95+	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_31: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
2		1	50.0%
8		1	50.0%
95	95+	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_32: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 4-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
4		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_33: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
3		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_34: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 64-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
64		1	100.0%
95	95+	0	

hv105_34: age of household members

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_35: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 21-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
21		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_36: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 17-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
17		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_37: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 23-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
23		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_38: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 4-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
4		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_39: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hv105_39: age of household members

Value	Label	Cases	Percentage
3		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105_40: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 21-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
21		1	100.0%
95	95+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_01: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_02: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_03: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	

hv106_03: na - highest educational level attained

Value	Label	Cases	Percentage
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_04: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_05: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_06: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_07: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv106_07: na - highest educational level attained

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_08: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_09: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_10: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_11: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

hv106_11: na - highest educational level attained

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_12: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_13: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_14: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_15: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_16: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_17: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_18: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_19: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_20: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_21: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_22: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_23: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_24: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_25: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_26: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_27: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_28: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_29: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_30: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_31: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_32: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_33: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_34: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_35: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_36: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_37: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_38: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_39: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106_40: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_01: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_02: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_03: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_04: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_05: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv107_05: na - highest year of education completed

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_06: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_07: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_08: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_09: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_10: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_11: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv107_11: na - highest year of education completed

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_12: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_13: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_14: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_15: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_16: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_17: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv107_17: na - highest year of education completed

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_18: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_19: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_20: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_21: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_22: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_23: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv107_23: na - highest year of education completed

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_24: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_25: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_26: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_27: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_28: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_29: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv107_29: na - highest year of education completed

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_30: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_31: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_32: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_33: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_34: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_35: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv107_35: na - highest year of education completed

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_36: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_37: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_38: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_39: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107_40: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_01: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv108_01: na - education completed in single years

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_02: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_03: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_04: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_05: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_06: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

hv108_06: na - education completed in single years

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_07: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_08: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_09: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_10: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_11: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_12: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_13: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_14: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_15: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv108_15: na - education completed in single years

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_16: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_17: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_18: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_19: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_20: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

hv108_20: na - education completed in single years

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_21: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_22: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_23: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_24: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_25: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	

hv108_25: na - education completed in single years

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_26: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_27: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_28: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_29: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_30: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_31: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_32: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_33: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_34: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_35: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_36: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv108_36: na - education completed in single years

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_37: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_38: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_39: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108_40: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_01: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	

hv109_01: na - educational attainment

Value	Label	Cases	Percentage
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_02: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_03: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_04: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	

hv109_04: na - educational attainment

Value	Label	Cases	Percentage
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_05: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_06: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_07: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_08: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_09: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_10: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_11: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	

hv109_11: na - educational attainment

Value	Label	Cases	Percentage
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_12: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_13: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_14: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	

hv109_14: na - educational attainment

Value	Label	Cases	Percentage
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_15: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_16: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_17: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_18: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_19: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_20: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_21: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_22: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_23: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	

hv109_23: na - educational attainment

Value	Label	Cases	Percentage
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_24: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_25: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_26: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	

hv109_26: na - educational attainment

Value	Label	Cases	Percentage
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_27: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_28: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_29: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_30: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_31: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_32: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_33: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	

hv109_33: na - educational attainment

Value	Label	Cases	Percentage
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_34: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_35: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_36: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	

hv109_36: na - educational attainment

Value	Label	Cases	Percentage
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_37: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_38: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_39: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109_40: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_01: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_02: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_03: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_04: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

hv110_04: na - member still in school

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_05: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_06: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_07: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_08: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_09: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_10: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_11: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_12: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_13: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_14: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_15: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv110_15: na - member still in school

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_16: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_17: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_18: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_19: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_20: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hv110_20: na - member still in school

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_21: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_22: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_23: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_24: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_25: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv110_25: na - member still in school

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_26: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_27: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_28: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_29: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_30: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_31: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_32: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_33: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_34: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_35: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv110_35: na - member still in school

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_36: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_37: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_38: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_39: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110_40: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hv110_40: na - member still in school

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_01: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_02: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_03: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_04: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_05: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv111_05: na - mother alive

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_06: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_07: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_08: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_09: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_10: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_11: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_12: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_13: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_14: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

hv111_14: na - mother alive

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_15: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_16: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_17: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_18: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_19: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv111_19: na - mother alive

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_20: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_21: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_22: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_23: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_24: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv111_24: na - mother alive

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_25: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_26: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_27: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_28: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_29: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_30: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_31: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_32: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_33: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

hv111_33: na - mother alive

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_34: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_35: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_36: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_37: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_38: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv111_38: na - mother alive

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_39: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111_40: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_01: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_02: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_03: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_04: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_05: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

hv112_05: na - mother's line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_06: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_07: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_08: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_09: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_10: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_11: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

hv112_11: na - mother's line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_12: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_13: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_14: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_15: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_16: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_17: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

hv112_17: na - mother's line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_18: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_19: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_20: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_21: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_22: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_23: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

hv112_23: na - mother's line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_24: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_25: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_26: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_27: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_28: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_29: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

hv112_29: na - mother's line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_30: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_31: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_32: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_33: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_34: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_35: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

hv112_35: na - mother's line number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_36: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_37: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_38: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_39: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112_40: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_01: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv113_01: na - father alive

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_02: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_03: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_04: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_05: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_06: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv113_06: na - father alive

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_07: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_08: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_09: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_10: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_11: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_12: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_13: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_14: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

hv113_14: na - father alive

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_15: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_16: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_17: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_18: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_19: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv113_19: na - father alive

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_20: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_21: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_22: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_23: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_24: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv113_24: na - father alive

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_25: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_26: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_27: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_28: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_29: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_30: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_31: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_32: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_33: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

hv113_33: na - father alive

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_34: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_35: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_36: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_37: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_38: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv113_38: na - father alive

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_39: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113_40: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_01: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_02: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_03: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_04: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_05: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_06: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_07: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_08: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_09: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_10: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_11: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_12: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_13: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_14: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_15: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_16: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_17: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_18: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_19: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_20: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_21: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_22: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_23: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_24: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_25: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_26: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_27: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_28: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_29: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_30: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_31: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_32: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_33: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_34: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_35: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_36: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_37: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_38: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_39: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114_40: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_01: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6429 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
0	never married	353	5.5%
1	married or living together	5502	85.6%
2	living together	0	
3	widowed	480	7.5%
4	divorced/separated	94	1.5%
5	not living together	0	
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_02: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=5619 /-] [Invalid=829 /-]

Value	Label	Cases	Percentage
0	never married	347	6.2%
1	married or living together	5114	91.0%
2	living together	0	
3	widowed	128	2.3%
4	divorced/separated	30	0.5%
5	not living together	0	
Sysmiss		829	

hv115_02: current marital status

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_03: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2453 /-] [Invalid=3995 /-]

Value	Label	Cases	Percentage
0	never married	1178	48.0%
1	married or living together	1180	48.1%
2	living together	0	
3	widowed	70	2.9%
4	divorced/separated	25	1.0%
5	not living together	0	
Sysmiss		3995	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_04: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1495 /-] [Invalid=4953 /-]

Value	Label	Cases	Percentage
0	never married	913	61.1%
1	married or living together	518	34.6%
2	living together	0	
3	widowed	43	2.9%
4	divorced/separated	21	1.4%
5	not living together	0	
Sysmiss		4953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_05: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=998 /-] [Invalid=5450 /-]

Value	Label	Cases	Percentage
0	never married	601	60.2%
1	married or living together	337	33.8%
2	living together	0	
3	widowed	43	4.3%
4	divorced/separated	17	1.7%
5	not living together	0	
Sysmiss		5450	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_06: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=791 /-] [Invalid=5657 /-]

Value	Label	Cases	Percentage
0	never married	446	56.4%
1	married or living together	275	34.8%

hv115_06: current marital status

Value	Label	Cases	Percentage
2	living together	0	
3	widowed	63	8.0%
4	divorced/separated	7	0.9%
5	not living together	0	
Sysmiss		5657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_07: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=620 /-] [Invalid=5828 /-]

Value	Label	Cases	Percentage
0	never married	336	54.2%
1	married or living together	223	36.0%
2	living together	0	
3	widowed	52	8.4%
4	divorced/separated	9	1.5%
5	not living together	0	
Sysmiss		5828	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_08: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=447 /-] [Invalid=6001 /-]

Value	Label	Cases	Percentage
0	never married	242	54.1%
1	married or living together	153	34.2%
2	living together	0	
3	widowed	45	10.1%
4	divorced/separated	7	1.6%
5	not living together	0	
Sysmiss		6001	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_09: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	never married	152	51.7%
1	married or living together	112	38.1%
2	living together	0	
3	widowed	27	9.2%
4	divorced/separated	3	1.0%
5	not living together	0	
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_10: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=200 /-] [Invalid=6248 /-]

Value	Label	Cases	Percentage
0	never married	99	49.5%
1	married or living together	78	39.0%
2	living together	0	
3	widowed	22	11.0%
4	divorced/separated	1	0.5%
5	not living together	0	
Sysmiss		6248	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_11: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=177 /-] [Invalid=6271 /-]

Value	Label	Cases	Percentage
0	never married	81	45.8%
1	married or living together	70	39.5%
2	living together	0	
3	widowed	23	13.0%
4	divorced/separated	3	1.7%
5	not living together	0	
Sysmiss		6271	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_12: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=112 /-] [Invalid=6336 /-]

Value	Label	Cases	Percentage
0	never married	53	47.3%
1	married or living together	49	43.8%
2	living together	0	
3	widowed	10	8.9%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6336	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_13: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=92 /-] [Invalid=6356 /-]

Value	Label	Cases	Percentage
0	never married	40	43.5%
1	married or living together	40	43.5%
2	living together	0	
3	widowed	12	13.0%

hv115_13: current marital status

Value	Label	Cases	Percentage
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6356	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_14: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
0	never married	27	44.3%
1	married or living together	25	41.0%
2	living together	0	
3	widowed	8	13.1%
4	divorced/separated	1	1.6%
5	not living together	0	
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_15: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
0	never married	19	43.2%
1	married or living together	16	36.4%
2	living together	0	
3	widowed	8	18.2%
4	divorced/separated	1	2.3%
5	not living together	0	
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_16: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=6417 /-]

Value	Label	Cases	Percentage
0	never married	17	54.8%
1	married or living together	12	38.7%
2	living together	0	
3	widowed	2	6.5%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6417	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_17: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=6436 /-]

hv115_17: current marital status

Value	Label	Cases	Percentage
0	never married	5	41.7%
1	married or living together	4	33.3%
2	living together	0	
3	widowed	3	25.0%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6436	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_18: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	never married	6	31.6%
1	married or living together	8	42.1%
2	living together	0	
3	widowed	3	15.8%
4	divorced/separated	2	10.5%
5	not living together	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_19: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	never married	7	63.6%
1	married or living together	4	36.4%
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_20: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	never married	6	75.0%
1	married or living together	1	12.5%
2	living together	0	
3	widowed	1	12.5%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6440	

hv115_20: current marital status

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_21: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

Value	Label	Cases	Percentage
0	never married	2	40.0%
1	married or living together	2	40.0%
2	living together	0	
3	widowed	1	20.0%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_22: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
0	never married	5	71.4%
1	married or living together	1	14.3%
2	living together	0	
3	widowed	1	14.3%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_23: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

Value	Label	Cases	Percentage
0	never married	4	80.0%
1	married or living together	0	
2	living together	0	
3	widowed	1	20.0%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_24: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	never married	2	100.0%
1	married or living together	0	

hv115_24: current marital status

Value	Label	Cases	Percentage
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_25: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	never married	1	50.0%
1	married or living together	0	
2	living together	0	
3	widowed	1	50.0%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_26: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	never married	1	50.0%
1	married or living together	1	50.0%
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_27: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	1	100.0%
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_28: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_29: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_30: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_31: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_32: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_33: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	0	

hv115_33: current marital status

Value	Label	Cases	Percentage
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_34: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	1	100.0%
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_35: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_36: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_37: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hv115_37: current marital status

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_38: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_39: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115_40: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	married or living together	0	
2	living together	0	
3	widowed	0	
4	divorced/separated	0	
5	not living together	0	
Sysmiss		6447	

hv115_40: current marital status

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_01: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=6429 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
0	never married	353	5.5%
1	currently married	5502	85.6%
2	formerly/ever married	574	8.9%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_02: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=5619 /-] [Invalid=829 /-]

Value	Label	Cases	Percentage
0	never married	347	6.2%
1	currently married	5114	91.0%
2	formerly/ever married	158	2.8%
Sysmiss		829	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_03: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=2453 /-] [Invalid=3995 /-]

Value	Label	Cases	Percentage
0	never married	1178	48.0%
1	currently married	1180	48.1%
2	formerly/ever married	95	3.9%
Sysmiss		3995	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_04: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1495 /-] [Invalid=4953 /-]

Value	Label	Cases	Percentage
0	never married	913	61.1%
1	currently married	518	34.6%
2	formerly/ever married	64	4.3%
Sysmiss		4953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_05: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=998 /-] [Invalid=5450 /-]

Value	Label	Cases	Percentage
0	never married	601	60.2%
1	currently married	337	33.8%

hv116_05: currently, formerly, never married

Value	Label	Cases	Percentage
2	formerly/ever married	60	6.0%
Sysmiss		5450	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_06: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=791 /-] [Invalid=5657 /-]

Value	Label	Cases	Percentage
0	never married	446	56.4%
1	currently married	275	34.8%
2	formerly/ever married	70	8.8%
Sysmiss		5657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_07: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=620 /-] [Invalid=5828 /-]

Value	Label	Cases	Percentage
0	never married	336	54.2%
1	currently married	223	36.0%
2	formerly/ever married	61	9.8%
Sysmiss		5828	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_08: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=447 /-] [Invalid=6001 /-]

Value	Label	Cases	Percentage
0	never married	242	54.1%
1	currently married	153	34.2%
2	formerly/ever married	52	11.6%
Sysmiss		6001	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_09: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	never married	152	51.7%
1	currently married	112	38.1%
2	formerly/ever married	30	10.2%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_10: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=200 /-] [Invalid=6248 /-]

hv116_10: currently, formerly, never married

Value	Label	Cases	Percentage
0	never married	99	49.5%
1	currently married	78	39.0%
2	formerly/ever married	23	11.5%
Sysmiss		6248	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_11: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=177 /-] [Invalid=6271 /-]

Value	Label	Cases	Percentage
0	never married	81	45.8%
1	currently married	70	39.5%
2	formerly/ever married	26	14.7%
Sysmiss		6271	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_12: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=112 /-] [Invalid=6336 /-]

Value	Label	Cases	Percentage
0	never married	53	47.3%
1	currently married	49	43.8%
2	formerly/ever married	10	8.9%
Sysmiss		6336	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_13: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=92 /-] [Invalid=6356 /-]

Value	Label	Cases	Percentage
0	never married	40	43.5%
1	currently married	40	43.5%
2	formerly/ever married	12	13.0%
Sysmiss		6356	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_14: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
0	never married	27	44.3%
1	currently married	25	41.0%
2	formerly/ever married	9	14.8%
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_15: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
0	never married	19	43.2%
1	currently married	16	36.4%
2	formerly/ever married	9	20.5%
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_16: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=6417 /-]

Value	Label	Cases	Percentage
0	never married	17	54.8%
1	currently married	12	38.7%
2	formerly/ever married	2	6.5%
Sysmiss		6417	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_17: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=6436 /-]

Value	Label	Cases	Percentage
0	never married	5	41.7%
1	currently married	4	33.3%
2	formerly/ever married	3	25.0%
Sysmiss		6436	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_18: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	never married	6	31.6%
1	currently married	8	42.1%
2	formerly/ever married	5	26.3%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_19: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	never married	7	63.6%
1	currently married	4	36.4%
2	formerly/ever married	0	
Sysmiss		6437	

hv116_19: currently, formerly, never married

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_20: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	never married	6	75.0%
1	currently married	1	12.5%
2	formerly/ever married	1	12.5%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_21: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

Value	Label	Cases	Percentage
0	never married	2	40.0%
1	currently married	2	40.0%
2	formerly/ever married	1	20.0%
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_22: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
0	never married	5	71.4%
1	currently married	1	14.3%
2	formerly/ever married	1	14.3%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_23: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

Value	Label	Cases	Percentage
0	never married	4	80.0%
1	currently married	0	
2	formerly/ever married	1	20.0%
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_24: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	never married	2	100.0%
1	currently married	0	

hv116_24: currently, formerly, never married

Value	Label	Cases	Percentage
2	formerly/ever married	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_25: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	never married	1	50.0%
1	currently married	0	
2	formerly/ever married	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_26: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	never married	1	50.0%
1	currently married	1	50.0%
2	formerly/ever married	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_27: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	1	100.0%
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_28: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_29: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hv116_29: currently, formerly, never married

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_30: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_31: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_32: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_33: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_34: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_35: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_36: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_37: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_38: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6448	

hv116_38: currently, formerly, never married

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_39: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never married	0	
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116_40: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	never married	1	100.0%
1	currently married	0	
2	formerly/ever married	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_01: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	6056	93.9%
1	eligible	392	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_02: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	not eligible	1866	30.7%
1	eligible	4205	69.3%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_03: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	not eligible	4408	78.8%
1	eligible	1185	21.2%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_04: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	not eligible	4237	86.8%
1	eligible	645	13.2%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_05: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

hv117_05: eligibility for female interview

Value	Label	Cases	Percentage
0	not eligible	3590	89.3%
1	eligible	431	10.7%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_06: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	not eligible	2839	89.5%
1	eligible	333	10.5%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_07: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	not eligible	2122	88.2%
1	eligible	283	11.8%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_08: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	not eligible	1622	89.1%
1	eligible	198	10.9%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_09: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	not eligible	1204	88.6%
1	eligible	155	11.4%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_10: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	not eligible	907	90.1%

hv117_10: eligibility for female interview

Value	Label	Cases	Percentage
1	eligible	100	9.9%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_11: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	not eligible	657	88.0%
1	eligible	90	12.0%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_12: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0	not eligible	499	89.3%
1	eligible	60	10.7%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_13: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	not eligible	367	89.3%
1	eligible	44	10.7%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_14: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	not eligible	267	90.8%
1	eligible	27	9.2%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_15: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	not eligible	187	91.2%
1	eligible	18	8.8%

hv117_15: eligibility for female interview

Value	Label	Cases	Percentage
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_16: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	not eligible	132	89.8%
1	eligible	15	10.2%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_17: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	not eligible	106	96.4%
1	eligible	4	3.6%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_18: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	not eligible	74	88.1%
1	eligible	10	11.9%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_19: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	not eligible	53	88.3%
1	eligible	7	11.7%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_20: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	not eligible	36	92.3%
1	eligible	3	7.7%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_21: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	not eligible	24	92.3%
1	eligible	2	7.7%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_22: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	not eligible	15	83.3%
1	eligible	3	16.7%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_23: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	not eligible	9	81.8%
1	eligible	2	18.2%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_24: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	not eligible	8	100.0%
1	eligible	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_25: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	not eligible	5	83.3%
1	eligible	1	16.7%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_26: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

hv117_26: eligibility for female interview

Value	Label	Cases	Percentage
0	not eligible	3	75.0%
1	eligible	1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_27: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	not eligible	4	100.0%
1	eligible	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_28: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not eligible	3	100.0%
1	eligible	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_29: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not eligible	2	100.0%
1	eligible	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_30: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not eligible	2	100.0%
1	eligible	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_31: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not eligible	2	100.0%

hv117_31: eligibility for female interview

Value	Label	Cases	Percentage
1	eligible	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_32: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_33: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_34: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_35: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_36: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	1	100.0%

hv117_36: eligibility for female interview

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_37: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_38: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_39: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117_40: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_01: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_02: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_03: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_04: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_05: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_06: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_07: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv118_07: na - eligibility for male interview

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_08: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_09: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_10: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_11: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_12: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_13: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_14: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_15: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv118_15: na - eligibility for male interview

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_16: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_17: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_18: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_19: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_20: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	

hv118_20: na - eligibility for male interview

Value	Label	Cases	Percentage
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_21: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_22: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_23: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_24: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_25: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	

hv118_25: na - eligibility for male interview

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_26: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_27: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_28: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_29: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_30: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_31: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_32: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_33: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_34: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_35: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_36: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv118_36: na - eligibility for male interview

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_37: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_38: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_39: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118_40: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_01: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	6447	100.0%

hv120_01: children eligibility for height/weight and hemoglobin

Value	Label	Cases	Percentage
1	eligible	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_02: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	not eligible	5982	98.5%
1	eligible	89	1.5%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_03: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	not eligible	4433	79.3%
1	eligible	1160	20.7%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_04: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	not eligible	3817	78.2%
1	eligible	1065	21.8%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_05: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	not eligible	3100	77.1%
1	eligible	921	22.9%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_06: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	not eligible	2364	74.5%
1	eligible	808	25.5%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_07: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	not eligible	1723	71.6%
1	eligible	682	28.4%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_08: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	not eligible	1290	70.9%
1	eligible	530	29.1%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_09: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	not eligible	917	67.5%
1	eligible	442	32.5%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_10: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	not eligible	650	64.5%
1	eligible	357	35.5%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_11: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	not eligible	485	64.9%
1	eligible	262	35.1%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_12: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

hv120_12: children eligibility for height/weight and hemoglobin

Value	Label	Cases	Percentage
0	not eligible	347	62.1%
1	eligible	212	37.9%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_13: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	not eligible	256	62.3%
1	eligible	155	37.7%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_14: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	not eligible	184	62.6%
1	eligible	110	37.4%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_15: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	not eligible	131	63.9%
1	eligible	74	36.1%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_16: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	not eligible	101	68.7%
1	eligible	46	31.3%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_17: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	not eligible	62	56.4%

hv120_17: children eligibility for height/weight and hemoglobin

Value	Label	Cases	Percentage
1	eligible	48	43.6%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_18: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	not eligible	48	57.1%
1	eligible	36	42.9%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_19: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	not eligible	36	60.0%
1	eligible	24	40.0%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_20: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	not eligible	22	56.4%
1	eligible	17	43.6%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_21: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	not eligible	13	50.0%
1	eligible	13	50.0%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_22: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	not eligible	13	72.2%
1	eligible	5	27.8%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_23: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	not eligible	8	72.7%
1	eligible	3	27.3%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_24: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	not eligible	4	50.0%
1	eligible	4	50.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_25: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

hv120_25: children eligibility for height/weight and hemoglobin

Value	Label	Cases	Percentage
0	not eligible	5	83.3%
1	eligible	1	16.7%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_26: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	not eligible	4	100.0%
1	eligible	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_27: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	not eligible	1	25.0%
1	eligible	3	75.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_28: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not eligible	2	66.7%
1	eligible	1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_29: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not eligible	2	100.0%
1	eligible	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_30: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not eligible	2	100.0%

hv120_30: children eligibility for height/weight and hemoglobin

Value	Label	Cases	Percentage
1	eligible	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_31: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not eligible	1	50.0%
1	eligible	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_32: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_33: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_34: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_35: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	

hv120_35: children eligibility for height/weight and hemoglobin

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_36: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_37: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_38: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_39: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120_40: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not eligible	1	100.0%
1	eligible	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_01: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_02: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_03: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_04: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_05: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

hv121_05: na - member attended school during current school year

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_06: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_07: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_08: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_09: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_10: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	

hv121_10: na - member attended school during current school year

Value	Label	Cases	Percentage
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_11: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_12: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_13: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_14: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_15: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv121_15: na - member attended school during current school year

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_16: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_17: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_18: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_19: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_20: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_21: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_22: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_23: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_24: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

hv121_24: na - member attended school during current school year

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_25: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_26: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_27: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_28: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_29: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	

hv121_29: na - member attended school during current school year

Value	Label	Cases	Percentage
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_30: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_31: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_32: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_33: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_34: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

hv121_34: na - member attended school during current school year

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_35: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_36: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_37: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_38: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_39: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	

hv121_39: na - member attended school during current school year

Value	Label	Cases	Percentage
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121_40: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_01: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_02: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_03: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	

hv122_03: na - educational level during current school year

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_04: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_05: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_06: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_07: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	

hv122_07: na - educational level during current school year

Value	Label	Cases	Percentage
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_08: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_09: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_10: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_11: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv122_11: na - educational level during current school year

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_12: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_13: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_14: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_15: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

hv122_15: na - educational level during current school year

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_16: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_17: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_18: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_19: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_20: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_21: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_22: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_23: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_24: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_25: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_26: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_27: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_28: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_29: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_30: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_31: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_32: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_33: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_34: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_35: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_36: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_37: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_38: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_39: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122_40: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_01: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_02: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_03: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_04: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_05: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv123_05: na - grade of education during current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_06: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_07: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_08: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_09: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_10: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_11: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv123_11: na - grade of education during current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_12: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_13: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_14: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_15: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_16: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_17: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv123_17: na - grade of education during current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_18: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_19: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_20: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_21: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_22: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_23: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv123_23: na - grade of education during current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_24: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_25: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_26: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_27: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_28: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_29: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv123_29: na - grade of education during current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_30: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_31: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_32: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_33: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_34: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_35: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv123_35: na - grade of education during current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_36: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_37: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_38: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_39: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123_40: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_01: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv124_01: na - education in single years - current school year

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_02: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_03: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_04: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_05: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_06: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

hv124_06: na - education in single years - current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_07: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_08: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_09: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_10: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_11: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_12: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_13: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_14: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_15: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv124_15: na - education in single years - current school year

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_16: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_17: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_18: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_19: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_20: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

hv124_20: na - education in single years - current school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_21: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_22: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_23: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_24: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_25: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	

hv124_25: na - education in single years - current school year

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_26: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_27: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_28: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_29: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_30: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_31: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_32: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_33: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_34: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_35: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_36: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv124_36: na - education in single years - current school year

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_37: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_38: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_39: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124_40: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_01: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hv125_01: na - member attended school during previous school year

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_02: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_03: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_04: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_05: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_06: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv125_06: na - member attended school during previous school year

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_07: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_08: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_09: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_10: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_11: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_12: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_13: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_14: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_15: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_16: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_17: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv125_17: na - member attended school during previous school year

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_18: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_19: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_20: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_21: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_22: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_23: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_24: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_25: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv125_25: na - member attended school during previous school year

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_26: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_27: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_28: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_29: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_30: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hv125_30: na - member attended school during previous school year

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_31: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_32: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_33: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_34: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_35: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hv125_35: na - member attended school during previous school year

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_36: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_37: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_38: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_39: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125_40: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_01: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_02: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_03: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_04: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_05: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_06: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_07: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_08: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_09: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_10: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_11: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_12: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_13: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_14: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_15: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_16: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_17: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_18: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_19: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_20: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_21: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_22: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_23: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_24: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_25: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_26: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_27: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_28: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_29: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_30: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_31: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_32: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_33: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_34: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_35: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_36: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_37: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_38: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_39: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126_40: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_01: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_02: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_02: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_03: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_04: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_05: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_06: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_07: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_08: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_08: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_09: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_10: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_11: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_12: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_13: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_14: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_14: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_15: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_16: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_17: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_18: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_19: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_20: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_20: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_21: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_22: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_23: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_24: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_25: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_26: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_26: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_27: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_28: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_29: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_30: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_31: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_32: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_32: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_33: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_34: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_35: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_36: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_37: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_38: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv127_38: na - grade of education during previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_39: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127_40: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_01: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_02: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_03: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_04: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_05: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv128_05: na - education in single years - previous school year

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_06: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_07: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_08: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_09: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_10: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

hv128_10: na - education in single years - previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_11: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_12: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_13: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_14: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_15: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	

hv128_15: na - education in single years - previous school year

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_16: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_17: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_18: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_19: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_20: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_21: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_22: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_23: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_24: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_25: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_26: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv128_26: na - education in single years - previous school year

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_27: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_28: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_29: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_30: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_31: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

hv128_31: na - education in single years - previous school year

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_32: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_33: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_34: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_35: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_36: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	

hv128_36: na - education in single years - previous school year

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_37: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_38: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_39: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128_40: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_01: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	

hv129_01: na - school attendance status

Value	Label	Cases	Percentage
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_02: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_03: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_04: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	

hv129_04: na - school attendance status

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_05: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_06: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_07: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_08: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

hv129_08: na - school attendance status

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_09: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_10: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_11: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_12: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_13: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	

hv129_13: na - school attendance status

Value	Label	Cases	Percentage
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_14: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_15: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_16: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	

hv129_16: na - school attendance status

Value	Label	Cases	Percentage
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_17: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_18: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_19: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_20: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_21: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_22: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_23: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	

hv129_23: na - school attendance status

Value	Label	Cases	Percentage
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_24: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_25: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_26: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	

hv129_26: na - school attendance status

Value	Label	Cases	Percentage
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_27: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_28: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_29: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_30: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_31: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_32: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_33: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	

hv129_33: na - school attendance status

Value	Label	Cases	Percentage
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_34: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_35: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_36: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	

hv129_36: na - school attendance status

Value	Label	Cases	Percentage
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_37: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_38: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_39: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129_40: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_01: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_02: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_03: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_04: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_05: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_06: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_07: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_08: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv140_08: na - member has a birth certificate

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_09: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_10: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_11: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_12: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	

hv140_12: na - member has a birth certificate

Value	Label	Cases	Percentage
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_13: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_14: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_15: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_16: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	

hv140_16: na - member has a birth certificate

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_17: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_18: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_19: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_20: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_21: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_22: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_23: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_24: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hv140_24: na - member has a birth certificate

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_25: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_26: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_27: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_28: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	

hv140_28: na - member has a birth certificate

Value	Label	Cases	Percentage
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_29: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_30: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_31: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_32: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	

hv140_32: na - member has a birth certificate

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_33: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_34: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_35: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_36: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_37: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_38: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_39: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140_40: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_01: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

idxh4_01: index to household schedule

Value	Label	Cases	Percentage
1		6448	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_02: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
2		6071	100.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_03: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
3		5593	100.0%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_04: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
4		4882	100.0%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_05: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
5		4021	100.0%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_06: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
6		3172	100.0%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_07: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

idxh4_07: index to household schedule

Value	Label	Cases	Percentage
7		2405	100.0%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_08: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
8		1820	100.0%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_09: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
9		1359	100.0%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_10: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
10		1007	100.0%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_11: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
11		747	100.0%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_12: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
12		559	100.0%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_13: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 13-13] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

idxh4_13: index to household schedule

Value	Label	Cases	Percentage
13		411	100.0%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_14: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
14		294	100.0%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_15: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 15-15] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
15		205	100.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_16: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 16-16] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
16		147	100.0%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_17: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 17-17] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
17		110	100.0%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_18: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 18-18] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
18		84	100.0%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_19: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 19-19] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

idxh4_19: index to household schedule

Value	Label	Cases	Percentage
19		60	100.0%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_20: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 20-20] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
20		39	100.0%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_21: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 21-21] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
21		26	100.0%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_22: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 22-22] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
22		18	100.0%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_23: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 23-23] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
23		11	100.0%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_24: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 24-24] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
24		8	100.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_25: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 25-25] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

idxh4_25: index to household schedule

Value	Label	Cases	Percentage
25		6	100.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_26: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 26-26] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
26		4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_27: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 27-27] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
27		4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_28: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 28-28] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
28		3	100.0%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_29: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 29-29] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
29		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_30: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 30-30] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
30		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_31: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 31-31] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
31		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_32: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 32-32] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
32		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_33: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 33-33] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
33		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_34: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 34-34] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
34		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_35: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 35-35] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
35		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_36: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 36-36] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
36		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_37: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 37-37] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
37		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_38: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 38-38] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
38		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_39: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 39-39] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
39		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4_40: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 40-40] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
40		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_01: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	head	6446	100.0%
2	wife or husband	0	
3	son/daughter	2	0.0%
4	son/daughter-in-law	0	

sh03_01: relationship to head

Value	Label	Cases	Percentage
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_02: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6070 /-] [Invalid=378 /-]

Value	Label	Cases	Percentage
1	head	1	0.0%
2	wife or husband	4967	81.8%
3	son/daughter	557	9.2%
4	son/daughter-in-law	37	0.6%
5	grandchild	116	1.9%
6	parent	118	1.9%
7	parent-in-law	11	0.2%
8	brother/sister	118	1.9%
9	other relative	89	1.5%
10	adopted/foster child	8	0.1%
11	child of spouse	4	0.1%
12	co-spouse	19	0.3%
13	not related	25	0.4%
98	don't know	0	
Sysmiss		378	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_03: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	909	16.3%
3	son/daughter	3942	70.5%
4	son/daughter-in-law	44	0.8%
5	grandchild	233	4.2%
6	parent	96	1.7%
7	parent-in-law	20	0.4%
8	brother/sister	118	2.1%
9	other relative	140	2.5%

sh03_03: relationship to head

Value	Label	Cases	Percentage
10	adopted/foster child	14	0.3%
11	child of spouse	35	0.6%
12	co-spouse	9	0.2%
13	not related	33	0.6%
98	don't know	0	
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_04: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	328	6.7%
3	son/daughter	3771	77.2%
4	son/daughter-in-law	59	1.2%
5	grandchild	260	5.3%
6	parent	60	1.2%
7	parent-in-law	20	0.4%
8	brother/sister	126	2.6%
9	other relative	150	3.1%
10	adopted/foster child	23	0.5%
11	child of spouse	43	0.9%
12	co-spouse	4	0.1%
13	not related	38	0.8%
98	don't know	0	
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_05: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
1	head	1	0.0%
2	wife or husband	187	4.7%
3	son/daughter	3072	76.4%
4	son/daughter-in-law	49	1.2%
5	grandchild	244	6.1%
6	parent	59	1.5%
7	parent-in-law	18	0.4%
8	brother/sister	107	2.7%
9	other relative	184	4.6%
10	adopted/foster child	25	0.6%
11	child of spouse	29	0.7%
12	co-spouse	3	0.1%
13	not related	43	1.1%

sh03_05: relationship to head

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_06: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	165	5.2%
3	son/daughter	2281	71.9%
4	son/daughter-in-law	34	1.1%
5	grandchild	219	6.9%
6	parent	72	2.3%
7	parent-in-law	13	0.4%
8	brother/sister	87	2.7%
9	other relative	198	6.2%
10	adopted/foster child	22	0.7%
11	child of spouse	29	0.9%
12	co-spouse	3	0.1%
13	not related	49	1.5%
98	don't know	0	
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_07: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	135	5.6%
3	son/daughter	1652	68.7%
4	son/daughter-in-law	27	1.1%
5	grandchild	195	8.1%
6	parent	59	2.5%
7	parent-in-law	9	0.4%
8	brother/sister	70	2.9%
9	other relative	157	6.5%
10	adopted/foster child	28	1.2%
11	child of spouse	29	1.2%
12	co-spouse	1	0.0%
13	not related	43	1.8%
98	don't know	0	
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_08: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1819 /-] [Invalid=4629 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	79	4.3%
3	son/daughter	1220	67.1%
4	son/daughter-in-law	25	1.4%
5	grandchild	174	9.6%
6	parent	49	2.7%
7	parent-in-law	7	0.4%
8	brother/sister	55	3.0%
9	other relative	144	7.9%
10	adopted/foster child	18	1.0%
11	child of spouse	27	1.5%
12	co-spouse	1	0.1%
13	not related	20	1.1%
98	don't know	0	
Sysmiss		4629	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_09: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1357 /-] [Invalid=5091 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	65	4.8%
3	son/daughter	888	65.4%
4	son/daughter-in-law	24	1.8%
5	grandchild	146	10.8%
6	parent	23	1.7%
7	parent-in-law	6	0.4%
8	brother/sister	29	2.1%
9	other relative	124	9.1%
10	adopted/foster child	16	1.2%
11	child of spouse	17	1.3%
12	co-spouse	0	
13	not related	19	1.4%
98	don't know	0	
Sysmiss		5091	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_10: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1006 /-] [Invalid=5442 /-]

Value	Label	Cases	Percentage
1	head	0	

sh03_10: relationship to head

Value	Label	Cases	Percentage
2	wife or husband	38	3.8%
3	son/daughter	647	64.3%
4	son/daughter-in-law	16	1.6%
5	grandchild	126	12.5%
6	parent	19	1.9%
7	parent-in-law	4	0.4%
8	brother/sister	15	1.5%
9	other relative	93	9.2%
10	adopted/foster child	10	1.0%
11	child of spouse	12	1.2%
12	co-spouse	3	0.3%
13	not related	23	2.3%
98	don't know	0	
Sysmiss		5442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_11: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	34	4.6%
3	son/daughter	483	64.7%
4	son/daughter-in-law	14	1.9%
5	grandchild	93	12.4%
6	parent	17	2.3%
7	parent-in-law	3	0.4%
8	brother/sister	14	1.9%
9	other relative	68	9.1%
10	adopted/foster child	7	0.9%
11	child of spouse	4	0.5%
12	co-spouse	2	0.3%
13	not related	8	1.1%
98	don't know	0	
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_12: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	27	4.8%
3	son/daughter	358	64.0%
4	son/daughter-in-law	5	0.9%
5	grandchild	74	13.2%

sh03_12: relationship to head

Value	Label	Cases	Percentage
6	parent	15	2.7%
7	parent-in-law	4	0.7%
8	brother/sister	7	1.3%
9	other relative	47	8.4%
10	adopted/foster child	7	1.3%
11	child of spouse	10	1.8%
12	co-spouse	0	
13	not related	5	0.9%
98	don't know	0	
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_13: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	16	3.9%
3	son/daughter	247	60.1%
4	son/daughter-in-law	4	1.0%
5	grandchild	59	14.4%
6	parent	11	2.7%
7	parent-in-law	2	0.5%
8	brother/sister	4	1.0%
9	other relative	47	11.4%
10	adopted/foster child	3	0.7%
11	child of spouse	8	1.9%
12	co-spouse	1	0.2%
13	not related	9	2.2%
98	don't know	0	
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_14: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	8	2.7%
3	son/daughter	177	60.2%
4	son/daughter-in-law	7	2.4%
5	grandchild	43	14.6%
6	parent	6	2.0%
7	parent-in-law	2	0.7%
8	brother/sister	7	2.4%
9	other relative	36	12.2%

sh03_14: relationship to head

Value	Label	Cases	Percentage
10	adopted/foster child	1	0.3%
11	child of spouse	2	0.7%
12	co-spouse	1	0.3%
13	not related	4	1.4%
98	don't know	0	
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_15: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	7	3.4%
3	son/daughter	119	58.0%
4	son/daughter-in-law	3	1.5%
5	grandchild	31	15.1%
6	parent	6	2.9%
7	parent-in-law	0	
8	brother/sister	3	1.5%
9	other relative	25	12.2%
10	adopted/foster child	4	2.0%
11	child of spouse	2	1.0%
12	co-spouse	0	
13	not related	5	2.4%
98	don't know	0	
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_16: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	5	3.4%
3	son/daughter	86	58.5%
4	son/daughter-in-law	1	0.7%
5	grandchild	25	17.0%
6	parent	4	2.7%
7	parent-in-law	1	0.7%
8	brother/sister	3	2.0%
9	other relative	13	8.8%
10	adopted/foster child	3	2.0%
11	child of spouse	2	1.4%
12	co-spouse	0	
13	not related	4	2.7%

sh03_16: relationship to head

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_17: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	67	60.9%
4	son/daughter-in-law	2	1.8%
5	grandchild	20	18.2%
6	parent	3	2.7%
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	15	13.6%
10	adopted/foster child	1	0.9%
11	child of spouse	1	0.9%
12	co-spouse	0	
13	not related	1	0.9%
98	don't know	0	
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_18: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	5	6.0%
3	son/daughter	48	57.1%
4	son/daughter-in-law	3	3.6%
5	grandchild	15	17.9%
6	parent	2	2.4%
7	parent-in-law	0	
8	brother/sister	1	1.2%
9	other relative	9	10.7%
10	adopted/foster child	1	1.2%
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_19: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	3	5.0%
3	son/daughter	41	68.3%
4	son/daughter-in-law	2	3.3%
5	grandchild	10	16.7%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	2	3.3%
9	other relative	1	1.7%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	1	1.7%
98	don't know	0	
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_20: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	26	66.7%
4	son/daughter-in-law	1	2.6%
5	grandchild	6	15.4%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	5	12.8%
10	adopted/foster child	1	2.6%
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_21: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
1	head	0	

sh03_21: relationship to head

Value	Label	Cases	Percentage
2	wife or husband	1	3.8%
3	son/daughter	12	46.2%
4	son/daughter-in-law	0	
5	grandchild	7	26.9%
6	parent	1	3.8%
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	4	15.4%
10	adopted/foster child	0	
11	child of spouse	1	3.8%
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_22: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	10	55.6%
4	son/daughter-in-law	0	
5	grandchild	3	16.7%
6	parent	1	5.6%
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	4	22.2%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_23: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	5	45.5%
4	son/daughter-in-law	0	
5	grandchild	1	9.1%

sh03_23: relationship to head

Value	Label	Cases	Percentage
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	5	45.5%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_24: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	5	62.5%
4	son/daughter-in-law	0	
5	grandchild	2	25.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	1	12.5%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_25: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	5	83.3%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	1	16.7%
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	

sh03_25: relationship to head

Value	Label	Cases	Percentage
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_26: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	3	75.0%
4	son/daughter-in-law	1	25.0%
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_27: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	2	50.0%
4	son/daughter-in-law	1	25.0%
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	1	25.0%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	

sh03_27: relationship to head

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_28: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	33.3%
4	son/daughter-in-law	1	33.3%
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	1	33.3%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_29: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	50.0%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	1	50.0%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_30: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	50.0%
4	son/daughter-in-law	0	
5	grandchild	1	50.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_31: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	50.0%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	1	50.0%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_32: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	

sh03_32: relationship to head

Value	Label	Cases	Percentage
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_33: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_34: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	0	

sh03_34: relationship to head

Value	Label	Cases	Percentage
6	parent	0	
7	parent-in-law	0	
8	brother/sister	1	100.0%
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_35: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_36: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	

sh03_36: relationship to head

Value	Label	Cases	Percentage
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_37: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	1	100.0%
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_38: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	

sh03_38: relationship to head

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_39: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	1	100.0%
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	0	
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh03_40: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	head	0	
2	wife or husband	0	
3	son/daughter	0	
4	son/daughter-in-law	0	
5	grandchild	0	
6	parent	0	
7	parent-in-law	0	
8	brother/sister	0	
9	other relative	1	100.0%
10	adopted/foster child	0	
11	child of spouse	0	
12	co-spouse	0	
13	not related	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_01: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_02: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
1	postive falciparam	46	55.4%
2	positive pieces (omv)	0	
4	negative	37	44.6%
6	onther	0	
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_03: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1008 /-] [Invalid=5440 /-]

sh215_03: result of malaria rapid test

Value	Label	Cases	Percentage
1	postive falciparam	606	60.1%
2	positive pieces (omv)	1	0.1%
4	negative	400	39.7%
6	onther	1	0.1%
Sysmiss		5440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_04: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=944 /-] [Invalid=5504 /-]

Value	Label	Cases	Percentage
1	postive falciparam	590	62.5%
2	positive pieces (omv)	0	
4	negative	354	37.5%
6	onther	0	
Sysmiss		5504	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_05: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=814 /-] [Invalid=5634 /-]

Value	Label	Cases	Percentage
1	postive falciparam	508	62.4%
2	positive pieces (omv)	0	
4	negative	306	37.6%
6	onther	0	
Sysmiss		5634	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_06: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=704 /-] [Invalid=5744 /-]

Value	Label	Cases	Percentage
1	postive falciparam	449	63.8%
2	positive pieces (omv)	0	
4	negative	255	36.2%
6	onther	0	
Sysmiss		5744	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_07: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=598 /-] [Invalid=5850 /-]

Value	Label	Cases	Percentage
1	postive falciparam	392	65.6%
2	positive pieces (omv)	0	

sh215_07: result of malaria rapid test

Value	Label	Cases	Percentage
4	negative	206	34.4%
6	onther	0	
Sysmiss		5850	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_08: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=454 /-] [Invalid=5994 /-]

Value	Label	Cases	Percentage
1	postive falciparam	308	67.8%
2	positive pieces (omv)	0	
4	negative	146	32.2%
6	onther	0	
Sysmiss		5994	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_09: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=376 /-] [Invalid=6072 /-]

Value	Label	Cases	Percentage
1	postive falciparam	261	69.4%
2	positive pieces (omv)	0	
4	negative	115	30.6%
6	onther	0	
Sysmiss		6072	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_10: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=316 /-] [Invalid=6132 /-]

Value	Label	Cases	Percentage
1	postive falciparam	230	72.8%
2	positive pieces (omv)	0	
4	negative	86	27.2%
6	onther	0	
Sysmiss		6132	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_11: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=220 /-] [Invalid=6228 /-]

Value	Label	Cases	Percentage
1	postive falciparam	151	68.6%
2	positive pieces (omv)	0	
4	negative	69	31.4%
6	onther	0	

sh215_11: result of malaria rapid test

Value	Label	Cases	Percentage
Sysmiss		6228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_12: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=178 /-] [Invalid=6270 /-]

Value	Label	Cases	Percentage
1	postive falciparam	119	66.9%
2	positive pieces (omv)	0	
4	negative	59	33.1%
6	onther	0	
Sysmiss		6270	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_13: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=6322 /-]

Value	Label	Cases	Percentage
1	postive falciparam	83	65.9%
2	positive pieces (omv)	0	
4	negative	43	34.1%
6	onther	0	
Sysmiss		6322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_14: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
1	postive falciparam	65	69.9%
2	positive pieces (omv)	0	
4	negative	28	30.1%
6	onther	0	
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_15: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=6386 /-]

Value	Label	Cases	Percentage
1	postive falciparam	42	67.7%
2	positive pieces (omv)	0	
4	negative	20	32.3%
6	onther	0	
Sysmiss		6386	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_16: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=38 /-] [Invalid=6410 /-]

Value	Label	Cases	Percentage
1	postive falciparam	26	68.4%
2	positive pieces (omv)	0	
4	negative	12	31.6%
6	onther	0	
Sysmiss		6410	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_17: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
1	postive falciparam	24	54.5%
2	positive pieces (omv)	0	
4	negative	20	45.5%
6	onther	0	
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_18: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
1	postive falciparam	19	63.3%
2	positive pieces (omv)	0	
4	negative	11	36.7%
6	onther	0	
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_19: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=6426 /-]

Value	Label	Cases	Percentage
1	postive falciparam	17	77.3%
2	positive pieces (omv)	0	
4	negative	5	22.7%
6	onther	0	
Sysmiss		6426	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_20: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

sh215_20: result of malaria rapid test

Value	Label	Cases	Percentage
1	postive falciparam	9	56.2%
2	positive pieces (omv)	0	
4	negative	7	43.8%
6	onther	0	
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_21: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
1	postive falciparam	8	80.0%
2	positive pieces (omv)	0	
4	negative	2	20.0%
6	onther	0	
Sysmiss		6438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_22: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	postive falciparam	2	50.0%
2	positive pieces (omv)	0	
4	negative	2	50.0%
6	onther	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_23: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	postive falciparam	3	100.0%
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_24: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	postive falciparam	2	100.0%
2	positive pieces (omv)	0	

sh215_24: result of malaria rapid test

Value	Label	Cases	Percentage
4	negative	0	
6	onther	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_25: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	1	100.0%
6	onther	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_26: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_27: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	postive falciparam	2	66.7%
2	positive pieces (omv)	0	
4	negative	1	33.3%
6	onther	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_28: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	1	100.0%
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	

sh215_28: result of malaria rapid test

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_29: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_30: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_31: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	1	100.0%
6	onther	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_32: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	1	100.0%
6	onther	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_33: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	1	100.0%
6	onther	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_34: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_35: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_36: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_37: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh215_37: result of malaria rapid test

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_38: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	1	100.0%
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_39: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	1	100.0%
6	onther	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215_40: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	postive falciparam	0	
2	positive pieces (omv)	0	
4	negative	0	
6	onther	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_01: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218a_01: child suffering any illnesses or symptoms: extreme weakness

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_02: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	45	97.8%
1	yes	1	2.2%
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_03: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	579	95.5%
1	yes	27	4.5%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_04: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	556	94.4%
1	yes	33	5.6%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_05: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	488	96.3%
1	yes	19	3.7%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_06: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	434	96.7%
1	yes	15	3.3%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_07: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	374	95.9%
1	yes	16	4.1%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_08: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	292	95.1%
1	yes	15	4.9%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_09: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	255	97.7%
1	yes	6	2.3%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_10: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	218	94.8%
1	yes	12	5.2%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_11: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	141	93.4%
1	yes	10	6.6%
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_12: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	116	97.5%
1	yes	3	2.5%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_13: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	80	96.4%
1	yes	3	3.6%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_14: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	65	100.0%
1	yes	0	
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_15: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

sh218a_15: child suffering any illnesses or symptoms: extreme weakness

Value	Label	Cases	Percentage
0	no	41	97.6%
1	yes	1	2.4%
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_16: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	24	92.3%
1	yes	2	7.7%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_17: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	21	87.5%
1	yes	3	12.5%
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_18: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	17	89.5%
1	yes	2	10.5%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_19: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_20: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	6	75.0%

sh218a_20: child suffering any illnesses or symptoms: extreme weakness

Value	Label	Cases	Percentage
1	yes	2	25.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_21: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_22: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_23: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_24: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_25: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218a_25: child suffering any illnesses or symptoms: extreme weakness

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_26: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_27: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_28: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_29: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_30: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_31: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_32: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_33: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_34: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_35: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_36: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218a_36: child suffering any illnesses or symptoms: extreme weakness

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_37: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_38: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_39: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a_40: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_01: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218b_01: child suffering any illnesses or symptoms: heart problem

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_02: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	45	97.8%
1	yes	1	2.2%
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_03: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	606	100.0%
1	yes	0	
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_04: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	588	99.8%
1	yes	1	0.2%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_05: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	507	100.0%
1	yes	0	
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_06: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	448	99.8%
1	yes	1	0.2%

sh218b_06: child suffering any illnesses or symptoms: heart problem

Value	Label	Cases	Percentage
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_07: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	389	99.7%
1	yes	1	0.3%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_08: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	307	100.0%
1	yes	0	
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_09: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	261	100.0%
1	yes	0	
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_10: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	230	100.0%
1	yes	0	
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_11: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	151	100.0%
1	yes	0	
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_12: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	119	100.0%
1	yes	0	
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_13: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	83	100.0%
1	yes	0	
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_14: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	65	100.0%
1	yes	0	
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_15: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	42	100.0%
1	yes	0	
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_16: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	26	100.0%
1	yes	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_17: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

sh218b_17: child suffering any illnesses or symptoms: heart problem

Value	Label	Cases	Percentage
0	no	24	100.0%
1	yes	0	
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_18: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_19: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_20: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_21: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_22: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_23: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_24: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_25: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218b_25: child suffering any illnesses or symptoms: heart problem

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_26: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_27: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_28: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_29: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_30: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218b_30: child suffering any illnesses or symptoms: heart problem

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_31: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_32: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_33: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_34: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_35: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218b_35: child suffering any illnesses or symptoms: heart problem

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_36: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_37: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_38: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_39: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b_40: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_01: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_02: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	46	100.0%
1	yes	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_03: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	602	99.3%
1	yes	4	0.7%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_04: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	587	99.7%
1	yes	2	0.3%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_05: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	504	99.4%
1	yes	3	0.6%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_06: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

sh218c_06: child suffering any illnesses or symptoms: loss of consciousness

Value	Label	Cases	Percentage
0	no	446	99.3%
1	yes	3	0.7%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_07: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	388	99.5%
1	yes	2	0.5%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_08: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	306	99.7%
1	yes	1	0.3%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_09: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	260	99.6%
1	yes	1	0.4%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_10: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	230	100.0%
1	yes	0	
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_11: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	151	100.0%

sh218c_11: child suffering any illnesses or symptoms: loss of consciousness

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_12: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	117	98.3%
1	yes	2	1.7%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_13: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	82	98.8%
1	yes	1	1.2%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_14: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	64	98.5%
1	yes	1	1.5%
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_15: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	42	100.0%
1	yes	0	
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_16: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	26	100.0%
1	yes	0	

sh218c_16: child suffering any illnesses or symptoms: loss of consciousness

Value	Label	Cases	Percentage
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_17: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	24	100.0%
1	yes	0	
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_18: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_19: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_20: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_21: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_22: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_23: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_24: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_25: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_26: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_27: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

sh218c_27: child suffering any illnesses or symptoms: loss of consciousness

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_28: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_29: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_30: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_31: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_32: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_33: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_34: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_35: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218c_35: child suffering any illnesses or symptoms: loss of consciousness

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_36: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_37: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_38: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_39: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c_40: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218c_40: child suffering any illnesses or symptoms: loss of consciousness

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_01: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_02: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	46	100.0%
1	yes	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_03: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	595	98.2%
1	yes	11	1.8%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_04: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	575	97.6%
1	yes	14	2.4%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_05: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	500	98.6%
1	yes	7	1.4%

sh218d_05: child suffering any illnesses or symptoms: deep breathing

Value	Label	Cases	Percentage
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_06: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	438	97.6%
1	yes	11	2.4%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_07: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	386	99.0%
1	yes	4	1.0%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_08: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	303	98.7%
1	yes	4	1.3%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_09: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	257	98.5%
1	yes	4	1.5%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_10: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	224	97.4%
1	yes	6	2.6%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_11: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	151	100.0%
1	yes	0	
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_12: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	118	99.2%
1	yes	1	0.8%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_13: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	81	97.6%
1	yes	2	2.4%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_14: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	64	98.5%
1	yes	1	1.5%
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_15: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	42	100.0%
1	yes	0	
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_16: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

sh218d_16: child suffering any illnesses or symptoms: deep breathing

Value	Label	Cases	Percentage
0	no	25	96.2%
1	yes	1	3.8%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_17: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	23	95.8%
1	yes	1	4.2%
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_18: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_19: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_20: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	7	87.5%
1	yes	1	12.5%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_21: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%

sh218d_21: child suffering any illnesses or symptoms: deep breathing

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_22: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_23: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_24: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_25: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_26: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218d_26: child suffering any illnesses or symptoms: deep breathing

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_27: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_28: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_29: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_30: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_31: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_32: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_33: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_34: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_35: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_36: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_37: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218d_37: child suffering any illnesses or symptoms: deep breathing

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_38: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_39: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d_40: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_01: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_02: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	46	100.0%
1	yes	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_03: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	596	98.3%
1	yes	10	1.7%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_04: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	583	99.0%
1	yes	6	1.0%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_05: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

sh218e_05: child suffering any illnesses or symptoms: convulsions

Value	Label	Cases	Percentage
0	no	502	99.0%
1	yes	5	1.0%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_06: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	446	99.3%
1	yes	3	0.7%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_07: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	387	99.2%
1	yes	3	0.8%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_08: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	301	98.0%
1	yes	6	2.0%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_09: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	261	100.0%
1	yes	0	
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_10: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	227	98.7%

sh218e_10: child suffering any illnesses or symptoms: convulsions

Value	Label	Cases	Percentage
1	yes	3	1.3%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_11: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	150	99.3%
1	yes	1	0.7%
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_12: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	117	98.3%
1	yes	2	1.7%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_13: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	82	98.8%
1	yes	1	1.2%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_14: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	65	100.0%
1	yes	0	
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_15: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	42	100.0%
1	yes	0	

sh218e_15: child suffering any illnesses or symptoms: convulsions

Value	Label	Cases	Percentage
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_16: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	25	96.2%
1	yes	1	3.8%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_17: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	23	95.8%
1	yes	1	4.2%
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_18: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_19: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_20: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_21: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_22: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_23: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_24: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_25: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_26: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218e_26: child suffering any illnesses or symptoms: convulsions

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_27: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_28: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_29: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_30: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_31: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218e_31: child suffering any illnesses or symptoms: convulsions

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_32: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_33: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_34: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_35: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_36: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218e_36: child suffering any illnesses or symptoms: convulsions

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_37: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_38: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_39: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e_40: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_01: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_02: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	46	100.0%
1	yes	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_03: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	604	99.7%
1	yes	2	0.3%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_04: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	589	100.0%
1	yes	0	
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_05: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	504	99.4%
1	yes	3	0.6%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_06: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	448	99.8%
1	yes	1	0.2%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_07: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

sh218f_07: child suffering any illnesses or symptoms: bleeding

Value	Label	Cases	Percentage
0	no	386	99.0%
1	yes	4	1.0%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_08: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	306	99.7%
1	yes	1	0.3%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_09: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	261	100.0%
1	yes	0	
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_10: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	229	99.6%
1	yes	1	0.4%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_11: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	151	100.0%
1	yes	0	
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_12: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	119	100.0%
1	yes	0	
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_13: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	81	97.6%
1	yes	2	2.4%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_14: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	64	98.5%
1	yes	1	1.5%
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_15: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

sh218f_15: child suffering any illnesses or symptoms: bleeding

Value	Label	Cases	Percentage
0	no	42	100.0%
1	yes	0	
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_16: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	26	100.0%
1	yes	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_17: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	24	100.0%
1	yes	0	
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_18: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_19: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_20: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%

sh218f_20: child suffering any illnesses or symptoms: bleeding

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_21: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_22: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_23: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_24: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_25: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218f_25: child suffering any illnesses or symptoms: bleeding

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_26: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_27: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_28: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_29: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_30: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_31: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_32: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_33: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_34: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_35: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_36: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218f_36: child suffering any illnesses or symptoms: bleeding

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_37: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_38: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_39: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f_40: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_01: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218g_01: child suffering any illnesses or symptoms: jaundice

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_02: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	44	95.7%
1	yes	2	4.3%
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_03: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	599	98.8%
1	yes	7	1.2%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_04: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	573	97.3%
1	yes	16	2.7%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_05: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	505	99.6%
1	yes	2	0.4%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_06: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	437	97.3%
1	yes	12	2.7%

sh218g_06: child suffering any illnesses or symptoms: jaundice

Value	Label	Cases	Percentage
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_07: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	382	97.9%
1	yes	8	2.1%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_08: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	307	100.0%
1	yes	0	
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_09: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	257	98.5%
1	yes	4	1.5%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_10: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	227	98.7%
1	yes	3	1.3%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_11: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	148	98.0%
1	yes	3	2.0%
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_12: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	118	99.2%
1	yes	1	0.8%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_13: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	80	96.4%
1	yes	3	3.6%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_14: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	65	100.0%
1	yes	0	
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_15: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	42	100.0%
1	yes	0	
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_16: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	26	100.0%
1	yes	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_17: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

sh218g_17: child suffering any illnesses or symptoms: jaundice

Value	Label	Cases	Percentage
0	no	24	100.0%
1	yes	0	
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_18: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_19: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_20: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	7	87.5%
1	yes	1	12.5%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_21: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_22: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_23: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_24: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_25: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218g_25: child suffering any illnesses or symptoms: jaundice

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_26: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_27: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_28: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_29: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_30: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218g_30: child suffering any illnesses or symptoms: jaundice

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_31: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_32: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_33: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_34: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_35: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh218g_35: child suffering any illnesses or symptoms: jaundice

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_36: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_37: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_38: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_39: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g_40: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_01: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_02: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	44	95.7%
1	yes	2	4.3%
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_03: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	535	88.3%
1	yes	71	11.7%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_04: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	547	92.9%
1	yes	42	7.1%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_05: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	461	90.9%
1	yes	46	9.1%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_06: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

sh218h_06: child suffering any illnesses or symptoms: dark urine

Value	Label	Cases	Percentage
0	no	415	92.4%
1	yes	34	7.6%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_07: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	349	89.5%
1	yes	41	10.5%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_08: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	274	89.3%
1	yes	33	10.7%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_09: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	244	93.5%
1	yes	17	6.5%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_10: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	210	91.3%
1	yes	20	8.7%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_11: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	135	89.4%

sh218h_11: child suffering any illnesses or symptoms: dark urine

Value	Label	Cases	Percentage
1	yes	16	10.6%
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_12: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	107	89.9%
1	yes	12	10.1%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_13: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	80	96.4%
1	yes	3	3.6%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_14: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	60	92.3%
1	yes	5	7.7%
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_15: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	39	92.9%
1	yes	3	7.1%
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_16: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	21	80.8%
1	yes	5	19.2%

sh218h_16: child suffering any illnesses or symptoms: dark urine

Value	Label	Cases	Percentage
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_17: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	21	87.5%
1	yes	3	12.5%
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_18: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	18	94.7%
1	yes	1	5.3%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_19: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	17	100.0%
1	yes	0	
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_20: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	6	75.0%
1	yes	2	25.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_21: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	8	100.0%
1	yes	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_22: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_23: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_24: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_25: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_26: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_27: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

sh218h_27: child suffering any illnesses or symptoms: dark urine

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_28: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_29: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_30: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_31: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_32: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_33: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_34: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_35: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218h_35: child suffering any illnesses or symptoms: dark urine

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_36: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_37: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_38: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_39: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h_40: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218h_40: child suffering any illnesses or symptoms: dark urine

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_01: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_02: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	no	5	10.9%
1	yes, no symptoms	41	89.1%
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_03: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
0	no	105	17.3%
1	yes, no symptoms	501	82.7%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_04: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=589 /-] [Invalid=5859 /-]

Value	Label	Cases	Percentage
0	no	75	12.7%
1	yes, no symptoms	514	87.3%
Sysmiss		5859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_05: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
0	no	61	12.0%
1	yes, no symptoms	446	88.0%

sh218y_05: child suffering any illnesses or symptoms: no symptoms

Value	Label	Cases	Percentage
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_06: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=449 /-] [Invalid=5999 /-]

Value	Label	Cases	Percentage
0	no	56	12.5%
1	yes, no symptoms	393	87.5%
Sysmiss		5999	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_07: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=390 /-] [Invalid=6058 /-]

Value	Label	Cases	Percentage
0	no	55	14.1%
1	yes, no symptoms	335	85.9%
Sysmiss		6058	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_08: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=307 /-] [Invalid=6141 /-]

Value	Label	Cases	Percentage
0	no	41	13.4%
1	yes, no symptoms	266	86.6%
Sysmiss		6141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_09: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
0	no	25	9.6%
1	yes, no symptoms	236	90.4%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_10: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
0	no	32	13.9%
1	yes, no symptoms	198	86.1%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_11: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=151 /-] [Invalid=6297 /-]

Value	Label	Cases	Percentage
0	no	22	14.6%
1	yes, no symptoms	129	85.4%
Sysmiss		6297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_12: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
0	no	16	13.4%
1	yes, no symptoms	103	86.6%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_13: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	no	11	13.3%
1	yes, no symptoms	72	86.7%
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_14: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=6383 /-]

Value	Label	Cases	Percentage
0	no	7	10.8%
1	yes, no symptoms	58	89.2%
Sysmiss		6383	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_15: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
0	no	3	7.1%
1	yes, no symptoms	39	92.9%
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_16: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

sh218y_16: child suffering any illnesses or symptoms: no symptoms

Value	Label	Cases	Percentage
0	no	6	23.1%
1	yes, no symptoms	20	76.9%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_17: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
0	no	4	16.7%
1	yes, no symptoms	20	83.3%
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_18: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	2	10.5%
1	yes, no symptoms	17	89.5%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_19: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	17	100.0%
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_20: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	3	37.5%
1	yes, no symptoms	5	62.5%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_21: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	0	

sh218y_21: child suffering any illnesses or symptoms: no symptoms

Value	Label	Cases	Percentage
1	yes, no symptoms	8	100.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_22: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_23: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	3	100.0%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_24: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_25: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_26: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	

sh218y_26: child suffering any illnesses or symptoms: no symptoms

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_27: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes, no symptoms	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_28: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_29: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_30: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_31: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_32: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_33: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_34: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_35: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_36: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_37: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh218y_37: child suffering any illnesses or symptoms: no symptoms

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_38: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_39: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y_40: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, no symptoms	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_01: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_02: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=41 /-] [Invalid=6407 /-]

Value	Label	Cases	Percentage
0	no	32	78.0%
1	yes	9	22.0%
Sysmiss		6407	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_03: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=492 /-] [Invalid=5956 /-]

Value	Label	Cases	Percentage
0	no	357	72.6%
1	yes	135	27.4%
Sysmiss		5956	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_04: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=501 /-] [Invalid=5947 /-]

Value	Label	Cases	Percentage
0	no	397	79.2%
1	yes	104	20.8%
Sysmiss		5947	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_05: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=431 /-] [Invalid=6017 /-]

sh222_05: taking cta to treat the malaria

Value	Label	Cases	Percentage
0	no	335	77.7%
1	yes	96	22.3%
Sysmiss		6017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_06: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=383 /-] [Invalid=6065 /-]

Value	Label	Cases	Percentage
0	no	303	79.1%
1	yes	80	20.9%
Sysmiss		6065	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_07: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=329 /-] [Invalid=6119 /-]

Value	Label	Cases	Percentage
0	no	255	77.5%
1	yes	74	22.5%
Sysmiss		6119	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_08: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=250 /-] [Invalid=6198 /-]

Value	Label	Cases	Percentage
0	no	194	77.6%
1	yes	56	22.4%
Sysmiss		6198	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_09: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=229 /-] [Invalid=6219 /-]

Value	Label	Cases	Percentage
0	no	176	76.9%
1	yes	53	23.1%
Sysmiss		6219	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_10: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=191 /-] [Invalid=6257 /-]

Value	Label	Cases	Percentage
0	no	153	80.1%

sh222_10: taking cta to treat the malaria

Value	Label	Cases	Percentage
1	yes	38	19.9%
Sysmiss		6257	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_11: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=121 /-] [Invalid=6327 /-]

Value	Label	Cases	Percentage
0	no	96	79.3%
1	yes	25	20.7%
Sysmiss		6327	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_12: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=99 /-] [Invalid=6349 /-]

Value	Label	Cases	Percentage
0	no	76	76.8%
1	yes	23	23.2%
Sysmiss		6349	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_13: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=67 /-] [Invalid=6381 /-]

Value	Label	Cases	Percentage
0	no	48	71.6%
1	yes	19	28.4%
Sysmiss		6381	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_14: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=52 /-] [Invalid=6396 /-]

Value	Label	Cases	Percentage
0	no	34	65.4%
1	yes	18	34.6%
Sysmiss		6396	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_15: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=6412 /-]

Value	Label	Cases	Percentage
0	no	30	83.3%
1	yes	6	16.7%

sh222_15: taking cta to treat the malaria

Value	Label	Cases	Percentage
Sysmiss		6412	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_16: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	11	57.9%
1	yes	8	42.1%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_17: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
0	no	14	73.7%
1	yes	5	26.3%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_18: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
0	no	12	75.0%
1	yes	4	25.0%
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_19: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
0	no	14	87.5%
1	yes	2	12.5%
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_20: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	no	4	66.7%
1	yes	2	33.3%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_21: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	6	75.0%
1	yes	2	25.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_22: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_23: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	3	100.0%
1	yes	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_24: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_25: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_26: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

sh222_26: taking cta to treat the malaria

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_27: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_28: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_29: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_30: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_31: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

sh222_31: taking cta to treat the malaria

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_32: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_33: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_34: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_35: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_36: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

sh222_36: taking cta to treat the malaria

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_37: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_38: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_39: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222_40: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_01: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	

sh225_01: acceptance of medicine

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_02: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=32 /-] [Invalid=6416 /-]

Value	Label	Cases	Percentage
1	accepted medicine	29	90.6%
2	refused	0	
6	other	3	9.4%
Sysmiss		6416	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_03: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=357 /-] [Invalid=6091 /-]

Value	Label	Cases	Percentage
1	accepted medicine	299	83.8%
2	refused	0	
6	other	58	16.2%
Sysmiss		6091	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_04: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=394 /-] [Invalid=6054 /-]

Value	Label	Cases	Percentage
1	accepted medicine	336	85.3%
2	refused	1	0.3%
6	other	57	14.5%
Sysmiss		6054	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_05: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=333 /-] [Invalid=6115 /-]

Value	Label	Cases	Percentage
1	accepted medicine	289	86.8%
2	refused	0	
6	other	44	13.2%
Sysmiss		6115	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_06: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=302 /-] [Invalid=6146 /-]

sh225_06: acceptance of medicine

Value	Label	Cases	Percentage
1	accepted medicine	259	85.8%
2	refused	0	
6	other	43	14.2%
Sysmiss		6146	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_07: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=254 /-] [Invalid=6194 /-]

Value	Label	Cases	Percentage
1	accepted medicine	208	81.9%
2	refused	0	
6	other	46	18.1%
Sysmiss		6194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_08: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=194 /-] [Invalid=6254 /-]

Value	Label	Cases	Percentage
1	accepted medicine	156	80.4%
2	refused	0	
6	other	38	19.6%
Sysmiss		6254	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_09: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=175 /-] [Invalid=6273 /-]

Value	Label	Cases	Percentage
1	accepted medicine	157	89.7%
2	refused	0	
6	other	18	10.3%
Sysmiss		6273	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_10: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=153 /-] [Invalid=6295 /-]

Value	Label	Cases	Percentage
1	accepted medicine	130	85.0%
2	refused	0	
6	other	23	15.0%
Sysmiss		6295	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_11: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=95 /-] [Invalid=6353 /-]

Value	Label	Cases	Percentage
1	accepted medicine	78	82.1%
2	refused	0	
6	other	17	17.9%
Sysmiss		6353	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_12: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=77 /-] [Invalid=6371 /-]

Value	Label	Cases	Percentage
1	accepted medicine	62	80.5%
2	refused	0	
6	other	15	19.5%
Sysmiss		6371	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_13: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=6400 /-]

Value	Label	Cases	Percentage
1	accepted medicine	40	83.3%
2	refused	0	
6	other	8	16.7%
Sysmiss		6400	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_14: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=33 /-] [Invalid=6415 /-]

Value	Label	Cases	Percentage
1	accepted medicine	24	72.7%
2	refused	0	
6	other	9	27.3%
Sysmiss		6415	

sh225_14: acceptance of medicine

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_15: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
1	accepted medicine	27	90.0%
2	refused	0	
6	other	3	10.0%
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_16: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
1	accepted medicine	11	100.0%
2	refused	0	
6	other	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_17: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=6434 /-]

Value	Label	Cases	Percentage
1	accepted medicine	11	78.6%
2	refused	0	
6	other	3	21.4%
Sysmiss		6434	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_18: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=6436 /-]

Value	Label	Cases	Percentage
1	accepted medicine	10	83.3%
2	refused	0	
6	other	2	16.7%
Sysmiss		6436	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_19: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=6434 /-]

Value	Label	Cases	Percentage
1	accepted medicine	13	92.9%
2	refused	0	

sh225_19: acceptance of medicine

Value	Label	Cases	Percentage
6	other	1	7.1%
Sysmiss		6434	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_20: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	accepted medicine	4	100.0%
2	refused	0	
6	other	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_21: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1	accepted medicine	3	50.0%
2	refused	0	
6	other	3	50.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_22: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	accepted medicine	1	100.0%
2	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_23: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	accepted medicine	2	66.7%
2	refused	0	
6	other	1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_24: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

sh225_24: acceptance of medicine

Value	Label	Cases	Percentage
1	accepted medicine	2	100.0%
2	refused	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_25: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_26: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_27: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	accepted medicine	1	100.0%
2	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_28: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	accepted medicine	1	100.0%
2	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_29: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_30: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_31: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_32: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_33: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

sh225_33: acceptance of medicine

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_34: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_35: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_36: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_37: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_38: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	accepted medicine	1	100.0%
2	refused	0	

sh225_38: acceptance of medicine

Value	Label	Cases	Percentage
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_39: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225_40: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	accepted medicine	0	
2	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_01: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_02: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=6403 /-]

Value	Label	Cases	Percentage
1	medication given	29	64.4%
2	meds refused	0	
3	severe malaria referral	5	11.1%
4	already taking meds referral	9	20.0%
6	other	2	4.4%
Sysmiss		6403	

sh227_02: result code of malaria treatment and referral

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_03: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=606 /-] [Invalid=5842 /-]

Value	Label	Cases	Percentage
1	medication given	302	49.8%
2	meds refused	2	0.3%
3	severe malaria referral	112	18.5%
4	already taking meds referral	133	21.9%
6	other	57	9.4%
Sysmiss		5842	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_04: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=586 /-] [Invalid=5862 /-]

Value	Label	Cases	Percentage
1	medication given	341	58.2%
2	meds refused	1	0.2%
3	severe malaria referral	83	14.2%
4	already taking meds referral	104	17.7%
6	other	57	9.7%
Sysmiss		5862	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_05: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=507 /-] [Invalid=5941 /-]

Value	Label	Cases	Percentage
1	medication given	291	57.4%
2	meds refused	0	
3	severe malaria referral	73	14.4%
4	already taking meds referral	99	19.5%
6	other	44	8.7%
Sysmiss		5941	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_06: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=446 /-] [Invalid=6002 /-]

Value	Label	Cases	Percentage
1	medication given	262	58.7%
2	meds refused	1	0.2%
3	severe malaria referral	61	13.7%
4	already taking meds referral	80	17.9%
6	other	42	9.4%

sh227_06: result code of malaria treatment and referral

Value	Label	Cases	Percentage
Sysmiss		6002	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_07: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=389 /-] [Invalid=6059 /-]

Value	Label	Cases	Percentage
1	medication given	213	54.8%
2	meds refused	1	0.3%
3	severe malaria referral	57	14.7%
4	already taking meds referral	71	18.3%
6	other	47	12.1%
Sysmiss		6059	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_08: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=308 /-] [Invalid=6140 /-]

Value	Label	Cases	Percentage
1	medication given	160	51.9%
2	meds refused	0	
3	severe malaria referral	54	17.5%
4	already taking meds referral	58	18.8%
6	other	36	11.7%
Sysmiss		6140	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_09: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=261 /-] [Invalid=6187 /-]

Value	Label	Cases	Percentage
1	medication given	159	60.9%
2	meds refused	0	
3	severe malaria referral	30	11.5%
4	already taking meds referral	53	20.3%
6	other	19	7.3%
Sysmiss		6187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_10: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=230 /-] [Invalid=6218 /-]

Value	Label	Cases	Percentage
1	medication given	131	57.0%
2	meds refused	2	0.9%
3	severe malaria referral	38	16.5%

sh227_10: result code of malaria treatment and referral

Value	Label	Cases	Percentage
4	already taking meds referral	39	17.0%
6	other	20	8.7%
Sysmiss		6218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_11: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=150 /-] [Invalid=6298 /-]

Value	Label	Cases	Percentage
1	medication given	78	52.0%
2	meds refused	2	1.3%
3	severe malaria referral	28	18.7%
4	already taking meds referral	24	16.0%
6	other	18	12.0%
Sysmiss		6298	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_12: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=119 /-] [Invalid=6329 /-]

Value	Label	Cases	Percentage
1	medication given	66	55.5%
2	meds refused	0	
3	severe malaria referral	17	14.3%
4	already taking meds referral	22	18.5%
6	other	14	11.8%
Sysmiss		6329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_13: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=6366 /-]

Value	Label	Cases	Percentage
1	medication given	42	51.2%
2	meds refused	0	
3	severe malaria referral	14	17.1%
4	already taking meds referral	18	22.0%
6	other	8	9.8%
Sysmiss		6366	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_14: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=6385 /-]

Value	Label	Cases	Percentage
1	medication given	25	39.7%

sh227_14: result code of malaria treatment and referral

Value	Label	Cases	Percentage
2	meds refused	0	
3	severe malaria referral	11	17.5%
4	already taking meds referral	19	30.2%
6	other	8	12.7%
Sysmiss		6385	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_15: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-]

Value	Label	Cases	Percentage
1	medication given	27	64.3%
2	meds refused	0	
3	severe malaria referral	5	11.9%
4	already taking meds referral	7	16.7%
6	other	3	7.1%
Sysmiss		6406	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_16: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
1	medication given	11	42.3%
2	meds refused	0	
3	severe malaria referral	7	26.9%
4	already taking meds referral	8	30.8%
6	other	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_17: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=6424 /-]

Value	Label	Cases	Percentage
1	medication given	13	54.2%
2	meds refused	0	
3	severe malaria referral	4	16.7%
4	already taking meds referral	4	16.7%
6	other	3	12.5%
Sysmiss		6424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_18: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

sh227_18: result code of malaria treatment and referral

Value	Label	Cases	Percentage
1	medication given	11	57.9%
2	meds refused	0	
3	severe malaria referral	4	21.1%
4	already taking meds referral	3	15.8%
6	other	1	5.3%
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_19: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6431 /-]

Value	Label	Cases	Percentage
1	medication given	13	76.5%
2	meds refused	0	
3	severe malaria referral	1	5.9%
4	already taking meds referral	2	11.8%
6	other	1	5.9%
Sysmiss		6431	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_20: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=6439 /-]

Value	Label	Cases	Percentage
1	medication given	4	44.4%
2	meds refused	0	
3	severe malaria referral	3	33.3%
4	already taking meds referral	2	22.2%
6	other	0	
Sysmiss		6439	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_21: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
1	medication given	3	37.5%
2	meds refused	0	
3	severe malaria referral	1	12.5%
4	already taking meds referral	2	25.0%
6	other	2	25.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_22: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	medication given	1	50.0%
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	1	50.0%
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_23: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	medication given	2	66.7%
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_24: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	medication given	2	100.0%
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_25: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_26: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_27: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	medication given	1	50.0%
2	meds refused	0	
3	severe malaria referral	1	50.0%
4	already taking meds referral	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_28: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	medication given	1	100.0%
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_29: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_30: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_31: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_32: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_33: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_34: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_35: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_36: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_37: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_38: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	medication given	1	100.0%
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_39: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227_40: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	medication given	0	
2	meds refused	0	
3	severe malaria referral	0	
4	already taking meds referral	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_01: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_02: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-3015004] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=6363 /-] [Mean=992906.153 /-] [StdDev=600881.045 /-]

scweight_03: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=1029 /-] [Invalid=5419 /-] [Mean=1036352.186 /-] [StdDev=650612.939 /-]

scweight_04: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=978 /-] [Invalid=5470 /-] [Mean=974588.606 /-] [StdDev=599724.022 /-]

scweight_05: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=834 /-] [Invalid=5614 /-] [Mean=955491.518 /-] [StdDev=635904.637 /-]

scweight_06: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=728 /-] [Invalid=5720 /-] [Mean=925969.589 /-] [StdDev=573576.243 /-]

scweight_07: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=620 /-] [Invalid=5828 /-] [Mean=942344.069 /-] [StdDev=593088.559 /-]

scweight_08: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=467 /-] [Invalid=5981 /-] [Mean=910793.642 /-] [StdDev=582029.711 /-]

scweight_09: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=393 /-] [Invalid=6055 /-] [Mean=873163.173 /-] [StdDev=551592.375 /-]

# scweight_10: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-3657442] [Missing=*]
Statistics [NW/ W]	[Valid=321 /-] [Invalid=6127 /-] [Mean=882802.15 /-] [StdDev=490076.541 /-]
# scweight_11: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=228 /-] [Invalid=6220 /-] [Mean=884586.715 /-] [StdDev=609444.184 /-]
# scweight_12: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=6267 /-] [Mean=939554.039 /-] [StdDev=629028.441 /-]
# scweight_13: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-3657442] [Missing=*]
Statistics [NW/ W]	[Valid=131 /-] [Invalid=6317 /-] [Mean=913610.031 /-] [StdDev=557375.327 /-]
# scweight_14: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-3235272] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=6352 /-] [Mean=843373.813 /-] [StdDev=507989.083 /-]
# scweight_15: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-3235272] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=6385 /-] [Mean=868057.381 /-] [StdDev=503783.182 /-]
# scweight_16: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-3045552] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-] [Mean=953425.359 /-] [StdDev=549224.233 /-]
# scweight_17: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-2129087] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-] [Mean=839570.091 /-] [StdDev=412409.959 /-]
# scweight_18: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 468556-2129087] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-] [Mean=887572.8 /-] [StdDev=383103.711 /-]
# scweight_19: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-2129087] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=6425 /-] [Mean=894443.957 /-] [StdDev=444501.458 /-]
# scweight_20: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 405171-2129087] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-] [Mean=841028.5 /-] [StdDev=406697.868 /-]
# scweight_21: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-] [Mean=1025460 /-] [StdDev=1663848.13 /-]
# scweight_22: child weight (to be used only for malaria laboratory test results - 6 decimals)	
Information	[Type= continuous] [Format=numeric] [Range= 441077-946940] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-] [Mean=716840.5 /-] [StdDev=212231.647 /-]

scweight_23: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-745398] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-] [Mean=395491.667 /-] [StdDev=374784.02 /-]

scweight_24: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 441077-866565] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-] [Mean=653821 /-] [StdDev=300865.45 /-]

scweight_25: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 866565-866565] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
866565		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_26: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_27: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-] [Mean=2129590.333 /-] [StdDev=3313921.233 /-]

scweight_28: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 441077-441077] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
441077		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_29: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_30: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_31: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5947694-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
5947694		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_32: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5947694-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
5947694		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_33: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5947694-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
5947694		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_34: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_35: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_36: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

scweight_36: child weight (to be used only for malaria laboratory test results - 6 decimals)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_37: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_38: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5947694-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
5947694		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_39: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5947694-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
5947694		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight_40: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha0_1: na - index to household schedule

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha0_2: na - index to household schedule

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha1_1: na - woman's age in years

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha1_2: na - woman's age in years

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha2_1: na - woman's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha2_2: na - woman's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha3_1: na - woman's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha3_2: na - woman's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

ha3_2: na - woman's height in centimeters (1 decimal)

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha4_1: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha4_2: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha5_1: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha5_2: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha6_1: na - height/age percent ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha6_2: na - height/age percent ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha11_1: na - weight/height standard deviation (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha11_2: na - weight/height standard deviation (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12_1: na - weight/height percent ref. median (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12_2: na - weight/height percent ref. median (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12a_1: na - weight/height percent ref. median (fog)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12a_2: na - weight/height percent ref. median (fog)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12b_1: na - weight/height percent ref. median (who)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12b_2: na - weight/height percent ref. median (who)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha13_1: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha13_2: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha32_1: na - date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]

ha32_1: na - date of birth (cmc)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha32_2: na - date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha33_1: na - completeness of ha32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha33_2: na - completeness of ha32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha35_1: na - smoking (cigarettes in last 24 hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	doesn't smoke	0	

ha35_1: na - smoking (cigarettes in last 24 hours)

Value	Label	Cases	Percentage
80	80+	0	
94	smokes pipes, cigars, etc	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha35_2: na - smoking (cigarettes in last 24 hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	doesn't smoke	0	
80	80+	0	
94	smokes pipes, cigars, etc	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha40_1: na - body mass index

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha40_2: na - body mass index

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha41_1: na - rohrer's index

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha41_2: na - rohrer's index

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha50_1: na - under age 18

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	under age 18	0	
2	age 18 or older	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha50_2: na - under age 18

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	under age 18	0	
2	age 18 or older	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha51_1: na - line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha51_2: na - line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha52_1: na - read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha52_2: na - read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha53_1: na - hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha53_2: na - hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha54_1: na - currently pregnant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no/don't know	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha54_2: na - currently pregnant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no/don't know	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha55_1: na - result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha55_2: na - result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha56_1: na - hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 997-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
997	inconsistent	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha56_2: na - hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 997-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
997	inconsistent	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha57_1: na - anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	
4	not anemic	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha57_2: na - anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	
4	not anemic	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha58_1: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha58_2: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha60_1: na - marital status

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	never in union	0	
2	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha60_2: na - marital status

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	never in union	0	
2	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha61_1: na - read consent statement - hiv

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

ha61_1: na - read consent statement - hiv

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
4	sample not tested/lost/not enough dbs	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha61_2: na - read consent statement - hiv

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
4	sample not tested/lost/not enough dbs	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha62_1: na - bar code for hiv blood sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

ha62_2: na - bar code for hiv blood sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

ha63_1: na - result of measurement - hiv

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	blood taken	0	
2	not present	0	
3	refused	0	
4	sample not tested/lost/damaged/insufficient	0	
5	not enough dbs to complete protocol	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha63_2: na - result of measurement - hiv

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	blood taken	0	
2	not present	0	

ha63_2: na - result of measurement - hiv

Value	Label	Cases	Percentage
3	refused	0	
4	sample not tested/lost/damaged/insufficient	0	
5	not enough dbs to complete protocol	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha64_1: na - consent for additional tests

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha64_2: na - consent for additional tests

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha65_1: na - result of woman's individual interview

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	completed	0	
2	not at home	0	
3	postponed	0	
4	refused	0	
5	partly completed	0	
6	incapacitated	0	
7	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha65_2: na - result of woman's individual interview

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	completed	0	

ha65_2: na - result of woman's individual interview

Value	Label	Cases	Percentage
2	not at home	0	
3	postponed	0	
4	refused	0	
5	partly completed	0	
6	incapacitated	0	
7	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha66_1: na - woman's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha66_2: na - woman's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha67_1: na - woman's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha67_2: na - woman's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	

ha67_2: na - woman's highest year of education

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha68_1: na - woman's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	labels to be populated according to country	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha68_2: na - woman's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	labels to be populated according to country	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha69_1: na - hiv weight (6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha69_2: na - hiv weight (6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha70_1: na - interviewer that took blood for hiv testing

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha70_2: na - interviewer that took blood for hiv testing

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

ha70_2: na - interviewer that took blood for hiv testing

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc0_01: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-] [Mean=5.478 /-] [StdDev=2.689 /-]

hc0_02: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 2-27] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-] [Mean=7.326 /-] [StdDev=3.173 /-]

hc0_03: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 4-31] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-] [Mean=10.523 /-] [StdDev=3.572 /-]

hc0_04: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 6-32] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-] [Mean=12.837 /-] [StdDev=3.943 /-]

hc0_05: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 8-33] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-] [Mean=15.344 /-] [StdDev=4.683 /-]

hc0_06: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 11-38] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-] [Mean=17.9 /-] [StdDev=5.748 /-]

hc0_07: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 12-39] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-] [Mean=21 /-] [StdDev=9.183 /-]

hc0_08: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 18-28] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
18		1	50.0%
28		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc0_09: index to household schedule

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc0_10: index to household schedule

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc0_10: index to household schedule

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc1_01: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-] [Mean=33.199 /-] [StdDev=16.341 /-]

hc1_02: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-] [Mean=23.55 /-] [StdDev=16.626 /-]

hc1_03: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-] [Mean=22.602 /-] [StdDev=17.111 /-]

hc1_04: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-] [Mean=23.475 /-] [StdDev=17.183 /-]

hc1_05: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-] [Mean=23.918 /-] [StdDev=19.562 /-]

hc1_06: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 1-52] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-] [Mean=22.7 /-] [StdDev=18.356 /-]

hc1_07: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 4-59] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-] [Mean=36.429 /-] [StdDev=20.791 /-]

hc1_08: child's age in months

Information	[Type= discrete] [Format=numeric] [Range= 12-15] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
12		1	50.0%
15		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc1_09: child's age in months

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc1_10: child's age in months

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_01: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_02: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

hc2_02: na - child's weight in kilograms (1 decimal)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_03: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_04: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_05: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_06: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_07: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	

hc2_07: na - child's weight in kilograms (1 decimal)

Value	Label	Cases	Percentage
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_08: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_09: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc2_10: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_01: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_02: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc3_02: na - child's height in centimeters (1 decimal)

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_03: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_04: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_05: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_06: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_07: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_08: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_09: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3_10: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_01: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_02: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_03: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_04: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_05: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_06: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_07: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_08: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_09: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4_10: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_01: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_02: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_03: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_04: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_05: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_06: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_07: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_08: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_09: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5_10: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_01: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_02: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_03: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_04: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_05: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_06: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_07: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_08: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_09: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6_10: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_01: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_02: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_03: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_04: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_05: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_06: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_07: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_08: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_09: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7_10: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_01: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_02: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_03: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_04: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_05: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_06: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_07: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_08: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_09: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8_10: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_01: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_02: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_03: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_04: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_05: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_06: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_07: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_08: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_09: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9_10: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_01: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_02: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_03: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_04: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_05: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_06: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_07: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_08: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_09: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10_10: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_01: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_02: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_03: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_04: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_05: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_06: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_07: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_08: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_09: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11_10: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_01: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_02: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_03: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_04: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_05: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_06: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_07: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_08: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_09: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12_10: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_01: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_02: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_03: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

hc13_03: na - result of measurement - height/weight

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_04: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_05: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_06: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_07: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	

hc13_07: na - result of measurement - height/weight

Value	Label	Cases	Percentage
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_08: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_09: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13_10: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_01: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	

hc15_01: na - height: lying or standing

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_02: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_03: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_04: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_05: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_06: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc15_06: na - height: lying or standing

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_07: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_08: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_09: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15_10: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_01: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4103 /-] [Invalid=2345 /-]

Value	Label	Cases	Percentage
1		257	6.3%
2		159	3.9%
3		156	3.8%
4		133	3.2%
5		149	3.6%
6		116	2.8%
7		147	3.6%
8		154	3.8%
9		105	2.6%
10		195	4.8%
11		140	3.4%
12		170	4.1%
13		125	3.0%
14		126	3.1%
15		166	4.0%
16		128	3.1%
17		126	3.1%
18		155	3.8%
19		119	2.9%
20		151	3.7%
21		89	2.2%
22		123	3.0%
23		115	2.8%
24		99	2.4%
25		128	3.1%
26		106	2.6%
27		115	2.8%
28		114	2.8%
29		89	2.2%
30		92	2.2%
31		50	1.2%
97	inconsistent	0	
98	don't know	6	0.1%
Sysmiss		2345	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_02: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1923 /-] [Invalid=4525 /-]

Value	Label	Cases	Percentage
1		121	6.3%
2		76	4.0%
3		70	3.6%

hc16_02: day of birth

Value	Label	Cases	Percentage
4		69	3.6%
5		83	4.3%
6		59	3.1%
7		75	3.9%
8		71	3.7%
9		59	3.1%
10		84	4.4%
11		65	3.4%
12		77	4.0%
13		56	2.9%
14		65	3.4%
15		87	4.5%
16		55	2.9%
17		62	3.2%
18		66	3.4%
19		53	2.8%
20		51	2.7%
21		42	2.2%
22		57	3.0%
23		44	2.3%
24		50	2.6%
25		56	2.9%
26		53	2.8%
27		49	2.5%
28		64	3.3%
29		43	2.2%
30		39	2.0%
31		21	1.1%
97	inconsistent	0	
98	don't know	1	0.1%
Sysmiss		4525	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_03: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=573 /-] [Invalid=5875 /-]

Value	Label	Cases	Percentage
1		31	5.4%
2		25	4.4%
3		13	2.3%
4		26	4.5%
5		20	3.5%
6		20	3.5%
7		32	5.6%
8		18	3.1%

hc16_03: day of birth

Value	Label	Cases	Percentage
9		19	3.3%
10		30	5.2%
11		19	3.3%
12		27	4.7%
13		21	3.7%
14		15	2.6%
15		19	3.3%
16		17	3.0%
17		20	3.5%
18		21	3.7%
19		18	3.1%
20		16	2.8%
21		13	2.3%
22		11	1.9%
23		17	3.0%
24		12	2.1%
25		8	1.4%
26		14	2.4%
27		18	3.1%
28		14	2.4%
29		12	2.1%
30		20	3.5%
31		6	1.0%
97	inconsistent	0	
98	don't know	1	0.2%
Sysmiss		5875	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_04: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=193 /-] [Invalid=6255 /-]

Value	Label	Cases	Percentage
1		11	5.7%
2		8	4.1%
3		3	1.6%
4		6	3.1%
5		12	6.2%
6		7	3.6%
7		6	3.1%
8		9	4.7%
9		7	3.6%
10		8	4.1%
11		9	4.7%
12		10	5.2%
13		7	3.6%

hc16_04: day of birth

Value	Label	Cases	Percentage
14		9	4.7%
15		5	2.6%
16		9	4.7%
17		6	3.1%
18		3	1.6%
19		3	1.6%
20		10	5.2%
21		6	3.1%
22		1	0.5%
23		4	2.1%
24		3	1.6%
25		3	1.6%
26		4	2.1%
27		6	3.1%
28		5	2.6%
29		4	2.1%
30		5	2.6%
31		3	1.6%
97	inconsistent	0	
98	don't know	1	0.5%
Sysmiss		6255	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_05: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=58 /-] [Invalid=6390 /-]

Value	Label	Cases	Percentage
1		5	8.6%
2		2	3.4%
3		1	1.7%
4		3	5.2%
5		3	5.2%
7		2	3.4%
8		4	6.9%
9		1	1.7%
10		2	3.4%
11		2	3.4%
12		2	3.4%
14		2	3.4%
15		4	6.9%
16		2	3.4%
17		1	1.7%
18		1	1.7%
20		4	6.9%
21		2	3.4%

hc16_05: day of birth

Value	Label	Cases	Percentage
22		2	3.4%
23		2	3.4%
24		1	1.7%
25		3	5.2%
26		1	1.7%
28		1	1.7%
29		2	3.4%
30		1	1.7%
31		2	3.4%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6390	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_06: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=6429 /-]

Value	Label	Cases	Percentage
1		1	5.3%
2		1	5.3%
3		1	5.3%
5		2	10.5%
7		1	5.3%
8		1	5.3%
10		2	10.5%
12		1	5.3%
13		2	10.5%
15		1	5.3%
16		1	5.3%
21		1	5.3%
22		1	5.3%
29		1	5.3%
30		1	5.3%
31		1	5.3%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6429	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_07: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
1		1	14.3%
6		1	14.3%
7		1	14.3%

hc16_07: day of birth

Value	Label	Cases	Percentage
12		1	14.3%
18		1	14.3%
23		1	14.3%
25		1	14.3%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_08: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 17-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
17		1	50.0%
22		1	50.0%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_09: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16_10: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc17_01: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-] [Mean=16.667 /-] [StdDev=8.377 /-]

hc17_02: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-] [Mean=17.064 /-] [StdDev=8.434 /-]

hc17_03: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]

# **hc17_03: date measured (day)**	
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-] [Mean=17.229 /-] [StdDev=8.388 /-]
# **hc17_04: date measured (day)**	
Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-] [Mean=17.431 /-] [StdDev=8.183 /-]
# **hc17_05: date measured (day)**	
Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-] [Mean=17.311 /-] [StdDev=8.082 /-]

hc17_06: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-28] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-] [Mean=15.7 /-] [StdDev=8.189 /-]

hc17_07: date measured (day)

Information	[Type= discrete] [Format=numeric] [Range= 4-23] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
4		1	14.3%
9		1	14.3%
13		1	14.3%
17		2	28.6%
19		1	14.3%
23		1	14.3%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc17_08: date measured (day)

Information	[Type= discrete] [Format=numeric] [Range= 4-19] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
4		1	50.0%
19		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc17_09: date measured (day)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc17_10: date measured (day)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_01: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
9		132	3.1%
10		2179	51.7%
11		1897	45.0%
12		3	0.1%

hc18_01: date measured (month)

Value	Label	Cases	Percentage
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_02: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-11] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
9		41	2.1%
10		1060	53.6%
11		877	44.3%
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_03: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-11] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
9		9	1.5%
10		324	54.6%
11		260	43.8%
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_04: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-11] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
9		1	0.5%
10		118	58.4%
11		83	41.1%
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_05: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 10-11] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
10		38	62.3%
11		23	37.7%
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_06: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 10-11] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

hc18_06: date measured (month)

Value	Label	Cases	Percentage
10		13	65.0%
11		7	35.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_07: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 10-11] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
10		4	57.1%
11		3	42.9%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_08: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 10-11] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
10		1	50.0%
11		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_09: date measured (month)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc18_10: date measured (month)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_01: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
2014		4211	100.0%
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_02: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]

hc19_02: date measured (year)

Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
2014		1978	100.0%
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_03: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
2014		593	100.0%
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_04: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
2014		202	100.0%
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_05: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
2014		61	100.0%
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_06: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
2014		20	100.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_07: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
2014		7	100.0%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_08: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]

hc19_08: date measured (year)

Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
2014		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_09: date measured (year)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19_10: date measured (year)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_01: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
1	male	2131	50.6%
2	female	2080	49.4%
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_02: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
1	male	997	50.4%
2	female	981	49.6%
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_03: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
1	male	309	52.1%
2	female	284	47.9%
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_04: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
1	male	100	49.5%
2	female	102	50.5%
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_05: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
1	male	31	50.8%
2	female	30	49.2%
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_06: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
1	male	9	45.0%
2	female	11	55.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_07: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
1	male	4	57.1%
2	female	3	42.9%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_08: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	male	2	100.0%
2	female	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_09: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc27_09: sex

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27_10: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_01: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
1		420	10.0%
2		322	7.6%
3		319	7.6%
4		372	8.8%
5		373	8.9%
6		373	8.9%
7		328	7.8%
8		357	8.5%
9		364	8.6%
10		401	9.5%
11		289	6.9%
12		293	7.0%
97	inconsistent	0	
98	don't know	0	
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_02: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
1		151	7.6%
2		157	7.9%
3		177	8.9%
4		183	9.3%
5		167	8.4%
6		207	10.5%
7		145	7.3%

hc30_02: month of birth

Value	Label	Cases	Percentage
8		199	10.1%
9		178	9.0%
10		187	9.5%
11		114	5.8%
12		113	5.7%
97	inconsistent	0	
98	don't know	0	
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_03: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
1		40	6.7%
2		55	9.3%
3		51	8.6%
4		47	7.9%
5		47	7.9%
6		57	9.6%
7		52	8.8%
8		66	11.1%
9		58	9.8%
10		65	11.0%
11		22	3.7%
12		33	5.6%
97	inconsistent	0	
98	don't know	0	
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_04: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
1		22	10.9%
2		13	6.4%
3		15	7.4%
4		15	7.4%
5		13	6.4%
6		18	8.9%
7		20	9.9%
8		21	10.4%
9		17	8.4%
10		21	10.4%
11		13	6.4%

hc30_04: month of birth

Value	Label	Cases	Percentage
12		14	6.9%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_05: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
1		4	6.6%
2		5	8.2%
3		5	8.2%
4		5	8.2%
5		6	9.8%
6		6	9.8%
7		5	8.2%
8		6	9.8%
9		4	6.6%
10		6	9.8%
11		4	6.6%
12		5	8.2%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_06: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
2		1	5.0%
3		1	5.0%
4		2	10.0%
5		1	5.0%
6		2	10.0%
7		3	15.0%
8		2	10.0%
9		3	15.0%
10		2	10.0%
11		1	5.0%
12		2	10.0%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_07: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
3		2	28.6%
6		2	28.6%
7		1	14.3%
10		1	14.3%
11		1	14.3%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_08: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 7-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
7		1	50.0%
11		1	50.0%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_09: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30_10: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_01: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
2009		96	2.3%

hc31_01: year of birth

Value	Label	Cases	Percentage
2010		1047	24.9%
2011		1036	24.6%
2012		894	21.2%
2013		658	15.6%
2014		480	11.4%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_02: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
2009		17	0.9%
2010		249	12.6%
2011		284	14.4%
2012		386	19.5%
2013		500	25.3%
2014		542	27.4%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_03: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
2009		9	1.5%
2010		64	10.8%
2011		85	14.3%
2012		108	18.2%
2013		144	24.3%
2014		183	30.9%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_04: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
2009		2	1.0%
2010		26	12.9%

hc31_04: year of birth

Value	Label	Cases	Percentage
2011		31	15.3%
2012		36	17.8%
2013		50	24.8%
2014		57	28.2%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_05: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
2009		2	3.3%
2010		10	16.4%
2011		10	16.4%
2012		5	8.2%
2013		12	19.7%
2014		22	36.1%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_06: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2010-9998] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
2010		3	15.0%
2011		5	25.0%
2012		1	5.0%
2013		4	20.0%
2014		7	35.0%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_07: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
2009		1	14.3%
2010		1	14.3%
2011		3	42.9%
2013		1	14.3%
2014		1	14.3%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_08: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2013-9998] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
2013		2	100.0%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_09: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31_10: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc32_01: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1318-1379] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-] [Mean=1345.222 /-] [StdDev=16.336 /-]

hc32_02: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1319-1379] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-] [Mean=1354.873 /-] [StdDev=16.617 /-]

hc32_03: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1319-1379] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-] [Mean=1355.821 /-] [StdDev=17.101 /-]

hc32_04: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1319-1378] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-] [Mean=1354.931 /-] [StdDev=17.135 /-]

hc32_05: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1319-1378] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-] [Mean=1354.459 /-] [StdDev=19.568 /-]

hc32_06: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1327-1377] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-] [Mean=1355.65 /-] [StdDev=18.149 /-]

hc32_07: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1319-1375] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-] [Mean=1342 /-] [StdDev=20.96 /-]

hc32_08: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 1363-1367] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1363		1	50.0%
1367		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc32_09: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc32_09: date of birth (cmc)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc32_10: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_01: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	4182	99.3%
2	month and age - year imputed	0	
3	year and age - month imputed	29	0.7%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_02: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	1961	99.1%
2	month and age - year imputed	0	
3	year and age - month imputed	17	0.9%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_03: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	587	99.0%
2	month and age - year imputed	0	
3	year and age - month imputed	5	0.8%
6	age - year/month imputed	1	0.2%
7	month - age/year imputed	0	
8	none - all imputed	0	

hc33_03: completeness of hc32 information

Value	Label	Cases	Percentage
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_04: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	199	98.5%
2	month and age - year imputed	0	
3	year and age - month imputed	3	1.5%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_05: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	61	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_06: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	20	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_07: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

hc33_07: completeness of hc32 information

Value	Label	Cases	Percentage
1	month and year - information complete	7	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_08: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	2	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_09: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc33_10: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6448	

hc33_10: completeness of hc32 information

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_01: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=3947 /-] [Invalid=2501 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		2200	55.7%
2		1373	34.8%
3		165	4.2%
4		64	1.6%
5		54	1.4%
6		26	0.7%
7		22	0.6%
8		16	0.4%
9		6	0.2%
10		8	0.2%
11		7	0.2%
12		1	0.0%
13		2	0.1%
14		1	0.0%
15		1	0.0%
20		1	0.0%
Sysmiss		2501	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_02: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=1664 /-] [Invalid=4784 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		892	53.6%
2		496	29.8%
3		104	6.2%
4		33	2.0%
5		37	2.2%
6		25	1.5%
7		26	1.6%
8		15	0.9%
9		13	0.8%
10		7	0.4%
11		5	0.3%
12		3	0.2%
13		4	0.2%
14		1	0.1%
15		1	0.1%
20		2	0.1%

hc51_02: line number of parent/caretaker

Value	Label	Cases	Percentage
Sysmiss		4784	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_03: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=464 /-] [Invalid=5984 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		252	54.3%
2		78	16.8%
3		34	7.3%
4		18	3.9%
5		13	2.8%
6		13	2.8%
7		13	2.8%
8		11	2.4%
9		6	1.3%
10		10	2.2%
11		4	0.9%
12		4	0.9%
13		2	0.4%
14		1	0.2%
15		3	0.6%
16		1	0.2%
20		1	0.2%
Sysmiss		5984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_04: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=166 /-] [Invalid=6282 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		92	55.4%
2		18	10.8%
3		9	5.4%
4		11	6.6%
5		5	3.0%
7		5	3.0%
8		5	3.0%
9		2	1.2%
10		4	2.4%
11		3	1.8%
12		5	3.0%
13		3	1.8%
14		1	0.6%

hc51_04: line number of parent/caretaker

Value	Label	Cases	Percentage
15		1	0.6%
16		1	0.6%
19		1	0.6%
Sysmiss		6282	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_05: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=47 /-] [Invalid=6401 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		27	57.4%
2		4	8.5%
3		2	4.3%
4		3	6.4%
5		2	4.3%
9		2	4.3%
10		1	2.1%
12		1	2.1%
13		1	2.1%
15		2	4.3%
16		1	2.1%
18		1	2.1%
Sysmiss		6401	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_06: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		7	46.7%
2		1	6.7%
4		1	6.7%
5		1	6.7%
9		1	6.7%
10		1	6.7%
14		1	6.7%
15		1	6.7%
18		1	6.7%
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_07: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

hc51_07: line number of parent/caretaker

Value	Label	Cases	Percentage
0	not in household	0	
1		4	66.7%
2		1	16.7%
6		1	16.7%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_08: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not in household	0	
2		1	50.0%
4		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_09: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51_10: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_01: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3939 /-] [Invalid=2509 /-]

Value	Label	Cases	Percentage
1	granted	3863	98.1%
2	refused	36	0.9%
5	absent	34	0.9%
6	other	6	0.2%
Sysmiss		2509	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_02: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1654 /-] [Invalid=4794 /-]

hc52_02: read consent statement - hemoglobin

Value	Label	Cases	Percentage
1	granted	1619	97.9%
2	refused	13	0.8%
5	absent	17	1.0%
6	other	5	0.3%
Sysmiss		4794	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_03: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=460 /-] [Invalid=5988 /-]

Value	Label	Cases	Percentage
1	granted	448	97.4%
2	refused	1	0.2%
5	absent	9	2.0%
6	other	2	0.4%
Sysmiss		5988	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_04: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=166 /-] [Invalid=6282 /-]

Value	Label	Cases	Percentage
1	granted	162	97.6%
2	refused	1	0.6%
5	absent	3	1.8%
6	other	0	
Sysmiss		6282	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_05: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
1	granted	45	97.8%
2	refused	0	
5	absent	1	2.2%
6	other	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_06: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
1	granted	15	100.0%
2	refused	0	

hc52_06: read consent statement - hemoglobin

Value	Label	Cases	Percentage
5	absent	0	
6	other	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_07: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1	granted	6	100.0%
2	refused	0	
5	absent	0	
6	other	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_08: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	granted	2	100.0%
2	refused	0	
5	absent	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_09: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	absent	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52_10: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	absent	0	
6	other	0	

hc52_10: read consent statement - hemoglobin

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_01: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-996] [Missing=*]
Statistics [NW/ W]	[Valid=3937 /-] [Invalid=2511 /-]

Value	Label	Cases	Percentage
31		1	0.0%
35		2	0.1%
39		1	0.0%
41		1	0.0%
43		1	0.0%
44		2	0.1%
45		2	0.1%
46		4	0.1%
47		4	0.1%
48		3	0.1%
49		7	0.2%
50		6	0.2%
51		6	0.2%
52		10	0.3%
53		9	0.2%
54		4	0.1%
55		10	0.3%
56		14	0.4%
57		23	0.6%
58		9	0.2%
59		15	0.4%
60		14	0.4%
61		22	0.6%
62		22	0.6%
63		38	1.0%
64		28	0.7%
65		32	0.8%
66		44	1.1%
67		36	0.9%
68		41	1.0%
69		37	0.9%
70		41	1.0%
71		51	1.3%
72		37	0.9%
73		40	1.0%
74		30	0.8%
75		56	1.4%
76		49	1.2%

hc53_01: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
77		48	1.2%
78		56	1.4%
79		53	1.3%
80		88	2.2%
81		66	1.7%
82		89	2.3%
83		63	1.6%
84		75	1.9%
85		84	2.1%
86		84	2.1%
87		89	2.3%
88		90	2.3%
89		84	2.1%
90		93	2.4%
91		85	2.2%
92		88	2.2%
93		88	2.2%
94		102	2.6%
95		90	2.3%
96		76	1.9%
97		79	2.0%
98		82	2.1%
99		83	2.1%
100		82	2.1%
101		60	1.5%
102		68	1.7%
103		75	1.9%
104		77	2.0%
105		74	1.9%
106		56	1.4%
107		74	1.9%
108		60	1.5%
109		62	1.6%
110		41	1.0%
111		45	1.1%
112		48	1.2%
113		32	0.8%
114		41	1.0%
115		28	0.7%
116		47	1.2%
117		34	0.9%
118		25	0.6%
119		34	0.9%
120		28	0.7%
121		28	0.7%

hc53_01: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
122		24	0.6%
123		23	0.6%
124		14	0.4%
125		18	0.5%
126		16	0.4%
127		15	0.4%
128		8	0.2%
129		11	0.3%
130		2	0.1%
131		4	0.1%
132		3	0.1%
133		4	0.1%
134		3	0.1%
135		2	0.1%
136		1	0.0%
138		2	0.1%
139		2	0.1%
140		2	0.1%
152		1	0.0%
994	not present	34	0.9%
995	refused	36	0.9%
996	other	6	0.2%
Sysmiss		2511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_02: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 41-996] [Missing=*]
Statistics [NW/ W]	[Valid=1651 /-] [Invalid=4797 /-]

Value	Label	Cases	Percentage
41		1	0.1%
42		1	0.1%
45		1	0.1%
46		2	0.1%
47		3	0.2%
48		2	0.1%
49		3	0.2%
50		5	0.3%
51		3	0.2%
52		5	0.3%
53		6	0.4%
54		5	0.3%
55		5	0.3%
56		7	0.4%
57		9	0.5%
58		10	0.6%

hc53_02: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
59		5	0.3%
60		18	1.1%
61		13	0.8%
62		15	0.9%
63		11	0.7%
64		13	0.8%
65		24	1.5%
66		12	0.7%
67		17	1.0%
68		27	1.6%
69		18	1.1%
70		23	1.4%
71		31	1.9%
72		31	1.9%
73		21	1.3%
74		26	1.6%
75		23	1.4%
76		17	1.0%
77		25	1.5%
78		35	2.1%
79		28	1.7%
80		38	2.3%
81		39	2.4%
82		36	2.2%
83		28	1.7%
84		29	1.8%
85		38	2.3%
86		34	2.1%
87		40	2.4%
88		24	1.5%
89		36	2.2%
90		37	2.2%
91		36	2.2%
92		38	2.3%
93		37	2.2%
94		38	2.3%
95		40	2.4%
96		35	2.1%
97		32	1.9%
98		32	1.9%
99		34	2.1%
100		26	1.6%
101		36	2.2%
102		25	1.5%
103		23	1.4%

hc53_02: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
104		20	1.2%
105		15	0.9%
106		28	1.7%
107		25	1.5%
108		18	1.1%
109		18	1.1%
110		25	1.5%
111		14	0.8%
112		14	0.8%
113		14	0.8%
114		10	0.6%
115		11	0.7%
116		4	0.2%
117		11	0.7%
118		12	0.7%
119		9	0.5%
120		5	0.3%
121		5	0.3%
122		4	0.2%
123		10	0.6%
124		9	0.5%
125		4	0.2%
126		6	0.4%
127		2	0.1%
128		3	0.2%
129		2	0.1%
130		1	0.1%
133		1	0.1%
134		1	0.1%
135		1	0.1%
139		1	0.1%
144		1	0.1%
994	not present	17	1.0%
995	refused	13	0.8%
996	other	5	0.3%
Sysmiss		4797	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_03: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 36-996] [Missing=*]
Statistics [NW/ W]	[Valid=460 /-] [Invalid=5988 /-]

Value	Label	Cases	Percentage
36		2	0.4%
42		1	0.2%
43		1	0.2%

hc53_03: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
47		2	0.4%
48		2	0.4%
51		2	0.4%
52		2	0.4%
53		2	0.4%
54		4	0.9%
55		2	0.4%
56		3	0.7%
57		5	1.1%
58		3	0.7%
59		3	0.7%
60		1	0.2%
62		2	0.4%
63		4	0.9%
64		7	1.5%
65		5	1.1%
66		10	2.2%
67		8	1.7%
68		5	1.1%
69		4	0.9%
70		10	2.2%
71		4	0.9%
72		4	0.9%
73		7	1.5%
74		8	1.7%
75		12	2.6%
76		5	1.1%
77		7	1.5%
78		5	1.1%
79		7	1.5%
80		13	2.8%
81		5	1.1%
82		4	0.9%
83		9	2.0%
84		14	3.0%
85		10	2.2%
86		4	0.9%
87		13	2.8%
88		12	2.6%
89		9	2.0%
90		11	2.4%
91		6	1.3%
92		10	2.2%
93		5	1.1%
94		12	2.6%

hc53_03: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
95		13	2.8%
96		6	1.3%
97		10	2.2%
98		11	2.4%
99		5	1.1%
100		11	2.4%
101		15	3.3%
102		8	1.7%
103		10	2.2%
104		6	1.3%
105		10	2.2%
106		6	1.3%
107		4	0.9%
108		6	1.3%
109		4	0.9%
110		3	0.7%
111		5	1.1%
112		1	0.2%
113		3	0.7%
114		6	1.3%
115		2	0.4%
116		3	0.7%
117		4	0.9%
118		1	0.2%
119		2	0.4%
120		2	0.4%
130		1	0.2%
131		1	0.2%
132		1	0.2%
133		1	0.2%
134		1	0.2%
994	not present	9	2.0%
995	refused	1	0.2%
996	other	2	0.4%
Sysmiss		5988	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_04: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 45-996] [Missing=*]
Statistics [NW/ W]	[Valid=166 /-] [Invalid=6282 /-]

Value	Label	Cases	Percentage
45		1	0.6%
50		1	0.6%
52		2	1.2%
53		1	0.6%

hc53_04: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
56		1	0.6%
61		2	1.2%
63		2	1.2%
64		3	1.8%
65		1	0.6%
66		2	1.2%
67		2	1.2%
68		1	0.6%
69		3	1.8%
71		1	0.6%
72		4	2.4%
73		3	1.8%
74		5	3.0%
75		2	1.2%
76		5	3.0%
77		3	1.8%
78		3	1.8%
79		5	3.0%
80		4	2.4%
81		4	2.4%
82		2	1.2%
83		1	0.6%
84		4	2.4%
85		2	1.2%
86		3	1.8%
87		7	4.2%
88		4	2.4%
89		4	2.4%
90		6	3.6%
91		1	0.6%
92		1	0.6%
93		4	2.4%
94		4	2.4%
95		5	3.0%
96		3	1.8%
97		1	0.6%
98		5	3.0%
102		4	2.4%
103		2	1.2%
104		5	3.0%
105		6	3.6%
106		2	1.2%
107		3	1.8%
108		2	1.2%
109		3	1.8%

hc53_04: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
110		3	1.8%
111		1	0.6%
112		3	1.8%
113		2	1.2%
116		1	0.6%
121		1	0.6%
122		2	1.2%
124		1	0.6%
131		1	0.6%
132		1	0.6%
139		1	0.6%
994	not present	3	1.8%
995	refused	1	0.6%
996	other	0	
Sysmiss		6282	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_05: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 50-996] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
50		2	4.3%
54		1	2.2%
55		1	2.2%
60		2	4.3%
64		1	2.2%
65		1	2.2%
67		1	2.2%
69		1	2.2%
75		1	2.2%
78		2	4.3%
79		2	4.3%
81		1	2.2%
83		1	2.2%
84		1	2.2%
86		1	2.2%
88		3	6.5%
89		1	2.2%
92		1	2.2%
93		1	2.2%
94		2	4.3%
95		1	2.2%
96		2	4.3%
97		2	4.3%
98		1	2.2%

hc53_05: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
99		1	2.2%
100		1	2.2%
101		1	2.2%
102		1	2.2%
103		1	2.2%
105		1	2.2%
109		1	2.2%
112		2	4.3%
113		2	4.3%
114		1	2.2%
994	not present	1	2.2%
995	refused	0	
996	other	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_06: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 66-996] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
66		1	6.7%
67		1	6.7%
74		1	6.7%
75		1	6.7%
76		1	6.7%
82		1	6.7%
85		1	6.7%
87		1	6.7%
92		1	6.7%
103		1	6.7%
104		1	6.7%
105		1	6.7%
108		1	6.7%
111		1	6.7%
120		1	6.7%
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_07: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 83-996] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
83		1	16.7%
85		1	16.7%
92		1	16.7%
93		1	16.7%
109		1	16.7%
125		1	16.7%
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_08: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 71-996] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
71		1	50.0%
98		1	50.0%

hc53_08: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_09: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53_10: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_01: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=3937 /-] [Invalid=2511 /-]

Value	Label	Cases	Percentage
0	measured	3861	98.1%
3	not present	34	0.9%
4	refused	36	0.9%
6	other	6	0.2%
Sysmiss		2511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_02: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1651 /-] [Invalid=4797 /-]

Value	Label	Cases	Percentage
0	measured	1616	97.9%
3	not present	17	1.0%
4	refused	13	0.8%
6	other	5	0.3%
Sysmiss		4797	

hc55_02: result of measurement - hemoglobin

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_03: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=460 /-] [Invalid=5988 /-]

Value	Label	Cases	Percentage
0	measured	448	97.4%
3	not present	9	2.0%
4	refused	1	0.2%
6	other	2	0.4%
Sysmiss		5988	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_04: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=166 /-] [Invalid=6282 /-]

Value	Label	Cases	Percentage
0	measured	162	97.6%
3	not present	3	1.8%
4	refused	1	0.6%
6	other	0	
Sysmiss		6282	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_05: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

Value	Label	Cases	Percentage
0	measured	45	97.8%
3	not present	1	2.2%
4	refused	0	
6	other	0	
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_06: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
0	measured	15	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_07: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

hc55_07: result of measurement - hemoglobin

Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	measured	6	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_08: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	measured	2	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_09: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55_10: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_01: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-997] [Missing=*]
Statistics [NW/ W]	[Valid=3861 /-] [Invalid=2587 /-]

Value	Label	Cases	Percentage
31		1	0.0%

hc56_01: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
35		2	0.1%
39		1	0.0%
41		1	0.0%
43		1	0.0%
44		2	0.1%
45		2	0.1%
46		4	0.1%
47		4	0.1%
48		3	0.1%
49		7	0.2%
50		6	0.2%
51		6	0.2%
52		10	0.3%
53		9	0.2%
54		4	0.1%
55		10	0.3%
56		14	0.4%
57		23	0.6%
58		9	0.2%
59		15	0.4%
60		14	0.4%
61		22	0.6%
62		22	0.6%
63		38	1.0%
64		28	0.7%
65		32	0.8%
66		44	1.1%
67		36	0.9%
68		41	1.1%
69		37	1.0%
70		41	1.1%
71		51	1.3%
72		37	1.0%
73		40	1.0%
74		30	0.8%
75		56	1.5%
76		49	1.3%
77		48	1.2%
78		56	1.5%
79		53	1.4%
80		88	2.3%
81		66	1.7%
82		89	2.3%
83		63	1.6%
84		75	1.9%

hc56_01: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
85		84	2.2%
86		84	2.2%
87		89	2.3%
88		90	2.3%
89		84	2.2%
90		93	2.4%
91		85	2.2%
92		88	2.3%
93		88	2.3%
94		102	2.6%
95		90	2.3%
96		76	2.0%
97		79	2.0%
98		82	2.1%
99		83	2.1%
100		82	2.1%
101		60	1.6%
102		68	1.8%
103		75	1.9%
104		77	2.0%
105		74	1.9%
106		56	1.5%
107		74	1.9%
108		60	1.6%
109		62	1.6%
110		41	1.1%
111		45	1.2%
112		48	1.2%
113		32	0.8%
114		41	1.1%
115		28	0.7%
116		47	1.2%
117		34	0.9%
118		25	0.6%
119		34	0.9%
120		28	0.7%
121		28	0.7%
122		24	0.6%
123		23	0.6%
124		14	0.4%
125		18	0.5%
126		16	0.4%
127		15	0.4%
128		8	0.2%
129		11	0.3%

hc56_01: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
130		2	0.1%
131		4	0.1%
132		3	0.1%
133		4	0.1%
134		3	0.1%
135		2	0.1%
136		1	0.0%
138		2	0.1%
139		2	0.1%
140		2	0.1%
152		1	0.0%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		2587	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_02: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 41-997] [Missing=*]
Statistics [NW/ W]	[Valid=1616 /-] [Invalid=4832 /-]

Value	Label	Cases	Percentage
41		1	0.1%
42		1	0.1%
45		1	0.1%
46		2	0.1%
47		3	0.2%
48		2	0.1%
49		3	0.2%
50		5	0.3%
51		3	0.2%
52		5	0.3%
53		6	0.4%
54		5	0.3%
55		5	0.3%
56		7	0.4%
57		9	0.6%
58		10	0.6%
59		5	0.3%
60		18	1.1%
61		13	0.8%
62		15	0.9%
63		11	0.7%
64		13	0.8%
65		24	1.5%

hc56_02: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
66		12	0.7%
67		17	1.1%
68		27	1.7%
69		18	1.1%
70		23	1.4%
71		31	1.9%
72		31	1.9%
73		21	1.3%
74		26	1.6%
75		23	1.4%
76		17	1.1%
77		25	1.5%
78		35	2.2%
79		28	1.7%
80		38	2.4%
81		39	2.4%
82		36	2.2%
83		28	1.7%
84		29	1.8%
85		38	2.4%
86		34	2.1%
87		40	2.5%
88		24	1.5%
89		36	2.2%
90		37	2.3%
91		36	2.2%
92		38	2.4%
93		37	2.3%
94		38	2.4%
95		40	2.5%
96		35	2.2%
97		32	2.0%
98		32	2.0%
99		34	2.1%
100		26	1.6%
101		36	2.2%
102		25	1.5%
103		23	1.4%
104		20	1.2%
105		15	0.9%
106		28	1.7%
107		25	1.5%
108		18	1.1%
109		18	1.1%
110		25	1.5%

hc56_02: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
111		14	0.9%
112		14	0.9%
113		14	0.9%
114		10	0.6%
115		11	0.7%
116		4	0.2%
117		11	0.7%
118		12	0.7%
119		9	0.6%
120		5	0.3%
121		5	0.3%
122		4	0.2%
123		10	0.6%
124		9	0.6%
125		4	0.2%
126		6	0.4%
127		2	0.1%
128		3	0.2%
129		2	0.1%
130		1	0.1%
133		1	0.1%
134		1	0.1%
135		1	0.1%
139		1	0.1%
144		1	0.1%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		4832	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_03: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 36-997] [Missing=*]
Statistics [NW/ W]	[Valid=448 /-] [Invalid=6000 /-]

Value	Label	Cases	Percentage
36		2	0.4%
42		1	0.2%
43		1	0.2%
47		2	0.4%
48		2	0.4%
51		2	0.4%
52		2	0.4%
53		2	0.4%
54		4	0.9%

hc56_03: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
55		2	0.4%
56		3	0.7%
57		5	1.1%
58		3	0.7%
59		3	0.7%
60		1	0.2%
62		2	0.4%
63		4	0.9%
64		7	1.6%
65		5	1.1%
66		10	2.2%
67		8	1.8%
68		5	1.1%
69		4	0.9%
70		10	2.2%
71		4	0.9%
72		4	0.9%
73		7	1.6%
74		8	1.8%
75		12	2.7%
76		5	1.1%
77		7	1.6%
78		5	1.1%
79		7	1.6%
80		13	2.9%
81		5	1.1%
82		4	0.9%
83		9	2.0%
84		14	3.1%
85		10	2.2%
86		4	0.9%
87		13	2.9%
88		12	2.7%
89		9	2.0%
90		11	2.5%
91		6	1.3%
92		10	2.2%
93		5	1.1%
94		12	2.7%
95		13	2.9%
96		6	1.3%
97		10	2.2%
98		11	2.5%
99		5	1.1%
100		11	2.5%

hc56_03: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
101		15	3.3%
102		8	1.8%
103		10	2.2%
104		6	1.3%
105		10	2.2%
106		6	1.3%
107		4	0.9%
108		6	1.3%
109		4	0.9%
110		3	0.7%
111		5	1.1%
112		1	0.2%
113		3	0.7%
114		6	1.3%
115		2	0.4%
116		3	0.7%
117		4	0.9%
118		1	0.2%
119		2	0.4%
120		2	0.4%
130		1	0.2%
131		1	0.2%
132		1	0.2%
133		1	0.2%
134		1	0.2%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6000	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_04: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 45-997] [Missing=*]
Statistics [NW/ W]	[Valid=162 /-] [Invalid=6286 /-]

Value	Label	Cases	Percentage
45		1	0.6%
50		1	0.6%
52		2	1.2%
53		1	0.6%
56		1	0.6%
61		2	1.2%
63		2	1.2%
64		3	1.9%
65		1	0.6%

hc56_04: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
66		2	1.2%
67		2	1.2%
68		1	0.6%
69		3	1.9%
71		1	0.6%
72		4	2.5%
73		3	1.9%
74		5	3.1%
75		2	1.2%
76		5	3.1%
77		3	1.9%
78		3	1.9%
79		5	3.1%
80		4	2.5%
81		4	2.5%
82		2	1.2%
83		1	0.6%
84		4	2.5%
85		2	1.2%
86		3	1.9%
87		7	4.3%
88		4	2.5%
89		4	2.5%
90		6	3.7%
91		1	0.6%
92		1	0.6%
93		4	2.5%
94		4	2.5%
95		5	3.1%
96		3	1.9%
97		1	0.6%
98		5	3.1%
102		4	2.5%
103		2	1.2%
104		5	3.1%
105		6	3.7%
106		2	1.2%
107		3	1.9%
108		2	1.2%
109		3	1.9%
110		3	1.9%
111		1	0.6%
112		3	1.9%
113		2	1.2%
116		1	0.6%

hc56_04: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
121		1	0.6%
122		2	1.2%
124		1	0.6%
131		1	0.6%
132		1	0.6%
139		1	0.6%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6286	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_05: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 50-997] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=6403 /-]

Value	Label	Cases	Percentage
50		2	4.4%
54		1	2.2%
55		1	2.2%
60		2	4.4%
64		1	2.2%
65		1	2.2%
67		1	2.2%
69		1	2.2%
75		1	2.2%
78		2	4.4%
79		2	4.4%
81		1	2.2%
83		1	2.2%
84		1	2.2%
86		1	2.2%
88		3	6.7%
89		1	2.2%
92		1	2.2%
93		1	2.2%
94		2	4.4%
95		1	2.2%
96		2	4.4%
97		2	4.4%
98		1	2.2%
99		1	2.2%
100		1	2.2%
101		1	2.2%
102		1	2.2%

hc56_05: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
103		1	2.2%
105		1	2.2%
109		1	2.2%
112		2	4.4%
113		2	4.4%
114		1	2.2%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_06: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 66-997] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
66		1	6.7%
67		1	6.7%
74		1	6.7%
75		1	6.7%
76		1	6.7%
82		1	6.7%
85		1	6.7%
87		1	6.7%
92		1	6.7%
103		1	6.7%
104		1	6.7%
105		1	6.7%
108		1	6.7%
111		1	6.7%
120		1	6.7%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_07: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 83-997] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
83		1	16.7%
85		1	16.7%
92		1	16.7%

hc56_07: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
93		1	16.7%
109		1	16.7%
125		1	16.7%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_08: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 71-997] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
71		1	50.0%
98		1	50.0%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_09: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56_10: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_01: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

hc57_01: anemia level

Statistics [NW/ W]	[Valid=3861 /-] [Invalid=2587 /-]

Value	Label	Cases	Percentage
1	severe	448	11.6%
2	moderate	2139	55.4%
3	mild	688	17.8%
4	not anemic	586	15.2%
Sysmiss		2587	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_02: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1616 /-] [Invalid=4832 /-]

Value	Label	Cases	Percentage
1	severe	241	14.9%
2	moderate	961	59.5%
3	mild	234	14.5%
4	not anemic	180	11.1%
Sysmiss		4832	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_03: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=448 /-] [Invalid=6000 /-]

Value	Label	Cases	Percentage
1	severe	80	17.9%
2	moderate	251	56.0%
3	mild	80	17.9%
4	not anemic	37	8.3%
Sysmiss		6000	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_04: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=162 /-] [Invalid=6286 /-]

Value	Label	Cases	Percentage
1	severe	22	13.6%
2	moderate	96	59.3%
3	mild	27	16.7%
4	not anemic	17	10.5%
Sysmiss		6286	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_05: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=6403 /-]

Value	Label	Cases	Percentage
1	severe	10	22.2%

hc57_05: anemia level

Value	Label	Cases	Percentage
2	moderate	24	53.3%
3	mild	6	13.3%
4	not anemic	5	11.1%
Sysmiss		6403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_06: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
1	severe	2	13.3%
2	moderate	7	46.7%
3	mild	4	26.7%
4	not anemic	2	13.3%
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_07: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	4	66.7%
3	mild	1	16.7%
4	not anemic	1	16.7%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_08: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	2	100.0%
3	mild	0	
4	not anemic	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_09: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	

hc57_09: anemia level

Value	Label	Cases	Percentage
4	not anemic	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57_10: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	
4	not anemic	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_01: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_02: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_03: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_04: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc58_04: na - agrees to referral - anemia

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_05: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_06: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_07: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_08: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_09: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hc58_09: na - agrees to referral - anemia

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58_10: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_01: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 1-995] [Missing=*]
Statistics [NW/ W]	[Valid=4211 /-] [Invalid=2237 /-]

Value	Label	Cases	Percentage
1		182	4.3%
2		2808	66.7%
3		344	8.2%
4		140	3.3%
5		96	2.3%
6		77	1.8%
7		52	1.2%
8		30	0.7%
9		20	0.5%
10		13	0.3%
11		14	0.3%
12		6	0.1%
13		1	0.0%
14		3	0.1%
19		2	0.0%
993	mother not de facto	74	1.8%
994	incomplete woman's interview	0	
995	not in household	349	8.3%
Sysmiss		2237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_02: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 1-995] [Missing=*]
Statistics [NW/ W]	[Valid=1978 /-] [Invalid=4470 /-]

Value	Label	Cases	Percentage
1		37	1.9%
2		1037	52.4%
3		277	14.0%
4		100	5.1%

hc60_02: mother's line number (woman's questionnaire)

Value	Label	Cases	Percentage
5		70	3.5%
6		63	3.2%
7		75	3.8%
8		38	1.9%
9		34	1.7%
10		18	0.9%
11		16	0.8%
12		6	0.3%
13		10	0.5%
14		3	0.2%
15		2	0.1%
16		2	0.1%
19		1	0.1%
20		1	0.1%
993	mother not de facto	25	1.3%
994	incomplete woman's interview	0	
995	not in household	163	8.2%
Sysmiss		4470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_03: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 1-995] [Missing=*]
Statistics [NW/ W]	[Valid=593 /-] [Invalid=5855 /-]

Value	Label	Cases	Percentage
1		2	0.3%
2		110	18.5%
3		122	20.6%
4		50	8.4%
5		31	5.2%
6		31	5.2%
7		42	7.1%
8		28	4.7%
9		21	3.5%
10		21	3.5%
11		17	2.9%
12		13	2.2%
13		5	0.8%
14		5	0.8%
15		2	0.3%
16		4	0.7%
17		1	0.2%
18		1	0.2%
993	mother not de facto	10	1.7%
994	incomplete woman's interview	0	
995	not in household	77	13.0%

hc60_03: mother's line number (woman's questionnaire)

Value	Label	Cases	Percentage
Sysmiss		5855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_04: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 2-995] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=6246 /-]

Value	Label	Cases	Percentage
2		25	12.4%
3		27	13.4%
4		21	10.4%
5		19	9.4%
6		6	3.0%
7		9	4.5%
8		10	5.0%
9		9	4.5%
10		13	6.4%
11		5	2.5%
12		8	4.0%
13		5	2.5%
14		5	2.5%
15		3	1.5%
16		2	1.0%
18		1	0.5%
19		2	1.0%
20		1	0.5%
21		1	0.5%
993	mother not de facto	3	1.5%
994	incomplete woman's interview	0	
995	not in household	27	13.4%
Sysmiss		6246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_05: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 2-995] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=6387 /-]

Value	Label	Cases	Percentage
2		2	3.3%
3		7	11.5%
4		8	13.1%
5		4	6.6%
6		1	1.6%
7		1	1.6%
8		1	1.6%
9		5	8.2%
10		3	4.9%
11		2	3.3%

hc60_05: mother's line number (woman's questionnaire)

Value	Label	Cases	Percentage
12		3	4.9%
13		1	1.6%
14		1	1.6%
15		3	4.9%
16		3	4.9%
18		2	3.3%
19		1	1.6%
21		1	1.6%
993	mother not de facto	2	3.3%
994	incomplete woman's interview	0	
995	not in household	10	16.4%
Sysmiss		6387	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_06: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 2-995] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
2		1	5.0%
4		3	15.0%
5		3	15.0%
12		2	10.0%
13		1	5.0%
14		1	5.0%
15		2	10.0%
16		1	5.0%
18		1	5.0%
993	mother not de facto	0	
994	incomplete woman's interview	0	
995	not in household	5	25.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_07: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 3-995] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
3		1	14.3%
10		1	14.3%
13		1	14.3%
18		1	14.3%
26		1	14.3%
993	mother not de facto	0	
994	incomplete woman's interview	0	
995	not in household	2	28.6%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_08: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 4-995] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
4		1	50.0%
15		1	50.0%
993	mother not de facto	0	
994	incomplete woman's interview	0	
995	not in household	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_09: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 993-995] [Missing=*]

hc60_09: mother's line number (woman's questionnaire)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
993	mother not de facto	0	
994	incomplete woman's interview	0	
995	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60_10: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 993-995] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
993	mother not de facto	0	
994	incomplete woman's interview	0	
995	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_01: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3788 /-] [Invalid=2660 /-]

Value	Label	Cases	Percentage
0	no education	2991	79.0%
1	primary	485	12.8%
2	secondary	296	7.8%
3	higher	16	0.4%
8	don't know	0	
Sysmiss		2660	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_02: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1790 /-] [Invalid=4658 /-]

Value	Label	Cases	Percentage
0	no education	1506	84.1%
1	primary	199	11.1%
2	secondary	80	4.5%
3	higher	5	0.3%
8	don't know	0	
Sysmiss		4658	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_03: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=5942 /-]

Value	Label	Cases	Percentage
0	no education	429	84.8%

hc61_03: mother's highest educational level

Value	Label	Cases	Percentage
1	primary	61	12.1%
2	secondary	16	3.2%
3	higher	0	
8	don't know	0	
Sysmiss		5942	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_04: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=6276 /-]

Value	Label	Cases	Percentage
0	no education	142	82.6%
1	primary	22	12.8%
2	secondary	8	4.7%
3	higher	0	
8	don't know	0	
Sysmiss		6276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_05: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=6399 /-]

Value	Label	Cases	Percentage
0	no education	40	81.6%
1	primary	8	16.3%
2	secondary	1	2.0%
3	higher	0	
8	don't know	0	
Sysmiss		6399	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_06: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
0	no education	12	80.0%
1	primary	2	13.3%
2	secondary	1	6.7%
3	higher	0	
8	don't know	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_07: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

hc61_07: mother's highest educational level

Value	Label	Cases	Percentage
0	no education	5	100.0%
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_08: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no education	1	50.0%
1	primary	1	50.0%
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_09: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61_10: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_01: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

hc62_01: mother's highest year of education

Statistics [NW/ W]	[Valid=794 /-] [Invalid=5654 /-]

Value	Label	Cases	Percentage
0		15	1.9%
1		78	9.8%
2		115	14.5%
3		152	19.1%
4		132	16.6%
5		129	16.2%
6		156	19.6%
7		17	2.1%
98	don't know	0	
Sysmiss		5654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_02: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=284 /-] [Invalid=6164 /-]

Value	Label	Cases	Percentage
0		4	1.4%
1		25	8.8%
2		36	12.7%
3		52	18.3%
4		45	15.8%
5		62	21.8%
6		57	20.1%
7		3	1.1%
98	don't know	0	
Sysmiss		6164	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_03: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=77 /-] [Invalid=6371 /-]

Value	Label	Cases	Percentage
0		1	1.3%
1		7	9.1%
2		12	15.6%
3		14	18.2%
4		14	18.2%
5		13	16.9%
6		16	20.8%
98	don't know	0	
Sysmiss		6371	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_04: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

hc62_04: mother's highest year of education

Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
1		3	10.0%
2		7	23.3%
3		4	13.3%
4		7	23.3%
5		5	16.7%
6		4	13.3%
98	don't know	0	
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_05: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=6439 /-]

Value	Label	Cases	Percentage
1		1	11.1%
2		1	11.1%
3		1	11.1%
4		1	11.1%
5		4	44.4%
6		1	11.1%
98	don't know	0	
Sysmiss		6439	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_06: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
2		1	33.3%
3		1	33.3%
6		1	33.3%
98	don't know	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_07: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_08: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 6-98] [Missing=*]

hc62_08: mother's highest year of education

Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
6		1	100.0%
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_09: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62_10: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc63_01: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-78] [Missing=*]
Statistics [NW/ W]	[Valid=1488 /-] [Invalid=4960 /-] [Mean=36.333 /-] [StdDev=12.659 /-]

hc63_02: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-75] [Missing=*]
Statistics [NW/ W]	[Valid=1269 /-] [Invalid=5179 /-] [Mean=33.773 /-] [StdDev=10.551 /-]

hc63_03: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-73] [Missing=*]
Statistics [NW/ W]	[Valid=327 /-] [Invalid=6121 /-] [Mean=34.242 /-] [StdDev=11.87 /-]

hc63_04: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-77] [Missing=*]
Statistics [NW/ W]	[Valid=118 /-] [Invalid=6330 /-] [Mean=33.644 /-] [StdDev=10.412 /-]

hc63_05: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 12-61] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-] [Mean=33.433 /-] [StdDev=11.596 /-]

hc63_06: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 21-52] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-] [Mean=37.6 /-] [StdDev=10.721 /-]

hc63_07: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Range= 35-44] [Missing=*]

hc63_07: preceding birth interval (months)

Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
35		1	50.0%
44		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc63_08: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc63_09: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc63_10: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_01: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=3788 /-] [Invalid=2660 /-]

Value	Label	Cases	Percentage
1		2273	60.0%
2		1348	35.6%
3		157	4.1%
4		9	0.2%
5		1	0.0%
Sysmiss		2660	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_02: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1790 /-] [Invalid=4658 /-]

Value	Label	Cases	Percentage
1		508	28.4%
2		1011	56.5%
3		258	14.4%

hc64_02: birth order number

Value	Label	Cases	Percentage
4		13	0.7%
Sysmiss		4658	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_03: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=5942 /-]

Value	Label	Cases	Percentage
1		174	34.4%
2		240	47.4%
3		83	16.4%
4		9	1.8%
Sysmiss		5942	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_04: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=6276 /-]

Value	Label	Cases	Percentage
1		52	30.2%
2		85	49.4%
3		33	19.2%
4		2	1.2%
Sysmiss		6276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_05: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=6399 /-]

Value	Label	Cases	Percentage
1		19	38.8%
2		22	44.9%
3		8	16.3%
Sysmiss		6399	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_06: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
1		5	33.3%
2		7	46.7%
3		3	20.0%
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_07: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

Value	Label	Cases	Percentage
1		3	60.0%
2		2	40.0%
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_08: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_09: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc64_10: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_01: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3788 /-] [Invalid=2660 /-]

Value	Label	Cases	Percentage
0	no education	2991	79.0%
1	primary	485	12.8%
2	secondary	296	7.8%
3	higher	16	0.4%
8	don't know	0	
Sysmiss		2660	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_02: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1790 /-] [Invalid=4658 /-]

Value	Label	Cases	Percentage
0	no education	1506	84.1%

hc68_02: mother's highest educational level (for preliminary and final report)

Value	Label	Cases	Percentage
1	primary	199	11.1%
2	secondary	80	4.5%
3	higher	5	0.3%
8	don't know	0	
Sysmiss		4658	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_03: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=5942 /-]

Value	Label	Cases	Percentage
0	no education	429	84.8%
1	primary	61	12.1%
2	secondary	16	3.2%
3	higher	0	
8	don't know	0	
Sysmiss		5942	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_04: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=172 /-] [Invalid=6276 /-]

Value	Label	Cases	Percentage
0	no education	142	82.6%
1	primary	22	12.8%
2	secondary	8	4.7%
3	higher	0	
8	don't know	0	
Sysmiss		6276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_05: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=6399 /-]

Value	Label	Cases	Percentage
0	no education	40	81.6%
1	primary	8	16.3%
2	secondary	1	2.0%
3	higher	0	
8	don't know	0	
Sysmiss		6399	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_06: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
0	no education	12	80.0%
1	primary	2	13.3%
2	secondary	1	6.7%
3	higher	0	
8	don't know	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_07: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-]

Value	Label	Cases	Percentage
0	no education	5	100.0%
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6443	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_08: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no education	1	50.0%
1	primary	1	50.0%
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_09: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68_10: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_01: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_02: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_03: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_04: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	

hc70_04: na - height/age standard deviation (new who)

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_05: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_06: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_07: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_08: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_09: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc70_09: na - height/age standard deviation (new who)

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70_10: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_01: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_02: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_03: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_04: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_05: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_06: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_07: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_08: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

hc71_08: na - weight/age standard deviation (new who)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_09: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71_10: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_01: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_02: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_03: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	

hc72_03: na - weight/height standard deviation (new who)

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_04: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_05: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_06: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_07: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_08: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hc72_08: na - weight/height standard deviation (new who)

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_09: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72_10: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_01: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_02: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_03: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_04: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_05: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_06: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_07: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

hc73_07: na - bmi standard deviation (new who)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_08: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_09: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73_10: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_1: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=5908 /-] [Invalid=540 /-]

Value	Label	Cases	Percentage
1		5908	100.0%
Sysmiss		540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_2: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=4834 /-] [Invalid=1614 /-]

Value	Label	Cases	Percentage
2		4834	100.0%
Sysmiss		1614	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_3: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=2936 /-] [Invalid=3512 /-]

Value	Label	Cases	Percentage
3		2936	100.0%
Sysmiss		3512	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_4: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=5337 /-]

Value	Label	Cases	Percentage
4		1111	100.0%
Sysmiss		5337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_5: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=672 /-] [Invalid=5776 /-]

Value	Label	Cases	Percentage
5		672	100.0%
Sysmiss		5776	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_6: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=367 /-] [Invalid=6081 /-]

Value	Label	Cases	Percentage
6		367	100.0%
Sysmiss		6081	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx_7: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
7		93	100.0%
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_1: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5906 /-] [Invalid=542 /-]

Value	Label	Cases	Percentage
0	not seen	664	11.2%
1	yes, seen	5242	88.8%
Sysmiss		542	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_2: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4831 /-] [Invalid=1617 /-]

Value	Label	Cases	Percentage
0	not seen	682	14.1%
1	yes, seen	4149	85.9%
Sysmiss		1617	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_3: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2929 /-] [Invalid=3519 /-]

Value	Label	Cases	Percentage
0	not seen	490	16.7%
1	yes, seen	2439	83.3%
Sysmiss		3519	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_4: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1106 /-] [Invalid=5342 /-]

Value	Label	Cases	Percentage
0	not seen	238	21.5%

hml3_4: net observed by interviewer

Value	Label	Cases	Percentage
1	yes, seen	868	78.5%
Sysmiss		5342	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_5: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=665 /-] [Invalid=5783 /-]

Value	Label	Cases	Percentage
0	not seen	159	23.9%
1	yes, seen	506	76.1%
Sysmiss		5783	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_6: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=6087 /-]

Value	Label	Cases	Percentage
0	not seen	92	25.5%
1	yes, seen	269	74.5%
Sysmiss		6087	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3_7: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
0	not seen	28	30.1%
1	yes, seen	65	69.9%
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_1: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=5904 /-] [Invalid=544 /-]

Value	Label	Cases	Percentage
0		2	0.0%
1		24	0.4%
2		36	0.6%
3		64	1.1%
4		56	0.9%
5		62	1.1%
6		119	2.0%
7		42	0.7%
8		67	1.1%
9		58	1.0%
10		138	2.3%

hml4_1: months ago net obtained

Value	Label	Cases	Percentage
11		193	3.3%
12		2400	40.7%
13		420	7.1%
14		534	9.0%
15		195	3.3%
16		155	2.6%
17		21	0.4%
18		66	1.1%
19		6	0.1%
20		6	0.1%
21		3	0.1%
22		9	0.2%
23		8	0.1%
24		607	10.3%
25		15	0.3%
26		21	0.4%
27		6	0.1%
28		10	0.2%
29		1	0.0%
30		5	0.1%
31		1	0.0%
32		1	0.0%
34		5	0.1%
35		1	0.0%
36		135	2.3%
96	more than 3 years ago	268	4.5%
98	don't know	144	2.4%
Sysmiss		544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_2: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4827 /-] [Invalid=1621 /-]

Value	Label	Cases	Percentage
0		2	0.0%
1		13	0.3%
2		28	0.6%
3		49	1.0%
4		48	1.0%
5		42	0.9%
6		108	2.2%
7		37	0.8%
8		52	1.1%
9		50	1.0%
10		110	2.3%

hml4_2: months ago net obtained

Value	Label	Cases	Percentage
11		164	3.4%
12		2038	42.2%
13		330	6.8%
14		446	9.2%
15		169	3.5%
16		122	2.5%
17		19	0.4%
18		47	1.0%
19		5	0.1%
20		9	0.2%
21		5	0.1%
22		8	0.2%
23		4	0.1%
24		472	9.8%
25		9	0.2%
26		18	0.4%
27		2	0.0%
28		8	0.2%
30		4	0.1%
31		1	0.0%
32		1	0.0%
34		4	0.1%
36		89	1.8%
96	more than 3 years ago	201	4.2%
98	don't know	113	2.3%
Sysmiss		1621	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_3: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2929 /-] [Invalid=3519 /-]

Value	Label	Cases	Percentage
0		3	0.1%
1		5	0.2%
2		17	0.6%
3		26	0.9%
4		18	0.6%
5		25	0.9%
6		57	1.9%
7		20	0.7%
8		35	1.2%
9		27	0.9%
10		73	2.5%
11		111	3.8%
12		1242	42.4%

hml4_3: months ago net obtained

Value	Label	Cases	Percentage
13		216	7.4%
14		254	8.7%
15		101	3.4%
16		88	3.0%
17		14	0.5%
18		22	0.8%
19		2	0.1%
20		3	0.1%
21		3	0.1%
22		3	0.1%
23		3	0.1%
24		293	10.0%
25		6	0.2%
26		13	0.4%
27		2	0.1%
28		2	0.1%
30		3	0.1%
31		1	0.0%
34		3	0.1%
36		43	1.5%
96	more than 3 years ago	136	4.6%
98	don't know	59	2.0%
Sysmiss		3519	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_4: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1108 /-] [Invalid=5340 /-]

Value	Label	Cases	Percentage
0		1	0.1%
1		1	0.1%
2		5	0.5%
3		15	1.4%
4		8	0.7%
5		17	1.5%
6		21	1.9%
7		10	0.9%
8		17	1.5%
9		12	1.1%
10		22	2.0%
11		45	4.1%
12		461	41.6%
13		74	6.7%
14		97	8.8%
15		24	2.2%

hml4_4: months ago net obtained

Value	Label	Cases	Percentage
16		32	2.9%
17		6	0.5%
18		6	0.5%
19		2	0.2%
20		4	0.4%
21		1	0.1%
22		2	0.2%
23		3	0.3%
24		115	10.4%
25		2	0.2%
26		4	0.4%
27		1	0.1%
28		2	0.2%
30		2	0.2%
35		1	0.1%
36		15	1.4%
96	more than 3 years ago	51	4.6%
98	don't know	29	2.6%
Sysmiss		5340	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_5: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=669 /-] [Invalid=5779 /-]

Value	Label	Cases	Percentage
0		2	0.3%
2		2	0.3%
3		10	1.5%
4		5	0.7%
5		6	0.9%
6		13	1.9%
7		5	0.7%
8		10	1.5%
9		11	1.6%
10		12	1.8%
11		33	4.9%
12		270	40.4%
13		43	6.4%
14		56	8.4%
15		12	1.8%
16		18	2.7%
17		5	0.7%
18		4	0.6%
20		4	0.6%
22		2	0.3%

hml4_5: months ago net obtained

Value	Label	Cases	Percentage
23		3	0.4%
24		77	11.5%
26		3	0.4%
27		1	0.1%
28		2	0.3%
30		1	0.1%
32		1	0.1%
36		9	1.3%
96	more than 3 years ago	35	5.2%
98	don't know	14	2.1%
Sysmiss		5779	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_6: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=365 /-] [Invalid=6083 /-]

Value	Label	Cases	Percentage
2		1	0.3%
3		4	1.1%
5		3	0.8%
6		6	1.6%
7		3	0.8%
8		5	1.4%
9		9	2.5%
10		7	1.9%
11		19	5.2%
12		152	41.6%
13		22	6.0%
14		32	8.8%
15		5	1.4%
16		9	2.5%
17		2	0.5%
18		2	0.5%
20		2	0.5%
23		2	0.5%
24		48	13.2%
26		3	0.8%
27		1	0.3%
28		1	0.3%
32		1	0.3%
36		6	1.6%
96	more than 3 years ago	13	3.6%
98	don't know	7	1.9%
Sysmiss		6083	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4_7: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 5-98] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
5		1	1.1%
6		2	2.2%
7		1	1.1%
8		2	2.2%
9		4	4.3%
10		3	3.2%
11		2	2.2%
12		42	45.2%
13		7	7.5%
14		6	6.5%
15		1	1.1%
16		1	1.1%
17		1	1.1%
24		12	12.9%
36		1	1.1%
96	more than 3 years ago	7	7.5%
98	don't know	0	
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_1: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=6352 /-]

Value	Label	Cases	Percentage
0	no	17	17.7%
1	yes	65	67.7%
8	don't know	14	14.6%
Sysmiss		6352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_2: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=6376 /-]

Value	Label	Cases	Percentage
0	no	6	8.3%
1	yes	58	80.6%
8	don't know	8	11.1%
Sysmiss		6376	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_3: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=6402 /-]

hml5_3: net treated with insecticide when bought

Value	Label	Cases	Percentage
0	no	4	8.7%
1	yes	32	69.6%
8	don't know	10	21.7%
Sysmiss		6402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_4: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	16	80.0%
8	don't know	4	20.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_5: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	7	87.5%
8	don't know	1	12.5%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_6: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	6	85.7%
8	don't know	1	14.3%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5_7: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_1: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5905 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	5730	97.0%
2	pretreated, requiring future treatment	71	1.2%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	65	1.1%
8	don't know	39	0.7%
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_2: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4830 /-] [Invalid=1618 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	4698	97.3%
2	pretreated, requiring future treatment	54	1.1%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	50	1.0%
8	don't know	28	0.6%
Sysmiss		1618	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_3: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2930 /-] [Invalid=3518 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	2848	97.2%
2	pretreated, requiring future treatment	36	1.2%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	30	1.0%
8	don't know	16	0.5%
Sysmiss		3518	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_4: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1109 /-] [Invalid=5339 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	

hml6_4: net treatment status

Value	Label	Cases	Percentage
1	pretreated, permanent treatment	1066	96.1%
2	pretreated, requiring future treatment	21	1.9%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	14	1.3%
8	don't know	8	0.7%
Sysmiss		5339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_5: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=671 /-] [Invalid=5777 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	648	96.6%
2	pretreated, requiring future treatment	12	1.8%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	6	0.9%
8	don't know	5	0.7%
Sysmiss		5777	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_6: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=6082 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	354	96.7%
2	pretreated, requiring future treatment	4	1.1%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	5	1.4%
8	don't know	3	0.8%
Sysmiss		6082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6_7: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	90	96.8%
2	pretreated, requiring future treatment	3	3.2%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	

hml6_7: net treatment status

Value	Label	Cases	Percentage
6	other	0	
8	don't know	0	
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_1: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=5905 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	3404	57.6%
12	long-lasting insectiside treated nets (llin) : pemanet	1528	25.9%
13	long-lasting insectiside treated nets (llin) : interceptor	139	2.4%
14	long-lasting insectiside treated nets (llin) : serena	32	0.5%
16	others/don't know brand (llin)	627	10.6%
21	pretreated net : others	37	0.6%
26	don't know brand (pretreated net)	34	0.6%
96	other	65	1.1%
98	dk brand	39	0.7%
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_2: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=4830 /-] [Invalid=1618 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	2801	58.0%
12	long-lasting insectiside treated nets (llin) : pemanet	1247	25.8%
13	long-lasting insectiside treated nets (llin) : interceptor	122	2.5%
14	long-lasting insectiside treated nets (llin) : serena	33	0.7%
16	others/don't know brand (llin)	495	10.2%
21	pretreated net : others	36	0.7%
26	don't know brand (pretreated net)	18	0.4%
96	other	50	1.0%
98	dk brand	28	0.6%
Sysmiss		1618	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_3: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=2930 /-] [Invalid=3518 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	1690	57.7%
12	long-lasting insectiside treated nets (llin) : pemanet	766	26.1%
13	long-lasting insectiside treated nets (llin) : interceptor	69	2.4%
14	long-lasting insectiside treated nets (llin) : serena	16	0.5%
16	others/don't know brand (llin)	307	10.5%

hml7_3: brand of net

Value	Label	Cases	Percentage
21	pretreated net : others	27	0.9%
26	don't know brand (pretreated net)	9	0.3%
96	other	30	1.0%
98	dk brand	16	0.5%
Sysmiss		3518	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_4: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=1109 /-] [Invalid=5339 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	585	52.8%
12	long-lasting insectiside treated nets (llin) : pemanet	329	29.7%
13	long-lasting insectiside treated nets (llin) : interceptor	17	1.5%
14	long-lasting insectiside treated nets (llin) : serena	7	0.6%
16	others/don't know brand (llin)	128	11.5%
21	pretreated net : others	17	1.5%
26	don't know brand (pretreated net)	4	0.4%
96	other	14	1.3%
98	dk brand	8	0.7%
Sysmiss		5339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_5: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=671 /-] [Invalid=5777 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	358	53.4%
12	long-lasting insectiside treated nets (llin) : pemanet	193	28.8%
13	long-lasting insectiside treated nets (llin) : interceptor	9	1.3%
14	long-lasting insectiside treated nets (llin) : serena	2	0.3%
16	others/don't know brand (llin)	86	12.8%
21	pretreated net : others	10	1.5%
26	don't know brand (pretreated net)	2	0.3%
96	other	6	0.9%
98	dk brand	5	0.7%
Sysmiss		5777	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_6: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=6082 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	187	51.1%
12	long-lasting insectiside treated nets (llin) : pemanet	112	30.6%
13	long-lasting insectiside treated nets (llin) : interceptor	6	1.6%

hml7_6: brand of net

Value	Label	Cases	Percentage
14	long-lasting insectiside treated nets (llin) : serena	0	
16	others/don't know brand (llin)	49	13.4%
21	pretreated net : others	4	1.1%
26	don't know brand (pretreated net)	0	
96	other	5	1.4%
98	dk brand	3	0.8%
Sysmiss		6082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7_7: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	46	49.5%
12	long-lasting insectiside treated nets (llin) : pemanet	30	32.3%
13	long-lasting insectiside treated nets (llin) : interceptor	1	1.1%
14	long-lasting insectiside treated nets (llin) : serena	0	
16	others/don't know brand (llin)	13	14.0%
21	pretreated net : others	1	1.1%
26	don't know brand (pretreated net)	2	2.2%
96	other	0	
98	dk brand	0	
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_1: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_2: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_3: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_4: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_5: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_6: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8_7: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml8_7: na - net treated since receiving

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_1: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_2: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_3: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_4: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_5: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_6: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9_7: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_1: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5908 /-] [Invalid=540 /-]

Value	Label	Cases	Percentage
0	no, don't know	157	2.7%
1	yes	5751	97.3%
Sysmiss		540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_2: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4834 /-] [Invalid=1614 /-]

Value	Label	Cases	Percentage
0	no, don't know	118	2.4%
1	yes	4716	97.6%
Sysmiss		1614	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_3: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2936 /-] [Invalid=3512 /-]

Value	Label	Cases	Percentage
0	no, don't know	79	2.7%
1	yes	2857	97.3%
Sysmiss		3512	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_4: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=5337 /-]

Value	Label	Cases	Percentage
0	no, don't know	42	3.8%
1	yes	1069	96.2%
Sysmiss		5337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_5: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

hml10_5: insecticide-treated net (itn)

Statistics [NW/ W]	[Valid=672 /-] [Invalid=5776 /-]

Value	Label	Cases	Percentage
0	no, don't know	21	3.1%
1	yes	651	96.9%
Sysmiss		5776	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_6: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=367 /-] [Invalid=6081 /-]

Value	Label	Cases	Percentage
0	no, don't know	11	3.0%
1	yes	356	97.0%
Sysmiss		6081	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10_7: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
0	no, don't know	2	2.2%
1	yes	91	97.8%
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_1: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=5908 /-] [Invalid=540 /-]

Value	Label	Cases	Percentage
0		494	8.4%
1		2583	43.7%
2		1569	26.6%
3		970	16.4%
4		292	4.9%
5	5+	0	
Sysmiss		540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_2: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=4834 /-] [Invalid=1614 /-]

Value	Label	Cases	Percentage
0		678	14.0%
1		1125	23.3%
2		1429	29.6%
3		1154	23.9%
4		448	9.3%

hml11_2: number of persons who slept under this net

Value	Label	Cases	Percentage
5	5+	0	
Sysmiss		1614	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_3: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2936 /-] [Invalid=3512 /-]

Value	Label	Cases	Percentage
0		537	18.3%
1		800	27.2%
2		918	31.3%
3		490	16.7%
4		191	6.5%
5	5+	0	
Sysmiss		3512	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_4: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=5337 /-]

Value	Label	Cases	Percentage
0		220	19.8%
1		395	35.6%
2		308	27.7%
3		132	11.9%
4		56	5.0%
5	5+	0	
Sysmiss		5337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_5: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=672 /-] [Invalid=5776 /-]

Value	Label	Cases	Percentage
0		193	28.7%
1		233	34.7%
2		151	22.5%
3		74	11.0%
4		21	3.1%
5	5+	0	
Sysmiss		5776	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_6: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=367 /-] [Invalid=6081 /-]

hml11_6: number of persons who slept under this net

Value	Label	Cases	Percentage
0		124	33.8%
1		135	36.8%
2		66	18.0%
3		28	7.6%
4		14	3.8%
5	5+	0	
Sysmiss		6081	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11_7: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
0		31	33.3%
1		32	34.4%
2		21	22.6%
3		5	5.4%
4		4	4.3%
5	5+	0	
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_1: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5591 /-] [Invalid=857 /-]

Value	Label	Cases	Percentage
0	no	174	3.1%
1	yes	5416	96.9%
8	not sure (dk)	1	0.0%
Sysmiss		857	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_2: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4313 /-] [Invalid=2135 /-]

Value	Label	Cases	Percentage
0	no	150	3.5%
1	yes	4159	96.4%
8	not sure (dk)	4	0.1%
Sysmiss		2135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_3: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2516 /-] [Invalid=3932 /-]

hml21_3: someone slept under this net last night

Value	Label	Cases	Percentage
0	no	105	4.2%
1	yes	2408	95.7%
8	not sure (dk)	3	0.1%
Sysmiss		3932	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_4: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=924 /-] [Invalid=5524 /-]

Value	Label	Cases	Percentage
0	no	33	3.6%
1	yes	891	96.4%
8	not sure (dk)	0	
Sysmiss		5524	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_5: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=5942 /-]

Value	Label	Cases	Percentage
0	no	25	4.9%
1	yes	479	94.7%
8	not sure (dk)	2	0.4%
Sysmiss		5942	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_6: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=263 /-] [Invalid=6185 /-]

Value	Label	Cases	Percentage
0	no	18	6.8%
1	yes	244	92.8%
8	not sure (dk)	1	0.4%
Sysmiss		6185	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21_7: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=67 /-] [Invalid=6381 /-]

Value	Label	Cases	Percentage
0	no	5	7.5%
1	yes	62	92.5%
8	not sure (dk)	0	
Sysmiss		6381	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_1: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=5414 /-] [Invalid=1034 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		3944	72.8%
2		953	17.6%
3		220	4.1%
4		96	1.8%
5		68	1.3%
6		46	0.8%
7		32	0.6%
8		20	0.4%
9		8	0.1%
10		8	0.1%
11		8	0.1%
12		4	0.1%
13		3	0.1%
14		1	0.0%
15		2	0.0%
16		1	0.0%
Sysmiss		1034	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_2: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=4156 /-] [Invalid=2292 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		362	8.7%
2		2199	52.9%
3		859	20.7%
4		261	6.3%
5		165	4.0%
6		110	2.6%
7		73	1.8%
8		48	1.2%
9		30	0.7%
10		12	0.3%
11		11	0.3%
12		6	0.1%
13		6	0.1%
14		5	0.1%
15		1	0.0%
16		3	0.1%
18		1	0.0%
19		3	0.1%

hmla_2: line number of person who slept in this net

Value	Label	Cases	Percentage
20		1	0.0%
Sysmiss		2292	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_3: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=2398 /-] [Invalid=4050 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		167	7.0%
2		223	9.3%
3		863	36.0%
4		356	14.8%
5		243	10.1%
6		200	8.3%
7		127	5.3%
8		79	3.3%
9		51	2.1%
10		26	1.1%
11		27	1.1%
12		13	0.5%
13		7	0.3%
14		9	0.4%
15		2	0.1%
16		2	0.1%
17		1	0.0%
18		1	0.0%
22		1	0.0%
Sysmiss		4050	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_4: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=891 /-] [Invalid=5557 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		87	9.8%
2		68	7.6%
3		112	12.6%
4		245	27.5%
5		94	10.5%
6		84	9.4%
7		58	6.5%
8		42	4.7%
9		31	3.5%
10		17	1.9%

hmla_4: line number of person who slept in this net

Value	Label	Cases	Percentage
11		20	2.2%
12		10	1.1%
13		10	1.1%
14		5	0.6%
15		2	0.2%
16		2	0.2%
18		1	0.1%
19		1	0.1%
20		1	0.1%
23		1	0.1%
Sysmiss		5557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_5: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-22] [Missing=*]
Statistics [NW/ W]	[Valid=479 /-] [Invalid=5969 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		25	5.2%
2		34	7.1%
3		51	10.6%
4		54	11.3%
5		103	21.5%
6		41	8.6%
7		41	8.6%
8		41	8.6%
9		23	4.8%
10		18	3.8%
11		12	2.5%
12		12	2.5%
13		4	0.8%
14		8	1.7%
15		3	0.6%
16		1	0.2%
17		3	0.6%
18		2	0.4%
21		2	0.4%
22		1	0.2%
Sysmiss		5969	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_6: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-25] [Missing=*]
Statistics [NW/ W]	[Valid=243 /-] [Invalid=6205 /-]

Value	Label	Cases	Percentage
0	no one	0	

hmla_6: line number of person who slept in this net

Value	Label	Cases	Percentage
1		4	1.6%
2		13	5.3%
3		19	7.8%
4		29	11.9%
5		24	9.9%
6		33	13.6%
7		30	12.3%
8		15	6.2%
9		14	5.8%
10		18	7.4%
11		8	3.3%
12		10	4.1%
13		9	3.7%
14		3	1.2%
15		7	2.9%
16		2	0.8%
17		1	0.4%
19		1	0.4%
22		1	0.4%
23		1	0.4%
25		1	0.4%
Sysmiss		6205	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla_7: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=6386 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		3	4.8%
2		1	1.6%
3		5	8.1%
4		4	6.5%
5		6	9.7%
6		5	8.1%
7		4	6.5%
8		6	9.7%
9		5	8.1%
10		7	11.3%
11		1	1.6%
12		2	3.2%
13		6	9.7%
14		2	3.2%
15		1	1.6%
17		2	3.2%

hmla_7: line number of person who slept in this net

Value	Label	Cases	Percentage
22		1	1.6%
37		1	1.6%
Sysmiss		6386	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlb_1: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 1-19] [Missing=*]
Statistics [NW/ W]	[Valid=2830 /-] [Invalid=3618 /-]

Value	Label	Cases	Percentage
1		32	1.1%
2		1107	39.1%
3		542	19.2%
4		325	11.5%
5		277	9.8%
6		172	6.1%
7		141	5.0%
8		85	3.0%
9		64	2.3%
10		35	1.2%
11		14	0.5%
12		14	0.5%
13		8	0.3%
14		4	0.1%
15		1	0.0%
16		4	0.1%
17		2	0.1%
18		2	0.1%
19		1	0.0%
Sysmiss		3618	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlb_2: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=3031 /-] [Invalid=3417 /-] [Mean=5.161 /-] [StdDev=2.569 /-]

hmlb_3: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-25] [Missing=*]
Statistics [NW/ W]	[Valid=1599 /-] [Invalid=4849 /-] [Mean=6.592 /-] [StdDev=2.896 /-]

hmlb_4: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-32] [Missing=*]
Statistics [NW/ W]	[Valid=496 /-] [Invalid=5952 /-] [Mean=7.942 /-] [StdDev=3.815 /-]

hmlb_5: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-23] [Missing=*]
Statistics [NW/ W]	[Valid=246 /-] [Invalid=6202 /-] [Mean=8.963 /-] [StdDev=3.885 /-]

hmlb_6: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 3-23] [Missing=*]
Statistics [NW/ W]	[Valid=108 /-] [Invalid=6340 /-]

Value	Label	Cases	Percentage
3		3	2.8%
4		2	1.9%
5		6	5.6%
6		10	9.3%
7		11	10.2%
8		7	6.5%
9		17	15.7%
10		14	13.0%
11		9	8.3%
12		1	0.9%
13		9	8.3%
14		4	3.7%
15		5	4.6%
16		2	1.9%
17		1	0.9%
18		2	1.9%
19		1	0.9%
20		1	0.9%
21		1	0.9%
22		1	0.9%
23		1	0.9%
Sysmiss		6340	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlb_7: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 3-20] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
3		1	3.3%
4		1	3.3%
6		2	6.7%
7		3	10.0%
8		2	6.7%
9		2	6.7%
10		5	16.7%
11		5	16.7%
12		2	6.7%
14		1	3.3%
15		1	3.3%
16		3	10.0%
18		1	3.3%
20		1	3.3%
Sysmiss		6418	

hmlb_7: line number of person who slept in this net

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlc_1: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=1263 /-] [Invalid=5185 /-]

Value	Label	Cases	Percentage
1		11	0.9%
2		35	2.8%
3		281	22.2%
4		315	24.9%
5		192	15.2%
6		164	13.0%
7		90	7.1%
8		62	4.9%
9		33	2.6%
10		23	1.8%
11		20	1.6%
12		19	1.5%
13		3	0.2%
14		7	0.6%
15		4	0.3%
16		2	0.2%
17		1	0.1%
18		1	0.1%
Sysmiss		5185	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlc_2: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-27] [Missing=*]
Statistics [NW/ W]	[Valid=1602 /-] [Invalid=4846 /-] [Mean=5.996 /-] [StdDev=2.588 /-]

hmlc_3: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=682 /-] [Invalid=5766 /-] [Mean=7.89 /-] [StdDev=3.188 /-]

hmlc_4: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 3-28] [Missing=*]
Statistics [NW/ W]	[Valid=188 /-] [Invalid=6260 /-] [Mean=10.027 /-] [StdDev=4.069 /-]

hmlc_5: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 3-33] [Missing=*]
Statistics [NW/ W]	[Valid=95 /-] [Invalid=6353 /-] [Mean=11.074 /-] [StdDev=4.765 /-]

hmlc_6: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 5-29] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=6406 /-] [Mean=12.071 /-] [StdDev=4.199 /-]

hmlc_7: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 5-21] [Missing=*]

hmlc_7: line number of person who slept in this net

Statistics [NW/ W]	[Valid=9 /-] [Invalid=6439 /-]

Value	Label	Cases	Percentage
5		1	11.1%
8		2	22.2%
9		1	11.1%
12		1	11.1%
16		1	11.1%
17		1	11.1%
18		1	11.1%
21		1	11.1%
Sysmiss		6439	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmld_1: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=292 /-] [Invalid=6156 /-]

Value	Label	Cases	Percentage
1		2	0.7%
2		4	1.4%
3		13	4.5%
4		65	22.3%
5		85	29.1%
6		39	13.4%
7		29	9.9%
8		15	5.1%
9		11	3.8%
10		9	3.1%
11		13	4.5%
12		3	1.0%
14		1	0.3%
15		1	0.3%
17		1	0.3%
18		1	0.3%
Sysmiss		6156	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmld_2: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 2-19] [Missing=*]
Statistics [NW/ W]	[Valid=448 /-] [Invalid=6000 /-]

Value	Label	Cases	Percentage
2		2	0.4%
3		15	3.3%
4		35	7.8%
5		129	28.8%
6		91	20.3%
7		65	14.5%

hmld_2: line number of person who slept in this net

Value	Label	Cases	Percentage
8		29	6.5%
9		26	5.8%
10		20	4.5%
11		11	2.5%
12		12	2.7%
13		3	0.7%
14		5	1.1%
15		2	0.4%
16		1	0.2%
17		1	0.2%
19		1	0.2%
Sysmiss		6000	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmld_3: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 2-27] [Missing=*]
Statistics [NW/ W]	[Valid=191 /-] [Invalid=6257 /-] [Mean=9.277 /-] [StdDev=3.545 /-]

hmld_4: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 5-19] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=6392 /-]

Value	Label	Cases	Percentage
5		3	5.4%
6		4	7.1%
7		5	8.9%
8		7	12.5%
9		1	1.8%
10		7	12.5%
11		8	14.3%
12		5	8.9%
13		3	5.4%
14		3	5.4%
15		2	3.6%
16		3	5.4%
17		3	5.4%
19		2	3.6%
Sysmiss		6392	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmld_5: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 5-25] [Missing=*]
Statistics [NW/ W]	[Valid=21 /-] [Invalid=6427 /-]

Value	Label	Cases	Percentage
5		1	4.8%
7		3	14.3%
8		4	19.0%

hmld_5: line number of person who slept in this net

Value	Label	Cases	Percentage
9		1	4.8%
11		3	14.3%
13		1	4.8%
14		2	9.5%
16		1	4.8%
17		1	4.8%
19		1	4.8%
20		1	4.8%
21		1	4.8%
25		1	4.8%
Sysmiss		6427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmld_6: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 7-19] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=6434 /-]

Value	Label	Cases	Percentage
7		1	7.1%
9		1	7.1%
11		3	21.4%
12		2	14.3%
13		1	7.1%
14		2	14.3%
15		1	7.1%
16		1	7.1%
17		1	7.1%
19		1	7.1%
Sysmiss		6434	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmld_7: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 7-16] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
7		1	25.0%
12		2	50.0%
16		1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_1: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_2: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_3: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_4: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_5: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_6: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmle_7: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_1: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5897 /-] [Invalid=551 /-]

Value	Label	Cases	Percentage
1	conical/circular	26	0.4%
2	rectangular	5871	99.6%
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_2: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4822 /-] [Invalid=1626 /-]

Value	Label	Cases	Percentage
1	conical/circular	19	0.4%
2	rectangular	4803	99.6%
Sysmiss		1626	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_3: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2926 /-] [Invalid=3522 /-]

Value	Label	Cases	Percentage
1	conical/circular	11	0.4%
2	rectangular	2915	99.6%
Sysmiss		3522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_4: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=1104 /-] [Invalid=5344 /-]

Value	Label	Cases	Percentage
1	conical/circular	4	0.4%
2	rectangular	1100	99.6%
Sysmiss		5344	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_5: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=668 /-] [Invalid=5780 /-]

Value	Label	Cases	Percentage
1	conical/circular	3	0.4%
2	rectangular	665	99.6%
Sysmiss		5780	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_6: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=364 /-] [Invalid=6084 /-]

sh131a_6: form of mosquito net

Value	Label	Cases	Percentage
1	conical/circular	1	0.3%
2	rectangular	363	99.7%
Sysmiss		6084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a_7: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
1	conical/circular	0	
2	rectangular	93	100.0%
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_1: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=5733 /-] [Invalid=715 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	5309	92.6%
2	prenatal consultation	119	2.1%
3	child vaccination	39	0.7%
4	market	168	2.9%
5	pharmacy	34	0.6%
6	other	64	1.1%
Sysmiss		715	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_2: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=4661 /-] [Invalid=1787 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	4377	93.9%
2	prenatal consultation	103	2.2%
3	child vaccination	28	0.6%
4	market	94	2.0%
5	pharmacy	24	0.5%
6	other	35	0.8%
Sysmiss		1787	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_3: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2826 /-] [Invalid=3622 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	2664	94.3%
2	prenatal consultation	54	1.9%

sh131b_3: source obtained net

Value	Label	Cases	Percentage
3	child vaccination	16	0.6%
4	market	63	2.2%
5	pharmacy	14	0.5%
6	other	15	0.5%
Sysmiss		3622	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_4: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1074 /-] [Invalid=5374 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	1006	93.7%
2	prenatal consultation	19	1.8%
3	child vaccination	6	0.6%
4	market	31	2.9%
5	pharmacy	4	0.4%
6	other	8	0.7%
Sysmiss		5374	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_5: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=635 /-] [Invalid=5813 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	592	93.2%
2	prenatal consultation	8	1.3%
3	child vaccination	7	1.1%
4	market	20	3.1%
5	pharmacy	5	0.8%
6	other	3	0.5%
Sysmiss		5813	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_6: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=348 /-] [Invalid=6100 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	321	92.2%
2	prenatal consultation	4	1.1%
3	child vaccination	2	0.6%
4	market	14	4.0%
5	pharmacy	5	1.4%
6	other	2	0.6%
Sysmiss		6100	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b_7: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=87 /-] [Invalid=6361 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	82	94.3%
2	prenatal consultation	0	
3	child vaccination	0	
4	market	4	4.6%
5	pharmacy	1	1.1%
6	other	0	
Sysmiss		6361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_1: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5907 /-] [Invalid=541 /-]

Value	Label	Cases	Percentage
0	no	314	5.3%
1	yes	5593	94.7%
Sysmiss		541	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_2: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4834 /-] [Invalid=1614 /-]

Value	Label	Cases	Percentage
0	no	517	10.7%
1	yes	4317	89.3%
Sysmiss		1614	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_3: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=3513 /-]

Value	Label	Cases	Percentage
0	no	417	14.2%
1	yes	2518	85.8%
Sysmiss		3513	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_4: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=5337 /-]

Value	Label	Cases	Percentage
0	no	187	16.8%
1	yes	924	83.2%
Sysmiss		5337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_5: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=672 /-] [Invalid=5776 /-]

Value	Label	Cases	Percentage
0	no	166	24.7%
1	yes	506	75.3%
Sysmiss		5776	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_6: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=367 /-] [Invalid=6081 /-]

Value	Label	Cases	Percentage
0	no	104	28.3%
1	yes	263	71.7%
Sysmiss		6081	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c_7: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
0	no	26	28.0%
1	yes	67	72.0%
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_1: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=5566 /-] [Invalid=882 /-]

Value	Label	Cases	Percentage
1	household member	5564	100.0%
2	agent	0	
3	neighbor	1	0.0%
8	don't know	1	0.0%
Sysmiss		882	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_2: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=4284 /-] [Invalid=2164 /-]

Value	Label	Cases	Percentage
1	household member	4283	100.0%
2	agent	0	
3	neighbor	0	
8	don't know	1	0.0%
Sysmiss		2164	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_3: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=2492 /-] [Invalid=3956 /-]

Value	Label	Cases	Percentage
1	household member	2492	100.0%
2	agent	0	
3	neighbor	0	
8	don't know	0	
Sysmiss		3956	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_4: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=912 /-] [Invalid=5536 /-]

Value	Label	Cases	Percentage
1	household member	911	99.9%
2	agent	0	
3	neighbor	0	
8	don't know	1	0.1%
Sysmiss		5536	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_5: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=498 /-] [Invalid=5950 /-]

Value	Label	Cases	Percentage
1	household member	498	100.0%
2	agent	0	
3	neighbor	0	
8	don't know	0	
Sysmiss		5950	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_6: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=257 /-] [Invalid=6191 /-]

Value	Label	Cases	Percentage
1	household member	257	100.0%
2	agent	0	
3	neighbor	0	
8	don't know	0	
Sysmiss		6191	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d_7: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=6382 /-]

sh131d_7: person who hung the net

Value	Label	Cases	Percentage
1	household member	65	98.5%
2	agent	0	
3	neighbor	1	1.5%
8	don't know	0	
Sysmiss		6382	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_01: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6448	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_02: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
2		6071	100.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_03: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
3		5593	100.0%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_04: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
4		4882	100.0%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_05: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
5		4021	100.0%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_06: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
6		3172	100.0%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_07: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
7		2405	100.0%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_08: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
8		1820	100.0%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_09: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
9		1359	100.0%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_10: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
10		1007	100.0%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_11: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
11		747	100.0%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_12: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 12-12] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
12		559	100.0%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_13: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 13-13] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
13		411	100.0%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_14: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 14-14] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
14		294	100.0%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_15: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 15-15] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
15		205	100.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_16: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 16-16] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
16		147	100.0%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_17: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 17-17] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
17		110	100.0%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_18: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 18-18] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
18		84	100.0%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_19: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 19-19] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
19		60	100.0%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_20: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 20-20] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
20		39	100.0%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_21: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 21-21] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
21		26	100.0%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_22: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 22-22] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
22		18	100.0%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_23: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 23-23] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
23		11	100.0%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_24: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 24-24] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
24		8	100.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_25: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 25-25] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
25		6	100.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_26: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 26-26] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
26		4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_27: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 27-27] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
27		4	100.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_28: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 28-28] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
28		3	100.0%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_29: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 29-29] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
29		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_30: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 30-30] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
30		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_31: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 31-31] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
31		2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_32: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 32-32] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
32		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_33: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 33-33] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
33		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_34: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 34-34] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
34		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_35: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 35-35] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
35		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_36: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 36-36] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
36		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_37: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 37-37] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
37		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_38: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 38-38] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
38		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_39: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 39-39] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
39		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx_40: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 40-40] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
40		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_01: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1784	27.7%
1	only treated (itn) nets	4547	70.5%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	117	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_02: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1268	20.9%
1	only treated (itn) nets	4687	77.2%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	116	1.9%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_03: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1651	29.5%
1	only treated (itn) nets	3841	68.7%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	101	1.8%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_04: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1599	32.8%
1	only treated (itn) nets	3201	65.6%
2	both treated (itn) and untreated nets	1	0.0%
3	only untreated nets	81	1.7%

hml12_04: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_05: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1407	35.0%
1	only treated (itn) nets	2553	63.5%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	61	1.5%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_06: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1143	36.0%
1	only treated (itn) nets	1987	62.6%
2	both treated (itn) and untreated nets	1	0.0%
3	only untreated nets	41	1.3%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_07: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	873	36.3%
1	only treated (itn) nets	1501	62.4%
2	both treated (itn) and untreated nets	1	0.0%
3	only untreated nets	30	1.2%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_08: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	733	40.3%
1	only treated (itn) nets	1062	58.4%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	25	1.4%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_09: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	552	40.6%
1	only treated (itn) nets	788	58.0%
2	both treated (itn) and untreated nets	1	0.1%
3	only untreated nets	18	1.3%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_10: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	411	40.8%
1	only treated (itn) nets	579	57.5%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	17	1.7%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_11: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	340	45.5%
1	only treated (itn) nets	396	53.0%
2	both treated (itn) and untreated nets	1	0.1%
3	only untreated nets	10	1.3%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_12: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	252	45.1%
1	only treated (itn) nets	300	53.7%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	7	1.3%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_13: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

hml12_13: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
0	did not sleep under a net	192	46.7%
1	only treated (itn) nets	215	52.3%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	4	1.0%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_14: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	142	48.3%
1	only treated (itn) nets	145	49.3%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	7	2.4%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_15: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	102	49.8%
1	only treated (itn) nets	99	48.3%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	4	2.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_16: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	78	53.1%
1	only treated (itn) nets	65	44.2%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	4	2.7%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_17: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	68	61.8%
1	only treated (itn) nets	39	35.5%

hml12_17: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
2	both treated (itn) and untreated nets	0	
3	only untreated nets	3	2.7%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_18: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	44	52.4%
1	only treated (itn) nets	39	46.4%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	1	1.2%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_19: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	34	56.7%
1	only treated (itn) nets	25	41.7%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	1	1.7%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_20: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	20	51.3%
1	only treated (itn) nets	19	48.7%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_21: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	15	57.7%
1	only treated (itn) nets	11	42.3%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	

hml12_21: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_22: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	12	66.7%
1	only treated (itn) nets	6	33.3%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_23: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	4	36.4%
1	only treated (itn) nets	7	63.6%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_24: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	6	75.0%
1	only treated (itn) nets	2	25.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_25: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	3	50.0%
1	only treated (itn) nets	3	50.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_26: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	3	75.0%
1	only treated (itn) nets	1	25.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_27: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	2	50.0%
1	only treated (itn) nets	2	50.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_28: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	2	66.7%
1	only treated (itn) nets	1	33.3%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_29: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	50.0%
1	only treated (itn) nets	1	50.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_30: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

hml12_30: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
0	did not sleep under a net	2	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_31: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	2	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_32: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	0	
1	only treated (itn) nets	1	100.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_33: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	0	
1	only treated (itn) nets	1	100.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_34: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	100.0%
1	only treated (itn) nets	0	

hml12_34: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_35: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_36: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_37: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	0	
1	only treated (itn) nets	1	100.0%
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_38: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	

hml12_38: type of mosquito bed net(s) person slept under last night

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_39: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml12_40: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	1	100.0%
1	only treated (itn) nets	0	
2	both treated (itn) and untreated nets	0	
3	only untreated nets	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_01: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1784	27.7%
1		3989	61.9%
2		378	5.9%
3		175	2.7%
4		90	1.4%
5		25	0.4%
6		4	0.1%
7		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_02: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1268	20.9%
1		2099	34.6%
2		2322	38.2%

hml13_02: net designation number (hmlidx) for 1st net person slept under last night

Value	Label	Cases	Percentage
3		257	4.2%
4		79	1.3%
5		33	0.5%
6		12	0.2%
7		1	0.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_03: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1651	29.5%
1		1056	18.9%
2		1719	30.7%
3		961	17.2%
4		128	2.3%
5		53	0.9%
6		20	0.4%
7		5	0.1%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_04: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1599	32.8%
1		801	16.4%
2		1391	28.5%
3		706	14.5%
4		279	5.7%
5		72	1.5%
6		29	0.6%
7		5	0.1%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_05: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1407	35.0%
1		622	15.5%
2		1024	25.5%
3		623	15.5%

hml13_05: net designation number (hmlidx) for 1st net person slept under last night

Value	Label	Cases	Percentage
4		182	4.5%
5		125	3.1%
6		32	0.8%
7		6	0.1%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_06: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1143	36.0%
1		421	13.3%
2		796	25.1%
3		512	16.1%
4		169	5.3%
5		80	2.5%
6		44	1.4%
7		7	0.2%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_07: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	873	36.3%
1		292	12.1%
2		546	22.7%
3		432	18.0%
4		132	5.5%
5		82	3.4%
6		43	1.8%
7		5	0.2%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_08: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	733	40.3%
1		182	10.0%
2		359	19.7%
3		321	17.6%
4		114	6.3%

hml13_08: net designation number (hmlidx) for 1st net person slept under last night

Value	Label	Cases	Percentage
5		78	4.3%
6		24	1.3%
7		9	0.5%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_09: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	552	40.6%
1		116	8.5%
2		249	18.3%
3		259	19.1%
4		91	6.7%
5		53	3.9%
6		32	2.4%
7		7	0.5%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_10: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	411	40.8%
1		75	7.4%
2		134	13.3%
3		193	19.2%
4		98	9.7%
5		49	4.9%
6		36	3.6%
7		11	1.1%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_11: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	340	45.5%
1		55	7.4%
2		91	12.2%
3		132	17.7%
4		66	8.8%
5		33	4.4%

hml13_11: net designation number (hmlidx) for 1st net person slept under last night

Value	Label	Cases	Percentage
6		24	3.2%
7		6	0.8%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_12: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	252	45.1%
1		40	7.2%
2		66	11.8%
3		89	15.9%
4		45	8.1%
5		42	7.5%
6		19	3.4%
7		6	1.1%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_13: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	192	46.7%
1		14	3.4%
2		49	11.9%
3		69	16.8%
4		43	10.5%
5		18	4.4%
6		21	5.1%
7		5	1.2%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_14: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	142	48.3%
1		13	4.4%
2		26	8.8%
3		49	16.7%
4		26	8.8%
5		21	7.1%
6		14	4.8%

hml13_14: net designation number (hmlidx) for 1st net person slept under last night

Value	Label	Cases	Percentage
7		3	1.0%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_15: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	102	49.8%
1		8	3.9%
2		19	9.3%
3		27	13.2%
4		21	10.2%
5		12	5.9%
6		14	6.8%
7		2	1.0%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_16: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	78	53.1%
1		7	4.8%
2		17	11.6%
3		9	6.1%
4		10	6.8%
5		13	8.8%
6		8	5.4%
7		5	3.4%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_17: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	68	61.8%
1		4	3.6%
2		7	6.4%
3		9	8.2%
4		5	4.5%
5		9	8.2%
6		5	4.5%
7		3	2.7%

hml13_17: net designation number (hmlidx) for 1st net person slept under last night

Value	Label	Cases	Percentage
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_18: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	44	52.4%
1		4	4.8%
2		8	9.5%
3		8	9.5%
4		7	8.3%
5		8	9.5%
6		3	3.6%
7		2	2.4%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_19: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	34	56.7%
1		1	1.7%
2		7	11.7%
3		3	5.0%
4		6	10.0%
5		6	10.0%
6		3	5.0%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_20: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	20	51.3%
2		3	7.7%
3		2	5.1%
4		9	23.1%
5		3	7.7%
6		1	2.6%
7		1	2.6%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_21: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	15	57.7%
2		1	3.8%
3		1	3.8%
4		3	11.5%
5		4	15.4%
6		1	3.8%
7		1	3.8%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_22: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	12	66.7%
2		1	5.6%
3		1	5.6%
5		1	5.6%
6		2	11.1%
7		1	5.6%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_23: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	4	36.4%
3		1	9.1%
4		2	18.2%
5		2	18.2%
6		2	18.2%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_24: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	6	75.0%
4		1	12.5%
5		1	12.5%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_25: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	3	50.0%
3		1	16.7%
5		1	16.7%
6		1	16.7%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_26: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	3	75.0%
3		1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_27: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	2	50.0%
2		1	25.0%
3		1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_28: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	2	66.7%
4		1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_29: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	50.0%
6		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_30: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_31: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	2	100.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_32: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	0	
4		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_33: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	0	
5		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_34: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_35: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	100.0%
Sysmiss		6447	

hml13_35: net designation number (hmlidx) for 1st net person slept under last night

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_36: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_37: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	0	
7		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_38: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_39: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13_40: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_01: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
2		6	60.0%
3		2	20.0%
4		1	10.0%

hml14_01: net designation number (hmlidx) for 2nd net person slept under last night

Value	Label	Cases	Percentage
5		1	10.0%
Sysmiss		6438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_02: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-6] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
2		8	44.4%
3		5	27.8%
4		2	11.1%
5		2	11.1%
6		1	5.6%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_03: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-6] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
2		3	20.0%
3		4	26.7%
4		6	40.0%
5		1	6.7%
6		1	6.7%
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_04: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
3		3	42.9%
4		2	28.6%
6		2	28.6%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_05: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-7] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=6439 /-]

Value	Label	Cases	Percentage
2		3	33.3%
3		3	33.3%
5		2	22.2%
7		1	11.1%

hml14_05: net designation number (hmlidx) for 2nd net person slept under last night

Value	Label	Cases	Percentage
Sysmiss		6439	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_06: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-5] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=6439 /-]

Value	Label	Cases	Percentage
2		1	11.1%
3		3	33.3%
4		3	33.3%
5		2	22.2%
Sysmiss		6439	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_07: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-7] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=6436 /-]

Value	Label	Cases	Percentage
2		2	16.7%
3		3	25.0%
4		2	16.7%
5		1	8.3%
6		1	8.3%
7		3	25.0%
Sysmiss		6436	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_08: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 3-7] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
3		2	66.7%
7		1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_09: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 3-7] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
3		1	10.0%
4		2	20.0%
5		4	40.0%
6		2	20.0%
7		1	10.0%
Sysmiss		6438	

hml14_09: net designation number (hmlidx) for 2nd net person slept under last night

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_10: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 4-7] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
4		1	25.0%
5		1	25.0%
6		1	25.0%
7		1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_11: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
3		1	25.0%
5		1	25.0%
6		2	50.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_12: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 3-7] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
3		1	33.3%
4		1	33.3%
7		1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_13: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 4-7] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
4		1	50.0%
7		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_14: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_15: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 4-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
4		2	66.7%
6		1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_16: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_17: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_18: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_19: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_20: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_21: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml14_21: net designation number (hmlidx) for 2nd net person slept under last night

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_22: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_23: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_24: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_25: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_26: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_27: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_28: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]

hml14_28: net designation number (hmlidx) for 2nd net person slept under last night

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_29: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_30: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_31: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_32: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_33: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_34: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_35: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_36: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_37: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_38: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_39: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14_40: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_01: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_02: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_03: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
5		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_04: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_05: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_06: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_07: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_08: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_09: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_10: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_11: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_12: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_13: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_14: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_15: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_16: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_17: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_18: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_19: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_20: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_21: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_22: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_23: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_24: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_25: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_26: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_27: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_28: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_29: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_30: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_31: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_32: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_33: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_34: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_35: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_36: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_37: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_38: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_39: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15_40: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_01: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6445 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0		1	0.0%
13		1	0.0%
15		1	0.0%
16		8	0.1%
17		13	0.2%
18		20	0.3%
19		19	0.3%
20		59	0.9%
21		66	1.0%
22		84	1.3%
23		98	1.5%
24		105	1.6%
25		160	2.5%
26		125	1.9%
27		171	2.7%
28		144	2.2%
29		136	2.1%
30		255	4.0%
31		146	2.3%
32		222	3.4%
33		137	2.1%
34		136	2.1%
35		235	3.6%
36		148	2.3%
37		155	2.4%
38		121	1.9%
39		119	1.8%
40		228	3.5%
41		108	1.7%
42		167	2.6%
43		109	1.7%
44		103	1.6%
45		199	3.1%
46		106	1.6%
47		105	1.6%
48		104	1.6%
49		115	1.8%
50		167	2.6%
51		68	1.1%
52		127	2.0%
53		99	1.5%
54		92	1.4%
55		128	2.0%

hml16_01: corrected age from individual file

Value	Label	Cases	Percentage
56		102	1.6%
57		75	1.2%
58		76	1.2%
59		63	1.0%
60		178	2.8%
61		53	0.8%
62		64	1.0%
63		45	0.7%
64		66	1.0%
65		103	1.6%
66		42	0.7%
67		49	0.8%
68		50	0.8%
69		35	0.5%
70		105	1.6%
71		27	0.4%
72		43	0.7%
73		29	0.4%
74		25	0.4%
75		52	0.8%
76		17	0.3%
77		20	0.3%
78		28	0.4%
79		12	0.2%
80		47	0.7%
81		14	0.2%
82		11	0.2%
83		6	0.1%
84		9	0.1%
85		18	0.3%
86		3	0.0%
87		12	0.2%
88		4	0.1%
89		6	0.1%
90		18	0.3%
91		1	0.0%
92		1	0.0%
93		3	0.0%
94		2	0.0%
95		21	0.3%
97	97+	0	
98	don't know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_02: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0		7	0.1%
1		23	0.4%
2		14	0.2%
3		17	0.3%
4		29	0.5%
5		24	0.4%
6		20	0.3%
7		34	0.6%
8		34	0.6%
9		20	0.3%
10		45	0.7%
11		35	0.6%
12		44	0.7%
13		63	1.0%
14		31	0.5%
15		47	0.8%
16		72	1.2%
17		100	1.6%
18		154	2.5%
19		129	2.1%
20		219	3.6%
21		140	2.3%
22		187	3.1%
23		159	2.6%
24		148	2.4%
25		225	3.7%
26		161	2.7%
27		175	2.9%
28		181	3.0%
29		172	2.8%
30		234	3.9%
31		129	2.1%
32		167	2.8%
33		114	1.9%
34		136	2.2%
35		214	3.5%
36		135	2.2%
37		136	2.2%
38		109	1.8%
39		121	2.0%
40		161	2.7%
41		103	1.7%
42		100	1.6%

hml16_02: corrected age from individual file

Value	Label	Cases	Percentage
43		78	1.3%
44		77	1.3%
45		104	1.7%
46		66	1.1%
47		64	1.1%
48		69	1.1%
49		68	1.1%
50		70	1.2%
51		60	1.0%
52		84	1.4%
53		64	1.1%
54		82	1.4%
55		75	1.2%
56		58	1.0%
57		38	0.6%
58		44	0.7%
59		31	0.5%
60		80	1.3%
61		22	0.4%
62		32	0.5%
63		24	0.4%
64		20	0.3%
65		31	0.5%
66		15	0.2%
67		12	0.2%
68		16	0.3%
69		8	0.1%
70		27	0.4%
71		8	0.1%
72		15	0.2%
73		8	0.1%
74		6	0.1%
75		13	0.2%
76		3	0.0%
77		3	0.0%
78		1	0.0%
79		2	0.0%
80		7	0.1%
81		2	0.0%
82		2	0.0%
83		1	0.0%
84		3	0.0%
85		3	0.0%
88		1	0.0%
89		1	0.0%

hml16_02: corrected age from individual file

Value	Label	Cases	Percentage
90		3	0.0%
91		1	0.0%
95		1	0.0%
97	97+	0	
98	don't know	0	
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_03: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0		257	4.6%
1		247	4.4%
2		241	4.3%
3		195	3.5%
4		221	4.0%
5		217	3.9%
6		155	2.8%
7		238	4.3%
8		192	3.4%
9		171	3.1%
10		227	4.1%
11		152	2.7%
12		211	3.8%
13		198	3.5%
14		194	3.5%
15		204	3.6%
16		168	3.0%
17		183	3.3%
18		145	2.6%
19		105	1.9%
20		152	2.7%
21		91	1.6%
22		100	1.8%
23		68	1.2%
24		62	1.1%
25		95	1.7%
26		57	1.0%
27		59	1.1%
28		49	0.9%
29		57	1.0%
30		79	1.4%
31		33	0.6%
32		52	0.9%

hml16_03: corrected age from individual file

Value	Label	Cases	Percentage
33		23	0.4%
34		42	0.8%
35		54	1.0%
36		35	0.6%
37		35	0.6%
38		28	0.5%
39		22	0.4%
40		29	0.5%
41		14	0.3%
42		21	0.4%
43		10	0.2%
44		24	0.4%
45		27	0.5%
46		14	0.3%
47		11	0.2%
48		14	0.3%
49		13	0.2%
50		32	0.6%
51		18	0.3%
52		26	0.5%
53		15	0.3%
54		14	0.3%
55		23	0.4%
56		16	0.3%
57		12	0.2%
58		10	0.2%
59		8	0.1%
60		16	0.3%
61		5	0.1%
62		8	0.1%
63		6	0.1%
64		7	0.1%
65		22	0.4%
66		3	0.1%
67		4	0.1%
68		5	0.1%
69		7	0.1%
70		9	0.2%
71		2	0.0%
72		5	0.1%
73		4	0.1%
74		1	0.0%
75		4	0.1%
76		2	0.0%
77		2	0.0%

hml16_03: corrected age from individual file

Value	Label	Cases	Percentage
78		2	0.0%
80		6	0.1%
81		1	0.0%
84		1	0.0%
85		1	0.0%
87		2	0.0%
90		2	0.0%
95		1	0.0%
97	97+	0	
98	don't know	0	
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_04: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0		184	3.8%
1		179	3.7%
2		212	4.3%
3		243	5.0%
4		245	5.0%
5		259	5.3%
6		197	4.0%
7		279	5.7%
8		250	5.1%
9		263	5.4%
10		251	5.1%
11		174	3.6%
12		246	5.0%
13		220	4.5%
14		171	3.5%
15		176	3.6%
16		144	2.9%
17		138	2.8%
18		114	2.3%
19		85	1.7%
20		97	2.0%
21		54	1.1%
22		63	1.3%
23		53	1.1%
24		40	0.8%
25		53	1.1%
26		13	0.3%
27		35	0.7%

hml16_04: corrected age from individual file

Value	Label	Cases	Percentage
28		33	0.7%
29		15	0.3%
30		38	0.8%
31		15	0.3%
32		21	0.4%
33		11	0.2%
34		14	0.3%
35		23	0.5%
36		14	0.3%
37		17	0.3%
38		11	0.2%
39		4	0.1%
40		16	0.3%
41		6	0.1%
42		5	0.1%
43		8	0.2%
44		8	0.2%
45		12	0.2%
46		5	0.1%
47		3	0.1%
48		7	0.1%
49		7	0.1%
50		10	0.2%
51		11	0.2%
52		16	0.3%
53		9	0.2%
54		12	0.2%
55		16	0.3%
56		2	0.0%
57		7	0.1%
58		2	0.0%
59		4	0.1%
60		12	0.2%
61		4	0.1%
62		1	0.0%
63		4	0.1%
64		2	0.0%
65		6	0.1%
66		5	0.1%
69		1	0.0%
70		4	0.1%
71		2	0.0%
74		3	0.1%
75		2	0.0%
77		1	0.0%

hml16_04: corrected age from individual file

Value	Label	Cases	Percentage
78		1	0.0%
79		1	0.0%
80		6	0.1%
82		1	0.0%
84		2	0.0%
85		1	0.0%
87		1	0.0%
88		1	0.0%
91		1	0.0%
97	97+	0	
98	don't know	0	
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_05: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0		174	4.3%
1		174	4.3%
2		167	4.2%
3		233	5.8%
4		173	4.3%
5		202	5.0%
6		190	4.7%
7		289	7.2%
8		236	5.9%
9		246	6.1%
10		244	6.1%
11		168	4.2%
12		194	4.8%
13		201	5.0%
14		124	3.1%
15		120	3.0%
16		90	2.2%
17		86	2.1%
18		85	2.1%
19		72	1.8%
20		69	1.7%
21		49	1.2%
22		32	0.8%
23		23	0.6%
24		29	0.7%
25		35	0.9%
26		21	0.5%

hml16_05: corrected age from individual file

Value	Label	Cases	Percentage
27		20	0.5%
28		13	0.3%
29		19	0.5%
30		21	0.5%
31		6	0.1%
32		12	0.3%
33		8	0.2%
34		6	0.1%
35		16	0.4%
36		12	0.3%
37		5	0.1%
38		6	0.1%
39		3	0.1%
40		3	0.1%
41		4	0.1%
42		3	0.1%
43		6	0.1%
44		2	0.0%
45		6	0.1%
46		3	0.1%
47		2	0.0%
48		3	0.1%
49		1	0.0%
50		5	0.1%
51		8	0.2%
52		10	0.2%
53		6	0.1%
54		4	0.1%
55		6	0.1%
56		3	0.1%
57		5	0.1%
58		2	0.0%
59		5	0.1%
60		11	0.3%
61		4	0.1%
62		6	0.1%
63		4	0.1%
64		3	0.1%
65		6	0.1%
66		1	0.0%
67		1	0.0%
68		1	0.0%
69		2	0.0%
70		4	0.1%
71		3	0.1%

hml16_05: corrected age from individual file

Value	Label	Cases	Percentage
73		1	0.0%
76		1	0.0%
77		2	0.0%
78		1	0.0%
80		2	0.0%
81		1	0.0%
82		2	0.0%
83		3	0.1%
93		2	0.0%
97	97+	0	
98	don't know	0	
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_06: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0		167	5.3%
1		149	4.7%
2		160	5.0%
3		172	5.4%
4		159	5.0%
5		151	4.8%
6		169	5.3%
7		197	6.2%
8		176	5.5%
9		174	5.5%
10		192	6.1%
11		126	4.0%
12		139	4.4%
13		137	4.3%
14		105	3.3%
15		86	2.7%
16		72	2.3%
17		65	2.0%
18		65	2.0%
19		45	1.4%
20		53	1.7%
21		34	1.1%
22		38	1.2%
23		21	0.7%
24		19	0.6%
25		24	0.8%
26		15	0.5%

hml16_06: corrected age from individual file

Value	Label	Cases	Percentage
27		15	0.5%
28		10	0.3%
29		5	0.2%
30		14	0.4%
31		2	0.1%
32		13	0.4%
33		6	0.2%
34		6	0.2%
35		14	0.4%
36		3	0.1%
37		5	0.2%
38		9	0.3%
39		2	0.1%
40		6	0.2%
41		6	0.2%
42		2	0.1%
43		4	0.1%
44		4	0.1%
45		7	0.2%
46		2	0.1%
47		1	0.0%
48		2	0.1%
49		4	0.1%
50		6	0.2%
51		10	0.3%
52		4	0.1%
53		3	0.1%
54		7	0.2%
55		9	0.3%
56		2	0.1%
57		5	0.2%
58		2	0.1%
59		4	0.1%
60		15	0.5%
61		2	0.1%
62		2	0.1%
63		3	0.1%
64		3	0.1%
65		10	0.3%
66		1	0.0%
67		1	0.0%
68		1	0.0%
69		3	0.1%
70		4	0.1%
71		1	0.0%

hml16_06: corrected age from individual file

Value	Label	Cases	Percentage
72		4	0.1%
74		1	0.0%
75		2	0.1%
76		1	0.0%
77		1	0.0%
78		3	0.1%
80		2	0.1%
82		2	0.1%
85		2	0.1%
89		1	0.0%
90		1	0.0%
91		1	0.0%
95		1	0.0%
97	97+	0	
98	don't know	0	
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_07: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0		134	5.6%
1		139	5.8%
2		137	5.7%
3		135	5.6%
4		136	5.7%
5		114	4.7%
6		144	6.0%
7		132	5.5%
8		131	5.4%
9		105	4.4%
10		128	5.3%
11		83	3.5%
12		104	4.3%
13		88	3.7%
14		68	2.8%
15		81	3.4%
16		53	2.2%
17		49	2.0%
18		44	1.8%
19		35	1.5%
20		37	1.5%
21		24	1.0%
22		19	0.8%

hml16_07: corrected age from individual file

Value	Label	Cases	Percentage
23		16	0.7%
24		19	0.8%
25		20	0.8%
26		10	0.4%
27		11	0.5%
28		9	0.4%
29		16	0.7%
30		14	0.6%
31		6	0.2%
32		14	0.6%
33		6	0.2%
34		8	0.3%
35		8	0.3%
36		5	0.2%
37		6	0.2%
38		5	0.2%
39		4	0.2%
40		4	0.2%
41		2	0.1%
42		1	0.0%
43		3	0.1%
44		1	0.0%
45		2	0.1%
46		2	0.1%
47		3	0.1%
49		1	0.0%
50		2	0.1%
51		5	0.2%
52		3	0.1%
53		5	0.2%
54		4	0.2%
55		3	0.1%
56		4	0.2%
57		3	0.1%
58		1	0.0%
59		4	0.2%
60		8	0.3%
61		1	0.0%
62		2	0.1%
63		3	0.1%
64		1	0.0%
65		4	0.2%
66		1	0.0%
67		2	0.1%
68		4	0.2%

hml16_07: corrected age from individual file

Value	Label	Cases	Percentage
69		1	0.0%
70		10	0.4%
73		2	0.1%
74		2	0.1%
75		1	0.0%
77		1	0.0%
78		1	0.0%
80		5	0.2%
85		2	0.1%
87		1	0.0%
89		1	0.0%
95		2	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_08: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1819 /-] [Invalid=4629 /-]

Value	Label	Cases	Percentage
0		129	7.1%
1		87	4.8%
2		123	6.8%
3		92	5.1%
4		98	5.4%
5		101	5.6%
6		94	5.2%
7		110	6.0%
8		101	5.6%
9		82	4.5%
10		83	4.6%
11		56	3.1%
12		84	4.6%
13		74	4.1%
14		46	2.5%
15		60	3.3%
16		47	2.6%
17		39	2.1%
18		33	1.8%
19		26	1.4%
20		25	1.4%
21		9	0.5%
22		18	1.0%
23		13	0.7%

hml16_08: corrected age from individual file

Value	Label	Cases	Percentage
24		7	0.4%
25		14	0.8%
26		9	0.5%
27		11	0.6%
28		9	0.5%
29		6	0.3%
30		9	0.5%
31		2	0.1%
32		1	0.1%
33		2	0.1%
34		4	0.2%
35		6	0.3%
36		5	0.3%
37		6	0.3%
38		2	0.1%
39		5	0.3%
40		7	0.4%
42		2	0.1%
43		2	0.1%
44		1	0.1%
45		4	0.2%
46		2	0.1%
49		2	0.1%
50		4	0.2%
51		3	0.2%
52		2	0.1%
53		1	0.1%
54		6	0.3%
55		3	0.2%
58		2	0.1%
60		7	0.4%
61		1	0.1%
62		3	0.2%
63		2	0.1%
64		2	0.1%
65		4	0.2%
67		2	0.1%
68		3	0.2%
69		1	0.1%
70		5	0.3%
71		2	0.1%
72		1	0.1%
74		2	0.1%
75		4	0.2%
80		2	0.1%

hml16_08: corrected age from individual file

Value	Label	Cases	Percentage
82		1	0.1%
83		1	0.1%
84		1	0.1%
85		1	0.1%
86		1	0.1%
87		1	0.1%
90		1	0.1%
94		1	0.1%
95		1	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		4629	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_09: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0		83	6.1%
1		84	6.2%
2		107	7.9%
3		80	5.9%
4		92	6.8%
5		59	4.3%
6		83	6.1%
7		112	8.2%
8		56	4.1%
9		63	4.6%
10		64	4.7%
11		36	2.6%
12		49	3.6%
13		50	3.7%
14		44	3.2%
15		29	2.1%
16		24	1.8%
17		34	2.5%
18		29	2.1%
19		12	0.9%
20		19	1.4%
21		15	1.1%
22		12	0.9%
23		8	0.6%
24		7	0.5%
25		6	0.4%
26		4	0.3%

hml16_09: corrected age from individual file

Value	Label	Cases	Percentage
27		7	0.5%
28		5	0.4%
29		2	0.1%
30		5	0.4%
31		3	0.2%
32		8	0.6%
33		2	0.1%
34		4	0.3%
35		1	0.1%
36		2	0.1%
37		2	0.1%
38		1	0.1%
39		2	0.1%
40		2	0.1%
42		1	0.1%
43		2	0.1%
44		1	0.1%
46		1	0.1%
48		3	0.2%
51		2	0.1%
52		6	0.4%
53		1	0.1%
55		1	0.1%
57		2	0.1%
58		1	0.1%
59		1	0.1%
60		5	0.4%
61		4	0.3%
62		2	0.1%
63		1	0.1%
65		3	0.2%
66		3	0.2%
69		2	0.1%
70		1	0.1%
73		1	0.1%
74		1	0.1%
80		4	0.3%
84		1	0.1%
90		1	0.1%
95		1	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_10: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0		69	6.9%
1		63	6.3%
2		70	7.0%
3		73	7.2%
4		79	7.8%
5		65	6.5%
6		39	3.9%
7		73	7.2%
8		48	4.8%
9		50	5.0%
10		45	4.5%
11		30	3.0%
12		34	3.4%
13		36	3.6%
14		26	2.6%
15		22	2.2%
16		17	1.7%
17		19	1.9%
18		12	1.2%
19		11	1.1%
20		12	1.2%
21		8	0.8%
22		6	0.6%
23		7	0.7%
24		4	0.4%
25		6	0.6%
26		3	0.3%
27		6	0.6%
28		7	0.7%
29		3	0.3%
30		5	0.5%
32		4	0.4%
33		2	0.2%
34		2	0.2%
35		2	0.2%
37		1	0.1%
38		2	0.2%
40		4	0.4%
41		2	0.2%
42		1	0.1%
43		1	0.1%
44		1	0.1%
45		1	0.1%

hml16_10: corrected age from individual file

Value	Label	Cases	Percentage
46		1	0.1%
47		1	0.1%
49		2	0.2%
51		3	0.3%
52		2	0.2%
53		1	0.1%
54		1	0.1%
55		2	0.2%
56		1	0.1%
57		1	0.1%
58		2	0.2%
60		3	0.3%
61		1	0.1%
62		1	0.1%
63		1	0.1%
64		1	0.1%
67		1	0.1%
68		1	0.1%
70		2	0.2%
71		1	0.1%
73		1	0.1%
75		1	0.1%
76		1	0.1%
80		1	0.1%
81		1	0.1%
85		1	0.1%
87		1	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_11: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0		62	8.3%
1		55	7.4%
2		53	7.1%
3		43	5.8%
4		50	6.7%
5		32	4.3%
6		36	4.8%
7		52	7.0%
8		44	5.9%

hml16_11: corrected age from individual file

Value	Label	Cases	Percentage
9		25	3.3%
10		36	4.8%
11		18	2.4%
12		24	3.2%
13		14	1.9%
14		19	2.5%
15		21	2.8%
16		13	1.7%
17		9	1.2%
18		11	1.5%
19		9	1.2%
20		6	0.8%
21		8	1.1%
22		6	0.8%
23		6	0.8%
24		7	0.9%
25		10	1.3%
26		5	0.7%
27		5	0.7%
29		3	0.4%
30		9	1.2%
31		4	0.5%
32		2	0.3%
33		1	0.1%
34		1	0.1%
35		3	0.4%
39		2	0.3%
40		1	0.1%
42		3	0.4%
43		1	0.1%
45		1	0.1%
48		2	0.3%
49		2	0.3%
50		4	0.5%
52		1	0.1%
53		1	0.1%
54		1	0.1%
56		1	0.1%
58		1	0.1%
60		3	0.4%
62		2	0.3%
64		1	0.1%
65		2	0.3%
66		2	0.3%
67		2	0.3%

hml16_11: corrected age from individual file

Value	Label	Cases	Percentage
70		6	0.8%
73		1	0.1%
76		1	0.1%
78		1	0.1%
80		2	0.3%
95		1	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_12: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0		57	10.2%
1		30	5.4%
2		55	9.8%
3		32	5.7%
4		37	6.6%
5		35	6.3%
6		31	5.5%
7		30	5.4%
8		36	6.4%
9		25	4.5%
10		20	3.6%
11		17	3.0%
12		13	2.3%
13		17	3.0%
14		11	2.0%
15		8	1.4%
16		12	2.1%
17		9	1.6%
18		3	0.5%
19		5	0.9%
20		6	1.1%
21		2	0.4%
22		2	0.4%
23		4	0.7%
24		5	0.9%
25		4	0.7%
26		3	0.5%
27		2	0.4%
28		3	0.5%
29		2	0.4%

hml16_12: corrected age from individual file

Value	Label	Cases	Percentage
30		5	0.9%
31		2	0.4%
32		3	0.5%
33		2	0.4%
35		1	0.2%
36		1	0.2%
37		1	0.2%
38		1	0.2%
39		1	0.2%
40		1	0.2%
41		2	0.4%
42		3	0.5%
48		1	0.2%
52		2	0.4%
58		1	0.2%
62		1	0.2%
64		1	0.2%
65		1	0.2%
66		1	0.2%
70		2	0.4%
72		2	0.4%
75		3	0.5%
80		1	0.2%
91		1	0.2%
95		2	0.4%
97	97+	0	
98	don't know	1	0.2%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_13: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0		38	9.2%
1		33	8.0%
2		33	8.0%
3		30	7.3%
4		20	4.9%
5		26	6.3%
6		22	5.4%
7		30	7.3%
8		14	3.4%
9		15	3.6%
10		16	3.9%

hml16_13: corrected age from individual file

Value	Label	Cases	Percentage
11		15	3.6%
12		11	2.7%
13		7	1.7%
14		8	1.9%
15		15	3.6%
16		4	1.0%
17		5	1.2%
18		5	1.2%
19		5	1.2%
20		4	1.0%
21		3	0.7%
22		2	0.5%
23		4	1.0%
24		2	0.5%
25		4	1.0%
26		2	0.5%
27		5	1.2%
29		1	0.2%
30		1	0.2%
31		1	0.2%
32		1	0.2%
33		2	0.5%
34		1	0.2%
35		1	0.2%
36		1	0.2%
37		2	0.5%
39		2	0.5%
42		1	0.2%
43		1	0.2%
45		1	0.2%
48		1	0.2%
49		1	0.2%
52		1	0.2%
55		1	0.2%
60		1	0.2%
64		1	0.2%
65		2	0.5%
66		1	0.2%
67		1	0.2%
70		4	1.0%
76		1	0.2%
85		1	0.2%
95		1	0.2%
97	97+	0	
98	don't know	0	

hml16_13: corrected age from individual file

Value	Label	Cases	Percentage
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_14: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0		24	8.2%
1		29	9.9%
2		23	7.8%
3		25	8.5%
4		9	3.1%
5		17	5.8%
6		13	4.4%
7		12	4.1%
8		10	3.4%
9		19	6.5%
10		14	4.8%
11		14	4.8%
12		9	3.1%
13		9	3.1%
14		6	2.0%
15		5	1.7%
16		2	0.7%
17		5	1.7%
18		5	1.7%
19		1	0.3%
20		4	1.4%
21		2	0.7%
22		2	0.7%
23		2	0.7%
24		3	1.0%
25		3	1.0%
26		4	1.4%
27		2	0.7%
28		1	0.3%
30		1	0.3%
31		1	0.3%
33		1	0.3%
35		1	0.3%
40		1	0.3%
41		1	0.3%
42		1	0.3%
43		1	0.3%
48		1	0.3%

hml16_14: corrected age from individual file

Value	Label	Cases	Percentage
51		1	0.3%
54		1	0.3%
56		1	0.3%
60		1	0.3%
70		1	0.3%
74		1	0.3%
75		1	0.3%
76		1	0.3%
80		3	1.0%
97	97+	0	
98	don't know	0	
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_15: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0		19	9.3%
1		14	6.8%
2		15	7.3%
3		12	5.9%
4		14	6.8%
5		11	5.4%
6		15	7.3%
7		11	5.4%
8		12	5.9%
9		8	3.9%
10		10	4.9%
11		6	2.9%
12		7	3.4%
13		3	1.5%
14		4	2.0%
15		8	3.9%
16		2	1.0%
17		3	1.5%
18		2	1.0%
19		2	1.0%
20		4	2.0%
21		5	2.4%
23		1	0.5%
29		1	0.5%
30		1	0.5%
31		1	0.5%
32		1	0.5%

hml16_15: corrected age from individual file

Value	Label	Cases	Percentage
35		1	0.5%
39		1	0.5%
45		1	0.5%
50		1	0.5%
51		1	0.5%
68		1	0.5%
70		3	1.5%
71		1	0.5%
77		1	0.5%
78		1	0.5%
80		1	0.5%
97	97+	0	
98	don't know	0	
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_16: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0		10	6.8%
1		10	6.8%
2		9	6.1%
3		12	8.2%
4		5	3.4%
5		8	5.4%
6		13	8.8%
7		8	5.4%
8		11	7.5%
9		8	5.4%
10		5	3.4%
11		3	2.0%
12		4	2.7%
13		6	4.1%
14		4	2.7%
15		4	2.7%
16		2	1.4%
17		5	3.4%
18		2	1.4%
19		2	1.4%
20		3	2.0%
22		1	0.7%
23		1	0.7%
30		1	0.7%
34		4	2.7%
42		1	0.7%
55		1	0.7%
63		1	0.7%
68		1	0.7%
95		2	1.4%
97	97+	0	
98	don't know	0	
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_17: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0		8	7.3%
1		7	6.4%
2		3	2.7%
3		17	15.5%

hml16_17: corrected age from individual file

Value	Label	Cases	Percentage
4		13	11.8%
5		9	8.2%
6		6	5.5%
7		12	10.9%
8		3	2.7%
9		4	3.6%
10		3	2.7%
11		1	0.9%
12		7	6.4%
13		2	1.8%
14		3	2.7%
15		2	1.8%
17		1	0.9%
19		1	0.9%
22		1	0.9%
24		1	0.9%
28		1	0.9%
32		1	0.9%
50		1	0.9%
65		1	0.9%
80		1	0.9%
94		1	0.9%
97	97+	0	
98	don't know	0	
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_18: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0		12	14.3%
1		11	13.1%
2		3	3.6%
3		7	8.3%
4		4	4.8%
5		3	3.6%
6		6	7.1%
7		5	6.0%
8		4	4.8%
9		2	2.4%
10		2	2.4%
11		2	2.4%
12		1	1.2%
13		1	1.2%

hml16_18: corrected age from individual file

Value	Label	Cases	Percentage
14		2	2.4%
15		3	3.6%
16		1	1.2%
19		3	3.6%
20		1	1.2%
22		2	2.4%
24		1	1.2%
25		1	1.2%
26		1	1.2%
27		1	1.2%
49		1	1.2%
53		1	1.2%
57		1	1.2%
70		1	1.2%
95		1	1.2%
97	97+	0	
98	don't know	0	
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_19: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0		2	3.3%
1		4	6.7%
2		3	5.0%
3		10	16.7%
4		5	8.3%
5		3	5.0%
6		4	6.7%
7		3	5.0%
8		4	6.7%
10		4	6.7%
11		2	3.3%
12		2	3.3%
14		2	3.3%
15		1	1.7%
16		1	1.7%
18		1	1.7%
20		2	3.3%
22		1	1.7%
23		1	1.7%
24		1	1.7%
25		1	1.7%

hml16_19: corrected age from individual file

Value	Label	Cases	Percentage
26		1	1.7%
27		1	1.7%
29		1	1.7%
97	97+	0	
98	don't know	0	
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_20: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0		6	15.4%
1		6	15.4%
2		2	5.1%
3		1	2.6%
4		2	5.1%
5		3	7.7%
6		1	2.6%
7		3	7.7%
9		4	10.3%
10		1	2.6%
13		1	2.6%
14		1	2.6%
15		1	2.6%
16		1	2.6%
17		1	2.6%
18		1	2.6%
19		1	2.6%
22		1	2.6%
27		1	2.6%
52		1	2.6%
97	97+	0	
98	don't know	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_21: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0		6	23.1%
2		4	15.4%
3		2	7.7%
4		1	3.8%
5		1	3.8%

hml16_21: corrected age from individual file

Value	Label	Cases	Percentage
6		1	3.8%
7		2	7.7%
9		1	3.8%
11		1	3.8%
12		1	3.8%
13		1	3.8%
15		1	3.8%
22		1	3.8%
27		1	3.8%
60		1	3.8%
85		1	3.8%
97	97+	0	
98	don't know	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_22: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0		2	11.1%
1		2	11.1%
4		1	5.6%
5		1	5.6%
6		1	5.6%
9		1	5.6%
10		1	5.6%
12		1	5.6%
13		1	5.6%
17		2	11.1%
18		1	5.6%
20		1	5.6%
21		1	5.6%
54		1	5.6%
95		1	5.6%
97	97+	0	
98	don't know	0	
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_23: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
2		2	18.2%
3		1	9.1%

hml16_23: corrected age from individual file

Value	Label	Cases	Percentage
6		2	18.2%
9		1	9.1%
16		1	9.1%
17		2	18.2%
20		1	9.1%
60		1	9.1%
97	97+	0	
98	don't know	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_24: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0		2	25.0%
3		1	12.5%
4		1	12.5%
12		1	12.5%
14		1	12.5%
15		1	12.5%
25		1	12.5%
97	97+	0	
98	don't know	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_25: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
1		1	16.7%
10		1	16.7%
13		2	33.3%
16		1	16.7%
74		1	16.7%
97	97+	0	
98	don't know	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_26: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 5-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
5		1	25.0%

hml16_26: corrected age from individual file

Value	Label	Cases	Percentage
6		1	25.0%
23		1	25.0%
42		1	25.0%
97	97+	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_27: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1		1	25.0%
2		1	25.0%
3		1	25.0%
43		1	25.0%
97	97+	0	
98	don't know	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_28: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1		1	33.3%
5		1	33.3%
16		1	33.3%
97	97+	0	
98	don't know	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_29: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 8-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
8		1	50.0%
15		1	50.0%
97	97+	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_30: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 8-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

hml16_30: corrected age from individual file

Value	Label	Cases	Percentage
8		1	50.0%
9		1	50.0%
97	97+	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_31: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
2		1	50.0%
8		1	50.0%
97	97+	0	
98	don't know	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_32: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 4-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
4		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_33: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
3		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_34: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 64-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
64		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

hml16_34: corrected age from individual file

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_35: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 21-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
21		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_36: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 17-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
17		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_37: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 23-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
23		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_38: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 4-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
4		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_39: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
3		1	100.0%
97	97+	0	

hml16_39: corrected age from individual file

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16_40: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 21-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
21		1	100.0%
97	97+	0	
98	don't know	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_01: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
3		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_02: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 1-72] [Missing=*]
Statistics [NW/ W]	[Valid=114 /-] [Invalid=6334 /-] [Mean=40.833 /-] [StdDev=19.845 /-]

hml16a_03: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
Statistics [NW/ W]	[Valid=1377 /-] [Invalid=5071 /-] [Mean=33.847 /-] [StdDev=20.861 /-]

hml16a_04: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
Statistics [NW/ W]	[Valid=1326 /-] [Invalid=5122 /-] [Mean=37.929 /-] [StdDev=20.379 /-]

hml16a_05: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=1128 /-] [Invalid=5320 /-] [Mean=36.492 /-] [StdDev=20.532 /-]

hml16a_06: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
Statistics [NW/ W]	[Valid=957 /-] [Invalid=5491 /-] [Mean=34.929 /-] [StdDev=20.429 /-]

hml16a_07: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
Statistics [NW/ W]	[Valid=795 /-] [Invalid=5653 /-] [Mean=34.494 /-] [StdDev=20.206 /-]

hml16a_08: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
Statistics [NW/ W]	[Valid=628 /-] [Invalid=5820 /-] [Mean=33.803 /-] [StdDev=20.839 /-]

# **hml16a_09: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
Statistics [NW/ W]	[Valid=506 /-] [Invalid=5942 /-] [Mean=34.012 /-] [StdDev=19.866 /-]
# **hml16a_10: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
Statistics [NW/ W]	[Valid=419 /-] [Invalid=6029 /-] [Mean=35.723 /-] [StdDev=20.344 /-]
# **hml16a_11: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-70] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-] [Mean=31.259 /-] [StdDev=20.082 /-]
# **hml16a_12: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-71] [Missing=*]
Statistics [NW/ W]	[Valid=246 /-] [Invalid=6202 /-] [Mean=32.203 /-] [StdDev=20.979 /-]
# **hml16a_13: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=6267 /-] [Mean=31.923 /-] [StdDev=21.122 /-]
# **hml16a_14: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-69] [Missing=*]
Statistics [NW/ W]	[Valid=125 /-] [Invalid=6323 /-] [Mean=29.936 /-] [StdDev=19.025 /-]
# **hml16a_15: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 0-72] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=6363 /-] [Mean=31.635 /-] [StdDev=21.386 /-]
# **hml16a_16: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 1-72] [Missing=*]
Statistics [NW/ W]	[Valid=55 /-] [Invalid=6393 /-] [Mean=33.327 /-] [StdDev=20.738 /-]
# **hml16a_17: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 1-71] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=6391 /-] [Mean=39.614 /-] [StdDev=20.382 /-]
# **hml16a_18: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 1-69] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=6408 /-] [Mean=26.275 /-] [StdDev=21.057 /-]
# **hml16a_19: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 2-71] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=6421 /-] [Mean=38.63 /-] [StdDev=18.164 /-]
# **hml16a_20: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 3-64] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=6428 /-] [Mean=26.95 /-] [StdDev=20.153 /-]
# **hml16a_21: age in months (for children)**	
Information	[Type= continuous] [Format=numeric] [Range= 2-69] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=6434 /-] [Mean=25 /-] [StdDev=19.977 /-]

hml16a_22: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-57] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=6443 /-] [Mean=18.8 /-] [StdDev=22.298 /-]

hml16a_23: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 27-41] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
27		1	33.3%
32		1	33.3%
41		1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_24: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 1-56] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-] [Mean=24.25 /-] [StdDev=27.729 /-]

hml16a_25: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 15-15] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
15		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_26: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 60-60] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
60		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_27: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 16-40] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-] [Mean=30 /-] [StdDev=12.49 /-]

hml16a_28: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 15-66] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-] [Mean=40.5 /-] [StdDev=36.062 /-]

hml16a_29: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_30: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_31: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 32-32] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
32		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_32: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 49-49] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
49		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_33: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 46-46] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hml16a_33: age in months (for children)

Value	Label	Cases	Percentage
46		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_34: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_35: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_36: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_37: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_38: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 52-52] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
52		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_39: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Range= 41-41] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
41		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a_40: age in months (for children)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_01: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no data from individual file	6051	93.8%
1	month and year - information complete	343	5.3%
2	month and age - year imputed	0	
3	year and age - month imputed	54	0.8%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_02: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1721	28.3%
1	month and year - information complete	3418	56.3%
2	month and age - year imputed	0	
3	year and age - month imputed	886	14.6%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	46	0.8%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_03: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	no data from individual file	3009	53.8%
1	month and year - information complete	2351	42.0%
2	month and age - year imputed	0	
3	year and age - month imputed	224	4.0%
4	year and age - year ignored	0	

hml17_03: flag for age from individual file

Value	Label	Cases	Percentage
5	year - age/month imputed	0	
6	age - year/month imputed	9	0.2%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_04: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	no data from individual file	2907	59.5%
1	month and year - information complete	1837	37.6%
2	month and age - year imputed	0	
3	year and age - month imputed	135	2.8%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	3	0.1%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_05: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	no data from individual file	2454	61.0%
1	month and year - information complete	1459	36.3%
2	month and age - year imputed	1	0.0%
3	year and age - month imputed	104	2.6%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	3	0.1%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_06: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1885	59.4%
1	month and year - information complete	1197	37.7%
2	month and age - year imputed	0	

hml17_06: flag for age from individual file

Value	Label	Cases	Percentage
3	year and age - month imputed	87	2.7%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	3	0.1%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_07: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1340	55.7%
1	month and year - information complete	1010	42.0%
2	month and age - year imputed	0	
3	year and age - month imputed	54	2.2%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	1	0.0%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_08: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1021	56.1%
1	month and year - information complete	745	40.9%
2	month and age - year imputed	0	
3	year and age - month imputed	49	2.7%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	5	0.3%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_09: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	no data from individual file	728	53.6%

hml17_09: flag for age from individual file

Value	Label	Cases	Percentage
1	month and year - information complete	582	42.8%
2	month and age - year imputed	0	
3	year and age - month imputed	48	3.5%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	1	0.1%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_10: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	no data from individual file	524	52.0%
1	month and year - information complete	458	45.5%
2	month and age - year imputed	0	
3	year and age - month imputed	25	2.5%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_11: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	no data from individual file	380	50.9%
1	month and year - information complete	341	45.6%
2	month and age - year imputed	0	
3	year and age - month imputed	26	3.5%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_12: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

hml17_12: flag for age from individual file

Value	Label	Cases	Percentage
0	no data from individual file	282	50.4%
1	month and year - information complete	264	47.2%
2	month and age - year imputed	0	
3	year and age - month imputed	13	2.3%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_13: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	no data from individual file	199	48.4%
1	month and year - information complete	198	48.2%
2	month and age - year imputed	0	
3	year and age - month imputed	14	3.4%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_14: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	no data from individual file	154	52.4%
1	month and year - information complete	129	43.9%
2	month and age - year imputed	0	
3	year and age - month imputed	10	3.4%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	1	0.3%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_15: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

hml17_15: flag for age from individual file

Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	no data from individual file	109	53.2%
1	month and year - information complete	89	43.4%
2	month and age - year imputed	0	
3	year and age - month imputed	6	2.9%
4	year and age - year ignored	0	
5	year - age/month imputed	1	0.5%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_16: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	no data from individual file	77	52.4%
1	month and year - information complete	62	42.2%
2	month and age - year imputed	0	
3	year and age - month imputed	7	4.8%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	1	0.7%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_17: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	no data from individual file	60	54.5%
1	month and year - information complete	48	43.6%
2	month and age - year imputed	0	
3	year and age - month imputed	2	1.8%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_18: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	no data from individual file	36	42.9%
1	month and year - information complete	45	53.6%
2	month and age - year imputed	0	
3	year and age - month imputed	3	3.6%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_19: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	no data from individual file	26	43.3%
1	month and year - information complete	33	55.0%
2	month and age - year imputed	0	
3	year and age - month imputed	1	1.7%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_20: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	no data from individual file	15	38.5%
1	month and year - information complete	23	59.0%
2	month and age - year imputed	0	
3	year and age - month imputed	1	2.6%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_21: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no data from individual file	11	42.3%
1	month and year - information complete	14	53.8%
2	month and age - year imputed	0	
3	year and age - month imputed	1	3.8%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_22: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	no data from individual file	9	50.0%
1	month and year - information complete	6	33.3%
2	month and age - year imputed	0	
3	year and age - month imputed	3	16.7%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_23: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	no data from individual file	6	54.5%
1	month and year - information complete	5	45.5%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_24: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no data from individual file	4	50.0%
1	month and year - information complete	4	50.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_25: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	no data from individual file	4	66.7%
1	month and year - information complete	1	16.7%
2	month and age - year imputed	0	
3	year and age - month imputed	1	16.7%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_26: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	25.0%
1	month and year - information complete	2	50.0%
2	month and age - year imputed	0	
3	year and age - month imputed	1	25.0%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_27: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	25.0%
1	month and year - information complete	3	75.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_28: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no data from individual file	0	
1	month and year - information complete	3	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_29: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no data from individual file	2	100.0%
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_30: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no data from individual file	2	100.0%
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_31: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	50.0%
1	month and year - information complete	1	50.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_32: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	0	
1	month and year - information complete	1	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_33: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	0	
1	month and year - information complete	1	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_34: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	100.0%
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_35: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	100.0%
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_36: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	0	
1	month and year - information complete	1	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_37: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	0	
1	month and year - information complete	1	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_38: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	100.0%
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_39: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	0	
1	month and year - information complete	1	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml17_40: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no data from individual file	1	100.0%
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_01: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=396 /-] [Invalid=6052 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	381	96.2%
1	pregnant	15	3.8%
Sysmiss		6052	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_02: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4266 /-] [Invalid=2182 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	3800	89.1%
1	pregnant	466	10.9%

hml18_02: pregnancy status from individual file

Value	Label	Cases	Percentage
Sysmiss		2182	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_03: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1188 /-] [Invalid=5260 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1108	93.3%
1	pregnant	80	6.7%
Sysmiss		5260	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_04: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=639 /-] [Invalid=5809 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	581	90.9%
1	pregnant	58	9.1%
Sysmiss		5809	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_05: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=434 /-] [Invalid=6014 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	412	94.9%
1	pregnant	22	5.1%
Sysmiss		6014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_06: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=339 /-] [Invalid=6109 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	315	92.9%
1	pregnant	24	7.1%
Sysmiss		6109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_07: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=282 /-] [Invalid=6166 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	262	92.9%
1	pregnant	20	7.1%
Sysmiss		6166	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_08: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=195 /-] [Invalid=6253 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	180	92.3%
1	pregnant	15	7.7%
Sysmiss		6253	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_09: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=155 /-] [Invalid=6293 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	144	92.9%
1	pregnant	11	7.1%
Sysmiss		6293	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_10: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=6345 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	101	98.1%
1	pregnant	2	1.9%
Sysmiss		6345	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_11: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=88 /-] [Invalid=6360 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	80	90.9%
1	pregnant	8	9.1%
Sysmiss		6360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_12: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=6392 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	53	94.6%
1	pregnant	3	5.4%
Sysmiss		6392	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_13: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

hml18_13: pregnancy status from individual file

Value	Label	Cases	Percentage
0	not pregnant, don't know	40	90.9%
1	pregnant	4	9.1%
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_14: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=6421 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	26	96.3%
1	pregnant	1	3.7%
Sysmiss		6421	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_15: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	16	88.9%
1	pregnant	2	11.1%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_16: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=6433 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	15	100.0%
1	pregnant	0	
Sysmiss		6433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_17: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	3	100.0%
1	pregnant	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_18: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	10	90.9%

hml18_18: pregnancy status from individual file

Value	Label	Cases	Percentage
1	pregnant	1	9.1%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_19: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=6441 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	6	85.7%
1	pregnant	1	14.3%
Sysmiss		6441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_20: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	3	100.0%
1	pregnant	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_21: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	2	100.0%
1	pregnant	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_22: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	3	100.0%
1	pregnant	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_23: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1	100.0%
1	pregnant	0	

hml18_23: pregnancy status from individual file

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_24: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_25: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1	100.0%
1	pregnant	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_26: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1	100.0%
1	pregnant	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_27: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_28: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1	100.0%
1	pregnant	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_29: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_30: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_31: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_32: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_33: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_34: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml18_34: pregnancy status from individual file

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_35: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_36: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1	100.0%
1	pregnant	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_37: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	1	100.0%
1	pregnant	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_38: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_39: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	

hml18_39: pregnancy status from individual file

Value	Label	Cases	Percentage
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18_40: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	0	
1	pregnant	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_01: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	1813	28.1%
1	yes	4635	71.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_02: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	no	1297	21.4%
1	yes	4774	78.6%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_03: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	no	1674	29.9%
1	yes	3919	70.1%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_04: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	no	1617	33.1%
1	yes	3265	66.9%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_05: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	no	1420	35.3%
1	yes	2601	64.7%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_06: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	no	1148	36.2%
1	yes	2024	63.8%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_07: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	no	875	36.4%
1	yes	1530	63.6%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_08: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

Value	Label	Cases	Percentage
0	no	739	40.6%
1	yes	1081	59.4%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_09: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	no	555	40.8%
1	yes	804	59.2%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_10: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	no	416	41.3%
1	yes	591	58.7%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_11: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

hml19_11: person slept under an ever-treated net

Value	Label	Cases	Percentage
0	no	341	45.6%
1	yes	406	54.4%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_12: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0	no	252	45.1%
1	yes	307	54.9%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_13: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	no	193	47.0%
1	yes	218	53.0%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_14: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	no	145	49.3%
1	yes	149	50.7%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_15: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	no	104	50.7%
1	yes	101	49.3%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_16: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	no	80	54.4%

hml19_16: person slept under an ever-treated net

Value	Label	Cases	Percentage
1	yes	67	45.6%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_17: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	no	68	61.8%
1	yes	42	38.2%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_18: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	no	44	52.4%
1	yes	40	47.6%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_19: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	no	34	56.7%
1	yes	26	43.3%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_20: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	no	20	51.3%
1	yes	19	48.7%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_21: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

Value	Label	Cases	Percentage
0	no	15	57.7%
1	yes	11	42.3%

hml19_21: person slept under an ever-treated net

Value	Label	Cases	Percentage
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_22: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	no	12	66.7%
1	yes	6	33.3%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_23: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	no	4	36.4%
1	yes	7	63.6%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_24: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	6	75.0%
1	yes	2	25.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_25: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	no	3	50.0%
1	yes	3	50.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_26: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	3	75.0%
1	yes	1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_27: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	2	50.0%
1	yes	2	50.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_28: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	2	66.7%
1	yes	1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_29: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_30: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_31: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_32: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

hml19_32: person slept under an ever-treated net

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_33: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_34: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_35: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_36: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_37: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	

hml19_37: person slept under an ever-treated net

Value	Label	Cases	Percentage
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_38: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_39: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19_40: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_01: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6448 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	1916	29.7%
1	yes	4532	70.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_02: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6071 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
0	no	1398	23.0%
1	yes	4673	77.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_03: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5593 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
0	no	1766	31.6%
1	yes	3827	68.4%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_04: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4882 /-] [Invalid=1566 /-]

Value	Label	Cases	Percentage
0	no	1691	34.6%
1	yes	3191	65.4%
Sysmiss		1566	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_05: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4021 /-] [Invalid=2427 /-]

Value	Label	Cases	Percentage
0	no	1475	36.7%
1	yes	2546	63.3%
Sysmiss		2427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_06: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3172 /-] [Invalid=3276 /-]

Value	Label	Cases	Percentage
0	no	1191	37.5%
1	yes	1981	62.5%
Sysmiss		3276	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_07: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2405 /-] [Invalid=4043 /-]

Value	Label	Cases	Percentage
0	no	907	37.7%
1	yes	1498	62.3%
Sysmiss		4043	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_08: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1820 /-] [Invalid=4628 /-]

hml20_08: person slept under an llin net

Value	Label	Cases	Percentage
0	no	760	41.8%
1	yes	1060	58.2%
Sysmiss		4628	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_09: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1359 /-] [Invalid=5089 /-]

Value	Label	Cases	Percentage
0	no	573	42.2%
1	yes	786	57.8%
Sysmiss		5089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_10: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=5441 /-]

Value	Label	Cases	Percentage
0	no	429	42.6%
1	yes	578	57.4%
Sysmiss		5441	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_11: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=747 /-] [Invalid=5701 /-]

Value	Label	Cases	Percentage
0	no	351	47.0%
1	yes	396	53.0%
Sysmiss		5701	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_12: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=559 /-] [Invalid=5889 /-]

Value	Label	Cases	Percentage
0	no	259	46.3%
1	yes	300	53.7%
Sysmiss		5889	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_13: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=411 /-] [Invalid=6037 /-]

Value	Label	Cases	Percentage
0	no	196	47.7%

hml20_13: person slept under an llin net

Value	Label	Cases	Percentage
1	yes	215	52.3%
Sysmiss		6037	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_14: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=294 /-] [Invalid=6154 /-]

Value	Label	Cases	Percentage
0	no	149	50.7%
1	yes	145	49.3%
Sysmiss		6154	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_15: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=205 /-] [Invalid=6243 /-]

Value	Label	Cases	Percentage
0	no	106	51.7%
1	yes	99	48.3%
Sysmiss		6243	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_16: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=147 /-] [Invalid=6301 /-]

Value	Label	Cases	Percentage
0	no	82	55.8%
1	yes	65	44.2%
Sysmiss		6301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_17: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=6338 /-]

Value	Label	Cases	Percentage
0	no	71	64.5%
1	yes	39	35.5%
Sysmiss		6338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_18: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=6364 /-]

Value	Label	Cases	Percentage
0	no	45	53.6%
1	yes	39	46.4%
Sysmiss		6364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_19: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=6388 /-]

Value	Label	Cases	Percentage
0	no	35	58.3%
1	yes	25	41.7%
Sysmiss		6388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_20: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	no	20	51.3%
1	yes	19	48.7%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_21: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=6422 /-]

hml20_21: person slept under an llin net

Value	Label	Cases	Percentage
0	no	15	57.7%
1	yes	11	42.3%
Sysmiss		6422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_22: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=6430 /-]

Value	Label	Cases	Percentage
0	no	12	66.7%
1	yes	6	33.3%
Sysmiss		6430	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_23: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	no	4	36.4%
1	yes	7	63.6%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_24: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=6440 /-]

Value	Label	Cases	Percentage
0	no	6	75.0%
1	yes	2	25.0%
Sysmiss		6440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_25: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=6442 /-]

Value	Label	Cases	Percentage
0	no	3	50.0%
1	yes	3	50.0%
Sysmiss		6442	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_26: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	3	75.0%

hml20_26: person slept under an llin net

Value	Label	Cases	Percentage
1	yes	1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_27: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	no	2	50.0%
1	yes	2	50.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_28: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	no	2	66.7%
1	yes	1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_29: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_30: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_31: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	

hml20_31: person slept under an llin net

Value	Label	Cases	Percentage
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_32: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_33: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_34: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_35: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_36: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_37: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_38: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_39: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20_40: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_01: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_02: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=6363 /-]

hml30_02: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
0	not in household	0	
1		79	92.9%
3		3	3.5%
4		2	2.4%
5		1	1.2%
Sysmiss		6363	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_03: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1026 /-] [Invalid=5422 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		588	57.3%
2		426	41.5%
4		5	0.5%
5		6	0.6%
6		1	0.1%
Sysmiss		5422	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_04: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=976 /-] [Invalid=5472 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		556	57.0%
2		386	39.5%
3		20	2.0%
5		7	0.7%
6		4	0.4%
7		3	0.3%
Sysmiss		5472	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_05: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=832 /-] [Invalid=5616 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		462	55.5%
2		318	38.2%
3		26	3.1%
4		16	1.9%
6		7	0.8%
7		2	0.2%

hml30_05: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
9		1	0.1%
Sysmiss		5616	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_06: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=727 /-] [Invalid=5721 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		390	53.6%
2		271	37.3%
3		30	4.1%
4		10	1.4%
5		22	3.0%
8		1	0.1%
9		2	0.3%
10		1	0.1%
Sysmiss		5721	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_07: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=616 /-] [Invalid=5832 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		323	52.4%
2		205	33.3%
3		37	6.0%
4		7	1.1%
5		13	2.1%
6		19	3.1%
8		5	0.8%
9		2	0.3%
10		3	0.5%
11		2	0.3%
Sysmiss		5832	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_08: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=464 /-] [Invalid=5984 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		238	51.3%
2		128	27.6%
3		45	9.7%

hml30_08: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
4		10	2.2%
5		10	2.2%
6		4	0.9%
7		19	4.1%
9		1	0.2%
10		5	1.1%
11		1	0.2%
12		1	0.2%
13		1	0.2%
15		1	0.2%
Sysmiss		5984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_09: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=389 /-] [Invalid=6059 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		206	53.0%
2		80	20.6%
3		43	11.1%
4		15	3.9%
5		7	1.8%
6		3	0.8%
7		19	4.9%
8		12	3.1%
10		2	0.5%
12		1	0.3%
13		1	0.3%
Sysmiss		6059	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_10: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=319 /-] [Invalid=6129 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		170	53.3%
2		51	16.0%
3		40	12.5%
4		10	3.1%
5		10	3.1%
6		7	2.2%
7		11	3.4%
8		7	2.2%
9		8	2.5%

hml30_10: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
11		3	0.9%
13		2	0.6%
Sysmiss		6129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_11: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=225 /-] [Invalid=6223 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		114	50.7%
2		28	12.4%
3		25	11.1%
4		12	5.3%
5		10	4.4%
6		6	2.7%
7		5	2.2%
8		7	3.1%
9		5	2.2%
10		8	3.6%
12		1	0.4%
13		1	0.4%
14		2	0.9%
15		1	0.4%
Sysmiss		6223	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_12: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=6267 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		92	50.8%
2		21	11.6%
3		19	10.5%
4		11	6.1%
5		7	3.9%
6		5	2.8%
7		4	2.2%
8		4	2.2%
9		4	2.2%
10		5	2.8%
11		8	4.4%
13		1	0.6%
Sysmiss		6267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_13: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=6318 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		71	54.6%
2		16	12.3%
3		10	7.7%
4		6	4.6%
5		4	3.1%
6		2	1.5%
8		5	3.8%
9		3	2.3%
10		3	2.3%
11		1	0.8%
12		7	5.4%
14		1	0.8%
15		1	0.8%
Sysmiss		6318	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_14: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=6352 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		50	52.1%
2		13	13.5%
3		2	2.1%
4		4	4.2%
5		3	3.1%
6		4	4.2%
7		1	1.0%
8		3	3.1%
9		3	3.1%
10		1	1.0%
11		1	1.0%
12		2	2.1%
13		6	6.2%
15		2	2.1%
20		1	1.0%
Sysmiss		6352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_15: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=6385 /-]

hml30_15: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
0	not in household	0	
1		39	61.9%
2		7	11.1%
3		5	7.9%
4		1	1.6%
5		4	6.3%
7		2	3.2%
9		1	1.6%
11		1	1.6%
14		2	3.2%
20		1	1.6%
Sysmiss		6385	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_16: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		19	48.7%
2		5	12.8%
3		4	10.3%
4		5	12.8%
5		1	2.6%
11		2	5.1%
12		1	2.6%
15		1	2.6%
20		1	2.6%
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_17: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		22	50.0%
2		4	9.1%
3		3	6.8%
4		8	18.2%
6		2	4.5%
8		1	2.3%
10		1	2.3%
12		1	2.3%
15		1	2.3%

hml30_17: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
16		1	2.3%
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_18: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		14	46.7%
2		2	6.7%
4		6	20.0%
5		2	6.7%
8		2	6.7%
10		1	3.3%
15		1	3.3%
16		2	6.7%
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_19: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=6425 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		15	65.2%
2		4	17.4%
3		1	4.3%
5		1	4.3%
10		1	4.3%
15		1	4.3%
Sysmiss		6425	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_20: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		8	50.0%
2		1	6.2%
3		1	6.2%
5		4	25.0%
6		1	6.2%
19		1	6.2%
Sysmiss		6432	

hml30_20: line number of parent/caretaker (for malaria testing)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_21: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=6437 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		6	54.5%
2		1	9.1%
4		2	18.2%
18		1	9.1%
20		1	9.1%
Sysmiss		6437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_22: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		2	50.0%
4		1	25.0%
18		1	25.0%
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_23: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	33.3%
2		2	66.7%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_24: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	50.0%
2		1	50.0%
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_25: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

hml30_25: line number of parent/caretaker (for malaria testing)

Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_26: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_27: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		2	66.7%
2		1	33.3%
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_28: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	
2		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_29: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_30: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_31: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	

hml30_31: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
1		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_32: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_33: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_34: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_35: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_36: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_37: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_38: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_39: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		1	100.0%
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30_40: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_01: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_02: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=6363 /-]

hml31_02: read consent statement for malaria

Value	Label	Cases	Percentage
1	granted	83	97.6%
2	refused	2	2.4%
5	not present	0	
6	other	0	
Sysmiss		6363	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_03: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1021 /-] [Invalid=5427 /-]

Value	Label	Cases	Percentage
1	granted	1008	98.7%
2	refused	8	0.8%
5	not present	5	0.5%
6	other	0	
Sysmiss		5427	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_04: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=970 /-] [Invalid=5478 /-]

Value	Label	Cases	Percentage
1	granted	944	97.3%
2	refused	13	1.3%
5	not present	9	0.9%
6	other	4	0.4%
Sysmiss		5478	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_05: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=828 /-] [Invalid=5620 /-]

Value	Label	Cases	Percentage
1	granted	813	98.2%
2	refused	6	0.7%
5	not present	8	1.0%
6	other	1	0.1%
Sysmiss		5620	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_06: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=724 /-] [Invalid=5724 /-]

Value	Label	Cases	Percentage
1	granted	706	97.5%
2	refused	7	1.0%

hml31_06: read consent statement for malaria

Value	Label	Cases	Percentage
5	not present	9	1.2%
6	other	2	0.3%
Sysmiss		5724	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_07: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=613 /-] [Invalid=5835 /-]

Value	Label	Cases	Percentage
1	granted	598	97.6%
2	refused	6	1.0%
5	not present	7	1.1%
6	other	2	0.3%
Sysmiss		5835	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_08: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=463 /-] [Invalid=5985 /-]

Value	Label	Cases	Percentage
1	granted	454	98.1%
2	refused	1	0.2%
5	not present	6	1.3%
6	other	2	0.4%
Sysmiss		5985	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_09: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=387 /-] [Invalid=6061 /-]

Value	Label	Cases	Percentage
1	granted	377	97.4%
2	refused	1	0.3%
5	not present	9	2.3%
6	other	0	
Sysmiss		6061	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_10: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=319 /-] [Invalid=6129 /-]

Value	Label	Cases	Percentage
1	granted	316	99.1%
2	refused	1	0.3%
5	not present	2	0.6%
6	other	0	

hml31_10: read consent statement for malaria

Value	Label	Cases	Percentage
Sysmiss		6129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_11: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=223 /-] [Invalid=6225 /-]

Value	Label	Cases	Percentage
1	granted	220	98.7%
2	refused	0	
5	not present	2	0.9%
6	other	1	0.4%
Sysmiss		6225	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_12: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=6267 /-]

Value	Label	Cases	Percentage
1	granted	178	98.3%
2	refused	1	0.6%
5	not present	2	1.1%
6	other	0	
Sysmiss		6267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_13: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6319 /-]

Value	Label	Cases	Percentage
1	granted	126	97.7%
2	refused	2	1.6%
5	not present	1	0.8%
6	other	0	
Sysmiss		6319	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_14: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=6352 /-]

Value	Label	Cases	Percentage
1	granted	93	96.9%
2	refused	0	
5	not present	3	3.1%
6	other	0	
Sysmiss		6352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_15: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=6385 /-]

Value	Label	Cases	Percentage
1	granted	62	98.4%
2	refused	0	
5	not present	0	
6	other	1	1.6%
Sysmiss		6385	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_16: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
1	granted	38	97.4%
2	refused	0	
5	not present	1	2.6%
6	other	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_17: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
1	granted	44	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_18: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
1	granted	30	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_19: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=6425 /-]

hml31_19: read consent statement for malaria

Value	Label	Cases	Percentage
1	granted	22	95.7%
2	refused	1	4.3%
5	not present	0	
6	other	0	
Sysmiss		6425	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_20: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
1	granted	16	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_21: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
1	granted	10	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_22: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
1	granted	4	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_23: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	granted	3	100.0%
2	refused	0	

hml31_23: read consent statement for malaria

Value	Label	Cases	Percentage
5	not present	0	
6	other	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_24: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
1	granted	2	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_25: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_26: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_27: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
1	granted	3	100.0%
2	refused	0	
5	not present	0	
6	other	0	

hml31_27: read consent statement for malaria

Value	Label	Cases	Percentage
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_28: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_29: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_30: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_31: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_32: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_33: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_34: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_35: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_36: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_37: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_38: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_39: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31_40: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml31_40: read consent statement for malaria

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
5	not present	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_01: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_02: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=6363 /-]

Value	Label	Cases	Percentage
0	negative	54	63.5%
1	positive	28	32.9%
3	unreadable	1	1.2%
4	not present	0	
5	refused	2	2.4%
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6363	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_03: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1022 /-] [Invalid=5426 /-]

Value	Label	Cases	Percentage
0	negative	568	55.6%
1	positive	435	42.6%
3	unreadable	5	0.5%
4	not present	5	0.5%
5	refused	8	0.8%

hml32_03: final result of malaria from blood smear test

Value	Label	Cases	Percentage
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	1	0.1%
Sysmiss		5426	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_04: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=972 /-] [Invalid=5476 /-]

Value	Label	Cases	Percentage
0	negative	513	52.8%
1	positive	430	44.2%
3	unreadable	2	0.2%
4	not present	9	0.9%
5	refused	13	1.3%
6	others	4	0.4%
7	test undetermined	0	
8	sample not found in lab database	1	0.1%
Sysmiss		5476	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_05: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=827 /-] [Invalid=5621 /-]

Value	Label	Cases	Percentage
0	negative	435	52.6%
1	positive	373	45.1%
3	unreadable	2	0.2%
4	not present	8	1.0%
5	refused	6	0.7%
6	others	1	0.1%
7	test undetermined	0	
8	sample not found in lab database	2	0.2%
Sysmiss		5621	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_06: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=721 /-] [Invalid=5727 /-]

Value	Label	Cases	Percentage
0	negative	362	50.2%
1	positive	337	46.7%
3	unreadable	3	0.4%
4	not present	9	1.2%
5	refused	7	1.0%
6	others	2	0.3%

hml32_06: final result of malaria from blood smear test

Value	Label	Cases	Percentage
7	test undetermined	0	
8	sample not found in lab database	1	0.1%
Sysmiss		5727	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_07: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=613 /-] [Invalid=5835 /-]

Value	Label	Cases	Percentage
0	negative	289	47.1%
1	positive	306	49.9%
3	unreadable	2	0.3%
4	not present	7	1.1%
5	refused	6	1.0%
6	others	2	0.3%
7	test undetermined	0	
8	sample not found in lab database	1	0.2%
Sysmiss		5835	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_08: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=463 /-] [Invalid=5985 /-]

Value	Label	Cases	Percentage
0	negative	236	51.0%
1	positive	215	46.4%
3	unreadable	0	
4	not present	6	1.3%
5	refused	1	0.2%
6	others	2	0.4%
7	test undetermined	0	
8	sample not found in lab database	3	0.6%
Sysmiss		5985	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_09: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=387 /-] [Invalid=6061 /-]

Value	Label	Cases	Percentage
0	negative	187	48.3%
1	positive	185	47.8%
3	unreadable	4	1.0%
4	not present	9	2.3%
5	refused	1	0.3%
6	others	0	
7	test undetermined	0	

hml32_09: final result of malaria from blood smear test

Value	Label	Cases	Percentage
8	sample not found in lab database	1	0.3%
Sysmiss		6061	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_10: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=319 /-] [Invalid=6129 /-]

Value	Label	Cases	Percentage
0	negative	138	43.3%
1	positive	177	55.5%
3	unreadable	1	0.3%
4	not present	2	0.6%
5	refused	1	0.3%
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_11: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=223 /-] [Invalid=6225 /-]

Value	Label	Cases	Percentage
0	negative	94	42.2%
1	positive	122	54.7%
3	unreadable	2	0.9%
4	not present	2	0.9%
5	refused	0	
6	others	1	0.4%
7	test undetermined	0	
8	sample not found in lab database	2	0.9%
Sysmiss		6225	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_12: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=6267 /-]

Value	Label	Cases	Percentage
0	negative	93	51.4%
1	positive	84	46.4%
3	unreadable	1	0.6%
4	not present	2	1.1%
5	refused	1	0.6%
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	

hml32_12: final result of malaria from blood smear test

Value	Label	Cases	Percentage
Sysmiss		6267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_13: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6319 /-]

Value	Label	Cases	Percentage
0	negative	66	51.2%
1	positive	58	45.0%
3	unreadable	1	0.8%
4	not present	1	0.8%
5	refused	2	1.6%
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	1	0.8%
Sysmiss		6319	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_14: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=6352 /-]

Value	Label	Cases	Percentage
0	negative	50	52.1%
1	positive	42	43.8%
3	unreadable	1	1.0%
4	not present	3	3.1%
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_15: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=6385 /-]

Value	Label	Cases	Percentage
0	negative	27	42.9%
1	positive	35	55.6%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	1	1.6%
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6385	

hml32_15: final result of malaria from blood smear test

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_16: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	negative	24	61.5%
1	positive	14	35.9%
3	unreadable	0	
4	not present	1	2.6%
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_17: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
0	negative	19	43.2%
1	positive	24	54.5%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	1	2.3%
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_18: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
0	negative	15	50.0%
1	positive	15	50.0%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_19: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=6425 /-]

Value	Label	Cases	Percentage
0	negative	6	26.1%
1	positive	16	69.6%
3	unreadable	0	
4	not present	0	
5	refused	1	4.3%
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6425	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_20: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
0	negative	11	68.8%
1	positive	5	31.2%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_21: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
0	negative	4	40.0%
1	positive	6	60.0%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_22: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

hml32_22: final result of malaria from blood smear test

Value	Label	Cases	Percentage
0	negative	2	50.0%
1	positive	2	50.0%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_23: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	negative	1	33.3%
1	positive	2	66.7%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_24: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	negative	1	50.0%
1	positive	1	50.0%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_25: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%

hml32_25: final result of malaria from blood smear test

Value	Label	Cases	Percentage
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_26: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_27: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	negative	2	66.7%
1	positive	1	33.3%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_28: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	1	100.0%

hml32_28: final result of malaria from blood smear test

Value	Label	Cases	Percentage
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_29: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_30: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_31: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
3	unreadable	0	

hml32_31: final result of malaria from blood smear test

Value	Label	Cases	Percentage
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_32: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_33: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_34: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	

hml32_34: final result of malaria from blood smear test

Value	Label	Cases	Percentage
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_35: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_36: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_37: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	

hml32_37: final result of malaria from blood smear test

Value	Label	Cases	Percentage
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_38: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	1	100.0%
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_39: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32_40: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
3	unreadable	0	
4	not present	0	
5	refused	0	
6	others	0	

hml32_40: final result of malaria from blood smear test

Value	Label	Cases	Percentage
7	test undetermined	0	
8	sample not found in lab database	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_01: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_02: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_03: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_04: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_05: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32a_05: na - presence of species: falciparum (pf)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_06: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_07: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_08: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_09: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_10: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_11: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32a_11: na - presence of species: falciparum (pf)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_12: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_13: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_14: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_15: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_16: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32a_16: na - presence of species: falciparum (pf)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_17: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_18: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_19: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_20: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_21: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32a_21: na - presence of species: falciparum (pf)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_22: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_23: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_24: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_25: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_26: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_27: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_28: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_29: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_30: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_31: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_32: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32a_32: na - presence of species: falciparum (pf)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_33: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_34: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_35: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_36: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_37: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32a_37: na - presence of species: falciparum (pf)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_38: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_39: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a_40: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_01: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_02: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32b_02: na - presence of species: malariae (pm)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_03: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_04: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_05: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_06: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_07: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_08: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_09: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_10: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_11: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_12: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_13: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32b_13: na - presence of species: malariae (pm)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_14: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_15: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_16: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_17: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_18: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_19: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_20: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_21: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32b_21: na - presence of species: malariae (pm)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_22: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_23: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_24: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_25: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_26: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32b_26: na - presence of species: malariae (pm)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_27: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_28: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_29: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_30: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_31: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32b_31: na - presence of species: malariae (pm)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_32: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_33: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_34: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_35: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_36: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_37: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_38: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_39: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b_40: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_01: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_02: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32c_02: na - presence of species: ovale (po)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_03: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_04: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_05: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_06: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_07: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32c_07: na - presence of species: ovale (po)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_08: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_09: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_10: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_11: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_12: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32c_12: na - presence of species: ovale (po)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_13: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_14: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_15: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_16: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_17: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_18: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_19: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_20: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_21: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_22: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_23: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32c_23: na - presence of species: ovale (po)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_24: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_25: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_26: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_27: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_28: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_29: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_30: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_31: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32c_31: na - presence of species: ovale (po)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_32: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_33: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_34: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_35: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_36: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32c_36: na - presence of species: ovale (po)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_37: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_38: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_39: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c_40: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_01: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32d_01: na - presence of species: vivax (pv)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_02: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_03: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_04: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_05: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_06: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_07: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_08: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_09: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_10: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_11: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_12: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32d_12: na - presence of species: vivax (pv)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_13: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_14: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_15: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_16: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_17: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32d_17: na - presence of species: vivax (pv)

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_18: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_19: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_20: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_21: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_22: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32d_22: na - presence of species: vivax (pv)

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_23: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_24: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_25: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_26: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_27: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_28: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_29: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_30: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_31: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_32: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_33: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32d_33: na - presence of species: vivax (pv)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_34: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_35: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_36: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_37: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_38: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_39: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d_40: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_01: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32e_01: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_02: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_03: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_04: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_05: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_06: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32e_06: na - presence of species: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_07: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_08: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_09: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_10: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_11: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32e_11: na - presence of species: cs

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_12: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_13: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_14: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_15: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_16: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_17: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_18: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_19: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_20: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_21: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_22: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32e_22: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_23: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_24: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_25: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_26: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_27: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32e_27: na - presence of species: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_28: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_29: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_30: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_31: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_32: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32e_32: na - presence of species: cs

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_33: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_34: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_35: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_36: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_37: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_38: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_39: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e_40: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_01: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_02: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_03: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32f_03: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_04: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_05: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_06: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_07: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_08: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_09: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_10: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_11: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32f_11: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_12: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_13: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_14: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_15: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_16: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32f_16: na - presence of species: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_17: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_18: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_19: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_20: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_21: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32f_21: na - presence of species: cs

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_22: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_23: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_24: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_25: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_26: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_27: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_28: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_29: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_30: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_31: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_32: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32f_32: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_33: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_34: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_35: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_36: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_37: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32f_37: na - presence of species: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_38: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_39: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f_40: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_01: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_02: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32g_02: na - presence of species: cs

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_03: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_04: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_05: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_06: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_07: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_08: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_09: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_10: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_11: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_12: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_13: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32g_13: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_14: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_15: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_16: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_17: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_18: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_19: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_20: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_21: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml32g_21: na - presence of species: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_22: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_23: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_24: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_25: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_26: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	

hml32g_26: na - presence of species: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_27: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_28: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_29: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_30: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_31: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

hml32g_31: na - presence of species: cs

Value	Label	Cases	Percentage
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_32: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_33: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_34: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_35: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_36: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_37: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_38: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_39: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g_40: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_01: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_02: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

hml33_02: result of malaria measurement

Statistics [NW/ W]	[Valid=85 /-] [Invalid=6363 /-]

Value	Label	Cases	Percentage
0	measured	83	97.6%
3	not present	0	
4	refused	2	2.4%
6	other	0	
Sysmiss		6363	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_03: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1022 /-] [Invalid=5426 /-]

Value	Label	Cases	Percentage
0	measured	1009	98.7%
3	not present	5	0.5%
4	refused	8	0.8%
6	other	0	
Sysmiss		5426	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_04: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=971 /-] [Invalid=5477 /-]

Value	Label	Cases	Percentage
0	measured	945	97.3%
3	not present	9	0.9%
4	refused	13	1.3%
6	other	4	0.4%
Sysmiss		5477	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_05: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=829 /-] [Invalid=5619 /-]

Value	Label	Cases	Percentage
0	measured	814	98.2%
3	not present	8	1.0%
4	refused	6	0.7%
6	other	1	0.1%
Sysmiss		5619	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_06: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=722 /-] [Invalid=5726 /-]

Value	Label	Cases	Percentage
0	measured	704	97.5%

hml33_06: result of malaria measurement

Value	Label	Cases	Percentage
3	not present	9	1.2%
4	refused	7	1.0%
6	other	2	0.3%
Sysmiss		5726	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_07: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=613 /-] [Invalid=5835 /-]

Value	Label	Cases	Percentage
0	measured	598	97.6%
3	not present	7	1.1%
4	refused	6	1.0%
6	other	2	0.3%
Sysmiss		5835	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_08: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=463 /-] [Invalid=5985 /-]

Value	Label	Cases	Percentage
0	measured	454	98.1%
3	not present	6	1.3%
4	refused	1	0.2%
6	other	2	0.4%
Sysmiss		5985	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_09: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=387 /-] [Invalid=6061 /-]

Value	Label	Cases	Percentage
0	measured	377	97.4%
3	not present	9	2.3%
4	refused	1	0.3%
6	other	0	
Sysmiss		6061	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_10: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=319 /-] [Invalid=6129 /-]

Value	Label	Cases	Percentage
0	measured	316	99.1%
3	not present	2	0.6%
4	refused	1	0.3%

hml33_10: result of malaria measurement

Value	Label	Cases	Percentage
6	other	0	
Sysmiss		6129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_11: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=223 /-] [Invalid=6225 /-]

Value	Label	Cases	Percentage
0	measured	220	98.7%
3	not present	2	0.9%
4	refused	0	
6	other	1	0.4%
Sysmiss		6225	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_12: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=6267 /-]

Value	Label	Cases	Percentage
0	measured	178	98.3%
3	not present	2	1.1%
4	refused	1	0.6%
6	other	0	
Sysmiss		6267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_13: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=6319 /-]

Value	Label	Cases	Percentage
0	measured	126	97.7%
3	not present	1	0.8%
4	refused	2	1.6%
6	other	0	
Sysmiss		6319	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_14: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=6352 /-]

Value	Label	Cases	Percentage
0	measured	93	96.9%
3	not present	3	3.1%
4	refused	0	
6	other	0	
Sysmiss		6352	

hml33_14: result of malaria measurement

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_15: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=6385 /-]

Value	Label	Cases	Percentage
0	measured	62	98.4%
3	not present	0	
4	refused	0	
6	other	1	1.6%
Sysmiss		6385	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_16: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=6409 /-]

Value	Label	Cases	Percentage
0	measured	38	97.4%
3	not present	1	2.6%
4	refused	0	
6	other	0	
Sysmiss		6409	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_17: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
0	measured	44	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_18: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
0	measured	30	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_19: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

hml33_19: result of malaria measurement

Statistics [NW/ W]	[Valid=23 /-] [Invalid=6425 /-]

Value	Label	Cases	Percentage
0	measured	22	95.7%
3	not present	0	
4	refused	1	4.3%
6	other	0	
Sysmiss		6425	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_20: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
0	measured	16	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_21: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
0	measured	10	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_22: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

Value	Label	Cases	Percentage
0	measured	4	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_23: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	measured	3	100.0%

hml33_23: result of malaria measurement

Value	Label	Cases	Percentage
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_24: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	measured	2	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_25: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_26: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_27: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	measured	3	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_28: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_29: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_30: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

hml33_30: result of malaria measurement

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_31: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_32: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_33: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_34: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	

hml33_34: result of malaria measurement

Value	Label	Cases	Percentage
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_35: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_36: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_37: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_38: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	

hml33_38: result of malaria measurement

Value	Label	Cases	Percentage
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_39: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	measured	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33_40: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_01: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_02: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99995		2	2.4%
A5X1E		1	1.2%
A8N0V		1	1.2%
B3G0K		1	1.2%
B5J0P		1	1.2%
B7O6D		1	1.2%
B7T4G		1	1.2%
C0W6F		1	1.2%
C2C6M		1	1.2%
C3G8T		1	1.2%
C6G6U		1	1.2%
D6V7M		1	1.2%
D8I6Z		1	1.2%

hml34_02: bar code for blood smear sample

Value	Label	Cases	Percentage
F0L2S		1	1.2%
F3I1R		1	1.2%
F5X6O		1	1.2%
F9F7B		1	1.2%
G3N6D		1	1.2%
G7W4O		1	1.2%
G9G5B		1	1.2%
H8Z5U		1	1.2%
I2E3R		1	1.2%
I5W5P		1	1.2%
I6L5F		1	1.2%
I7U8S		1	1.2%
I7Y3R		1	1.2%
I8J5F		1	1.2%
J1L0V		1	1.2%
J3Y2N		1	1.2%
J5V5P		1	1.2%
K3U7P		1	1.2%
K4M5G		1	1.2%
K6X5T		1	1.2%
K8I6H		1	1.2%
L0G9B		1	1.2%
L2J0W		1	1.2%
L3N0C		1	1.2%
L4R4L		1	1.2%
L7E3Z		1	1.2%
L7S8T		1	1.2%
M6N3J		1	1.2%
M7R1M		1	1.2%
O4P2K		1	1.2%
O7B2Y		1	1.2%
O7V7Y		1	1.2%
P6B7E		1	1.2%
P6N6P		1	1.2%
P7P8U		1	1.2%
P8B2B		1	1.2%
Q5Q9V		1	1.2%
R0K5H		1	1.2%
R3F8I		1	1.2%
R7F4I		1	1.2%
R8S7Z		1	1.2%
S0L3H		1	1.2%
S1Y8B		1	1.2%
S4D7H		1	1.2%
S5Q2Q		1	1.2%

hml34_02: bar code for blood smear sample

Value	Label	Cases	Percentage
T3D6G		1	1.2%
T4T3U		1	1.2%
T5O2P		1	1.2%
T8W9I		1	1.2%
U2Z4B		1	1.2%
U5Q3T		1	1.2%
U7G5N		1	1.2%
V0J0F		1	1.2%
V3K7Q		1	1.2%
V5L0M		1	1.2%
V9Z3I		1	1.2%
W2Y3B		1	1.2%
W5M5T		1	1.2%
W7R0V		1	1.2%
W9S0Y		1	1.2%
X3C9M		1	1.2%
X4S9E		1	1.2%
X7Y3H		1	1.2%
Y4L0O		1	1.2%
Y7P0V		1	1.2%
Y7U0B		1	1.2%
Z0O2Q		1	1.2%
Z2L6T		1	1.2%
Z4Q0U		1	1.2%
Z8M4Y		1	1.2%
Z8Q3C		1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_03: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1026 /-] [Invalid=0 /-]

hml34_04: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=976 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		1	0.1%
99994		9	0.9%
99995		13	1.3%
99996		4	0.4%
?		4	0.4%
A0I5N		1	0.1%
A0O4S		1	0.1%
A0T4X		1	0.1%
A1J7R		1	0.1%
A1P8Y		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
A1Q7Y		1	0.1%
A1V2Y		1	0.1%
A2W3C		1	0.1%
A3P8B		1	0.1%
A3X8J		1	0.1%
A4G7R		1	0.1%
A4I9V		1	0.1%
A4U3C		1	0.1%
A5L0Q		1	0.1%
A5R8F		1	0.1%
A5W7J		1	0.1%
A5X4H		1	0.1%
A6C4M		1	0.1%
A6G1N		1	0.1%
A6H0N		1	0.1%
A6I4S		1	0.1%
A6U2D		1	0.1%
A6Z7N		1	0.1%
A6Z9P		1	0.1%
A7F4Q		1	0.1%
A7I6V		1	0.1%
A7K1S		1	0.1%
A7P8F		1	0.1%
A7Z3K		1	0.1%
A8C6Q		1	0.1%
A8H7W		1	0.1%
A8Z1J		1	0.1%
A9N1X		1	0.1%
A9N7E		1	0.1%
A9Q9J		1	0.1%
A9V2H		1	0.1%
B0C9M		1	0.1%
B0E1G		1	0.1%
B0W7F		1	0.1%
B1L2P		1	0.1%
B1Q2U		1	0.1%
B1S6B		1	0.1%
B1T3Y		1	0.1%
B1U9G		1	0.1%
B2A6J		1	0.1%
B2B2G		1	0.1%
B2F1J		1	0.1%
B2F5N		1	0.1%
B2O9B		1	0.1%
B3C4K		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
B3D9Q		1	0.1%
B3M4U		1	0.1%
B3R9F		1	0.1%
B3W6H		1	0.1%
B4C6N		1	0.1%
B4F4O		1	0.1%
B4J0O		1	0.1%
B4O6Z		1	0.1%
B4P3X		1	0.1%
B4Q8E		1	0.1%
B4V3E		1	0.1%
B4Y2G		1	0.1%
B5U0B		1	0.1%
B5Z6M		1	0.1%
B6C8R		1	0.1%
B6R6F		1	0.1%
B6S0Z		1	0.1%
B7F7U		1	0.1%
B7V7L		1	0.1%
B8F9X		1	0.1%
B8M9F		1	0.1%
B8O6E		1	0.1%
B8U1F		1	0.1%
B8U8M		1	0.1%
B9A7R		1	0.1%
B9E4S		1	0.1%
B9O7G		1	0.1%
B9Q1C		1	0.1%
B9R8K		1	0.1%
B9V5L		1	0.1%
C0D5K		1	0.1%
C0K1N		1	0.1%
C1B5J		1	0.1%
C1X2D		1	0.1%
C1Y8K		1	0.1%
C1Z3G		1	0.1%
C2D0H		1	0.1%
C2E6O		1	0.1%
C2I0M		1	0.1%
C2N1S		1	0.1%
C2N8Z		1	0.1%
C4E0K		1	0.1%
C4J7W		1	0.1%
C4O1V		1	0.1%
C4T0Z		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
C4W2F		1	0.1%
C5A1I		1	0.1%
C5D6Q		1	0.1%
C5H1P		1	0.1%
C5K8Z		1	0.1%
C5M3W		1	0.1%
C5M9D		1	0.1%
C5U1D		1	0.1%
C6A3L		1	0.1%
C6Z8Q		1	0.1%
C7I2T		1	0.1%
C7K8C		1	0.1%
C7O3B		1	0.1%
C7S8K		1	0.1%
C7V7M		1	0.1%
C7X7O		1	0.1%
C8L2X		1	0.1%
C9D6U		1	0.1%
C9Q0C		1	0.1%
C9W2K		1	0.1%
D0R6B		1	0.1%
D0V6F		1	0.1%
D1H5Q		1	0.1%
D1W4F		1	0.1%
D2I3Q		1	0.1%
D2M2T		1	0.1%
D2R0W		1	0.1%
D2W3F		1	0.1%
D2W5H		1	0.1%
D3B3K		1	0.1%
D3I8W		1	0.1%
D3U3E		1	0.1%
D3X9N		1	0.1%
D3Z1H		1	0.1%
D4B7P		1	0.1%
D4P7E		1	0.1%
D4R1Z		1	0.1%
D4W9N		1	0.1%
D5C5P		1	0.1%
D5Q8H		1	0.1%
D6G1Q		1	0.1%
D6H2S		1	0.1%
D6J6Y		1	0.1%
D6N4B		1	0.1%
D6X0H		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
D6X1I		1	0.1%
D6Z4N		1	0.1%
D7G9Z		1	0.1%
D7H6X		1	0.1%
D7S5I		1	0.1%
D9E3T		1	0.1%
D9F2T		1	0.1%
D9P9L		1	0.1%
D9U0H		1	0.1%
D9W5O		1	0.1%
D9Y0L		1	0.1%
D9Y9U		1	0.1%
E1A5K		1	0.1%
E1F0K		1	0.1%
E1N0S		1	0.1%
E1O3W		1	0.1%
E1S2Z		1	0.1%
E2G6S		1	0.1%
E2J3S		1	0.1%
E2O1V		1	0.1%
E2P2X		1	0.1%
E2Q6D		1	0.1%
E2W3G		1	0.1%
E2W5I		1	0.1%
E2X9N		1	0.1%
E2Z0G		1	0.1%
E3K3U		1	0.1%
E3T7I		1	0.1%
E3U1D		1	0.1%
E4M3X		1	0.1%
E5H9Z		1	0.1%
E5L8D		1	0.1%
E5N6D		1	0.1%
E5O9H		1	0.1%
E5P5E		1	0.1%
E5W5L		1	0.1%
E6D6T		1	0.1%
E6O6F		1	0.1%
E6T9N		1	0.1%
E6Y6P		1	0.1%
E7P6H		1	0.1%
E8X9T		1	0.1%
E8Z7T		1	0.1%
E9V6P		1	0.1%
E9W9T		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
F0B6M		1	0.1%
F0D2K		1	0.1%
F0I1O		1	0.1%
F0V4F		1	0.1%
F1C8Q		1	0.1%
F1D4N		1	0.1%
F1P4Z		1	0.1%
F1T4E		1	0.1%
F1V0C		1	0.1%
F1X1F		1	0.1%
F2I6V		1	0.1%
F2O2X		1	0.1%
F2W2G		1	0.1%
F3F2P		1	0.1%
F4V2H		1	0.1%
F4Y0I		1	0.1%
F4Y5N		1	0.1%
F4Y8Q		1	0.1%
F4Z6P		1	0.1%
F5N0X		1	0.1%
F5V1H		1	0.1%
F5Y1K		1	0.1%
F6H3V		1	0.1%
F6T1G		1	0.1%
F6V5M		1	0.1%
F6X0J		1	0.1%
F7H7B		1	0.1%
F7J6C		1	0.1%
F7N6G		1	0.1%
F7O6H		1	0.1%
F7R4I		1	0.1%
F8S9P		1	0.1%
F8U3L		1	0.1%
F8Z1O		1	0.1%
G0C1J		1	0.1%
G0D2L		1	0.1%
G0G4Q		1	0.1%
G0M7Z		1	0.1%
G0S2B		1	0.1%
G0S9I		1	0.1%
G0V4G		1	0.1%
G1C4N		1	0.1%
G1D4O		1	0.1%
G1P2Y		1	0.1%
G1Q9H		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
G1U7J		1	0.1%
G1Z2J		1	0.1%
G2A6O		1	0.1%
G2F9W		1	0.1%
G2G5T		1	0.1%
G2J9B		1	0.1%
G2L1U		1	0.1%
G3A5O		1	0.1%
G3F8W		1	0.1%
G3U0E		1	0.1%
G3V6L		1	0.1%
G4I2U		1	0.1%
G4V9P		1	0.1%
G5F4U		1	0.1%
G5K3Y		1	0.1%
G5T3I		1	0.1%
G5X8R		1	0.1%
G6H4X		1	0.1%
G6I9E		1	0.1%
G7F3V		1	0.1%
G7I6C		1	0.1%
G7R8N		1	0.1%
G8H0V		1	0.1%
G8I5C		1	0.1%
G8O5I		1	0.1%
G8Q5K		1	0.1%
G9E9D		1	0.1%
G9J1Z		1	0.1%
G9V1M		1	0.1%
H0B7P		1	0.1%
H0P7E		1	0.1%
H0T6H		1	0.1%
H1K2U		1	0.1%
H1S8J		1	0.1%
H2U9N		1	0.1%
H3B5Q		1	0.1%
H3F4T		1	0.1%
H3J5Y		1	0.1%
H3N0X		1	0.1%
H3O7G		1	0.1%
H3P3D		1	0.1%
H4A8T		1	0.1%
H4F1R		1	0.1%
H4G3U		1	0.1%
H4U2I		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
H5C8W		1	0.1%
H5Q0D		1	0.1%
H5S7M		1	0.1%
H5Y6R		1	0.1%
H6U5N		1	0.1%
H6Y7T		1	0.1%
H7H9F		1	0.1%
H7J3B		1	0.1%
H7J8G		1	0.1%
H7U7Q		1	0.1%
H7Y1O		1	0.1%
H8J4D		1	0.1%
H8T7Q		1	0.1%
H8U9T		1	0.1%
H9M0D		1	0.1%
H9S2L		1	0.1%
H9Y0P		1	0.1%
I0E2O		1	0.1%
I0R2C		1	0.1%
I0Y1I		1	0.1%
I0Z0I		1	0.1%
I1O5D		1	0.1%
I1T9M		1	0.1%
I2N2Z		1	0.1%
I2R4G		1	0.1%
I2V7N		1	0.1%
I2X4M		1	0.1%
I2X7P		1	0.1%
I3J5Z		1	0.1%
I3N5E		1	0.1%
I3Z9U		1	0.1%
I4K9G		1	0.1%
I4P7J		1	0.1%
I5C5U		1	0.1%
I5N1C		1	0.1%
I5S5L		1	0.1%
I5X6R		1	0.1%
I6D8Z		1	0.1%
I6F7B		1	0.1%
I6I2Y		1	0.1%
I6M0B		1	0.1%
I6P3H		1	0.1%
I6W3O		1	0.1%
I7P4J		1	0.1%
I8C9C		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
I8D8C		1	0.1%
I8I6F		1	0.1%
I8N8M		1	0.1%
I9J1C		1	0.1%
I9O1H		1	0.1%
I9O7N		1	0.1%
I9P7O		1	0.1%
J0C1M		1	0.1%
J0C5Q		1	0.1%
J0H5V		1	0.1%
J0I7Y		1	0.1%
J0O1Y		1	0.1%
J0W4K		1	0.1%
J1D5S		1	0.1%
J1K2W		1	0.1%
J1O4D		1	0.1%
J2E4T		1	0.1%
J2H9C		1	0.1%
J2M6E		1	0.1%
J3E9Z		1	0.1%
J3H4X		1	0.1%
J4J6D		1	0.1%
J4S1H		1	0.1%
J5O4H		1	0.1%
J5X8U		1	0.1%
J5X9V		1	0.1%
J6S3L		1	0.1%
J6W7T		1	0.1%
J7B8Z		1	0.1%
J7B9B		1	0.1%
J7F8E		1	0.1%
J7J5F		1	0.1%
J7K5G		1	0.1%
J7L1D		1	0.1%
J7M2F		1	0.1%
J7Q2J		1	0.1%
J7R9R		1	0.1%
J8Q6O		1	0.1%
J8R1K		1	0.1%
J9F2Z		1	0.1%
J9I8J		1	0.1%
J9M1G		1	0.1%
J9N0G		1	0.1%
J9W5U		1	0.1%
K0Q2D		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
K0R1D		1	0.1%
K0U4J		1	0.1%
K0V4K		1	0.1%
K2G9C		1	0.1%
K2T5L		1	0.1%
K3B0O		1	0.1%
K3O9L		1	0.1%
K3R0F		1	0.1%
K3U0I		1	0.1%
K4I2Y		1	0.1%
K4K2B		1	0.1%
K4X5R		1	0.1%
K5P0F		1	0.1%
K6B0R		1	0.1%
K6F4Z		1	0.1%
K6G3Z		1	0.1%
K6G4B		1	0.1%
K6Z9Z		1	0.1%
K7A7Y		1	0.1%
K7A9B		1	0.1%
K7E7D		1	0.1%
K7N2H		1	0.1%
K7O7N		1	0.1%
K7P7O		1	0.1%
K7V8V		1	0.1%
K8A8B		1	0.1%
K8F7F		1	0.1%
K8W3S		1	0.1%
K8X6W		1	0.1%
K8Y9B		1	0.1%
K9B4Y		1	0.1%
K9I0C		1	0.1%
K9L0F		1	0.1%
L0C6T		1	0.1%
L0O1B		1	0.1%
L1L5D		1	0.1%
L1M7G		1	0.1%
L2B1P		1	0.1%
L2B5T		1	0.1%
L2D6W		1	0.1%
L2J7E		1	0.1%
L2K9H		1	0.1%
L2V0J		1	0.1%
L2X7S		1	0.1%
L3H3Y		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
L3J0X		1	0.1%
L3R6M		1	0.1%
L3S4L		1	0.1%
L3U6P		1	0.1%
L4E3W		1	0.1%
L4O6K		1	0.1%
L5N5J		1	0.1%
L5R6O		1	0.1%
L5W9W		1	0.1%
L5Y6V		1	0.1%
L6H9I		1	0.1%
L6Q7P		1	0.1%
L6T0L		1	0.1%
L6W7V		1	0.1%
L8A2V		1	0.1%
L8D7E		1	0.1%
L8I7J		1	0.1%
L9B3Y		1	0.1%
L9C8F		1	0.1%
L9F4E		1	0.1%
L9J2G		1	0.1%
L9R4Q		1	0.1%
L9R9V		1	0.1%
L9U9Y		1	0.1%
M0A4Q		1	0.1%
M0E4U		1	0.1%
M0J0V		1	0.1%
M0N3D		1	0.1%
M0Q6J		1	0.1%
M0R5J		1	0.1%
M0R8M		1	0.1%
M0W0J		1	0.1%
M1D0Q		1	0.1%
M1I3Y		1	0.1%
M1T3K		1	0.1%
M2C7X		1	0.1%
M2I5C		1	0.1%
M2J6E		1	0.1%
M2Y4R		1	0.1%
M2Z1P		1	0.1%
M3M5H		1	0.1%
M4O6L		1	0.1%
M4V8U		1	0.1%
M4Y2R		1	0.1%
M4Z3T		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
M5G5D		1	0.1%
M5K6I		1	0.1%
M5P1I		1	0.1%
M6A9C		1	0.1%
M6O2J		1	0.1%
M6R4O		1	0.1%
M7A8C		1	0.1%
M7B9E		1	0.1%
M7F0Y		1	0.1%
M7O2K		1	0.1%
M7Q5P		1	0.1%
M7S7T		1	0.1%
M8P4O		1	0.1%
M9F0B		1	0.1%
M9L9Q		1	0.1%
M9U0Q		1	0.1%
M9W5X		1	0.1%
N0A5S		1	0.1%
N0H3X		1	0.1%
N0H8D		1	0.1%
N1P7L		1	0.1%
N2B2S		1	0.1%
N2M1D		1	0.1%
N2T0J		1	0.1%
N3C4W		1	0.1%
N3D7B		1	0.1%
N3H1Y		1	0.1%
N3O2H		1	0.1%
N3X5T		1	0.1%
N4E1W		1	0.1%
N4I0Z		1	0.1%
N4N4J		1	0.1%
N5T7T		1	0.1%
N5U1O		1	0.1%
N5W8X		1	0.1%
N5Y9B		1	0.1%
N6R6R		1	0.1%
N7G5G		1	0.1%
N7N1J		1	0.1%
N7T5T		1	0.1%
N8E8I		1	0.1%
N8F0B		1	0.1%
N8I5J		1	0.1%
N8O2M		1	0.1%
N8O6Q		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
N8V8Z		1	0.1%
N9C4D		1	0.1%
N9J4K		1	0.1%
N9T4U		1	0.1%
N9Y4Z		1	0.1%
O0F5Y		1	0.1%
O0P0E		1	0.1%
O0Z2Q		1	0.1%
O1K2C		1	0.1%
O1O0E		1	0.1%
O1P3I		1	0.1%
O2S5O		1	0.1%
O2W5S		1	0.1%
O3A0R		1	0.1%
O3E6C		1	0.1%
O3O3J		1	0.1%
O3W0O		1	0.1%
O4G8H		1	0.1%
O5Q7R		1	0.1%
O6B3Y		1	0.1%
O6F1B		1	0.1%
O6J2G		1	0.1%
O6P1L		1	0.1%
O7I4I		1	0.1%
O7R0N		1	0.1%
O7R6T		1	0.1%
O7S3R		1	0.1%
O8D3D		1	0.1%
O8R4S		1	0.1%
O9E0C		1	0.1%
O9N8T		1	0.1%
O9T2T		1	0.1%
O9Y5C		1	0.1%
P0C8Z		1	0.1%
P0J8H		1	0.1%
P0O7L		1	0.1%
P0W6S		1	0.1%
P1C2U		1	0.1%
P1D6Z		1	0.1%
P1E7C		1	0.1%
P1I0Y		1	0.1%
P1K7I		1	0.1%
P1N4I		1	0.1%
P1Q4L		1	0.1%
P1T2M		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
P2C1U		1	0.1%
P3B8C		1	0.1%
P3H5F		1	0.1%
P3I5G		1	0.1%
P3S8T		1	0.1%
P3X2S		1	0.1%
P4B8D		1	0.1%
P4M3J		1	0.1%
P5C3Z		1	0.1%
P5I9M		1	0.1%
P5N6O		1	0.1%
P5Y1U		1	0.1%
P6C1Y		1	0.1%
P6E2C		1	0.1%
P6E6G		1	0.1%
P7B3B		1	0.1%
P7D3D		1	0.1%
P7J7N		1	0.1%
P7W2V		1	0.1%
P8G9N		1	0.1%
P8J2J		1	0.1%
P8Y4B		1	0.1%
P9A4D		1	0.1%
P9F1F		1	0.1%
P9F3H		1	0.1%
Q0I2B		1	0.1%
Q0K2D		1	0.1%
Q0V2O		1	0.1%
Q1I6G		1	0.1%
Q1K1D		1	0.1%
Q1L6J		1	0.1%
Q1Y3T		1	0.1%
Q2D1W		1	0.1%
Q2O2J		1	0.1%
Q2O9Q		1	0.1%
Q2P7P		1	0.1%
Q2T5R		1	0.1%
Q3E7F		1	0.1%
Q3G9J		1	0.1%
Q4A1V		1	0.1%
Q4D2Z		1	0.1%
Q4E8H		1	0.1%
Q4G3E		1	0.1%
Q4I9M		1	0.1%
Q4L0G		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
Q5C9H		1	0.1%
Q5Q8U		1	0.1%
Q6D6G		1	0.1%
Q6Y8E		1	0.1%
Q7B7G		1	0.1%
Q7I5L		1	0.1%
Q7K9R		1	0.1%
Q7Q1P		1	0.1%
Q7R3S		1	0.1%
Q8A7G		1	0.1%
Q8D0C		1	0.1%
Q8E7K		1	0.1%
Q8M4P		1	0.1%
Q8O6T		1	0.1%
Q9F7M		1	0.1%
Q9I2K		1	0.1%
R0A8Z		1	0.1%
R0D9E		1	0.1%
R0J7I		1	0.1%
R0L8L		1	0.1%
R0T6R		1	0.1%
R0W4S		1	0.1%
R0Y7X		1	0.1%
R1O6N		1	0.1%
R2D0W		1	0.1%
R2H5G		1	0.1%
R2I4G		1	0.1%
R2Z5Y		1	0.1%
R3A9E		1	0.1%
R3E1Z		1	0.1%
R3I8L		1	0.1%
R3P8S		1	0.1%
R3Q3O		1	0.1%
R3T1P		1	0.1%
R5Q4R		1	0.1%
R5V0S		1	0.1%
R6A7F		1	0.1%
R6B5E		1	0.1%
R6G6K		1	0.1%
R6I4K		1	0.1%
R6L3M		1	0.1%
R6M0K		1	0.1%
R6P6T		1	0.1%
R6S4U		1	0.1%
R7A8H		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
R7K9S		1	0.1%
R7Q9Y		1	0.1%
R8D7K		1	0.1%
R8H1I		1	0.1%
R8I9R		1	0.1%
R8X8G		1	0.1%
R9O2R		1	0.1%
R9R6Y		1	0.1%
R9R9C		1	0.1%
R9T2W		1	0.1%
S0L0E		1	0.1%
S0R0K		1	0.1%
S0S9U		1	0.1%
S0Y8Z		1	0.1%
S1F5E		1	0.1%
S1J6J		1	0.1%
S1K8M		1	0.1%
S1V4T		1	0.1%
S2A6B		1	0.1%
S2Q1M		1	0.1%
S2R9V		1	0.1%
S3C3B		1	0.1%
S3L3K		1	0.1%
S3S1P		1	0.1%
S3Z2X		1	0.1%
S4G4H		1	0.1%
S4J9P		1	0.1%
S4P9V		1	0.1%
S5J6N		1	0.1%
S6Y6E		1	0.1%
S7G2I		1	0.1%
S7P3S		1	0.1%
S7S4W		1	0.1%
S7S7Z		1	0.1%
S7X3B		1	0.1%
S7Z5F		1	0.1%
S8B6I		1	0.1%
S8H4M		1	0.1%
S8I9S		1	0.1%
S8J5P		1	0.1%
S8M0N		1	0.1%
S9F7O		1	0.1%
S9J9U		1	0.1%
S9O0Q		1	0.1%
S9S6B		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
S9V2Z		1	0.1%
T0G4E		1	0.1%
T0L4J		1	0.1%
T1A4Y		1	0.1%
T1G5G		1	0.1%
T1I7K		1	0.1%
T1M7O		1	0.1%
T1P2M		1	0.1%
T1S3Q		1	0.1%
T1V7X		1	0.1%
T1W0R		1	0.1%
T1X8B		1	0.1%
T2D5E		1	0.1%
T2F6H		1	0.1%
T2H9M		1	0.1%
T2J5K		1	0.1%
T2Z9F		1	0.1%
T3C7G		1	0.1%
T3D0Z		1	0.1%
T3I1G		1	0.1%
T3Q6T		1	0.1%
T3Q8V		1	0.1%
T3U7Y		1	0.1%
T4F8L		1	0.1%
T4H8N		1	0.1%
T4L9S		1	0.1%
T4N4P		1	0.1%
T4Q9X		1	0.1%
T5F1F		1	0.1%
T5G2H		1	0.1%
T5M1M		1	0.1%
T5O7U		1	0.1%
T6J0J		1	0.1%
T6L5Q		1	0.1%
T7B3F		1	0.1%
T7N9X		1	0.1%
T8N1Q		1	0.1%
T8Y7I		1	0.1%
T9B5J		1	0.1%
T9B8M		1	0.1%
T9C6L		1	0.1%
T9E6N		1	0.1%
T9H2M		1	0.1%
T9M9Y		1	0.1%
T9O0R		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
T9T9G		1	0.1%
T9U0X		1	0.1%
U0E2B		1	0.1%
U0L4K		1	0.1%
U1A8E		1	0.1%
U1B7E		1	0.1%
U1P8T		1	0.1%
U1S4S		1	0.1%
U2A3Z		1	0.1%
U2A4B		1	0.1%
U2P8U		1	0.1%
U2T4U		1	0.1%
U2Z0W		1	0.1%
U3B2B		1	0.1%
U3H4J		1	0.1%
U3U8B		1	0.1%
U4I5M		1	0.1%
U4K7Q		1	0.1%
U4R8Y		1	0.1%
U4T5X		1	0.1%
U5C9L		1	0.1%
U5I4M		1	0.1%
U5V9F		1	0.1%
U6D4I		1	0.1%
U6F0G		1	0.1%
U6J4O		1	0.1%
U6O8X		1	0.1%
U7C1F		1	0.1%
U8A0D		1	0.1%
U8G7Q		1	0.1%
U8H7R		1	0.1%
U8N2S		1	0.1%
U8V0Y		1	0.1%
U9H3O		1	0.1%
U9I9V		1	0.1%
U9K1P		1	0.1%
U9K6U		1	0.1%
U9L5U		1	0.1%
U9S2Y		1	0.1%
U9V9J		1	0.1%
V0A7D		1	0.1%
V0S6U		1	0.1%
V1E5G		1	0.1%
V1G0D		1	0.1%
V1M4N		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
V1N4O		1	0.1%
V1O8T		1	0.1%
V1Q0N		1	0.1%
V1U5W		1	0.1%
V2D0B		1	0.1%
V2D4F		1	0.1%
V2D8J		1	0.1%
V2M9T		1	0.1%
V2O1N		1	0.1%
V2Q3R		1	0.1%
V3C3E		1	0.1%
V3H9P		1	0.1%
V3J2K		1	0.1%
V3O2P		1	0.1%
V3Y7F		1	0.1%
V4A3D		1	0.1%
V4I0I		1	0.1%
V4N7U		1	0.1%
V4O9X		1	0.1%
V4Q5V		1	0.1%
V4S9C		1	0.1%
V4X0X		1	0.1%
V5P3T		1	0.1%
V5W3B		1	0.1%
V6A3F		1	0.1%
V6E6M		1	0.1%
V6K0M		1	0.1%
V6N8X		1	0.1%
V6O0Q		1	0.1%
V6P8Z		1	0.1%
V7D0G		1	0.1%
V7L6U		1	0.1%
V7O1S		1	0.1%
V8D0H		1	0.1%
V8D6N		1	0.1%
V8M0Q		1	0.1%
V8S7E		1	0.1%
V8X9L		1	0.1%
V8Y6J		1	0.1%
V9C9Q		1	0.1%
V9N8B		1	0.1%
V9Z2H		1	0.1%
W0D5F		1	0.1%
W1A8G		1	0.1%
W1V5Y		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
W1Y0W		1	0.1%
W1Y2Y		1	0.1%
W1Z7F		1	0.1%
W2N0M		1	0.1%
W2S7Y		1	0.1%
W3D2F		1	0.1%
W3W3Z		1	0.1%
W3X0X		1	0.1%
W4H6O		1	0.1%
W4W6E		1	0.1%
W4Z9K		1	0.1%
W5H6P		1	0.1%
W5I7R		1	0.1%
W5U9G		1	0.1%
W6N8Y		1	0.1%
W6R8D		1	0.1%
W7H4P		1	0.1%
W7Z4I		1	0.1%
W8I7U		1	0.1%
W8L6W		1	0.1%
W9J3S		1	0.1%
W9O7C		1	0.1%
W9W4H		1	0.1%
X0C0Z		1	0.1%
X0H8N		1	0.1%
X0X7D		1	0.1%
X1F0E		1	0.1%
X1K0J		1	0.1%
X1M9U		1	0.1%
X1N5R		1	0.1%
X1O0N		1	0.1%
X2A2C		1	0.1%
X2G0G		1	0.1%
X2W2Y		1	0.1%
X2Y7G		1	0.1%
X3D2G		1	0.1%
X3G3K		1	0.1%
X3O0P		1	0.1%
X3O7W		1	0.1%
X3P9Z		1	0.1%
X3Z6H		1	0.1%
X4L5S		1	0.1%
X4P4V		1	0.1%
X5B0E		1	0.1%
X5H9T		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
X5L4S		1	0.1%
X5Q8C		1	0.1%
X6D6N		1	0.1%
X6R0V		1	0.1%
X6R7D		1	0.1%
X7Q6C		1	0.1%
X7Q8E		1	0.1%
X7X7K		1	0.1%
X8D3M		1	0.1%
X8L7Y		1	0.1%
X8Y4J		1	0.1%
X9K0R		1	0.1%
X9M6Z		1	0.1%
X9O0V		1	0.1%
X9V3G		1	0.1%
X9W2G		1	0.1%
X9W3H		1	0.1%
Y0M3O		1	0.1%
Y0Q3S		1	0.1%
Y0U5Y		1	0.1%
Y0V0U		1	0.1%
Y1C3F		1	0.1%
Y1P1Q		1	0.1%
Y1Q1R		1	0.1%
Y2F6M		1	0.1%
Y2G8P		1	0.1%
Y2M0N		1	0.1%
Y2Z5G		1	0.1%
Y3E6M		1	0.1%
Y3M9X		1	0.1%
Y3O2S		1	0.1%
Y3S7C		1	0.1%
Y4B5J		1	0.1%
Y4U3B		1	0.1%
Y4Y3F		1	0.1%
Y4Z2F		1	0.1%
Y5B6L		1	0.1%
Y5C6M		1	0.1%
Y5K3R		1	0.1%
Y5P7B		1	0.1%
Y5T8G		1	0.1%
Y5Z1F		1	0.1%
Y5Z8M		1	0.1%
Y6G7S		1	0.1%
Y6J0O		1	0.1%

hml34_04: bar code for blood smear sample

Value	Label	Cases	Percentage
Y6J1P		1	0.1%
Y7J2R		1	0.1%
Y7L1S		1	0.1%
Y7O2W		1	0.1%
Y7Z4K		1	0.1%
Y8J0Q		1	0.1%
Y8M7B		1	0.1%
Y8R2B		1	0.1%
Y8W1F		1	0.1%
Y9J5W		1	0.1%
Y9X8O		1	0.1%
Z0H4L		1	0.1%
Z0W2Y		1	0.1%
Z0Y3C		1	0.1%
Z1H4M		1	0.1%
Z1T6B		1	0.1%
Z1V2Y		1	0.1%
Z1Y3D		1	0.1%
Z2F6N		1	0.1%
Z2L7U		1	0.1%
Z2W2B		1	0.1%
Z3E3K		1	0.1%
Z3H5P		1	0.1%
Z3K9W		1	0.1%
Z3P6Y		1	0.1%
Z3P7Z		1	0.1%
Z4G5P		1	0.1%
Z4Y6J		1	0.1%
Z5L2S		1	0.1%
Z6I0O		1	0.1%
Z6K0Q		1	0.1%
Z6T3D		1	0.1%
Z7B7P		1	0.1%
Z7D8S		1	0.1%
Z7H5T		1	0.1%
Z7W9N		1	0.1%
Z8F7U		1	0.1%
Z8Q7G		1	0.1%
Z9A8R		1	0.1%
Z9W4K		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_05: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=832 /-] [Invalid=0 /-]

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
99991		2	0.2%
99994		8	1.0%
99995		6	0.7%
99996		1	0.1%
?		5	0.6%
A0X0X		1	0.1%
A1L6S		1	0.1%
A2A8K		1	0.1%
A2K4Q		1	0.1%
A2N2R		1	0.1%
A2P7Y		1	0.1%
A2U9G		1	0.1%
A3G8R		1	0.1%
A3J3P		1	0.1%
A3Q3W		1	0.1%
A4A3H		1	0.1%
A4N4V		1	0.1%
A4Y3G		1	0.1%
A5S9H		1	0.1%
A5Y3H		1	0.1%
A6E0K		1	0.1%
A6F2N		1	0.1%
A6H3Q		1	0.1%
A6O7C		1	0.1%
A7J8Y		1	0.1%
A8K0S		1	0.1%
A8N8E		1	0.1%
A9T4H		1	0.1%
B0B4G		1	0.1%
B0I5O		1	0.1%
B0U1W		1	0.1%
B0Y7H		1	0.1%
B1R8C		1	0.1%
B1T0V		1	0.1%
B2C7M		1	0.1%
B2K1O		1	0.1%
B2Q6Z		1	0.1%
B2R1V		1	0.1%
B3A1F		1	0.1%
B3E6O		1	0.1%
B3N4V		1	0.1%
B3S2Y		1	0.1%
B5B8P		1	0.1%
B5D4N		1	0.1%
B5K7X		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
B6E4P		1	0.1%
B6Y7N		1	0.1%
B7K5X		1	0.1%
B7S2D		1	0.1%
B8F2Q		1	0.1%
B8H0Q		1	0.1%
B9B9U		1	0.1%
B9L1W		1	0.1%
B9M6D		1	0.1%
B9O9I		1	0.1%
B9U2H		1	0.1%
B9X9R		1	0.1%
C0T7D		1	0.1%
C0Z7J		1	0.1%
C2B0F		1	0.1%
C3B9P		1	0.1%
C3V4F		1	0.1%
C4N1U		1	0.1%
C5B9R		1	0.1%
C5M4X		1	0.1%
C6F0N		1	0.1%
C6P4C		1	0.1%
C6V7L		1	0.1%
C7B7R		1	0.1%
C7D4Q		1	0.1%
C7E4R		1	0.1%
C7F9X		1	0.1%
C7G5U		1	0.1%
C7M1W		1	0.1%
C7M4Z		1	0.1%
C7R0B		1	0.1%
C7U8M		1	0.1%
C8A3N		1	0.1%
C8C2O		1	0.1%
C8Q8J		1	0.1%
C8U6L		1	0.1%
C8X7P		1	0.1%
C9K7D		1	0.1%
C9M0X		1	0.1%
C9Z4P		1	0.1%
D0P3V		1	0.1%
D0P4W		1	0.1%
D0P9C		1	0.1%
D0Q1U		1	0.1%
D0V8H		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
D1C6M		1	0.1%
D1R0V		1	0.1%
D1R9F		1	0.1%
D1T2Z		1	0.1%
D2F3N		1	0.1%
D2L9Z		1	0.1%
D3D9S		1	0.1%
D3F1M		1	0.1%
D3J0P		1	0.1%
D3X0E		1	0.1%
D4J0Q		1	0.1%
D4J4U		1	0.1%
D4M3W		1	0.1%
D4M6Z		1	0.1%
D4T4F		1	0.1%
D4Y1H		1	0.1%
D4Y4K		1	0.1%
D5J3U		1	0.1%
D5R2C		1	0.1%
D6K0T		1	0.1%
D6T3G		1	0.1%
D7E6U		1	0.1%
D7J8C		1	0.1%
D7U3I		1	0.1%
D8C0N		1	0.1%
D8F4U		1	0.1%
D8M7F		1	0.1%
D8T7M		1	0.1%
D8Y2M		1	0.1%
D9A0M		1	0.1%
D9R3H		1	0.1%
D9T2I		1	0.1%
D9W2L		1	0.1%
E0D9Q		1	0.1%
E0E7P		1	0.1%
E0I7T		1	0.1%
E1K9Y		1	0.1%
E1L8Y		1	0.1%
E1U3D		1	0.1%
E2C6O		1	0.1%
E2F2N		1	0.1%
E2F5Q		1	0.1%
E2F8T		1	0.1%
E2H8V		1	0.1%
E2O3X		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
E2T4E		1	0.1%
E2W0D		1	0.1%
E3E2N		1	0.1%
E3O5B		1	0.1%
E3P1X		1	0.1%
E3Y2I		1	0.1%
E5F7V		1	0.1%
E5K1U		1	0.1%
E5W4K		1	0.1%
E6F3S		1	0.1%
E6I9C		1	0.1%
E6J8C		1	0.1%
E6R0C		1	0.1%
E6Y0J		1	0.1%
E6Z9T		1	0.1%
E7H7Z		1	0.1%
E7K5B		1	0.1%
E7Z5Q		1	0.1%
E8K1X		1	0.1%
E9B1P		1	0.1%
E9N7I		1	0.1%
E9P0D		1	0.1%
E9S1H		1	0.1%
E9V1K		1	0.1%
F0N5X		1	0.1%
F0U6G		1	0.1%
F0U8I		1	0.1%
F0U9J		1	0.1%
F0Y8M		1	0.1%
F1D9S		1	0.1%
F1Y9O		1	0.1%
F2E5Q		1	0.1%
F2G7U		1	0.1%
F2I0P		1	0.1%
F2J9Z		1	0.1%
F2N8D		1	0.1%
F2P6D		1	0.1%
F3R2C		1	0.1%
F3Y6N		1	0.1%
F4J9C		1	0.1%
F4S5H		1	0.1%
F5A4O		1	0.1%
F5J2V		1	0.1%
F5U4J		1	0.1%
F5W9Q		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
F6V1I		1	0.1%
F6Y5P		1	0.1%
F7B6T		1	0.1%
F7M9I		1	0.1%
F7P0C		1	0.1%
F7S3I		1	0.1%
F8H6B		1	0.1%
F8O9L		1	0.1%
F9H0V		1	0.1%
F9L9J		1	0.1%
F9P6K		1	0.1%
F9T5N		1	0.1%
G0F7S		1	0.1%
G1K3U		1	0.1%
G1Q5D		1	0.1%
G1S1B		1	0.1%
G1V5I		1	0.1%
G2B0J		1	0.1%
G2G1P		1	0.1%
G2K9C		1	0.1%
G2N8E		1	0.1%
G2P5D		1	0.1%
G2T8K		1	0.1%
G3Y2K		1	0.1%
G4B4P		1	0.1%
G4F5U		1	0.1%
G4H3U		1	0.1%
G4X5N		1	0.1%
G5H0S		1	0.1%
G5H4W		1	0.1%
G5J4Y		1	0.1%
G6C7V		1	0.1%
G6J8E		1	0.1%
G6Z8U		1	0.1%
G7K1Y		1	0.1%
G7R4J		1	0.1%
G7V3M		1	0.1%
G7X1M		1	0.1%
G8E2U		1	0.1%
G8I8F		1	0.1%
G8N6I		1	0.1%
G8S0H		1	0.1%
G8V6Q		1	0.1%
G8X1N		1	0.1%
G9B2S		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
G9H6D		1	0.1%
G9J5E		1	0.1%
H0C9S		1	0.1%
H0Q2Z		1	0.1%
H1A7P		1	0.1%
H1O6D		1	0.1%
H1P8G		1	0.1%
H2R6H		1	0.1%
H2Z7Q		1	0.1%
H3S1E		1	0.1%
H3U7M		1	0.1%
H4D6U		1	0.1%
H4F6W		1	0.1%
H4S5J		1	0.1%
H4S6K		1	0.1%
H4U4K		1	0.1%
H4W4M		1	0.1%
H5D6V		1	0.1%
H5F0R		1	0.1%
H5L7F		1	0.1%
H5O2D		1	0.1%
H5O4F		1	0.1%
H5O5G		1	0.1%
H5S0F		1	0.1%
H5W5O		1	0.1%
H6B2Q		1	0.1%
H6H1V		1	0.1%
H6H8D		1	0.1%
H6R2H		1	0.1%
H6Z5S		1	0.1%
H7T2K		1	0.1%
H8P7M		1	0.1%
H9F1W		1	0.1%
H9L6I		1	0.1%
H9L9L		1	0.1%
I0H1Q		1	0.1%
I0M1V		1	0.1%
I0U3G		1	0.1%
I0Z4M		1	0.1%
I1I7Y		1	0.1%
I1L2W		1	0.1%
I1P1Z		1	0.1%
I1P3C		1	0.1%
I2C1N		1	0.1%
I2E9X		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
I2W0H		1	0.1%
I3I6Z		1	0.1%
I3O9J		1	0.1%
I3Y8S		1	0.1%
I4C0O		1	0.1%
I4L7F		1	0.1%
I4N9J		1	0.1%
I4U9Q		1	0.1%
I4W5O		1	0.1%
I4Y2N		1	0.1%
I5A0N		1	0.1%
I5A4R		1	0.1%
I5H7C		1	0.1%
I6C2S		1	0.1%
I6E8B		1	0.1%
I6J5D		1	0.1%
I6K0Y		1	0.1%
I6X3P		1	0.1%
I6Z6U		1	0.1%
I7B2S		1	0.1%
I7M9L		1	0.1%
I7T8R		1	0.1%
I8E9E		1	0.1%
I8I7G		1	0.1%
I8R9R		1	0.1%
I8X5T		1	0.1%
I9E2X		1	0.1%
I9H6F		1	0.1%
I9Z7Y		1	0.1%
J0E9W		1	0.1%
J0L3X		1	0.1%
J0M5B		1	0.1%
J0Q7H		1	0.1%
J0S1D		1	0.1%
J0X1I		1	0.1%
J1M3Z		1	0.1%
J1V0G		1	0.1%
J1Z8S		1	0.1%
J2E9Y		1	0.1%
J2H6Y		1	0.1%
J2L7E		1	0.1%
J2R4H		1	0.1%
J2V8P		1	0.1%
J2W3L		1	0.1%
J2Y3N		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
J3B1O		1	0.1%
J3H7B		1	0.1%
J4A1O		1	0.1%
J4K0X		1	0.1%
J4N6H		1	0.1%
J5L4E		1	0.1%
J5R6M		1	0.1%
J5U9S		1	0.1%
J6B5V		1	0.1%
J6C1S		1	0.1%
J6C8Z		1	0.1%
J6T5O		1	0.1%
J7E8D		1	0.1%
J7Y4T		1	0.1%
J8F3Z		1	0.1%
J8W7V		1	0.1%
J8Z4V		1	0.1%
J9C4Y		1	0.1%
J9V3R		1	0.1%
K0G8Y		1	0.1%
K0O5E		1	0.1%
K0P9J		1	0.1%
K1G3U		1	0.1%
K1V3K		1	0.1%
K2L2Z		1	0.1%
K2L6E		1	0.1%
K2N4E		1	0.1%
K3C6V		1	0.1%
K3T7O		1	0.1%
K4A3R		1	0.1%
K4O9M		1	0.1%
K4Q9O		1	0.1%
K4S9Q		1	0.1%
K5H4B		1	0.1%
K5Y2Q		1	0.1%
K6F1W		1	0.1%
K6N8M		1	0.1%
K7E4Z		1	0.1%
K7Q5N		1	0.1%
K7X2R		1	0.1%
K8C7C		1	0.1%
K8H4E		1	0.1%
K8H9J		1	0.1%
K8L3H		1	0.1%
K9E7F		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
K9H6H		1	0.1%
L0G4V		1	0.1%
L0I8C		1	0.1%
L0V5M		1	0.1%
L0W8Q		1	0.1%
L1M3C		1	0.1%
L1Y1M		1	0.1%
L2K3B		1	0.1%
L2M3D		1	0.1%
L2S5L		1	0.1%
L2Z3Q		1	0.1%
L4U9T		1	0.1%
L4V2N		1	0.1%
L4W8U		1	0.1%
L4Y2Q		1	0.1%
L5C6Y		1	0.1%
L5E1V		1	0.1%
L5I0Y		1	0.1%
L5U0L		1	0.1%
L6A4V		1	0.1%
L6Y1R		1	0.1%
L7C7C		1	0.1%
L7E5C		1	0.1%
L7S9U		1	0.1%
L7Z7Z		1	0.1%
L8T5S		1	0.1%
L9C4B		1	0.1%
L9T9X		1	0.1%
L9X9C		1	0.1%
M0F8Z		1	0.1%
M0I9E		1	0.1%
M0K5C		1	0.1%
M0Q1E		1	0.1%
M0T1H		1	0.1%
M0T4K		1	0.1%
M1G3W		1	0.1%
M1M0Z		1	0.1%
M2C4U		1	0.1%
M2C5V		1	0.1%
M2G9E		1	0.1%
M2K5E		1	0.1%
M2M1C		1	0.1%
M2P5J		1	0.1%
M3X2P		1	0.1%
M4K0B		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
M4O1G		1	0.1%
M5E1W		1	0.1%
M5L1E		1	0.1%
M6I2D		1	0.1%
M6X3T		1	0.1%
M7O6O		1	0.1%
M7Y5X		1	0.1%
M9H1E		1	0.1%
M9P6R		1	0.1%
N0H4Y		1	0.1%
N0K0X		1	0.1%
N0M9J		1	0.1%
N0S5L		1	0.1%
N1B3S		1	0.1%
N1G4Y		1	0.1%
N1M8J		1	0.1%
N2A9Y		1	0.1%
N2G7D		1	0.1%
N2I4C		1	0.1%
N2I6E		1	0.1%
N2W7T		1	0.1%
N3R8Q		1	0.1%
N3S0J		1	0.1%
N3T6Q		1	0.1%
N3U0L		1	0.1%
N4E4Z		1	0.1%
N4G3B		1	0.1%
N4M6K		1	0.1%
N4U8U		1	0.1%
N5C3X		1	0.1%
N6G4E		1	0.1%
N6K8M		1	0.1%
N6L8N		1	0.1%
N6Z6Z		1	0.1%
N7F4E		1	0.1%
N7F8I		1	0.1%
N7U5U		1	0.1%
N7W9B		1	0.1%
N8I2G		1	0.1%
N9Q5S		1	0.1%
N9R6U		1	0.1%
N9U7Y		1	0.1%
N9Y5B		1	0.1%
O0P6K		1	0.1%
O1K5F		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
O1U8S		1	0.1%
O1V6R		1	0.1%
O2H2Z		1	0.1%
O2L1D		1	0.1%
O2O4J		1	0.1%
O2S1K		1	0.1%
O3G8G		1	0.1%
O3S5P		1	0.1%
O3T4P		1	0.1%
O4S1M		1	0.1%
O4Y4V		1	0.1%
O5N9Q		1	0.1%
O5O2K		1	0.1%
O6G4F		1	0.1%
O6H9L		1	0.1%
O6V4U		1	0.1%
O6W5W		1	0.1%
O7R1O		1	0.1%
O7V2T		1	0.1%
O8B1Y		1	0.1%
O9J4L		1	0.1%
O9M7R		1	0.1%
O9Z5D		1	0.1%
P1A8Y		1	0.1%
P1D4X		1	0.1%
P1J1B		1	0.1%
P1L3F		1	0.1%
P1M8L		1	0.1%
P1R7P		1	0.1%
P2E0V		1	0.1%
P2F2Y		1	0.1%
P2G1Y		1	0.1%
P2G3B		1	0.1%
P2M7L		1	0.1%
P2R5O		1	0.1%
P2U5R		1	0.1%
P3H7H		1	0.1%
P3O3K		1	0.1%
P3S1M		1	0.1%
P3S5Q		1	0.1%
P3X9Z		1	0.1%
P4F9I		1	0.1%
P4Z2V		1	0.1%
P5F6G		1	0.1%
P5M8P		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
P5S6T		1	0.1%
P5W4V		1	0.1%
P5Z9E		1	0.1%
P6D3C		1	0.1%
P6N0J		1	0.1%
P6O4O		1	0.1%
P6Q1N		1	0.1%
P6Z4Z		1	0.1%
P7I8N		1	0.1%
P8B3C		1	0.1%
P8C3D		1	0.1%
P8R4T		1	0.1%
P8U1T		1	0.1%
P8U5X		1	0.1%
P8X4Z		1	0.1%
Q0C2U		1	0.1%
Q1B6Y		1	0.1%
Q1J0B		1	0.1%
Q1M1F		1	0.1%
Q2X1R		1	0.1%
Q3B5Z		1	0.1%
Q3I9L		1	0.1%
Q3P4N		1	0.1%
Q3Q2M		1	0.1%
Q3Y4W		1	0.1%
Q3Z8C		1	0.1%
Q4O5O		1	0.1%
Q4R5R		1	0.1%
Q4W7Y		1	0.1%
Q5B5C		1	0.1%
Q5M4M		1	0.1%
Q5Y9E		1	0.1%
Q6A2Y		1	0.1%
Q6L1J		1	0.1%
Q7P9W		1	0.1%
Q7Q8W		1	0.1%
Q7Y5C		1	0.1%
Q8K3M		1	0.1%
Q8R7X		1	0.1%
Q9C6I		1	0.1%
Q9G7N		1	0.1%
Q9J2L		1	0.1%
Q9T3W		1	0.1%
Q9Y8H		1	0.1%
R1H2C		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
R1H3D		1	0.1%
R1P2K		1	0.1%
R1V8W		1	0.1%
R2D9G		1	0.1%
R2Y2U		1	0.1%
R3B2X		1	0.1%
R3F3D		1	0.1%
R3K6L		1	0.1%
R3O7Q		1	0.1%
R3T2Q		1	0.1%
R4I5J		1	0.1%
R4M4M		1	0.1%
R4W9C		1	0.1%
R5T8Y		1	0.1%
R5W2V		1	0.1%
R6B4D		1	0.1%
R6J6N		1	0.1%
R6U3V		1	0.1%
R8D0D		1	0.1%
R8D8L		1	0.1%
R8J6P		1	0.1%
R8N0N		1	0.1%
R8V1W		1	0.1%
R8W5C		1	0.1%
R9H8Q		1	0.1%
R9I3M		1	0.1%
R9L0M		1	0.1%
R9P5V		1	0.1%
R9Q4V		1	0.1%
S0L6K		1	0.1%
S0S8T		1	0.1%
S0U6T		1	0.1%
S1F9I		1	0.1%
S1M2I		1	0.1%
S2A1V		1	0.1%
S2C8F		1	0.1%
S2F2C		1	0.1%
S2N8Q		1	0.1%
S3A4Z		1	0.1%
S3G2E		1	0.1%
S3L2J		1	0.1%
S3Q0M		1	0.1%
S3Y0U		1	0.1%
S4A3Z		1	0.1%
S4E1C		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
S4H4I		1	0.1%
S5A4C		1	0.1%
S5C9J		1	0.1%
S5E6I		1	0.1%
S5M0K		1	0.1%
S6B8I		1	0.1%
S7C9L		1	0.1%
S8F5L		1	0.1%
S8G8P		1	0.1%
S8K6R		1	0.1%
S8L0M		1	0.1%
S8R6Y		1	0.1%
S8S4X		1	0.1%
S9W0Y		1	0.1%
S9Y6H		1	0.1%
T0C1W		1	0.1%
T0D3Z		1	0.1%
T0P2L		1	0.1%
T0S9V		1	0.1%
T0Z4X		1	0.1%
T1G6H		1	0.1%
T1H1D		1	0.1%
T1I1E		1	0.1%
T1L1H		1	0.1%
T2B6D		1	0.1%
T2B8F		1	0.1%
T2U3T		1	0.1%
T2U6W		1	0.1%
T2V3U		1	0.1%
T2Z0V		1	0.1%
T3G0D		1	0.1%
T3H3H		1	0.1%
T4C2C		1	0.1%
T4C8I		1	0.1%
T5P7V		1	0.1%
T5S6X		1	0.1%
T6J7Q		1	0.1%
T6L6R		1	0.1%
T6P6V		1	0.1%
T6P8X		1	0.1%
T6Z1B		1	0.1%
T7G2J		1	0.1%
T8E3J		1	0.1%
T8M2Q		1	0.1%
T8Z9L		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
T9A3G		1	0.1%
T9C0F		1	0.1%
T9M8X		1	0.1%
T9T4B		1	0.1%
T9U9H		1	0.1%
U0C3Z		1	0.1%
U0D6E		1	0.1%
U0I2F		1	0.1%
U0J2G		1	0.1%
U0O4N		1	0.1%
U0Q5Q		1	0.1%
U0S9W		1	0.1%
U0Y3W		1	0.1%
U0Y4X		1	0.1%
U0Z4Y		1	0.1%
U1F3E		1	0.1%
U2D3D		1	0.1%
U2Q4R		1	0.1%
U3L1K		1	0.1%
U3T8Z		1	0.1%
U3W3X		1	0.1%
U4B9J		1	0.1%
U4F6K		1	0.1%
U4G7M		1	0.1%
U4L9T		1	0.1%
U4T9C		1	0.1%
U5B8J		1	0.1%
U5T2V		1	0.1%
U6F2I		1	0.1%
U6I4N		1	0.1%
U6J9T		1	0.1%
U6W0X		1	0.1%
U7D2H		1	0.1%
U7K7T		1	0.1%
U8K4R		1	0.1%
U8R3X		1	0.1%
U9A2G		1	0.1%
U9A6K		1	0.1%
U9G3N		1	0.1%
U9J1O		1	0.1%
V0K2I		1	0.1%
V0R8V		1	0.1%
V1C8H		1	0.1%
V1L5N		1	0.1%
V1N8S		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
V2A3B		1	0.1%
V2X1W		1	0.1%
V2Z6E		1	0.1%
V3B8I		1	0.1%
V4N0N		1	0.1%
V4P0P		1	0.1%
V4X4C		1	0.1%
V5P0Q		1	0.1%
V6A0C		1	0.1%
V6D3I		1	0.1%
V6E5L		1	0.1%
V6F7O		1	0.1%
V6N4T		1	0.1%
V6W5E		1	0.1%
V6Z9L		1	0.1%
V7M0P		1	0.1%
V7N4U		1	0.1%
V8H7S		1	0.1%
V9D6O		1	0.1%
V9G7S		1	0.1%
V9K5U		1	0.1%
V9O6Z		1	0.1%
V9O8C		1	0.1%
V9P1V		1	0.1%
W0H1F		1	0.1%
W0O7S		1	0.1%
W1K7P		1	0.1%
W1Q5T		1	0.1%
W1V4X		1	0.1%
W2D7J		1	0.1%
W2I6N		1	0.1%
W2N6S		1	0.1%
W2V4Y		1	0.1%
W3M4Q		1	0.1%
W3P3S		1	0.1%
W4B7J		1	0.1%
W4C3G		1	0.1%
W4C7K		1	0.1%
W4D6K		1	0.1%
W4R8B		1	0.1%
W4Y6G		1	0.1%
W5F1I		1	0.1%
W5I1L		1	0.1%
W5K5R		1	0.1%
W5O0Q		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
W5P0R		1	0.1%
W6F6O		1	0.1%
W8L2S		1	0.1%
W8Y1F		1	0.1%
W9E4O		1	0.1%
W9R0X		1	0.1%
W9S7G		1	0.1%
W9S8H		1	0.1%
W9X4I		1	0.1%
X0L0J		1	0.1%
X0Q1P		1	0.1%
X1H5L		1	0.1%
X1O6T		1	0.1%
X2E8M		1	0.1%
X2K1L		1	0.1%
X2L8T		1	0.1%
X2P1Q		1	0.1%
X2T6Z		1	0.1%
X3M1O		1	0.1%
X4B2F		1	0.1%
X4K1N		1	0.1%
X5G1K		1	0.1%
X5Q7B		1	0.1%
X5W6G		1	0.1%
X6E5N		1	0.1%
X6S5C		1	0.1%
X7E4N		1	0.1%
X7M7Y		1	0.1%
X7U5F		1	0.1%
X8B5M		1	0.1%
X8B6N		1	0.1%
X8E0K		1	0.1%
X8G1N		1	0.1%
X8M9C		1	0.1%
X9A0H		1	0.1%
X9W7L		1	0.1%
Y0H4K		1	0.1%
Y1K6Q		1	0.1%
Y1O4S		1	0.1%
Y1R8Z		1	0.1%
Y2A3E		1	0.1%
Y2G4L		1	0.1%
Y2P6W		1	0.1%
Y2R5X		1	0.1%
Y2V0W		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
Y3M6U		1	0.1%
Y3X9J		1	0.1%
Y3Z1D		1	0.1%
Y4E8P		1	0.1%
Y4X3E		1	0.1%
Y5E7P		1	0.1%
Y5I2O		1	0.1%
Y5M2S		1	0.1%
Y5Q3X		1	0.1%
Y5R0V		1	0.1%
Y5S5C		1	0.1%
Y6P4Y		1	0.1%
Y7I5T		1	0.1%
Y8O6C		1	0.1%
Y8P2Y		1	0.1%
Y8X2H		1	0.1%
Y8Z2J		1	0.1%
Y9Q2B		1	0.1%
Z0L7S		1	0.1%
Z1I9S		1	0.1%
Z1K5Q		1	0.1%
Z1K7S		1	0.1%
Z2F1I		1	0.1%
Z2H0J		1	0.1%
Z2L1O		1	0.1%
Z3D0G		1	0.1%
Z3H8S		1	0.1%
Z3N0Q		1	0.1%
Z3N1R		1	0.1%
Z3N4U		1	0.1%
Z3W5F		1	0.1%
Z4F9S		1	0.1%
Z4L6V		1	0.1%
Z4M0Q		1	0.1%
Z5A2H		1	0.1%
Z5E5O		1	0.1%
Z5Q7D		1	0.1%
Z5U6G		1	0.1%
Z6B7O		1	0.1%
Z6C2K		1	0.1%
Z6R8G		1	0.1%
Z7J7X		1	0.1%
Z7L9C		1	0.1%
Z7S0Z		1	0.1%
Z8B3M		1	0.1%

hml34_05: bar code for blood smear sample

Value	Label	Cases	Percentage
Z8C3N		1	0.1%
Z8J4V		1	0.1%
Z8U8L		1	0.1%
Z9C2N		1	0.1%
Z9U7L		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_06: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=727 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		1	0.1%
99994		9	1.2%
99995		7	1.0%
99996		2	0.3%
?		6	0.8%
A0J3M		1	0.1%
A0L8T		1	0.1%
A0W4B		1	0.1%
A0Y3C		1	0.1%
A1D1F		1	0.1%
A1F7N		1	0.1%
A1U2X		1	0.1%
A2Y8J		1	0.1%
A3D4K		1	0.1%
A3K3Q		1	0.1%
A3Q4X		1	0.1%
A3R5Z		1	0.1%
A3Z9M		1	0.1%
A4A0E		1	0.1%
A4F0J		1	0.1%
A4F4N		1	0.1%
A4I2O		1	0.1%
A4L3S		1	0.1%
A4O0S		1	0.1%
A4Z6K		1	0.1%
A5C3K		1	0.1%
A5J8W		1	0.1%
A5P7C		1	0.1%
A5Y6K		1	0.1%
A6E8S		1	0.1%
A6G2O		1	0.1%
A6Q5C		1	0.1%
A7B3L		1	0.1%
A7J9Z		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
A8C1L		1	0.1%
A8J8Z		1	0.1%
A8W5K		1	0.1%
A9I2T		1	0.1%
A9R0B		1	0.1%
A9Y0I		1	0.1%
B0T5Z		1	0.1%
B2C5K		1	0.1%
B2R4Y		1	0.1%
B3N5W		1	0.1%
B4H1N		1	0.1%
B4H9V		1	0.1%
B5A9P		1	0.1%
B5D7Q		1	0.1%
B5E3N		1	0.1%
B5N1U		1	0.1%
B5U2D		1	0.1%
B6L5X		1	0.1%
B6O9F		1	0.1%
B6Y4K		1	0.1%
B7O7E		1	0.1%
B7P4C		1	0.1%
B8D8U		1	0.1%
B9E6U		1	0.1%
B9L4Z		1	0.1%
B9T1F		1	0.1%
B9X2K		1	0.1%
C0G9R		1	0.1%
C0H1K		1	0.1%
C0L1O		1	0.1%
C0N7W		1	0.1%
C0U1X		1	0.1%
C0V1Y		1	0.1%
C1G2L		1	0.1%
C1K5S		1	0.1%
C1L7V		1	0.1%
C2B6L		1	0.1%
C3C9Q		1	0.1%
C3M5W		1	0.1%
C3T5E		1	0.1%
C4A5L		1	0.1%
C4F0L		1	0.1%
C4I3R		1	0.1%
C4Z9P		1	0.1%
C5E8T		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
C5J1R		1	0.1%
C5U8K		1	0.1%
C6C2M		1	0.1%
C6M0U		1	0.1%
C6Q6F		1	0.1%
C6R4E		1	0.1%
C6S3E		1	0.1%
C6Z0I		1	0.1%
C7U1F		1	0.1%
C7Y8Q		1	0.1%
C8F6V		1	0.1%
C9D8W		1	0.1%
C9G2T		1	0.1%
C9P0B		1	0.1%
D0L7V		1	0.1%
D0T4B		1	0.1%
D0W6G		1	0.1%
D2A7M		1	0.1%
D2J8W		1	0.1%
D2Y4I		1	0.1%
D3G5R		1	0.1%
D5G3R		1	0.1%
D5J4V		1	0.1%
D5O4B		1	0.1%
D5S7I		1	0.1%
D6D2O		1	0.1%
D6H0Q		1	0.1%
D6I9B		1	0.1%
D6W4K		1	0.1%
D6W7N		1	0.1%
D7Q5G		1	0.1%
D8I7B		1	0.1%
D8V8P		1	0.1%
D9F8Z		1	0.1%
D9P3F		1	0.1%
D9S8N		1	0.1%
D9Z7T		1	0.1%
E0V9J		1	0.1%
E0X1D		1	0.1%
E1S1Y		1	0.1%
E2S3C		1	0.1%
E3E5Q		1	0.1%
E3G0N		1	0.1%
E3G2P		1	0.1%
E3H9X		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
E4I7X		1	0.1%
E5H5V		1	0.1%
E5S2E		1	0.1%
E5T0D		1	0.1%
E6M7E		1	0.1%
E6Q6H		1	0.1%
E6S5I		1	0.1%
E6U2H		1	0.1%
E6W9Q		1	0.1%
E7W2K		1	0.1%
E7W9R		1	0.1%
E8M1Z		1	0.1%
E8S8N		1	0.1%
F0J6U		1	0.1%
F1D1K		1	0.1%
F1O9E		1	0.1%
F2E2N		1	0.1%
F3R1B		1	0.1%
F4D0M		1	0.1%
F4H7X		1	0.1%
F5A0K		1	0.1%
F5N6E		1	0.1%
F6I9D		1	0.1%
F6L2Y		1	0.1%
F6T0F		1	0.1%
F6Y4O		1	0.1%
F8A5S		1	0.1%
F8F5X		1	0.1%
F9O5I		1	0.1%
F9U0J		1	0.1%
F9U6P		1	0.1%
G0L0R		1	0.1%
G0M0S		1	0.1%
G0Q0W		1	0.1%
G1E2N		1	0.1%
G1F7T		1	0.1%
G1I9Y		1	0.1%
G1T2D		1	0.1%
G1X5K		1	0.1%
G2D8T		1	0.1%
G2P9H		1	0.1%
G3A8R		1	0.1%
G3Q0Z		1	0.1%
G3Y9R		1	0.1%
G4D7U		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
G4O3C		1	0.1%
G4T4I		1	0.1%
G4U1G		1	0.1%
G4Y8R		1	0.1%
G5D4S		1	0.1%
G5D6U		1	0.1%
G5E5U		1	0.1%
G5S7L		1	0.1%
G5V3K		1	0.1%
G5V8P		1	0.1%
G6G1T		1	0.1%
G6J7D		1	0.1%
G6P6I		1	0.1%
G6U5M		1	0.1%
G7D1R		1	0.1%
G7G4X		1	0.1%
G7I4Z		1	0.1%
G7O7J		1	0.1%
G7Y2O		1	0.1%
G7Z1O		1	0.1%
G8H5B		1	0.1%
G8T3L		1	0.1%
G8W7S		1	0.1%
G8Z1P		1	0.1%
G9D5X		1	0.1%
G9H5C		1	0.1%
G9T0J		1	0.1%
H0J6W		1	0.1%
H0T1C		1	0.1%
H1S1C		1	0.1%
H1T3F		1	0.1%
H2E6T		1	0.1%
H2Q1B		1	0.1%
H2Y2K		1	0.1%
H3C8U		1	0.1%
H3E3R		1	0.1%
H4B7T		1	0.1%
H4L0W		1	0.1%
H4M4C		1	0.1%
H4Q6I		1	0.1%
H4S4I		1	0.1%
H4Z1M		1	0.1%
H5G7Z		1	0.1%
H5W8R		1	0.1%
H6K1Y		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
H6N1C		1	0.1%
H7B0P		1	0.1%
H7U0J		1	0.1%
H8I9H		1	0.1%
H9B8Z		1	0.1%
H9O9O		1	0.1%
I0H7W		1	0.1%
I0J2T		1	0.1%
I1K0T		1	0.1%
I2E8W		1	0.1%
I2G3T		1	0.1%
I2J2V		1	0.1%
I2K3X		1	0.1%
I2O2B		1	0.1%
I2X6O		1	0.1%
I3A4P		1	0.1%
I3I2V		1	0.1%
I3Z1M		1	0.1%
I4X3N		1	0.1%
I5F9C		1	0.1%
I5T3K		1	0.1%
I5V9S		1	0.1%
I6Z0O		1	0.1%
I6Z3R		1	0.1%
I7E8C		1	0.1%
I7O1F		1	0.1%
I8E7C		1	0.1%
I8K5G		1	0.1%
I8V7T		1	0.1%
I9L0D		1	0.1%
I9S5P		1	0.1%
J0F8W		1	0.1%
J0I1S		1	0.1%
J0L6B		1	0.1%
J0Q4E		1	0.1%
J0U8M		1	0.1%
J0X5M		1	0.1%
J1M6D		1	0.1%
J1Y7Q		1	0.1%
J1Z5P		1	0.1%
J2D8W		1	0.1%
J2Q7J		1	0.1%
J2V1I		1	0.1%
J3X4O		1	0.1%
J4G5Y		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
J4L4D		1	0.1%
J4Q6K		1	0.1%
J4U8Q		1	0.1%
J4Y0M		1	0.1%
J5B1Q		1	0.1%
J5Q6L		1	0.1%
J5W0L		1	0.1%
J6H8F		1	0.1%
J6L5G		1	0.1%
J6O8M		1	0.1%
J6S6O		1	0.1%
J7D3W		1	0.1%
J7E1V		1	0.1%
J7N9N		1	0.1%
J9K3G		1	0.1%
J9Y6X		1	0.1%
K1J9E		1	0.1%
K1O7H		1	0.1%
K1Q0C		1	0.1%
K2A0M		1	0.1%
K2B5S		1	0.1%
K2E1R		1	0.1%
K3D6W		1	0.1%
K3F8B		1	0.1%
K3G2V		1	0.1%
K3Y5R		1	0.1%
K4A0O		1	0.1%
K4B3S		1	0.1%
K4L6G		1	0.1%
K5G7D		1	0.1%
K5M2E		1	0.1%
K6D6Z		1	0.1%
K6P2I		1	0.1%
K6R4M		1	0.1%
K6T7R		1	0.1%
K6X1P		1	0.1%
K6X8W		1	0.1%
K7C0T		1	0.1%
K7F0W		1	0.1%
K8I0B		1	0.1%
K8N5L		1	0.1%
K8T9V		1	0.1%
K9I4G		1	0.1%
K9O9R		1	0.1%
K9P8R		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
K9T4R		1	0.1%
K9V3S		1	0.1%
L0P6H		1	0.1%
L1M0Y		1	0.1%
L2D5V		1	0.1%
L2U0I		1	0.1%
L2U9R		1	0.1%
L3O7K		1	0.1%
L4H8F		1	0.1%
L4J3C		1	0.1%
L4O4I		1	0.1%
L4S0I		1	0.1%
L5E5Z		1	0.1%
L5K5G		1	0.1%
L5L0C		1	0.1%
L5L9L		1	0.1%
L5Y9Y		1	0.1%
L6V7U		1	0.1%
L6X2R		1	0.1%
L7B7B		1	0.1%
L7D8E		1	0.1%
L7E6D		1	0.1%
L7K5I		1	0.1%
L7N7N		1	0.1%
L7U9W		1	0.1%
L8P7Q		1	0.1%
L9D2Z		1	0.1%
L9E0Y		1	0.1%
L9H4G		1	0.1%
L9O5O		1	0.1%
L9Q9U		1	0.1%
M0B6T		1	0.1%
M0U5M		1	0.1%
M0U8P		1	0.1%
M0V1J		1	0.1%
M0W4N		1	0.1%
M1I2X		1	0.1%
M1R4J		1	0.1%
M1R9O		1	0.1%
M1X7S		1	0.1%
M3D4W		1	0.1%
M3H3Z		1	0.1%
M3X7U		1	0.1%
M4L4G		1	0.1%
M4Z8Y		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
M5F1X		1	0.1%
M5R8R		1	0.1%
M6U9W		1	0.1%
M7G4E		1	0.1%
M7K5J		1	0.1%
M7K6K		1	0.1%
M7X4V		1	0.1%
M8B5B		1	0.1%
M8O8R		1	0.1%
M9B8F		1	0.1%
M9D6F		1	0.1%
M9E2C		1	0.1%
M9M7P		1	0.1%
M9S6U		1	0.1%
M9Y5Z		1	0.1%
N0W2M		1	0.1%
N0W5P		1	0.1%
N0X8T		1	0.1%
N1P8M		1	0.1%
N1W4P		1	0.1%
N2F5Z		1	0.1%
N2H1X		1	0.1%
N2M6I		1	0.1%
N2X5S		1	0.1%
N5C4Y		1	0.1%
N6P4N		1	0.1%
N7L0G		1	0.1%
N7Z8D		1	0.1%
N8F4F		1	0.1%
N8H8L		1	0.1%
N8N2L		1	0.1%
N8R2P		1	0.1%
N8W4W		1	0.1%
N8Z7D		1	0.1%
N9T8Y		1	0.1%
N9X9E		1	0.1%
O0A9X		1	0.1%
O0R6M		1	0.1%
O1E9D		1	0.1%
O1P4J		1	0.1%
O1S2K		1	0.1%
O2A9Z		1	0.1%
O2S9S		1	0.1%
O3O1H		1	0.1%
O3T5Q		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
O4K3G		1	0.1%
O5D2Y		1	0.1%
O5O0I		1	0.1%
O5O8Q		1	0.1%
O5S0M		1	0.1%
O5S4Q		1	0.1%
O6J3H		1	0.1%
O6Y8C		1	0.1%
O7V0R		1	0.1%
O7W4W		1	0.1%
O8R2Q		1	0.1%
O8Y6C		1	0.1%
O9K7P		1	0.1%
O9L0J		1	0.1%
P0R1I		1	0.1%
P0R6N		1	0.1%
P0T3M		1	0.1%
P1D8C		1	0.1%
P1U6R		1	0.1%
P1X1P		1	0.1%
P2B7Z		1	0.1%
P2Q3L		1	0.1%
P2R6P		1	0.1%
P2R8R		1	0.1%
P2Y9Z		1	0.1%
P4S3P		1	0.1%
P4U5T		1	0.1%
P4Z4X		1	0.1%
P5I1E		1	0.1%
P5S8V		1	0.1%
P5V8Y		1	0.1%
P6O5P		1	0.1%
P6T2R		1	0.1%
P8Y7E		1	0.1%
P9K3M		1	0.1%
P9Y8G		1	0.1%
Q0J6G		1	0.1%
Q0Z2S		1	0.1%
Q1F9G		1	0.1%
Q1K4G		1	0.1%
Q1O1H		1	0.1%
Q1X0P		1	0.1%
Q1Z2T		1	0.1%
Q2L7L		1	0.1%
Q3Q9T		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
Q3U8W		1	0.1%
Q3W4U		1	0.1%
Q3Z9D		1	0.1%
Q4C4B		1	0.1%
Q5A6C		1	0.1%
Q5B3Z		1	0.1%
Q5N9S		1	0.1%
Q5T9Y		1	0.1%
Q5Y6B		1	0.1%
Q6C5E		1	0.1%
Q6E3E		1	0.1%
Q6I6L		1	0.1%
Q6Z4B		1	0.1%
Q7N0L		1	0.1%
Q7O3P		1	0.1%
Q8R6W		1	0.1%
Q8Z8H		1	0.1%
Q9J0J		1	0.1%
Q9S4W		1	0.1%
Q9T5Y		1	0.1%
R0G6E		1	0.1%
R0X3S		1	0.1%
R1P0I		1	0.1%
R2E3B		1	0.1%
R2E7F		1	0.1%
R2G0Z		1	0.1%
R2S8U		1	0.1%
R3H1D		1	0.1%
R3V3T		1	0.1%
R5I3I		1	0.1%
R5S8X		1	0.1%
R6O7T		1	0.1%
R7F8M		1	0.1%
R7L5P		1	0.1%
R7M5Q		1	0.1%
R7N0M		1	0.1%
R8A0Z		1	0.1%
R8B8J		1	0.1%
R8C2E		1	0.1%
R8D1E		1	0.1%
R8E6K		1	0.1%
R8L9U		1	0.1%
R8N4R		1	0.1%
R8Z2C		1	0.1%
R9C3G		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
R9H4M		1	0.1%
S0B0T		1	0.1%
S0O4L		1	0.1%
S0R9T		1	0.1%
S1D9G		1	0.1%
S1N6N		1	0.1%
S2C4B		1	0.1%
S2F0Z		1	0.1%
S2F1B		1	0.1%
S2K7M		1	0.1%
S2N4M		1	0.1%
S3V0R		1	0.1%
S4O9U		1	0.1%
S4S9Y		1	0.1%
S5F4H		1	0.1%
S5U7Z		1	0.1%
S5V9D		1	0.1%
S5X0V		1	0.1%
S7A5F		1	0.1%
S7E5J		1	0.1%
S7O6U		1	0.1%
S7X8G		1	0.1%
S8F3J		1	0.1%
S9C4I		1	0.1%
S9D7M		1	0.1%
S9F0H		1	0.1%
S9H0J		1	0.1%
S9X3D		1	0.1%
T0E5D		1	0.1%
T0F5E		1	0.1%
T0G0Z		1	0.1%
T0G3D		1	0.1%
T0M3J		1	0.1%
T0X7Y		1	0.1%
T0Z2V		1	0.1%
T1B5B		1	0.1%
T1L2I		1	0.1%
T1L4K		1	0.1%
T1L7N		1	0.1%
T1M1I		1	0.1%
T1O7Q		1	0.1%
T1T9X		1	0.1%
T2R1O		1	0.1%
T2R3Q		1	0.1%
T4K5N		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
T4O5R		1	0.1%
T4T4V		1	0.1%
T4X2X		1	0.1%
T5S7Y		1	0.1%
T6K2M		1	0.1%
T6K7R		1	0.1%
T6U7C		1	0.1%
T6W5C		1	0.1%
T7F2I		1	0.1%
T7N2Q		1	0.1%
T7R9C		1	0.1%
T7Z6H		1	0.1%
T8K8U		1	0.1%
T9A9M		1	0.1%
T9H3N		1	0.1%
T9P5X		1	0.1%
U0A8D		1	0.1%
U0W7Y		1	0.1%
U0Z3X		1	0.1%
U1D2B		1	0.1%
U1J4J		1	0.1%
U1M9R		1	0.1%
U1Y2W		1	0.1%
U2G2F		1	0.1%
U2M8R		1	0.1%
U2R6U		1	0.1%
U3P3Q		1	0.1%
U3R1Q		1	0.1%
U3V5Y		1	0.1%
U4A4D		1	0.1%
U4C0B		1	0.1%
U4G8N		1	0.1%
U5I7P		1	0.1%
U5P3S		1	0.1%
U5W7E		1	0.1%
U6L9V		1	0.1%
U6V1X		1	0.1%
U6W5D		1	0.1%
U7L0N		1	0.1%
U7R1U		1	0.1%
U7Z0C		1	0.1%
U8J2O		1	0.1%
U8P8B		1	0.1%
U9I0M		1	0.1%
U9K4S		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
U9Q7C		1	0.1%
U9S8F		1	0.1%
V0K7N		1	0.1%
V3I0H		1	0.1%
V3J3L		1	0.1%
V3V4Y		1	0.1%
V4H7O		1	0.1%
V4J4N		1	0.1%
V4Q4U		1	0.1%
V4T9D		1	0.1%
V4Y8H		1	0.1%
V4Z5F		1	0.1%
V5A3E		1	0.1%
V5M1O		1	0.1%
V5T1V		1	0.1%
V6H5O		1	0.1%
V6L3Q		1	0.1%
V7B3H		1	0.1%
V7M9Y		1	0.1%
V7T7E		1	0.1%
V9C8P		1	0.1%
V9I6T		1	0.1%
V9Q2X		1	0.1%
V9S6E		1	0.1%
V9W0C		1	0.1%
W0Z4B		1	0.1%
W1E7J		1	0.1%
W1P9W		1	0.1%
W1Z3B		1	0.1%
W2A8H		1	0.1%
W2B9J		1	0.1%
W2C7I		1	0.1%
W3H3K		1	0.1%
W3I6O		1	0.1%
W3I7P		1	0.1%
W3Q2S		1	0.1%
W3V6C		1	0.1%
W3X4C		1	0.1%
W3Y8H		1	0.1%
W4C1E		1	0.1%
W4H9R		1	0.1%
W4Y3D		1	0.1%
W5D8N		1	0.1%
W5G4M		1	0.1%
W5W3C		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
W6E8P		1	0.1%
W7M6W		1	0.1%
W8I3Q		1	0.1%
W9K6W		1	0.1%
X0E7J		1	0.1%
X0F8L		1	0.1%
X0Y9G		1	0.1%
X1A3C		1	0.1%
X1F9N		1	0.1%
X1R2S		1	0.1%
X2O7V		1	0.1%
X2W3Z		1	0.1%
X2W9G		1	0.1%
X2X1Y		1	0.1%
X2Y0Y		1	0.1%
X2Z6G		1	0.1%
X3Y8I		1	0.1%
X4F1I		1	0.1%
X4K2O		1	0.1%
X5J5R		1	0.1%
X6D4L		1	0.1%
X6I8U		1	0.1%
X6L9Y		1	0.1%
X6N0R		1	0.1%
X7H4Q		1	0.1%
X8J9Y		1	0.1%
X8M2U		1	0.1%
X8R3B		1	0.1%
X8V7J		1	0.1%
Y0O1O		1	0.1%
Y1O6U		1	0.1%
Y1Y0Y		1	0.1%
Y2A2D		1	0.1%
Y2A9K		1	0.1%
Y3B4H		1	0.1%
Y3N1Q		1	0.1%
Y3Y8J		1	0.1%
Y4K0N		1	0.1%
Y4T8F		1	0.1%
Y4Z4H		1	0.1%
Y4Z5I		1	0.1%
Y5B1G		1	0.1%
Y5T0X		1	0.1%
Y6F4O		1	0.1%
Y6K3S		1	0.1%

hml34_06: bar code for blood smear sample

Value	Label	Cases	Percentage
Y6Q2X		1	0.1%
Y6R6D		1	0.1%
Y6T1Z		1	0.1%
Y6T8H		1	0.1%
Y7S4D		1	0.1%
Y8M3W		1	0.1%
Y9A2K		1	0.1%
Y9I9Z		1	0.1%
Y9L4X		1	0.1%
Y9Q3C		1	0.1%
Z0B8J		1	0.1%
Z0F1G		1	0.1%
Z0Z2C		1	0.1%
Z1E8N		1	0.1%
Z1F7N		1	0.1%
Z1J7R		1	0.1%
Z1S5Y		1	0.1%
Z2K4Q		1	0.1%
Z2Z0C		1	0.1%
Z2Z7J		1	0.1%
Z2Z9L		1	0.1%
Z3A2F		1	0.1%
Z3D5L		1	0.1%
Z3X4F		1	0.1%
Z4P9D		1	0.1%
Z4S3Z		1	0.1%
Z4V6G		1	0.1%
Z5G4P		1	0.1%
Z5T6F		1	0.1%
Z5U5F		1	0.1%
Z5Z0F		1	0.1%
Z6L5W		1	0.1%
Z6P5B		1	0.1%
Z6V4G		1	0.1%
Z7G0N		1	0.1%
Z7W7L		1	0.1%
Z7Z5M		1	0.1%
Z8L5Y		1	0.1%
Z9A1K		1	0.1%
Z9B3N		1	0.1%
Z9D3P		1	0.1%
Z9S4G		1	0.1%
Z9X9Q		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_07: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=616 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		1	0.2%
99994		7	1.1%
99995		6	1.0%
99996		2	0.3%
?		3	0.5%
A0P2R		1	0.2%
A0Q0Q		1	0.2%
A1B6I		1	0.2%
A1B8K		1	0.2%
A1S7B		1	0.2%
A2H0J		1	0.2%
A2W5E		1	0.2%
A4D6N		1	0.2%
A4K6U		1	0.2%
A4L9Y		1	0.2%
A4T0X		1	0.2%
A5D5N		1	0.2%
A5Q5B		1	0.2%
A6D8R		1	0.2%
A6E1L		1	0.2%
A6S3C		1	0.2%
A6Z4K		1	0.2%
A7N4Y		1	0.2%
A8S7I		1	0.2%
A8Y6N		1	0.2%
A9Z1K		1	0.2%
B0F8O		1	0.2%
B0J5P		1	0.2%
B1L6T		1	0.2%
B1M9X		1	0.2%
B1Y0B		1	0.2%
B2O4V		1	0.2%
B3U6F		1	0.2%
B6W7L		1	0.2%
B7I7X		1	0.2%
B8I3U		1	0.2%
B8U4I		1	0.2%
B9A6Q		1	0.2%
B9B7S		1	0.2%
B9C5R		1	0.2%
B9D8V		1	0.2%
B9F7W		1	0.2%
B9H7Y		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
B9Q0B		1	0.2%
C0B0D		1	0.2%
C0H0J		1	0.2%
C0Z5H		1	0.2%
C2X2E		1	0.2%
C3M4V		1	0.2%
C3R7E		1	0.2%
C4H5S		1	0.2%
C4K6W		1	0.2%
C5Z8P		1	0.2%
C6W4J		1	0.2%
C7D0M		1	0.2%
C7D5R		1	0.2%
C7I8Z		1	0.2%
C7Z5O		1	0.2%
C8C0M		1	0.2%
C8C4Q		1	0.2%
C8O5E		1	0.2%
C8P1B		1	0.2%
C8V8O		1	0.2%
C9C0N		1	0.2%
C9E0P		1	0.2%
D0C0F		1	0.2%
D0K6T		1	0.2%
D0Q4X		1	0.2%
D2E5O		1	0.2%
D2F8S		1	0.2%
D2L6W		1	0.2%
D3J9Y		1	0.2%
D4S3D		1	0.2%
D4U0C		1	0.2%
D6S0C		1	0.2%
D7O6F		1	0.2%
D8K6C		1	0.2%
D9J9F		1	0.2%
D9M7G		1	0.2%
E0F5O		1	0.2%
E0K6U		1	0.2%
E0S9G		1	0.2%
E0Z9N		1	0.2%
E1X5I		1	0.2%
E2A7N		1	0.2%
E3C3M		1	0.2%
E3O7D		1	0.2%
E3S8I		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
E4I2S		1	0.2%
E5E1O		1	0.2%
E5G8X		1	0.2%
E5Y1J		1	0.2%
E6C8U		1	0.2%
E6J5Y		1	0.2%
E6X2K		1	0.2%
E7R3G		1	0.2%
E9H4Y		1	0.2%
E9Z0N		1	0.2%
F0C9Q		1	0.2%
F0D6O		1	0.2%
F0E3M		1	0.2%
F0H6S		1	0.2%
F0I3Q		1	0.2%
F1N2V		1	0.2%
F1P6C		1	0.2%
F1W2F		1	0.2%
F2O5B		1	0.2%
F2S8I		1	0.2%
F2W4I		1	0.2%
F3N4Z		1	0.2%
F3P2Z		1	0.2%
F3Y8P		1	0.2%
F4B2M		1	0.2%
F4E6T		1	0.2%
F4R1C		1	0.2%
F4S8K		1	0.2%
F4T2F		1	0.2%
F5H9B		1	0.2%
F5O6F		1	0.2%
F6A6R		1	0.2%
F6D6U		1	0.2%
F6M5D		1	0.2%
F6W3L		1	0.2%
F7A8U		1	0.2%
F7A9V		1	0.2%
F7F9B		1	0.2%
F7I0U		1	0.2%
F7O4F		1	0.2%
F7O7I		1	0.2%
F8F9C		1	0.2%
F8T3K		1	0.2%
F9D8Z		1	0.2%
F9U3M		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
G1S5F		1	0.2%
G2M6B		1	0.2%
G2S3E		1	0.2%
G3F7V		1	0.2%
G3O5D		1	0.2%
G4Q7I		1	0.2%
G4Y0J		1	0.2%
G6A7T		1	0.2%
G6T8O		1	0.2%
G7C2R		1	0.2%
G7K2Z		1	0.2%
G7V5O		1	0.2%
G8B2R		1	0.2%
G8L6G		1	0.2%
G8Q0F		1	0.2%
G8Q2H		1	0.2%
G9J4D		1	0.2%
G9N3G		1	0.2%
G9Q9P		1	0.2%
G9R0H		1	0.2%
H0B3L		1	0.2%
H1E7T		1	0.2%
H1N2X		1	0.2%
H1P7F		1	0.2%
H1T0C		1	0.2%
H1U4H		1	0.2%
H2L2W		1	0.2%
H2N6D		1	0.2%
H2P1Z		1	0.2%
H2V2H		1	0.2%
H4R2F		1	0.2%
H4T0F		1	0.2%
H5E9Z		1	0.2%
H5K6D		1	0.2%
H6E6X		1	0.2%
H6X4P		1	0.2%
H6Y9V		1	0.2%
H7M5G		1	0.2%
H8K6G		1	0.2%
H9A7X		1	0.2%
H9B5W		1	0.2%
H9B6X		1	0.2%
H9C7Z		1	0.2%
H9Q8P		1	0.2%
H9Q9Q		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
H9X9X		1	0.2%
H9Y1Q		1	0.2%
I0A2K		1	0.2%
I0E6S		1	0.2%
I0I5V		1	0.2%
I1B4O		1	0.2%
I1U8M		1	0.2%
I2V6M		1	0.2%
I3J8D		1	0.2%
I3O8I		1	0.2%
I4E2S		1	0.2%
I4I4Y		1	0.2%
I4W9S		1	0.2%
I5L9I		1	0.2%
I5M4E		1	0.2%
I5P4H		1	0.2%
I7E6Z		1	0.2%
I7I6E		1	0.2%
I7Q3J		1	0.2%
I7T9S		1	0.2%
I8Q9Q		1	0.2%
I9Z0R		1	0.2%
J0P0Y		1	0.2%
J2W0I		1	0.2%
J3G6Y		1	0.2%
J3J5B		1	0.2%
J3O7I		1	0.2%
J4W1L		1	0.2%
J6K3D		1	0.2%
J7B3U		1	0.2%
J7F6C		1	0.2%
J7I3C		1	0.2%
J7Q5M		1	0.2%
J7Q7O		1	0.2%
J8G1Y		1	0.2%
J9D4Z		1	0.2%
J9Q6P		1	0.2%
K0D9W		1	0.2%
K0E8W		1	0.2%
K0I7Z		1	0.2%
K0X1J		1	0.2%
K0Y7Q		1	0.2%
K1I2V		1	0.2%
K1X7Q		1	0.2%
K1Y4O		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
K2D5U		1	0.2%
K2Q8L		1	0.2%
K2T6M		1	0.2%
K2X1L		1	0.2%
K2X3N		1	0.2%
K2Z1N		1	0.2%
K3F1T		1	0.2%
K3G8C		1	0.2%
K3V5O		1	0.2%
K4K6F		1	0.2%
K5E3W		1	0.2%
K5W3P		1	0.2%
K5Y9X		1	0.2%
K6B2T		1	0.2%
K6E9E		1	0.2%
K6L5H		1	0.2%
K7P2J		1	0.2%
K7Y0Q		1	0.2%
K8K5I		1	0.2%
K8Q3M		1	0.2%
K9A4X		1	0.2%
L0T4J		1	0.2%
L1I8D		1	0.2%
L2M8I		1	0.2%
L2W9T		1	0.2%
L3N9L		1	0.2%
L5F2X		1	0.2%
L5T1L		1	0.2%
L6W3R		1	0.2%
L6W6U		1	0.2%
L6Y4U		1	0.2%
L7A8B		1	0.2%
L7B2V		1	0.2%
L7H0Z		1	0.2%
L7H3D		1	0.2%
L7T4Q		1	0.2%
L7Z9C		1	0.2%
L8M5L		1	0.2%
L8X7Y		1	0.2%
L9B7D		1	0.2%
L9L9P		1	0.2%
L9W8Z		1	0.2%
M0F5W		1	0.2%
M0H5Y		1	0.2%
M0V2K		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
M1B9X		1	0.2%
M2E4W		1	0.2%
M3N7K		1	0.2%
M3R2J		1	0.2%
M3Z8X		1	0.2%
M4B3U		1	0.2%
M4D6Z		1	0.2%
M4E3X		1	0.2%
M4P0G		1	0.2%
M5F7E		1	0.2%
M5R3M		1	0.2%
M7I0C		1	0.2%
M7M2I		1	0.2%
M7U3R		1	0.2%
M8A3X		1	0.2%
M8W9B		1	0.2%
M8X5X		1	0.2%
N0I9F		1	0.2%
N0P8L		1	0.2%
N0R0F		1	0.2%
N0R4J		1	0.2%
N1F8C		1	0.2%
N1H3Y		1	0.2%
N1L6G		1	0.2%
N1T7P		1	0.2%
N3A3T		1	0.2%
N3D9D		1	0.2%
N3L2E		1	0.2%
N3M0D		1	0.2%
N4Z7Y		1	0.2%
N5H3D		1	0.2%
N6P9S		1	0.2%
N7J5J		1	0.2%
N7P8S		1	0.2%
N7Q0L		1	0.2%
N7T8W		1	0.2%
N7U0P		1	0.2%
N8K9P		1	0.2%
N8P9U		1	0.2%
N8Q3P		1	0.2%
N8R4R		1	0.2%
N9I8N		1	0.2%
N9K0H		1	0.2%
N9N5P		1	0.2%
N9X1V		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
O0I0W		1	0.2%
O1C3U		1	0.2%
O1Z1Q		1	0.2%
O2C6Y		1	0.2%
O2D2V		1	0.2%
O2I1Z		1	0.2%
O3A8Z		1	0.2%
O4G1Z		1	0.2%
O4G4D		1	0.2%
O4L6K		1	0.2%
O4Z0S		1	0.2%
O5E5D		1	0.2%
O5T8V		1	0.2%
O6D3B		1	0.2%
O6M1I		1	0.2%
O7F5G		1	0.2%
O7T2R		1	0.2%
O8A7E		1	0.2%
O8B2Z		1	0.2%
O9W0U		1	0.2%
P0C1S		1	0.2%
P0F4Y		1	0.2%
P0F6B		1	0.2%
P0H7E		1	0.2%
P0M8K		1	0.2%
P1I1Z		1	0.2%
P1V1N		1	0.2%
P1Z9Z		1	0.2%
P2E6C		1	0.2%
P2R0J		1	0.2%
P2S5P		1	0.2%
P2T2N		1	0.2%
P2X3S		1	0.2%
P3Z5X		1	0.2%
P7M4N		1	0.2%
P8A7F		1	0.2%
P8F5I		1	0.2%
P8I8O		1	0.2%
P8R8X		1	0.2%
P9I5M		1	0.2%
P9L8S		1	0.2%
P9Q9Y		1	0.2%
P9Y7F		1	0.2%
Q0C9C		1	0.2%
Q0G6D		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
Q0H1Y		1	0.2%
Q0Q0H		1	0.2%
Q0R0I		1	0.2%
Q1A2T		1	0.2%
Q1V3Q		1	0.2%
Q2A5X		1	0.2%
Q2W4T		1	0.2%
Q3O0I		1	0.2%
Q3Y8B		1	0.2%
Q4E5E		1	0.2%
Q4I0D		1	0.2%
Q5C1Y		1	0.2%
Q5Z4Z		1	0.2%
Q6B5D		1	0.2%
Q6J1H		1	0.2%
Q6X3X		1	0.2%
Q6Z1X		1	0.2%
Q7F9M		1	0.2%
Q8H4K		1	0.2%
Q9G4K		1	0.2%
R0C0T		1	0.2%
R0K6I		1	0.2%
R0L7K		1	0.2%
R0V6T		1	0.2%
R0W3R		1	0.2%
R1B6Z		1	0.2%
R1P8Q		1	0.2%
R1V0O		1	0.2%
R1W1Q		1	0.2%
R2D6D		1	0.2%
R3O6P		1	0.2%
R4A4Z		1	0.2%
R4K6M		1	0.2%
R4W8B		1	0.2%
R5C4D		1	0.2%
R5O8T		1	0.2%
R5U7Y		1	0.2%
R5Y5B		1	0.2%
R6J8P		1	0.2%
R6K6O		1	0.2%
R6O5R		1	0.2%
R6Y3Z		1	0.2%
R7I1I		1	0.2%
R8F3I		1	0.2%
R8G8O		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
R8K2M		1	0.2%
R9E8N		1	0.2%
R9R2U		1	0.2%
R9S5Y		1	0.2%
R9T4Y		1	0.2%
R9Z4F		1	0.2%
S0T2O		1	0.2%
S1P8R		1	0.2%
S2C7E		1	0.2%
S3J8N		1	0.2%
S3K9P		1	0.2%
S3R7U		1	0.2%
S3T6V		1	0.2%
S3Z7D		1	0.2%
S5M7R		1	0.2%
S5W8D		1	0.2%
S6J7P		1	0.2%
S6P3R		1	0.2%
S7Q5V		1	0.2%
S7R7Y		1	0.2%
S7Z2C		1	0.2%
S8E4J		1	0.2%
S8M3Q		1	0.2%
S8N7V		1	0.2%
S8U1W		1	0.2%
S8W4C		1	0.2%
S8Y0Z		1	0.2%
S9M9X		1	0.2%
T1G9K		1	0.2%
T1H8K		1	0.2%
T1J2G		1	0.2%
T1K7M		1	0.2%
T2E5F		1	0.2%
T2M9R		1	0.2%
T2N1K		1	0.2%
T2Q0M		1	0.2%
T2X0T		1	0.2%
T3P0M		1	0.2%
T3Q9W		1	0.2%
T4S3T		1	0.2%
T4V7B		1	0.2%
T4Y5C		1	0.2%
T5G4J		1	0.2%
T6A9J		1	0.2%
T6D1E		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
T6J8R		1	0.2%
T6L4P		1	0.2%
T7Y0Z		1	0.2%
T8F0H		1	0.2%
T8G6O		1	0.2%
T8I0K		1	0.2%
T9H6Q		1	0.2%
T9S9F		1	0.2%
T9X5G		1	0.2%
U0U0P		1	0.2%
U0V4U		1	0.2%
U2G1E		1	0.2%
U2S9Y		1	0.2%
U2Y2X		1	0.2%
U4L1L		1	0.2%
U5P1Q		1	0.2%
U5U4Y		1	0.2%
U6U8E		1	0.2%
U6Y2C		1	0.2%
U7A9L		1	0.2%
U7N2R		1	0.2%
U7P8Z		1	0.2%
U8E6N		1	0.2%
U8S6C		1	0.2%
U8Y0C		1	0.2%
U9B7M		1	0.2%
U9I1N		1	0.2%
U9R1W		1	0.2%
V0D4D		1	0.2%
V0G0C		1	0.2%
V0Q0M		1	0.2%
V0X4X		1	0.2%
V1J5L		1	0.2%
V2N1M		1	0.2%
V2X5B		1	0.2%
V3S2T		1	0.2%
V4Q3T		1	0.2%
V5G8P		1	0.2%
V6F2J		1	0.2%
V6F8P		1	0.2%
V6X0Z		1	0.2%
V6Y4F		1	0.2%
V7C1G		1	0.2%
V7R3X		1	0.2%
V7U4C		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
V7V1Z		1	0.2%
V8C1H		1	0.2%
V8F4N		1	0.2%
V8L0P		1	0.2%
V8V2C		1	0.2%
V8Y7K		1	0.2%
V9E4N		1	0.2%
V9G1M		1	0.2%
W0Q3Q		1	0.2%
W0Q7U		1	0.2%
W0W0T		1	0.2%
W1H5K		1	0.2%
W1K2K		1	0.2%
W2A5E		1	0.2%
W2D4G		1	0.2%
W2J5N		1	0.2%
W2M8T		1	0.2%
W2V3X		1	0.2%
W3N2P		1	0.2%
W3S2U		1	0.2%
W4E5K		1	0.2%
W4Y1B		1	0.2%
W5H8R		1	0.2%
W6E3K		1	0.2%
W6P5X		1	0.2%
W7K2Q		1	0.2%
W7O5X		1	0.2%
W7S6D		1	0.2%
W7U4D		1	0.2%
W8G1M		1	0.2%
W8G7S		1	0.2%
W9B9Q		1	0.2%
W9K8Y		1	0.2%
W9P3Y		1	0.2%
W9Q3Z		1	0.2%
W9R4C		1	0.2%
X0G0E		1	0.2%
X0J9Q		1	0.2%
X0Y1X		1	0.2%
X0Z3B		1	0.2%
X1E0D		1	0.2%
X1I1I		1	0.2%
X2D5I		1	0.2%
X2K4O		1	0.2%
X2Y2B		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
X3W7F		1	0.2%
X4G3L		1	0.2%
X4P7Y		1	0.2%
X4Z9L		1	0.2%
X5L7V		1	0.2%
X5S5B		1	0.2%
X6M5V		1	0.2%
X6Q0U		1	0.2%
X6V9J		1	0.2%
X6Y2F		1	0.2%
X7B6M		1	0.2%
X8G9V		1	0.2%
X8K5V		1	0.2%
X9J9Z		1	0.2%
X9Y6M		1	0.2%
Y0F2G		1	0.2%
Y0I4L		1	0.2%
Y1B2D		1	0.2%
Y1I8Q		1	0.2%
Y1J1K		1	0.2%
Y1W3Z		1	0.2%
Y2J1L		1	0.2%
Y4B9N		1	0.2%
Y5M6W		1	0.2%
Y5V5F		1	0.2%
Y6F2M		1	0.2%
Y6J7V		1	0.2%
Y6M0R		1	0.2%
Y6Z4J		1	0.2%
Y7D5O		1	0.2%
Y7L8Z		1	0.2%
Y7P5B		1	0.2%
Y7T8I		1	0.2%
Y7Z0G		1	0.2%
Y8A2J		1	0.2%
Y8E1M		1	0.2%
Y9E6S		1	0.2%
Y9F3Q		1	0.2%
Y9G4S		1	0.2%
Y9M3X		1	0.2%
Y9T3F		1	0.2%
Y9U1E		1	0.2%
Z0B1C		1	0.2%
Z0K3N		1	0.2%
Z0M4Q		1	0.2%

hml34_07: bar code for blood smear sample

Value	Label	Cases	Percentage
Z0U5Z		1	0.2%
Z0X1Y		1	0.2%
Z1E3I		1	0.2%
Z2D5K		1	0.2%
Z3K2P		1	0.2%
Z4S8F		1	0.2%
Z5B9P		1	0.2%
Z5H3P		1	0.2%
Z5N0S		1	0.2%
Z5P3X		1	0.2%
Z5R0W		1	0.2%
Z6D3M		1	0.2%
Z6I6U		1	0.2%
Z6W1E		1	0.2%
Z6X2G		1	0.2%
Z7M3W		1	0.2%
Z8N5B		1	0.2%
Z8X5L		1	0.2%
Z9G7W		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_08: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=464 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		3	0.6%
99994		6	1.3%
99995		1	0.2%
99996		2	0.4%
?		1	0.2%
A1L3P		1	0.2%
A2E2I		1	0.2%
A2J8T		1	0.2%
A3H8S		1	0.2%
A3Y3F		1	0.2%
A4O4W		1	0.2%
A4W6H		1	0.2%
A4X7J		1	0.2%
A4Y1E		1	0.2%
A5C7O		1	0.2%
A5L1R		1	0.2%
A5Q4Z		1	0.2%
A5T1Z		1	0.2%
A7I7W		1	0.2%
A8F8V		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
A9H2S		1	0.2%
A9I3U		1	0.2%
A9V7M		1	0.2%
B0I6P		1	0.2%
B1J3O		1	0.2%
B1W3C		1	0.2%
B2N9Z		1	0.2%
B4T8H		1	0.2%
B5O5Z		1	0.2%
B7H7W		1	0.2%
B7O2Y		1	0.2%
B9L7D		1	0.2%
C0K3P		1	0.2%
C1I7S		1	0.2%
C1N7X		1	0.2%
C1T3Z		1	0.2%
C4L0R		1	0.2%
C5S2C		1	0.2%
C6D8T		1	0.2%
C6P5D		1	0.2%
C6T0C		1	0.2%
C8D6T		1	0.2%
C8E0O		1	0.2%
C8S2F		1	0.2%
C9R6J		1	0.2%
D0E4L		1	0.2%
D1N3U		1	0.2%
D2N5X		1	0.2%
D2O4X		1	0.2%
D3T8I		1	0.2%
D4E7S		1	0.2%
D4T5G		1	0.2%
D5A4M		1	0.2%
D6Q1B		1	0.2%
D6S1D		1	0.2%
D7B4P		1	0.2%
D7F7W		1	0.2%
D7L1W		1	0.2%
D7S4H		1	0.2%
D7V4K		1	0.2%
D9E2S		1	0.2%
D9T3J		1	0.2%
E0Z4I		1	0.2%
E1I5S		1	0.2%
E1Y3H		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
E1Z7M		1	0.2%
E2A6M		1	0.2%
E3B0I		1	0.2%
E3J1R		1	0.2%
E3P9G		1	0.2%
E4E1N		1	0.2%
E4H8X		1	0.2%
E4K3V		1	0.2%
E6D1O		1	0.2%
E6E4S		1	0.2%
E7N7G		1	0.2%
E8D4T		1	0.2%
E9A3Q		1	0.2%
E9B7V		1	0.2%
F1I8W		1	0.2%
F1V3F		1	0.2%
F1X0E		1	0.2%
F2D9T		1	0.2%
F2S7H		1	0.2%
F3I7X		1	0.2%
F4E8V		1	0.2%
F5Z4O		1	0.2%
F6A9U		1	0.2%
F8E3U		1	0.2%
F8T9Q		1	0.2%
F9G4Y		1	0.2%
F9I5C		1	0.2%
F9V1L		1	0.2%
G0A0G		1	0.2%
G0A1H		1	0.2%
G0C5N		1	0.2%
G0E3N		1	0.2%
G0S6F		1	0.2%
G1U5H		1	0.2%
G2E5R		1	0.2%
G2V7L		1	0.2%
G3T5I		1	0.2%
G4C7T		1	0.2%
G4M7E		1	0.2%
G4N5D		1	0.2%
G4S3G		1	0.2%
G4T3H		1	0.2%
G4Y2L		1	0.2%
G5H1T		1	0.2%
G5K8E		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
G5M7F		1	0.2%
G5N6F		1	0.2%
G6H9D		1	0.2%
G6L9H		1	0.2%
G6O7I		1	0.2%
G6U9Q		1	0.2%
G7N8J		1	0.2%
G8F6Z		1	0.2%
G8Z8W		1	0.2%
H0E3O		1	0.2%
H0F1N		1	0.2%
H0I9Y		1	0.2%
H1F7U		1	0.2%
H1O9G		1	0.2%
H1X9P		1	0.2%
H1Z1J		1	0.2%
H1Z9R		1	0.2%
H2V3I		1	0.2%
H2Z8R		1	0.2%
H4G4V		1	0.2%
H4T4J		1	0.2%
H7G2W		1	0.2%
H7I3Z		1	0.2%
H7L3D		1	0.2%
H7O4H		1	0.2%
H7Y9W		1	0.2%
H8C5W		1	0.2%
H8E8C		1	0.2%
H8H7E		1	0.2%
H9E4Y		1	0.2%
H9H0X		1	0.2%
I0V5J		1	0.2%
I2B9U		1	0.2%
I2J6Z		1	0.2%
I2K6B		1	0.2%
I2R2E		1	0.2%
I2T6K		1	0.2%
I2T8M		1	0.2%
I3U0G		1	0.2%
I6F4X		1	0.2%
I7C4V		1	0.2%
I7F1V		1	0.2%
I7H3Z		1	0.2%
I7H6D		1	0.2%
I7N3G		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
I7S2K		1	0.2%
I8P3J		1	0.2%
I9J5G		1	0.2%
I9U8U		1	0.2%
J1Q4F		1	0.2%
J1T6K		1	0.2%
J2I7B		1	0.2%
J2J2W		1	0.2%
J2T6L		1	0.2%
J3J3Y		1	0.2%
J3O4F		1	0.2%
J4R2H		1	0.2%
J4Y7T		1	0.2%
J6H9G		1	0.2%
J6R7O		1	0.2%
J7P8O		1	0.2%
J9T2O		1	0.2%
K0D2P		1	0.2%
K0L1W		1	0.2%
K1T5K		1	0.2%
K2D9Y		1	0.2%
K2P6I		1	0.2%
K2S3I		1	0.2%
K3B4S		1	0.2%
K3N1C		1	0.2%
K4X1N		1	0.2%
K5T5O		1	0.2%
K6F2X		1	0.2%
K6Q5M		1	0.2%
K7E3Y		1	0.2%
K7N9O		1	0.2%
K7V0N		1	0.2%
K8L4I		1	0.2%
K8Z6Y		1	0.2%
K9E5D		1	0.2%
L0X7Q		1	0.2%
L1L9H		1	0.2%
L2S1H		1	0.2%
L3Q7M		1	0.2%
L4K0Z		1	0.2%
L4L7I		1	0.2%
L5F3Y		1	0.2%
L5F5B		1	0.2%
L5G4B		1	0.2%
L5Y5U		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
L6C8C		1	0.2%
L6G4C		1	0.2%
L7D6C		1	0.2%
L7Q4N		1	0.2%
L8L5K		1	0.2%
L9C7E		1	0.2%
L9N8Q		1	0.2%
M1N7I		1	0.2%
M1S6M		1	0.2%
M2F1U		1	0.2%
M2S5M		1	0.2%
M2Y6T		1	0.2%
M3H5C		1	0.2%
M3J2B		1	0.2%
M4N6K		1	0.2%
M4Q1I		1	0.2%
M4S9S		1	0.2%
M5C2V		1	0.2%
M5Y5V		1	0.2%
M6O9Q		1	0.2%
M6P9R		1	0.2%
M7Z7B		1	0.2%
M8E8H		1	0.2%
M8M9Q		1	0.2%
N0G0T		1	0.2%
N0N1C		1	0.2%
N0Z5S		1	0.2%
N1J4C		1	0.2%
N1M9K		1	0.2%
N1Y1O		1	0.2%
N2H6D		1	0.2%
N2I1Y		1	0.2%
N3W3Q		1	0.2%
N4V2P		1	0.2%
N5J6I		1	0.2%
N5K5I		1	0.2%
N5L0E		1	0.2%
N6Q1L		1	0.2%
N8D5E		1	0.2%
N8P5Q		1	0.2%
N9B4C		1	0.2%
N9V6Y		1	0.2%
O0D1S		1	0.2%
O0Q1G		1	0.2%
O1F0U		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
O1O5J		1	0.2%
O2Q8P		1	0.2%
O3X2R		1	0.2%
O4M9O		1	0.2%
O5B6B		1	0.2%
O5H3E		1	0.2%
O5Q6Q		1	0.2%
O5T0N		1	0.2%
O7J0F		1	0.2%
O7R7U		1	0.2%
O7X7B		1	0.2%
O8I7M		1	0.2%
O9F8L		1	0.2%
P1C3V		1	0.2%
P1O6L		1	0.2%
P2R1K		1	0.2%
P3C5Z		1	0.2%
P3D3Y		1	0.2%
P3O5M		1	0.2%
P3T5R		1	0.2%
P4N9Q		1	0.2%
P5T4S		1	0.2%
P6A4Z		1	0.2%
P6E8I		1	0.2%
P6O0K		1	0.2%
P6X0T		1	0.2%
P7F0C		1	0.2%
Q0M9M		1	0.2%
Q1L5I		1	0.2%
Q1M8M		1	0.2%
Q1V8V		1	0.2%
Q2N7N		1	0.2%
Q3D2Y		1	0.2%
Q4E6F		1	0.2%
Q4V8Y		1	0.2%
Q4Y2V		1	0.2%
Q5U3T		1	0.2%
Q5V2T		1	0.2%
Q6G8L		1	0.2%
Q6J4K		1	0.2%
Q6P4Q		1	0.2%
Q6Q4R		1	0.2%
Q7Q9X		1	0.2%
Q7S7X		1	0.2%
Q7T9B		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
Q7U4W		1	0.2%
Q8U5Y		1	0.2%
Q8W4Z		1	0.2%
Q9H7O		1	0.2%
Q9N5S		1	0.2%
Q9Q7X		1	0.2%
R0K9L		1	0.2%
R1Z9C		1	0.2%
R2I2E		1	0.2%
R3R3P		1	0.2%
R3Y6Z		1	0.2%
R4E2C		1	0.2%
R5C5E		1	0.2%
R5U3U		1	0.2%
R6H2H		1	0.2%
R6Q4S		1	0.2%
R7I5M		1	0.2%
R8A4E		1	0.2%
R8C0C		1	0.2%
R9C2F		1	0.2%
R9U9F		1	0.2%
S2D0X		1	0.2%
S2K1G		1	0.2%
S2M8P		1	0.2%
S2U2R		1	0.2%
S3N3M		1	0.2%
S3Z1W		1	0.2%
S4C6F		1	0.2%
S4H3H		1	0.2%
S5A3B		1	0.2%
S5Q8W		1	0.2%
S7W9G		1	0.2%
S8G9Q		1	0.2%
S8Z4F		1	0.2%
S9U6D		1	0.2%
T0F1Z		1	0.2%
T0G6G		1	0.2%
T0H2D		1	0.2%
T1D5D		1	0.2%
T1Q6R		1	0.2%
T1S0N		1	0.2%
T1W4V		1	0.2%
T2J9O		1	0.2%
T3K9Q		1	0.2%
T3P3P		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
T3P5R		1	0.2%
T3W5Y		1	0.2%
T4D5G		1	0.2%
T4L1K		1	0.2%
T6S4W		1	0.2%
T7K1M		1	0.2%
T7Y8I		1	0.2%
T8T5B		1	0.2%
T9M4T		1	0.2%
T9P9C		1	0.2%
T9Q1U		1	0.2%
U0M1I		1	0.2%
U0O1K		1	0.2%
U0W0R		1	0.2%
U1I8M		1	0.2%
U2B2Z		1	0.2%
U2Z8F		1	0.2%
U3A7F		1	0.2%
U3I7N		1	0.2%
U3V2V		1	0.2%
U4D6I		1	0.2%
U4P2Q		1	0.2%
U5H8P		1	0.2%
U7O3T		1	0.2%
U7X3D		1	0.2%
U8B9N		1	0.2%
U8K3Q		1	0.2%
U8M4T		1	0.2%
U8X3E		1	0.2%
U8X8J		1	0.2%
U9E1J		1	0.2%
U9F1K		1	0.2%
U9F4N		1	0.2%
U9U6F		1	0.2%
V0Y0U		1	0.2%
V1G1E		1	0.2%
V1G4H		1	0.2%
V1T6W		1	0.2%
V2K7P		1	0.2%
V2R6V		1	0.2%
V3A3C		1	0.2%
V3J5N		1	0.2%
V3S4V		1	0.2%
V5F8O		1	0.2%
V5O1Q		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
V6K8U		1	0.2%
V7B8M		1	0.2%
V8K6U		1	0.2%
V9G5Q		1	0.2%
W0E5G		1	0.2%
W0E7I		1	0.2%
W0F3F		1	0.2%
W0K2J		1	0.2%
W0K9Q		1	0.2%
W0T7X		1	0.2%
W0W1U		1	0.2%
W1M1L		1	0.2%
W2R3T		1	0.2%
W2R5V		1	0.2%
W2X3Z		1	0.2%
W3H9Q		1	0.2%
W3I0I		1	0.2%
W4A9K		1	0.2%
W6H9T		1	0.2%
W6Y4G		1	0.2%
W7V6G		1	0.2%
W9D5O		1	0.2%
W9S6F		1	0.2%
W9T1B		1	0.2%
X0H9O		1	0.2%
X0O5R		1	0.2%
X1H4K		1	0.2%
X1J9R		1	0.2%
X2A0Z		1	0.2%
X2V2X		1	0.2%
X3C5I		1	0.2%
X3P6W		1	0.2%
X5X0B		1	0.2%
X7I1O		1	0.2%
X7J4S		1	0.2%
X7L1R		1	0.2%
X7W4G		1	0.2%
X7Z2H		1	0.2%
X8M6Y		1	0.2%
X8Q2Y		1	0.2%
X8W0D		1	0.2%
X9X1G		1	0.2%
Y0D6I		1	0.2%
Y0D7J		1	0.2%
Y1B4F		1	0.2%

hml34_08: bar code for blood smear sample

Value	Label	Cases	Percentage
Y1E5J		1	0.2%
Y2F2I		1	0.2%
Y3N6V		1	0.2%
Y4L2Q		1	0.2%
Y4V3C		1	0.2%
Y6P2W		1	0.2%
Y7K5V		1	0.2%
Y7Y0F		1	0.2%
Y8C4N		1	0.2%
Y8M8C		1	0.2%
Y9N8E		1	0.2%
Y9O8F		1	0.2%
Y9S3E		1	0.2%
Z0H9Q		1	0.2%
Z1H8Q		1	0.2%
Z1O2R		1	0.2%
Z1R0S		1	0.2%
Z1S8C		1	0.2%
Z1U3Y		1	0.2%
Z1Z2D		1	0.2%
Z2H1K		1	0.2%
Z4D3K		1	0.2%
Z5K5U		1	0.2%
Z5L7X		1	0.2%
Z6N1U		1	0.2%
Z6Q9G		1	0.2%
Z8E0M		1	0.2%
Z8M8D		1	0.2%
Z8N0V		1	0.2%
Z8T7J		1	0.2%
Z9Q1B		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_09: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=389 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		1	0.3%
99994		9	2.3%
99995		1	0.3%
?		2	0.5%
A1Q9B		1	0.3%
A3L1P		1	0.3%
A3Q0T		1	0.3%
A7C2L		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
A8P1Y		1	0.3%
A8R3D		1	0.3%
A9Z3M		1	0.3%
B0I8R		1	0.3%
B0V2Y		1	0.3%
B1H1K		1	0.3%
B1N6V		1	0.3%
B1V7F		1	0.3%
B1Z4G		1	0.3%
B4V4F		1	0.3%
B4X9M		1	0.3%
B6M6Z		1	0.3%
B6S4E		1	0.3%
B6V8L		1	0.3%
B6W1F		1	0.3%
B9S0D		1	0.3%
B9Z8S		1	0.3%
C1B4I		1	0.3%
C1N5V		1	0.3%
C2V4E		1	0.3%
C3S0X		1	0.3%
C4F1M		1	0.3%
C4U3E		1	0.3%
C5O0V		1	0.3%
C5S3D		1	0.3%
C6C3N		1	0.3%
C7N9G		1	0.3%
C9G8Z		1	0.3%
C9N9I		1	0.3%
C9O0Z		1	0.3%
C9P3E		1	0.3%
C9Q7J		1	0.3%
C9X2L		1	0.3%
D0J8U		1	0.3%
D0K2P		1	0.3%
D1R5B		1	0.3%
D2G2N		1	0.3%
D4D2M		1	0.3%
D5P9H		1	0.3%
D6B2M		1	0.3%
D6C4P		1	0.3%
D6J9C		1	0.3%
D7M2Y		1	0.3%
D7M3Z		1	0.3%
D8U1H		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
D8V9Q		1	0.3%
D9H6Z		1	0.3%
E2K4U		1	0.3%
E2L2T		1	0.3%
E2S7G		1	0.3%
E3A0H		1	0.3%
E3S6G		1	0.3%
E4N6C		1	0.3%
E4R1B		1	0.3%
E4Z0I		1	0.3%
E5C7S		1	0.3%
E5N0W		1	0.3%
E6B3O		1	0.3%
E8Z5R		1	0.3%
F1R9H		1	0.3%
F2L0S		1	0.3%
F2M8C		1	0.3%
F3A5N		1	0.3%
F3E8U		1	0.3%
F3O5C		1	0.3%
F3W5K		1	0.3%
F4Y9R		1	0.3%
F5S4H		1	0.3%
F5W1I		1	0.3%
F8M4E		1	0.3%
F9B8X		1	0.3%
G0E0K		1	0.3%
G0G5R		1	0.3%
G0U0B		1	0.3%
G2G8W		1	0.3%
G2Y4L		1	0.3%
G3I2T		1	0.3%
G3O9H		1	0.3%
G4E1P		1	0.3%
G4H1S		1	0.3%
G4U3I		1	0.3%
G4X9R		1	0.3%
G5B9V		1	0.3%
G7P3G		1	0.3%
G7U4M		1	0.3%
G8D3U		1	0.3%
G8L5F		1	0.3%
G8W8T		1	0.3%
G9E1U		1	0.3%
G9E7B		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
G9K7H		1	0.3%
H0I4T		1	0.3%
H1Q8H		1	0.3%
H2U3H		1	0.3%
H3M3Z		1	0.3%
H4G0R		1	0.3%
H4K5B		1	0.3%
H4M6E		1	0.3%
H5B0N		1	0.3%
H5C1P		1	0.3%
H5D9Y		1	0.3%
H6R4J		1	0.3%
H7I1X		1	0.3%
H8C6X		1	0.3%
H8E3W		1	0.3%
H8K1B		1	0.3%
H9C9C		1	0.3%
I0C2M		1	0.3%
I0G9X		1	0.3%
I1B3N		1	0.3%
I1H1R		1	0.3%
I1O1Y		1	0.3%
I2C9V		1	0.3%
I2L3Y		1	0.3%
I3H1T		1	0.3%
I3Y1L		1	0.3%
I4B9W		1	0.3%
I4Q7K		1	0.3%
I4T0G		1	0.3%
I5C4T		1	0.3%
I5D3T		1	0.3%
I6I6D		1	0.3%
I7O8M		1	0.3%
I8E3X		1	0.3%
I8X9X		1	0.3%
I9J4F		1	0.3%
I9L1E		1	0.3%
J0R1C		1	0.3%
J0V0F		1	0.3%
J2K4Z		1	0.3%
J3A4Q		1	0.3%
J4Z3Q		1	0.3%
J4Z7U		1	0.3%
J6V0L		1	0.3%
J7Q6N		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
K0O1Z		1	0.3%
K0Q3E		1	0.3%
K0X4M		1	0.3%
K1M0X		1	0.3%
K3A0N		1	0.3%
K3E5W		1	0.3%
K3M1B		1	0.3%
K3Q0E		1	0.3%
K4V9T		1	0.3%
K5D5X		1	0.3%
K5I2Z		1	0.3%
K5K0Z		1	0.3%
K7X7W		1	0.3%
K8G9I		1	0.3%
K8R7R		1	0.3%
K8X8Y		1	0.3%
K9D4B		1	0.3%
K9T6T		1	0.3%
L0H6Y		1	0.3%
L1S4J		1	0.3%
L2G7B		1	0.3%
L4W5R		1	0.3%
L6K2E		1	0.3%
L7K7K		1	0.3%
L7M0F		1	0.3%
L8J3G		1	0.3%
L9E3C		1	0.3%
L9H5H		1	0.3%
L9J7L		1	0.3%
L9O1K		1	0.3%
L9X6Y		1	0.3%
M0C2Q		1	0.3%
M0J2X		1	0.3%
M0V6O		1	0.3%
M1D5V		1	0.3%
M2A2Q		1	0.3%
M2K2B		1	0.3%
M4H0X		1	0.3%
M5J4F		1	0.3%
M5U9V		1	0.3%
M5X1Q		1	0.3%
M5X3S		1	0.3%
M7B7C		1	0.3%
M7I3F		1	0.3%
M8U5U		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
M8W3U		1	0.3%
M8Y0T		1	0.3%
N2J3C		1	0.3%
N2N5I		1	0.3%
N2O0E		1	0.3%
N2X9W		1	0.3%
N4I2C		1	0.3%
N4P0H		1	0.3%
N5F3B		1	0.3%
N5N3J		1	0.3%
N5S3O		1	0.3%
N7C0W		1	0.3%
N7D1Y		1	0.3%
N7G2D		1	0.3%
N7U2R		1	0.3%
N8V9B		1	0.3%
N8Z2X		1	0.3%
N8Z9F		1	0.3%
N9V8B		1	0.3%
O0L3D		1	0.3%
O0N7J		1	0.3%
O0Y4R		1	0.3%
O4C8D		1	0.3%
O4G7G		1	0.3%
O5I3F		1	0.3%
O5K1F		1	0.3%
O5U9X		1	0.3%
O6L6M		1	0.3%
O6S5S		1	0.3%
O7H2F		1	0.3%
O7J1G		1	0.3%
O7U9Z		1	0.3%
O9H2H		1	0.3%
O9Q2Q		1	0.3%
P0C5W		1	0.3%
P0E5Y		1	0.3%
P0I6E		1	0.3%
P1P8O		1	0.3%
P1R2K		1	0.3%
P1Z8Y		1	0.3%
P2N6L		1	0.3%
P3K5I		1	0.3%
P4O3L		1	0.3%
P4T6T		1	0.3%
P5R2O		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
P6J2H		1	0.3%
P6U5V		1	0.3%
P7F5H		1	0.3%
P7G1E		1	0.3%
P8P0N		1	0.3%
Q2J8K		1	0.3%
Q2L3H		1	0.3%
Q2O0H		1	0.3%
Q2T0M		1	0.3%
Q3N4L		1	0.3%
Q3P6P		1	0.3%
Q4F2C		1	0.3%
Q4H6I		1	0.3%
Q4P7R		1	0.3%
Q4Y3W		1	0.3%
Q4Z6B		1	0.3%
Q6C2B		1	0.3%
Q9M7T		1	0.3%
Q9Q9Z		1	0.3%
R0P3K		1	0.3%
R0T3O		1	0.3%
R3I7K		1	0.3%
R3X4W		1	0.3%
R4Z0V		1	0.3%
R5Z9G		1	0.3%
R6A1Y		1	0.3%
R9B1D		1	0.3%
S0R2M		1	0.3%
S0Y3U		1	0.3%
S0Y4V		1	0.3%
S1J2F		1	0.3%
S2B5B		1	0.3%
S3D7G		1	0.3%
S4T6W		1	0.3%
S5E8K		1	0.3%
S5N1M		1	0.3%
S5N3O		1	0.3%
S5X6C		1	0.3%
S7T7B		1	0.3%
S9N6V		1	0.3%
S9Y7I		1	0.3%
T0H7I		1	0.3%
T1R5R		1	0.3%
T1V0Q		1	0.3%
T2A4Z		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
T2R7U		1	0.3%
T2Y4Y		1	0.3%
T3B0X		1	0.3%
T3B1Y		1	0.3%
T3H1F		1	0.3%
T5F8M		1	0.3%
T5S5W		1	0.3%
T5T3V		1	0.3%
T6M5R		1	0.3%
T7N1P		1	0.3%
T7T2W		1	0.3%
T8C8M		1	0.3%
T9N2S		1	0.3%
T9X3E		1	0.3%
U0H7J		1	0.3%
U1H5I		1	0.3%
U1H8L		1	0.3%
U1L4L		1	0.3%
U2Z2Y		1	0.3%
U4C8J		1	0.3%
U5X6E		1	0.3%
U6T8D		1	0.3%
U7D7M		1	0.3%
U7M1P		1	0.3%
U7O4U		1	0.3%
U8Z6J		1	0.3%
U9R8E		1	0.3%
U9V3D		1	0.3%
V0Y6B		1	0.3%
V1L3L		1	0.3%
V2G7L		1	0.3%
V2N8T		1	0.3%
V3Q7W		1	0.3%
V4Q0Q		1	0.3%
V4Z2C		1	0.3%
V5L9V		1	0.3%
V5M0N		1	0.3%
V5R7Z		1	0.3%
V6E8O		1	0.3%
V6G9R		1	0.3%
V6O8Y		1	0.3%
V7C9O		1	0.3%
V7I6R		1	0.3%
V7Y6I		1	0.3%
V8M1R		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
V8X1D		1	0.3%
W0H6K		1	0.3%
W0J2I		1	0.3%
W0L0I		1	0.3%
W0V3V		1	0.3%
W1S9Z		1	0.3%
W3I8Q		1	0.3%
W4B0C		1	0.3%
W4J4O		1	0.3%
W4Q3U		1	0.3%
W4V5C		1	0.3%
W5O6W		1	0.3%
W6L6U		1	0.3%
W6Z2F		1	0.3%
W8E7Q		1	0.3%
W8X1E		1	0.3%
X1E1E		1	0.3%
X1U9D		1	0.3%
X2B3E		1	0.3%
X2M2O		1	0.3%
X2V1W		1	0.3%
X3N3R		1	0.3%
X4N5U		1	0.3%
X4S3X		1	0.3%
X4Z4G		1	0.3%
X5I1M		1	0.3%
X6E2K		1	0.3%
X6X3F		1	0.3%
X8A2I		1	0.3%
X8I0O		1	0.3%
X9B7P		1	0.3%
X9R2B		1	0.3%
Y0C5G		1	0.3%
Y0N8U		1	0.3%
Y1N5S		1	0.3%
Y2F4K		1	0.3%
Y3A5H		1	0.3%
Y3B7K		1	0.3%
Y4I9U		1	0.3%
Y4K9W		1	0.3%
Y4N5V		1	0.3%
Y5R9F		1	0.3%
Y5X9L		1	0.3%
Y6W2E		1	0.3%
Y7H8V		1	0.3%

hml34_09: bar code for blood smear sample

Value	Label	Cases	Percentage
Y7X1F		1	0.3%
Y9H3S		1	0.3%
Z0K1L		1	0.3%
Z0P1Q		1	0.3%
Z1G0H		1	0.3%
Z4X8K		1	0.3%
Z5L8Y		1	0.3%
Z6F8T		1	0.3%
Z6L4V		1	0.3%
Z8O2Y		1	0.3%
Z8Q2B		1	0.3%
Z9T1E		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_10: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=319 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99994		2	0.6%
99995		1	0.3%
A0X3B		1	0.3%
A2N5U		1	0.3%
A2R1U		1	0.3%
A2Z8K		1	0.3%
A6K6W		1	0.3%
A7V2F		1	0.3%
A8G3R		1	0.3%
A8O1X		1	0.3%
A9D7T		1	0.3%
A9G5U		1	0.3%
A9V3I		1	0.3%
B0U3Y		1	0.3%
B1O0Q		1	0.3%
B3D3K		1	0.3%
B3X7J		1	0.3%
B4P5Z		1	0.3%
B7A3L		1	0.3%
B7O0W		1	0.3%
B9S4H		1	0.3%
C0C3H		1	0.3%
C0F1I		1	0.3%
C0J5Q		1	0.3%
C1C3I		1	0.3%
C1G3M		1	0.3%
C3S7F		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
C4C2K		1	0.3%
C4D5O		1	0.3%
C4J4T		1	0.3%
C5D9T		1	0.3%
C5H3R		1	0.3%
C5M8C		1	0.3%
C5U7J		1	0.3%
C6D2N		1	0.3%
C6W5K		1	0.3%
C7I4V		1	0.3%
C8K7C		1	0.3%
C9P2D		1	0.3%
D0I4P		1	0.3%
D0P0S		1	0.3%
D1O4W		1	0.3%
D2E3M		1	0.3%
D2I6T		1	0.3%
D2Z1G		1	0.3%
D3B6N		1	0.3%
D3Q1X		1	0.3%
D4K9B		1	0.3%
D4L8B		1	0.3%
D4R6F		1	0.3%
D5N9F		1	0.3%
D6G0P		1	0.3%
D6Q5F		1	0.3%
D7A5P		1	0.3%
D7M6D		1	0.3%
D8F7X		1	0.3%
D8O6G		1	0.3%
D8Y9T		1	0.3%
E1A4J		1	0.3%
E3D0K		1	0.3%
E4R7H		1	0.3%
E4S8J		1	0.3%
E4Z3L		1	0.3%
E5Q6G		1	0.3%
E7D5T		1	0.3%
E7O7H		1	0.3%
E7Q9L		1	0.3%
E7X7Q		1	0.3%
E8I8D		1	0.3%
E9G0T		1	0.3%
F0H3P		1	0.3%
F0I2P		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
F1E5P		1	0.3%
F1F6R		1	0.3%
F2V4H		1	0.3%
F3W7M		1	0.3%
F5L4Z		1	0.3%
F6D0O		1	0.3%
F7E7X		1	0.3%
F7H4X		1	0.3%
F7Y4P		1	0.3%
F8M0Z		1	0.3%
F8X8T		1	0.3%
F9N2E		1	0.3%
F9Q6L		1	0.3%
G1M9D		1	0.3%
G1W1F		1	0.3%
G2J5W		1	0.3%
G3J3V		1	0.3%
G3U6K		1	0.3%
G3X5M		1	0.3%
G4O0Y		1	0.3%
G4T9N		1	0.3%
G6T2I		1	0.3%
G6T4K		1	0.3%
G7N4F		1	0.3%
G9N8L		1	0.3%
H1U9M		1	0.3%
H2P4D		1	0.3%
H3I7Z		1	0.3%
H6C9Y		1	0.3%
H6W4O		1	0.3%
H6X0L		1	0.3%
H7R1H		1	0.3%
H7U1K		1	0.3%
H8Y2Q		1	0.3%
H9B3U		1	0.3%
H9C0S		1	0.3%
H9T6Q		1	0.3%
I0B7Q		1	0.3%
I0X3J		1	0.3%
I2O3C		1	0.3%
I2U4J		1	0.3%
I3I3W		1	0.3%
I4K7E		1	0.3%
I6N1D		1	0.3%
I7V6R		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
I8T4O		1	0.3%
I9C7B		1	0.3%
I9Q2K		1	0.3%
I9X9Y		1	0.3%
J0M1W		1	0.3%
J0P7G		1	0.3%
J2O5F		1	0.3%
J2P0B		1	0.3%
J3C9X		1	0.3%
J5Y5S		1	0.3%
J5Y8V		1	0.3%
J6Z2R		1	0.3%
J8D9E		1	0.3%
J8H4D		1	0.3%
J8S7R		1	0.3%
J9B3W		1	0.3%
J9H9J		1	0.3%
K1H7Z		1	0.3%
K2D7W		1	0.3%
K2J5B		1	0.3%
K2P5H		1	0.3%
K3P3G		1	0.3%
K3P8L		1	0.3%
K5L8J		1	0.3%
K5W8U		1	0.3%
K6Y8X		1	0.3%
K7D1V		1	0.3%
K7T3O		1	0.3%
K8B6Z		1	0.3%
K8M3I		1	0.3%
K9D1X		1	0.3%
L3W3O		1	0.3%
L6I3D		1	0.3%
L8V0P		1	0.3%
M0O6H		1	0.3%
M0Q4H		1	0.3%
M1Z8V		1	0.3%
M2C8Y		1	0.3%
M2P9N		1	0.3%
M2Z3R		1	0.3%
M3J8H		1	0.3%
M4K8J		1	0.3%
M4U7S		1	0.3%
M4X3R		1	0.3%
M5A7Y		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
M5L7K		1	0.3%
M6A4W		1	0.3%
M9B6D		1	0.3%
M9V6X		1	0.3%
N0A8V		1	0.3%
N0P7K		1	0.3%
N0Z0N		1	0.3%
N2K3D		1	0.3%
N2P7M		1	0.3%
N3S8R		1	0.3%
N4A8Z		1	0.3%
N5C2W		1	0.3%
N5J4G		1	0.3%
N6D3Z		1	0.3%
N6Y7Z		1	0.3%
N7I6J		1	0.3%
N7U8X		1	0.3%
N8F1C		1	0.3%
N8G4G		1	0.3%
N8L9Q		1	0.3%
N8P4P		1	0.3%
O1B9Z		1	0.3%
O1F1V		1	0.3%
O1S1J		1	0.3%
O2D1U		1	0.3%
O2H3B		1	0.3%
O3B9C		1	0.3%
O3M7L		1	0.3%
O3S9T		1	0.3%
O3X9Y		1	0.3%
O4U3Q		1	0.3%
O6Q8T		1	0.3%
O8D9J		1	0.3%
O8W9D		1	0.3%
P0K5F		1	0.3%
P1X0O		1	0.3%
P1Z0Q		1	0.3%
P1Z1R		1	0.3%
P2T6R		1	0.3%
P3D0V		1	0.3%
P3I2D		1	0.3%
P4F0Y		1	0.3%
P5B4Z		1	0.3%
P5B5B		1	0.3%
P5Z4Y		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
P6F4F		1	0.3%
P7O7S		1	0.3%
P7R5T		1	0.3%
P8T4V		1	0.3%
P9A6F		1	0.3%
P9E3G		1	0.3%
Q0E8D		1	0.3%
Q4P9T		1	0.3%
Q5T7W		1	0.3%
Q6J2I		1	0.3%
Q6Y7D		1	0.3%
Q7B9I		1	0.3%
Q8P0O		1	0.3%
Q9F6L		1	0.3%
R0O1H		1	0.3%
R1T4Q		1	0.3%
R3A6B		1	0.3%
R3M9Q		1	0.3%
R3P4O		1	0.3%
R3R8U		1	0.3%
R5I7M		1	0.3%
R6V8C		1	0.3%
R7L3N		1	0.3%
S5W0U		1	0.3%
S6N4Q		1	0.3%
S6W8E		1	0.3%
S7J9S		1	0.3%
S8S6Z		1	0.3%
S9H2L		1	0.3%
S9M4S		1	0.3%
S9Y5G		1	0.3%
T0H6H		1	0.3%
T1Y2V		1	0.3%
T1Y6Z		1	0.3%
T4D2D		1	0.3%
T7O0P		1	0.3%
T9K3Q		1	0.3%
U0D1Y		1	0.3%
U0D9H		1	0.3%
U0O5O		1	0.3%
U1Q5R		1	0.3%
U3T0R		1	0.3%
U3W5Z		1	0.3%
U4I3K		1	0.3%
U4M3O		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
U7U1X		1	0.3%
U7X4E		1	0.3%
U8I2N		1	0.3%
U8K8V		1	0.3%
U8X5G		1	0.3%
U9R4Z		1	0.3%
V0E6G		1	0.3%
V0S9X		1	0.3%
V1U4V		1	0.3%
V2G2G		1	0.3%
V2G8M		1	0.3%
V2K4M		1	0.3%
V6H9S		1	0.3%
V7Q7B		1	0.3%
V7Z9M		1	0.3%
V9L3T		1	0.3%
V9X3G		1	0.3%
W0O6R		1	0.3%
W1P1O		1	0.3%
W3K1L		1	0.3%
W5D2H		1	0.3%
W5I8S		1	0.3%
W5J0L		1	0.3%
W5T3Y		1	0.3%
W6O5W		1	0.3%
W7Q8D		1	0.3%
W9O8D		1	0.3%
W9T5F		1	0.3%
X2D4H		1	0.3%
X4J5Q		1	0.3%
X7E8R		1	0.3%
X8G2O		1	0.3%
Y0A1Z		1	0.3%
Y1A8I		1	0.3%
Y1I1J		1	0.3%
Y2C6J		1	0.3%
Y2W5D		1	0.3%
Y2Z2D		1	0.3%
Y3H4N		1	0.3%
Y3P1S		1	0.3%
Y3R9D		1	0.3%
Y3U8F		1	0.3%
Y5F8R		1	0.3%
Y5G7R		1	0.3%
Y5N0R		1	0.3%

hml34_10: bar code for blood smear sample

Value	Label	Cases	Percentage
Y6L3T		1	0.3%
Y6O4X		1	0.3%
Y7C8Q		1	0.3%
Y7U4F		1	0.3%
Y9A5N		1	0.3%
Y9F2P		1	0.3%
Z0C1D		1	0.3%
Z0X7F		1	0.3%
Z1D7L		1	0.3%
Z1F6M		1	0.3%
Z1J4O		1	0.3%
Z2F2J		1	0.3%
Z2I6Q		1	0.3%
Z2K9V		1	0.3%
Z2O8Y		1	0.3%
Z3O2T		1	0.3%
Z4W8J		1	0.3%
Z5Q0V		1	0.3%
Z7A0H		1	0.3%
Z9G2R		1	0.3%
Z9R7I		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_11: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=225 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		2	0.9%
99994		2	0.9%
99996		1	0.4%
?		2	0.9%
A0N8V		1	0.4%
A3U0X		1	0.4%
A3U9H		1	0.4%
A4X9L		1	0.4%
A5K6V		1	0.4%
A5M2T		1	0.4%
A7Y8O		1	0.4%
A8B1K		1	0.4%
A9A5O		1	0.4%
B0E7M		1	0.4%
B2B0E		1	0.4%
B2K2P		1	0.4%
B4Y8M		1	0.4%
B5E7R		1	0.4%

hml34_11: bar code for blood smear sample

Value	Label	Cases	Percentage
B6G4R		1	0.4%
B7S1C		1	0.4%
C0I0K		1	0.4%
C0K8U		1	0.4%
C0X5F		1	0.4%
C2Q8D		1	0.4%
C2W3E		1	0.4%
C3A5K		1	0.4%
C4Q4B		1	0.4%
C4Y4J		1	0.4%
C6E4Q		1	0.4%
C6Z9R		1	0.4%
C8S7K		1	0.4%
D0P7Z		1	0.4%
D0Y0C		1	0.4%
D2G1M		1	0.4%
D3P2X		1	0.4%
D3R4C		1	0.4%
D4V3G		1	0.4%
D5J0R		1	0.4%
D6K5Y		1	0.4%
D7R6I		1	0.4%
D7Y2L		1	0.4%
D9G2U		1	0.4%
E0A5J		1	0.4%
E0J2P		1	0.4%
E0Q3X		1	0.4%
E1C5M		1	0.4%
E2B3K		1	0.4%
E2I1P		1	0.4%
E2R6E		1	0.4%
E2W2F		1	0.4%
E3P7E		1	0.4%
E3Z8P		1	0.4%
E5Y7P		1	0.4%
E6F7W		1	0.4%
E7N3C		1	0.4%
E7Y2M		1	0.4%
E8E0Q		1	0.4%
E8R0E		1	0.4%
E9P4H		1	0.4%
F2G4R		1	0.4%
F2H2Q		1	0.4%
F2U4G		1	0.4%
F4I8Z		1	0.4%

hml34_11: bar code for blood smear sample

Value	Label	Cases	Percentage
F6A2N		1	0.4%
F6O3D		1	0.4%
F8N3E		1	0.4%
F9C2S		1	0.4%
F9W6R		1	0.4%
G0O6B		1	0.4%
G2L6Z		1	0.4%
G4G1R		1	0.4%
G5I6Z		1	0.4%
G6K5C		1	0.4%
G6S1G		1	0.4%
G7W0K		1	0.4%
G8A5T		1	0.4%
G8U4N		1	0.4%
H0S9J		1	0.4%
H1E0M		1	0.4%
H1G1P		1	0.4%
H1O7E		1	0.4%
H2F2Q		1	0.4%
H2T8L		1	0.4%
H3Q8J		1	0.4%
H3W9Q		1	0.4%
H3Y6P		1	0.4%
H5J7D		1	0.4%
H6Z4R		1	0.4%
H8E4X		1	0.4%
H8T0J		1	0.4%
H9W5S		1	0.4%
I1N2Y		1	0.4%
I1Y4M		1	0.4%
I2I2U		1	0.4%
I4R9N		1	0.4%
I5J3Z		1	0.4%
J2G1S		1	0.4%
J6J7G		1	0.4%
J8S9T		1	0.4%
K1P2D		1	0.4%
K2B2P		1	0.4%
K5L4F		1	0.4%
K5Z1Q		1	0.4%
K8A1T		1	0.4%
K8P2K		1	0.4%
K9T5S		1	0.4%
L1A1N		1	0.4%
L4T8R		1	0.4%

hml34_11: bar code for blood smear sample

Value	Label	Cases	Percentage
L7B3W		1	0.4%
L9D7F		1	0.4%
M1E9B		1	0.4%
M1Z1O		1	0.4%
M3N5I		1	0.4%
M4M6J		1	0.4%
M4S0J		1	0.4%
M5S0K		1	0.4%
M8J4I		1	0.4%
N0A3Q		1	0.4%
N0U9R		1	0.4%
N1F4X		1	0.4%
N1V8S		1	0.4%
N2J4D		1	0.4%
N3G3Z		1	0.4%
N3N1F		1	0.4%
N4J6H		1	0.4%
N5E3Z		1	0.4%
N6H8J		1	0.4%
N6R9U		1	0.4%
N7Z5Z		1	0.4%
N9C7G		1	0.4%
N9H3H		1	0.4%
O1T9S		1	0.4%
O2F2X		1	0.4%
O3R4N		1	0.4%
O4I1C		1	0.4%
O7L6N		1	0.4%
O8Q5S		1	0.4%
O9L7Q		1	0.4%
P1R6O		1	0.4%
P3U1O		1	0.4%
P5L3J		1	0.4%
P7Z5C		1	0.4%
Q0O2H		1	0.4%
Q1C2V		1	0.4%
Q1I0Z		1	0.4%
Q2B5Y		1	0.4%
Q6R5T		1	0.4%
Q6V3V		1	0.4%
Q6Z7E		1	0.4%
Q9P3S		1	0.4%
R2U2Q		1	0.4%
R6Y6D		1	0.4%
R8K1L		1	0.4%

hml34_11: bar code for blood smear sample

Value	Label	Cases	Percentage
S2H2E		1	0.4%
S2P9T		1	0.4%
S3Z6C		1	0.4%
S4L8Q		1	0.4%
S6N8U		1	0.4%
S7W0W		1	0.4%
S9J5Q		1	0.4%
T0E7F		1	0.4%
T1J0E		1	0.4%
T1M0H		1	0.4%
T1N9R		1	0.4%
T1R7T		1	0.4%
T2S4S		1	0.4%
T3K7O		1	0.4%
T4T1S		1	0.4%
T6D6J		1	0.4%
T7G5M		1	0.4%
U0I1E		1	0.4%
U0W9B		1	0.4%
U1M5N		1	0.4%
U1R4R		1	0.4%
U3C9J		1	0.4%
U6H4M		1	0.4%
U6Z6H		1	0.4%
U7Q6Y		1	0.4%
U7R6Z		1	0.4%
U7S0U		1	0.4%
U7T1W		1	0.4%
U7U4B		1	0.4%
U8C7M		1	0.4%
U9Y4H		1	0.4%
V0X5Y		1	0.4%
V1Q1O		1	0.4%
V1R4S		1	0.4%
V5X7G		1	0.4%
V6Q1T		1	0.4%
V7B1F		1	0.4%
V9X9M		1	0.4%
V9Y9N		1	0.4%
W1E4G		1	0.4%
W2K4N		1	0.4%
W2N8U		1	0.4%
W4W0X		1	0.4%
W5M7V		1	0.4%
W7J5S		1	0.4%

hml34_11: bar code for blood smear sample

Value	Label	Cases	Percentage
W7L8X		1	0.4%
W7V0Z		1	0.4%
W8J1P		1	0.4%
W8M3U		1	0.4%
W8Y4I		1	0.4%
X0Q0O		1	0.4%
X1Z5E		1	0.4%
X4A0C		1	0.4%
X4D3I		1	0.4%
X4N9Y		1	0.4%
X5E3K		1	0.4%
X6B2H		1	0.4%
X7T1Z		1	0.4%
X8P2X		1	0.4%
Y2P9Z		1	0.4%
Y3G1J		1	0.4%
Y6D2K		1	0.4%
Y6J4S		1	0.4%
Z1G8P		1	0.4%
Z1H5N		1	0.4%
Z1L3P		1	0.4%
Z5S6E		1	0.4%
Z6C8Q		1	0.4%
Z8G4S		1	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_12: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99994		2	1.1%
99995		1	0.6%
A1N0O		1	0.6%
A1X5E		1	0.6%
A2B9M		1	0.6%
A2O9Z		1	0.6%
A2V4C		1	0.6%
A3F5N		1	0.6%
A3K8V		1	0.6%
A5T9I		1	0.6%
A6Y3I		1	0.6%
A8F6T		1	0.6%
A8M1V		1	0.6%
B3L7W		1	0.6%
B3R1W		1	0.6%

hml34_12: bar code for blood smear sample

Value	Label	Cases	Percentage
B5V2E		1	0.6%
B6C6P		1	0.6%
B7Y4L		1	0.6%
B8A2L		1	0.6%
C1A6J		1	0.6%
C5K7Y		1	0.6%
C7P4D		1	0.6%
C7Y5N		1	0.6%
D0L8W		1	0.6%
D1Q0U		1	0.6%
D2X3G		1	0.6%
D4P1X		1	0.6%
D6I8Z		1	0.6%
D6S8K		1	0.6%
D6X6N		1	0.6%
D7N4C		1	0.6%
D8Q5H		1	0.6%
D8Y0K		1	0.6%
E0H2N		1	0.6%
E0V6G		1	0.6%
E0Y8L		1	0.6%
E1L6W		1	0.6%
E1R7E		1	0.6%
E7G5W		1	0.6%
E7S4I		1	0.6%
F0L6W		1	0.6%
F2C7Q		1	0.6%
G0C4M		1	0.6%
G0H9W		1	0.6%
G0L5W		1	0.6%
G2L2V		1	0.6%
G2Y0H		1	0.6%
G5H5X		1	0.6%
G7P0D		1	0.6%
G9F3X		1	0.6%
H1F0N		1	0.6%
H1O4B		1	0.6%
H2V6L		1	0.6%
H3H5W		1	0.6%
H4T7M		1	0.6%
H5H2V		1	0.6%
H6P5I		1	0.6%
H9T8S		1	0.6%
I0W3I		1	0.6%
I1Y0I		1	0.6%

hml34_12: bar code for blood smear sample

Value	Label	Cases	Percentage
I4Y8T		1	0.6%
I7J3C		1	0.6%
J1K6B		1	0.6%
J1Y5O		1	0.6%
J3E0Q		1	0.6%
J4C3S		1	0.6%
J4O3F		1	0.6%
J4Z1O		1	0.6%
J5V6Q		1	0.6%
J7T7R		1	0.6%
J9G0Y		1	0.6%
K1B9V		1	0.6%
K1X1K		1	0.6%
K3M0Z		1	0.6%
K4O5I		1	0.6%
K8P6O		1	0.6%
K9I7J		1	0.6%
L1V6O		1	0.6%
L2P8L		1	0.6%
L3F0T		1	0.6%
L3F3W		1	0.6%
L4C2T		1	0.6%
L5E3X		1	0.6%
L5H5D		1	0.6%
L9S4R		1	0.6%
M3K4E		1	0.6%
M4P8O		1	0.6%
M4U3O		1	0.6%
M5D2W		1	0.6%
M5R6P		1	0.6%
M6X7X		1	0.6%
M9C9H		1	0.6%
M9W8B		1	0.6%
N0C6V		1	0.6%
N1F7B		1	0.6%
N3U8T		1	0.6%
N4K9L		1	0.6%
N5W5U		1	0.6%
N5Z3V		1	0.6%
N7A8D		1	0.6%
N8M5N		1	0.6%
N9T3T		1	0.6%
O1P2H		1	0.6%
O2C3V		1	0.6%
O8I3I		1	0.6%

hml34_12: bar code for blood smear sample

Value	Label	Cases	Percentage
O9J3K		1	0.6%
O9W1V		1	0.6%
P0Y6U		1	0.6%
P3G0Y		1	0.6%
P4V7W		1	0.6%
P6G8K		1	0.6%
P6S1P		1	0.6%
P9S2T		1	0.6%
Q0M6J		1	0.6%
Q2I9K		1	0.6%
Q2J1D		1	0.6%
Q4B7D		1	0.6%
Q4F3D		1	0.6%
Q4V2S		1	0.6%
Q5N2L		1	0.6%
Q6L4M		1	0.6%
Q7I4K		1	0.6%
Q9E9N		1	0.6%
R0X2R		1	0.6%
R1G9I		1	0.6%
R2C5B		1	0.6%
R3W0R		1	0.6%
R4P7S		1	0.6%
R7R3T		1	0.6%
S2I8L		1	0.6%
S2V3T		1	0.6%
S7S9C		1	0.6%
T0F8H		1	0.6%
T2S1P		1	0.6%
T2X4X		1	0.6%
T3D2C		1	0.6%
T4O7T		1	0.6%
T5X0W		1	0.6%
T6M9V		1	0.6%
T6S3V		1	0.6%
T9D7N		1	0.6%
U0D2Z		1	0.6%
U0H2E		1	0.6%
U1S6U		1	0.6%
U2I1G		1	0.6%
U2Y1W		1	0.6%
U3E3F		1	0.6%
U3R5U		1	0.6%
U4J2K		1	0.6%
U5X4C		1	0.6%

hml34_12: bar code for blood smear sample

Value	Label	Cases	Percentage
U6Q9B		1	0.6%
V1I8N		1	0.6%
V2O9V		1	0.6%
V2R4T		1	0.6%
V4X8G		1	0.6%
V6G6O		1	0.6%
V9U7H		1	0.6%
W4R9C		1	0.6%
W5H9S		1	0.6%
W6Y0C		1	0.6%
W6Z5I		1	0.6%
W8Y0E		1	0.6%
X2T5Y		1	0.6%
X7I8V		1	0.6%
X7S4C		1	0.6%
X9E3O		1	0.6%
Y1A7H		1	0.6%
Y1M9V		1	0.6%
Y2A7I		1	0.6%
Y2O8X		1	0.6%
Y5O8B		1	0.6%
Y7S7G		1	0.6%
Y8S3D		1	0.6%
Y9S5G		1	0.6%
Z0F5K		1	0.6%
Z4B7M		1	0.6%
Z5U3D		1	0.6%
Z6B2J		1	0.6%
Z8S2D		1	0.6%
Z9R2D		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_13: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		1	0.8%
99994		1	0.8%
99995		2	1.5%
?		1	0.8%
A2I6Q		1	0.8%
A4F5O		1	0.8%
A5O1U		1	0.8%
A6T0Z		1	0.8%
A7K8Z		1	0.8%

hml34_13: bar code for blood smear sample

Value	Label	Cases	Percentage
B0J3N		1	0.8%
B1K2O		1	0.8%
B3F0J		1	0.8%
B3R7D		1	0.8%
C5C0J		1	0.8%
D5B0J		1	0.8%
D6T2F		1	0.8%
D9K9G		1	0.8%
E0O7Z		1	0.8%
E1Z5K		1	0.8%
E2K0Q		1	0.8%
E4G3R		1	0.8%
E5S7J		1	0.8%
E6P0Z		1	0.8%
E8C8W		1	0.8%
F0M7Y		1	0.8%
F0Y5J		1	0.8%
F1S4D		1	0.8%
F1U7I		1	0.8%
F3K6Y		1	0.8%
F4A4N		1	0.8%
F6B8U		1	0.8%
G0N6Z		1	0.8%
G1D2M		1	0.8%
G1I0P		1	0.8%
H2F7V		1	0.8%
H2W2I		1	0.8%
H6A3Q		1	0.8%
I1R0B		1	0.8%
I3B2O		1	0.8%
I3E7W		1	0.8%
I3Q4G		1	0.8%
I7C8Z		1	0.8%
I7I1Y		1	0.8%
J0Z0J		1	0.8%
J9O3K		1	0.8%
K2Y7S		1	0.8%
K3L8H		1	0.8%
K3Y2O		1	0.8%
K4C7X		1	0.8%
K5F1V		1	0.8%
K7M4I		1	0.8%
L0I5Y		1	0.8%
L2N3E		1	0.8%
L3O1E		1	0.8%

hml34_13: bar code for blood smear sample

Value	Label	Cases	Percentage
L4J2B		1	0.8%
L4N8L		1	0.8%
L8O2K		1	0.8%
L8O4M		1	0.8%
M0W3M		1	0.8%
M0X1L		1	0.8%
M1Q3H		1	0.8%
M3C5W		1	0.8%
M5V1O		1	0.8%
M7Z1U		1	0.8%
M8S3Q		1	0.8%
M9R0N		1	0.8%
N0K5D		1	0.8%
N2L4F		1	0.8%
N4C0T		1	0.8%
N4V8V		1	0.8%
N7G0B		1	0.8%
O0F8C		1	0.8%
O1T5O		1	0.8%
O2X6U		1	0.8%
O4I6H		1	0.8%
O4Y3U		1	0.8%
O6R5R		1	0.8%
P0L3E		1	0.8%
P1D5Y		1	0.8%
P2S3N		1	0.8%
P2Y7X		1	0.8%
P4N1I		1	0.8%
P4U9X		1	0.8%
P6I0E		1	0.8%
P7H8M		1	0.8%
Q1Z9B		1	0.8%
Q2M0F		1	0.8%
Q7J6N		1	0.8%
R0W2Q		1	0.8%
R4S8W		1	0.8%
R5C6F		1	0.8%
R6O0M		1	0.8%
R6Q0O		1	0.8%
R7L6Q		1	0.8%
R7Z8H		1	0.8%
R8Z9J		1	0.8%
R9L2O		1	0.8%
R9X3C		1	0.8%
S0P9R		1	0.8%

hml34_13: bar code for blood smear sample

Value	Label	Cases	Percentage
S6P4S		1	0.8%
S6X2Y		1	0.8%
S8T7C		1	0.8%
S9A6I		1	0.8%
T0F9I		1	0.8%
T0R5Q		1	0.8%
T1U4T		1	0.8%
T6W4B		1	0.8%
T7L2O		1	0.8%
T8V3B		1	0.8%
U1T7W		1	0.8%
U2Q3Q		1	0.8%
U2X5Z		1	0.8%
U3C1B		1	0.8%
U5Q5V		1	0.8%
V6R6Z		1	0.8%
V6X1B		1	0.8%
V7P4W		1	0.8%
W3A7H		1	0.8%
W8D2K		1	0.8%
X2G9P		1	0.8%
X3M2P		1	0.8%
X6C0G		1	0.8%
X7G3O		1	0.8%
Y1Z6G		1	0.8%
Y3K8U		1	0.8%
Y3N4T		1	0.8%
Y7J3S		1	0.8%
Z1N7V		1	0.8%
Z2T7D		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_14: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99994		3	3.1%
A2Y7I		1	1.0%
A5I9W		1	1.0%
A7E0L		1	1.0%
A9B9T		1	1.0%
B7N7D		1	1.0%
B7V8M		1	1.0%
B8X7O		1	1.0%
B9C4Q		1	1.0%

hml34_14: bar code for blood smear sample

Value	Label	Cases	Percentage
C1O3U		1	1.0%
C4Q1X		1	1.0%
C6C8S		1	1.0%
D9G4W		1	1.0%
F0T4D		1	1.0%
F3J6X		1	1.0%
F4S6I		1	1.0%
F8Z8V		1	1.0%
H4E6V		1	1.0%
H5D0P		1	1.0%
I0F2P		1	1.0%
I2J5Y		1	1.0%
I4U5M		1	1.0%
I5M3D		1	1.0%
I6R6M		1	1.0%
I7I4C		1	1.0%
J2W4M		1	1.0%
J7H8G		1	1.0%
K1P1C		1	1.0%
L1N1B		1	1.0%
L1O5G		1	1.0%
L4I7F		1	1.0%
L4K1B		1	1.0%
L4T5O		1	1.0%
L8W8Y		1	1.0%
L9W9B		1	1.0%
M1K7F		1	1.0%
M8G1C		1	1.0%
M8Y9D		1	1.0%
N3Q3K		1	1.0%
N5E8F		1	1.0%
N9B6E		1	1.0%
O0F6Z		1	1.0%
O6V8Y		1	1.0%
O7K5L		1	1.0%
P4J7K		1	1.0%
P6Q6S		1	1.0%
P9F5J		1	1.0%
Q5P5Q		1	1.0%
Q8F4I		1	1.0%
R0H5E		1	1.0%
R5H3H		1	1.0%
R7S2T		1	1.0%
S5A1Y		1	1.0%
S5C8I		1	1.0%

hml34_14: bar code for blood smear sample

Value	Label	Cases	Percentage
S7N6T		1	1.0%
S9K8U		1	1.0%
T0N9Q		1	1.0%
T0X5W		1	1.0%
T7D1F		1	1.0%
T9L4S		1	1.0%
U0B0V		1	1.0%
U0Q2N		1	1.0%
U1L8P		1	1.0%
U1X3W		1	1.0%
U2Q8V		1	1.0%
U3N7S		1	1.0%
U5C6I		1	1.0%
U5W5C		1	1.0%
V0M4M		1	1.0%
V0N5O		1	1.0%
V5H8Q		1	1.0%
V5Q2T		1	1.0%
V5R1T		1	1.0%
V5T7C		1	1.0%
W0U7Y		1	1.0%
W5J8T		1	1.0%
W7N8Z		1	1.0%
X2N5S		1	1.0%
X4Q0S		1	1.0%
X6B0F		1	1.0%
X6T0X		1	1.0%
X7L3T		1	1.0%
X7W3F		1	1.0%
X8C4M		1	1.0%
X9A2J		1	1.0%
Y1Q2S		1	1.0%
Y3Y7I		1	1.0%
Y4W4E		1	1.0%
Y7H0N		1	1.0%
Z2F7O		1	1.0%
Z2G2K		1	1.0%
Z5I8V		1	1.0%
Z8A5N		1	1.0%
Z9H0Q		1	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_15: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=0 /-]

hml34_15: bar code for blood smear sample

Value	Label	Cases	Percentage
99996		1	1.6%
A2N9Y		1	1.6%
B9D4R		1	1.6%
C2O4W		1	1.6%
C4T3D		1	1.6%
C5G0N		1	1.6%
D5F7U		1	1.6%
D9U2J		1	1.6%
E3R9I		1	1.6%
E3T8J		1	1.6%
F4R8J		1	1.6%
F8P1E		1	1.6%
G4Q9K		1	1.6%
G6N0Z		1	1.6%
G8G2W		1	1.6%
G9I4C		1	1.6%
G9V9U		1	1.6%
H0F3P		1	1.6%
H7F7B		1	1.6%
H8G1W		1	1.6%
J5E7Z		1	1.6%
J6M3F		1	1.6%
J9T5R		1	1.6%
K8J1D		1	1.6%
K9V5U		1	1.6%
L3R5L		1	1.6%
M1I5B		1	1.6%
N9P8U		1	1.6%
O0J5D		1	1.6%
O0X0M		1	1.6%
O1W9V		1	1.6%
O2M8L		1	1.6%
P6B2Y		1	1.6%
Q4H7J		1	1.6%
Q9F1G		1	1.6%
R0L2F		1	1.6%
R1M7M		1	1.6%
R2C0V		1	1.6%
R2D4B		1	1.6%
R4M5N		1	1.6%
R4Z6C		1	1.6%
R7M7S		1	1.6%
R8E3H		1	1.6%
R8O5T		1	1.6%
S0Y2T		1	1.6%

hml34_15: bar code for blood smear sample

Value	Label	Cases	Percentage
S6E5I		1	1.6%
S8I4N		1	1.6%
T0U6U		1	1.6%
T1N5N		1	1.6%
U5N9W		1	1.6%
V0D3C		1	1.6%
V1U1S		1	1.6%
V9F3N		1	1.6%
V9U2C		1	1.6%
W6W0Z		1	1.6%
W6W5F		1	1.6%
X0A3B		1	1.6%
X3A3E		1	1.6%
X9S3D		1	1.6%
Y6C2J		1	1.6%
Y6H0M		1	1.6%
Z1I0J		1	1.6%
Z6O7C		1	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_16: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99994		1	2.6%
D6F9X		1	2.6%
D6Q3D		1	2.6%
E1Z1G		1	2.6%
E3H5T		1	2.6%
E4L4X		1	2.6%
E7K4Z		1	2.6%
F8B0O		1	2.6%
F8I6C		1	2.6%
G0W1E		1	2.6%
H5B4R		1	2.6%
H8N0D		1	2.6%
I4V6O		1	2.6%
I9N2H		1	2.6%
L2B4S		1	2.6%
L4V8T		1	2.6%
M8B4Z		1	2.6%
N1Z9X		1	2.6%
N2B1R		1	2.6%
O6U3S		1	2.6%
P8C9J		1	2.6%

hml34_16: bar code for blood smear sample

Value	Label	Cases	Percentage
P9P9X		1	2.6%
Q3S1N		1	2.6%
Q4O2L		1	2.6%
R0J5G		1	2.6%
R8P7W		1	2.6%
S2V8Y		1	2.6%
T5I2J		1	2.6%
T6Z2C		1	2.6%
T8B4H		1	2.6%
U0S6T		1	2.6%
X2K0K		1	2.6%
X3G9Q		1	2.6%
X5X7I		1	2.6%
X6W4F		1	2.6%
Y1K8S		1	2.6%
Y1R3U		1	2.6%
Y9V3H		1	2.6%
Z4Q8D		1	2.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_17: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99991		1	2.3%
A7V9M		1	2.3%
A8U7K		1	2.3%
B0K3O		1	2.3%
B2T2Y		1	2.3%
B3H0L		1	2.3%
B3U5E		1	2.3%
D3O3X		1	2.3%
D3V3F		1	2.3%
E1N4W		1	2.3%
F4R5G		1	2.3%
G0M8B		1	2.3%
G5X9S		1	2.3%
G7A5S		1	2.3%
G7S7N		1	2.3%
H3T0E		1	2.3%
I6U1K		1	2.3%
J1M8F		1	2.3%
K1M7F		1	2.3%
K7Y2S		1	2.3%
K9A2V		1	2.3%

hml34_17: bar code for blood smear sample

Value	Label	Cases	Percentage
L1C5T		1	2.3%
L7Y3U		1	2.3%
M6N2I		1	2.3%
N0B7V		1	2.3%
N6T2P		1	2.3%
P4Y3V		1	2.3%
P9E5I		1	2.3%
Q2H9J		1	2.3%
Q7D2D		1	2.3%
T5D4G		1	2.3%
U0G1C		1	2.3%
U1Z5B		1	2.3%
U6N7V		1	2.3%
V4R1S		1	2.3%
V5T2W		1	2.3%
V8U8H		1	2.3%
X3H7P		1	2.3%
Y1K9T		1	2.3%
Y3R2V		1	2.3%
Y9N2X		1	2.3%
Z1A8J		1	2.3%
Z5B3J		1	2.3%
Z9M0V		1	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_18: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
C5D5P		1	3.3%
D7P8I		1	3.3%
D7Y6P		1	3.3%
E2W8L		1	3.3%
F3U5I		1	3.3%
I3G4V		1	3.3%
I5L0Y		1	3.3%
I8I4D		1	3.3%
J4Y9V		1	3.3%
K1U3J		1	3.3%
L7C3X		1	3.3%
N7K0F		1	3.3%
O6I2F		1	3.3%
O7G6I		1	3.3%
O7M8Q		1	3.3%
O8T7X		1	3.3%

hml34_18: bar code for blood smear sample

Value	Label	Cases	Percentage
P9V8D		1	3.3%
Q0D7B		1	3.3%
Q6D3D		1	3.3%
R3V1R		1	3.3%
R5B9H		1	3.3%
S8A1C		1	3.3%
V0P3O		1	3.3%
W3W5C		1	3.3%
W7M8Y		1	3.3%
W9L3U		1	3.3%
X1P8W		1	3.3%
Z2U4B		1	3.3%
Z3T6D		1	3.3%
Z4M3T		1	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_19: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
99995		1	4.3%
D0W0Z		1	4.3%
D3C0I		1	4.3%
F0O1U		1	4.3%
G3A7Q		1	4.3%
I3W5N		1	4.3%
K7N6L		1	4.3%
L0G1S		1	4.3%
L9K9O		1	4.3%
L9L4K		1	4.3%
M3E5Y		1	4.3%
N3N7L		1	4.3%
O2I6F		1	4.3%
P7T5V		1	4.3%
P9T6Y		1	4.3%
Q5O9T		1	4.3%
Q5Z0V		1	4.3%
U6B7J		1	4.3%
V9J1P		1	4.3%
W2H7N		1	4.3%
W6W3D		1	4.3%
X0J4L		1	4.3%
X2H5M		1	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_20: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A1N3R		1	6.2%
C5N3X		1	6.2%
C8W4L		1	6.2%
E0C6M		1	6.2%
G7G6Z		1	6.2%
H0X1G		1	6.2%
H4B3P		1	6.2%
O6F7H		1	6.2%
O6Q4P		1	6.2%
P3Z0S		1	6.2%
R3H8K		1	6.2%
T4M5P		1	6.2%
U8D3J		1	6.2%
W9D3M		1	6.2%
X6S9G		1	6.2%
Y3A1D		1	6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_21: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
?		1	9.1%
B8I2T		1	9.1%
C4D1K		1	9.1%
D0O3U		1	9.1%
J3R4I		1	9.1%
N9U4V		1	9.1%
S8U2X		1	9.1%
V3C7I		1	9.1%
X7V0B		1	9.1%
X9K7Y		1	9.1%
Y3G7P		1	9.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_22: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
J5G6B		1	25.0%
P4Z8C		1	25.0%
V7B2G		1	25.0%
Z7W0E		1	25.0%

hml34_22: bar code for blood smear sample

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_23: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
H5G8B		1	33.3%
H6I3Y		1	33.3%
W9Y4J		1	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_24: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B8W8O		1	50.0%
M3B2S		1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_25: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
C8G9Z		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_26: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_27: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
K3Z3Q		1	33.3%
O0D2T		1	33.3%
V9D7P		1	33.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_28: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Q0H6E		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_29: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_30: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_31: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Q5W0S		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_32: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
W6E9Q		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_33: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
T0Z7B		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_34: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_35: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_36: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_37: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml34_38: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
O6N7P		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_39: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
J4S3J		1	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34_40: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

hml35_01: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_02: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=6365 /-]

Value	Label	Cases	Percentage
0	negative	37	44.6%
1	positive	46	55.4%
6	other	0	
Sysmiss		6365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_03: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1008 /-] [Invalid=5440 /-]

hml35_03: result of malaria rapid test

Value	Label	Cases	Percentage
0	negative	400	39.7%
1	positive	607	60.2%
6	other	1	0.1%
Sysmiss		5440	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_04: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=944 /-] [Invalid=5504 /-]

Value	Label	Cases	Percentage
0	negative	354	37.5%
1	positive	590	62.5%
6	other	0	
Sysmiss		5504	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_05: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=814 /-] [Invalid=5634 /-]

Value	Label	Cases	Percentage
0	negative	306	37.6%
1	positive	508	62.4%
6	other	0	
Sysmiss		5634	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_06: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=704 /-] [Invalid=5744 /-]

Value	Label	Cases	Percentage
0	negative	255	36.2%
1	positive	449	63.8%
6	other	0	
Sysmiss		5744	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_07: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=598 /-] [Invalid=5850 /-]

Value	Label	Cases	Percentage
0	negative	206	34.4%
1	positive	392	65.6%
6	other	0	
Sysmiss		5850	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_08: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=454 /-] [Invalid=5994 /-]

Value	Label	Cases	Percentage
0	negative	146	32.2%
1	positive	308	67.8%
6	other	0	
Sysmiss		5994	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_09: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=376 /-] [Invalid=6072 /-]

Value	Label	Cases	Percentage
0	negative	115	30.6%
1	positive	261	69.4%
6	other	0	
Sysmiss		6072	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_10: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=316 /-] [Invalid=6132 /-]

Value	Label	Cases	Percentage
0	negative	86	27.2%
1	positive	230	72.8%
6	other	0	
Sysmiss		6132	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_11: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=220 /-] [Invalid=6228 /-]

Value	Label	Cases	Percentage
0	negative	69	31.4%
1	positive	151	68.6%
6	other	0	
Sysmiss		6228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_12: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=178 /-] [Invalid=6270 /-]

Value	Label	Cases	Percentage
0	negative	59	33.1%
1	positive	119	66.9%
6	other	0	
Sysmiss		6270	

hml35_12: result of malaria rapid test

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_13: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=6322 /-]

Value	Label	Cases	Percentage
0	negative	43	34.1%
1	positive	83	65.9%
6	other	0	
Sysmiss		6322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_14: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=93 /-] [Invalid=6355 /-]

Value	Label	Cases	Percentage
0	negative	28	30.1%
1	positive	65	69.9%
6	other	0	
Sysmiss		6355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_15: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=6386 /-]

Value	Label	Cases	Percentage
0	negative	20	32.3%
1	positive	42	67.7%
6	other	0	
Sysmiss		6386	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_16: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=38 /-] [Invalid=6410 /-]

Value	Label	Cases	Percentage
0	negative	12	31.6%
1	positive	26	68.4%
6	other	0	
Sysmiss		6410	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_17: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=6404 /-]

Value	Label	Cases	Percentage
0	negative	20	45.5%
1	positive	24	54.5%

hml35_17: result of malaria rapid test

Value	Label	Cases	Percentage
6	other	0	
Sysmiss		6404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_18: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6418 /-]

Value	Label	Cases	Percentage
0	negative	11	36.7%
1	positive	19	63.3%
6	other	0	
Sysmiss		6418	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_19: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=6426 /-]

Value	Label	Cases	Percentage
0	negative	5	22.7%
1	positive	17	77.3%
6	other	0	
Sysmiss		6426	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_20: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=6432 /-]

Value	Label	Cases	Percentage
0	negative	7	43.8%
1	positive	9	56.2%
6	other	0	
Sysmiss		6432	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_21: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=6438 /-]

Value	Label	Cases	Percentage
0	negative	2	20.0%
1	positive	8	80.0%
6	other	0	
Sysmiss		6438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_22: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=6444 /-]

hml35_22: result of malaria rapid test

Value	Label	Cases	Percentage
0	negative	2	50.0%
1	positive	2	50.0%
6	other	0	
Sysmiss		6444	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_23: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	3	100.0%
6	other	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_24: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=6446 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	2	100.0%
6	other	0	
Sysmiss		6446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_25: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_26: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_27: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=6445 /-]

Value	Label	Cases	Percentage
0	negative	1	33.3%
1	positive	2	66.7%
6	other	0	
Sysmiss		6445	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_28: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	1	100.0%
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_29: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_30: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_31: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
6	other	0	
Sysmiss		6447	

hml35_31: result of malaria rapid test

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_32: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_33: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_34: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_35: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_36: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	

hml35_36: result of malaria rapid test

Value	Label	Cases	Percentage
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_37: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_38: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	1	100.0%
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_39: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=6447 /-]

Value	Label	Cases	Percentage
0	negative	1	100.0%
1	positive	0	
6	other	0	
Sysmiss		6447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml35_40: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6448 /-]

Value	Label	Cases	Percentage
0	negative	0	
1	positive	0	
6	other	0	
Sysmiss		6448	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFIR71FL

v004: ultimate area unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=124.197 /-] [StdDev=73.183 /-]

v005: women's individual sample weight (6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 240843-5668936] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=999999.974 /-] [StdDev=623508.215 /-]

v006: month of interview

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
9		359	4.4%
10		3995	49.3%
11		3672	45.3%
12		85	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v007: year of interview

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2014		8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v008: date of interview (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 1377-1380] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1377		359	4.4%
1378		3995	49.3%
1379		3672	45.3%
1380		85	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v009: respondent's month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3527	43.5%
2		428	5.3%
3		461	5.7%
4		430	5.3%
5		421	5.2%
6		404	5.0%
7		426	5.3%
8		405	5.0%

File : BFIR71FL

v009: respondent's month of birth

Value	Label	Cases	Percentage
9		382	4.7%
10		422	5.2%
11		258	3.2%
12		547	6.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v010: respondent's year of birth

Information	[Type= continuous] [Format=numeric] [Range= 1964-1999] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=1985.282 /-] [StdDev=9.42 /-]

v011: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 779-1200] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=1027.732 /-] [StdDev=113.648 /-]

v012: respondent's current age

Information	[Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=28.634 /-] [StdDev=9.418 /-]

v013: age in 5-year groups

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	15-19	1714	21.1%
2	20-24	1411	17.4%
3	25-29	1417	17.5%
4	30-34	1197	14.8%
5	35-39	1065	13.1%
6	40-44	738	9.1%
7	45-49	569	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v014: completeness of age information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	6375	78.6%
2	month and age - year imputed	1	0.0%
3	year and age - month imputed	1662	20.5%
4	year and age - year ignored	0	
5	year - age/month imputed	1	0.0%
6	age - year/month imputed	72	0.9%
7	month - age/year imputed	0	
8	none - all imputed	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFIR71FL

v015: result of individual interview

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	completed	8111	100.0%
2	not at home	0	
3	postponed	0	
4	refused	0	
5	partially completed	0	
6	respondent incapacitated	0	
7	other	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v016: day of interview

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=16.751 /-] [StdDev=8.516 /-]

v017: na - cmc start of calendar

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v018: na - row of month of interview

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v019: na - length of calendar

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v019a: number of calendar columns

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no calendar	8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFIR71FL

v020: ever-married sample

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	all woman sample	8111	100.0%
1	ever married sample	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v021: primary sampling unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=124.197 /-] [StdDev=73.183 /-]

v022: sample strata for sampling errors

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	68	0.8%
2	boucle du mouhoun rural	551	6.8%
3	cascades urbain	133	1.6%
4	cascades rural	547	6.7%
5	centre urbain	572	7.1%
6	centre rural	137	1.7%
7	centre est urbain	112	1.4%
8	centre est rural	556	6.9%
9	centre nord urbain	67	0.8%
10	centre nord rural	563	6.9%
11	centre ouest urbain	87	1.1%
12	centre ouest rural	557	6.9%
13	centre sud urbain	79	1.0%
14	centre sud rural	465	5.7%
15	est urbain	48	0.6%
16	est rural	511	6.3%
17	hauts-bassins urbain	208	2.6%
18	hauts-bassins rural	344	4.2%
19	nord urbain	83	1.0%
20	nord rural	514	6.3%
21	plateau central urbain	73	0.9%
22	plateau central rural	610	7.5%
23	sahel urbain	56	0.7%
24	sahel rural	596	7.3%
25	sud ouest urbain	83	1.0%
26	sud ouest rural	491	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v023: stratification used in sample design

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]

File : BFIR71FL

v023: stratification used in sample design

Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	68	0.8%
2	boucle du mouhoun rural	551	6.8%
3	cascades urbain	133	1.6%
4	cascades rural	547	6.7%
5	centre urbain	572	7.1%
6	centre rural	137	1.7%
7	centre est urbain	112	1.4%
8	centre est rural	556	6.9%
9	centre nord urbain	67	0.8%
10	centre nord rural	563	6.9%
11	centre ouest urbain	87	1.1%
12	centre ouest rural	557	6.9%
13	centre sud urbain	79	1.0%
14	centre sud rural	465	5.7%
15	est urbain	48	0.6%
16	est rural	511	6.3%
17	hauts-bassins urbain	208	2.6%
18	hauts-bassins rural	344	4.2%
19	nord urbain	83	1.0%
20	nord rural	514	6.3%
21	plateau central urbain	73	0.9%
22	plateau central rural	610	7.5%
23	sahel urbain	56	0.7%
24	sahel rural	596	7.3%
25	sud ouest urbain	83	1.0%
26	sud ouest rural	491	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle de mouhoun	619	7.6%
2	cascades	680	8.4%
3	centre	709	8.7%
4	centre-est	668	8.2%
5	centre-nord	630	7.8%
6	centre-ouest	644	7.9%
7	centre-sud	544	6.7%
8	est	559	6.9%
9	hauts basins	552	6.8%
10	nord	597	7.4%

File : BFIR71FL

v024: region

Value	Label	Cases	Percentage
11	plateau central	683	8.4%
12	sahel	652	8.0%
13	sud-ouest	574	7.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	1669	20.6%
2	rural	6442	79.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v026: de facto place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	572	7.1%
1	small city	1097	13.5%
2	countryside	6442	79.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v027: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		7736	95.4%
2		316	3.9%
3		59	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v034: na - line number of husband

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	husband not in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v040: na - cluster altitude in meters

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFIR71FL

v042: household selected for hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not selected	0	
1	selected	8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v044: na - selected for domestic violence module

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	woman not selected	0	
1	woman selected and interviewed	0	
2	woman selected, but privacy not possible	0	
3	woman selected, but not interviewed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v101: region

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle de mouhoun	619	7.6%
2	cascades	680	8.4%
3	centre	709	8.7%
4	centre-est	668	8.2%
5	centre-nord	630	7.8%
6	centre-ouest	644	7.9%
7	centre-sud	544	6.7%
8	est	559	6.9%
9	hauts basins	552	6.8%
10	nord	597	7.4%
11	plateau central	683	8.4%
12	sahel	652	8.0%
13	sud-ouest	574	7.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v102: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	1669	20.6%
2	rural	6442	79.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFIR71FL

v103: na - childhood place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	capital, large city	0	
1	city	0	
2	town	0	
3	countryside	0	
4	abroad	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v104: na - years lived in place of residence

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
95	always	0	
96	visitor	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v105: na - type of place of previous residence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	capital, large city	0	
1	city	0	
2	town	0	
3	countryside	0	
4	abroad	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v106: highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	5781	71.3%
1	primary	1109	13.7%
2	secondary	1154	14.2%
3	higher	67	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v107: highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

File : BFIR71FL

v107: highest year of education

Statistics [NW/ W]	[Valid=2324 /-] [Invalid=5787 /-]

Value	Label	Cases	Percentage
0	no years completed at level v106	58	2.5%
1		322	13.9%
2		369	15.9%
3		408	17.6%
4		383	16.5%
5		336	14.5%
6		393	16.9%
7		55	2.4%
Sysmiss		5787	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v113: source of drinking water

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
10	piped water	0	
11	piped into dwelling	89	1.1%
12	piped to yard/plot	626	7.7%
13	public tap/standpipe	959	11.8%
14	piped from the neighbor	6	0.1%
20	tube well water	0	
21	tube well or borehole	4052	50.0%
30	dug well (open/protected)	0	
31	protected well	477	5.9%
32	unprotected well	1324	16.3%
40	surface water	0	
41	protected spring	7	0.1%
42	unprotected spring	174	2.1%
43	river/dam/lake/ponds/stream/canal/irrigation channel	224	2.8%
51	rainwater	6	0.1%
61	tanker truck	1	0.0%
62	cart with small tank	44	0.5%
71	bottled water	30	0.4%
96	other	4	0.0%
97	not a dejure resident	87	1.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v115: time to get to water source

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=8058 /-] [Invalid=53 /-]

Value	Label	Cases	Percentage
1		43	0.5%

File : BFIR71FL

v115: time to get to water source

Value	Label	Cases	Percentage
2		86	1.1%
3		76	0.9%
4		34	0.4%
5		616	7.6%
6		42	0.5%
7		28	0.3%
8		33	0.4%
9		4	0.0%
10		1005	12.5%
11		2	0.0%
12		10	0.1%
13		5	0.1%
14		4	0.0%
15		835	10.4%
16		15	0.2%
17		6	0.1%
18		4	0.0%
20		722	9.0%
21		2	0.0%
23		1	0.0%
24		4	0.0%
25		83	1.0%
26		2	0.0%
27		2	0.0%
30		1052	13.1%
32		1	0.0%
35		52	0.6%
36		1	0.0%
37		2	0.0%
39		1	0.0%
40		205	2.5%
45		163	2.0%
46		2	0.0%
48		1	0.0%
49		1	0.0%
50		43	0.5%
55		1	0.0%
59		1	0.0%
60		900	11.2%
61		1	0.0%
63		4	0.0%
65		14	0.2%
66		1	0.0%

File : BFIR71FL

v115: time to get to water source

Value	Label	Cases	Percentage
70		13	0.2%
75		11	0.1%
80		13	0.2%
90		87	1.1%
95		2	0.0%
100		4	0.0%
110		2	0.0%
120		365	4.5%
125		6	0.1%
138		1	0.0%
140		7	0.1%
145		3	0.0%
150		8	0.1%
160		1	0.0%
180		65	0.8%
190		2	0.0%
200		1	0.0%
210		2	0.0%
240		16	0.2%
280		1	0.0%
300		18	0.2%
480		1	0.0%
996	on premises	1025	12.7%
997	not a dejure resident	87	1.1%
998	don't know	207	2.6%
Sysmiss		53	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v116: type of toilet facility

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=8101 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
10	flush toilet	0	
11	flush to piped sewer system	21	0.3%
12	flush to septic tank	180	2.2%
13	flush to pit latrine	9	0.1%
14	flush to somewhere else	0	
15	flush, don't know where	0	
20	pit toilet latrine	0	
21	ventilated improved pit latrine (vip)	24	0.3%
22	pit latrine with slab	3332	41.1%
23	pit latrine without slab/open pit	199	2.5%
30	no facility	0	
31	no facility/bush/field	4225	52.2%

File : BFIR71FL

v116: type of toilet facility

Value	Label	Cases	Percentage
41	composting toilet	14	0.2%
42	bucket toilet	0	
43	hanging toilet/latrine	0	
96	other	10	0.1%
97	not a dejure resident	87	1.1%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v119: household has: electricity

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8094 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6862	84.8%
1	yes	1145	14.1%
7	not a dejure resident	87	1.1%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v120: household has: radio

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8097 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	3066	37.9%
1	yes	4944	61.1%
7	not a dejure resident	87	1.1%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v121: household has: television

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8088 /-] [Invalid=23 /-]

Value	Label	Cases	Percentage
0	no	6314	78.1%
1	yes	1687	20.9%
7	not a dejure resident	87	1.1%
Sysmiss		23	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v122: household has: refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8088 /-] [Invalid=23 /-]

Value	Label	Cases	Percentage
0	no	7590	93.8%
1	yes	411	5.1%
7	not a dejure resident	87	1.1%

File : BFIR71FL

v122: household has: refrigerator

Value	Label	Cases	Percentage
Sysmiss		23	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v123: household has: bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8100 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	1073	13.2%
1	yes	6940	85.7%
7	not a dejure resident	87	1.1%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v124: household has: motorcycle/scooter

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	3598	44.4%
1	yes	4413	54.5%
7	not a dejure resident	87	1.1%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v125: household has: car/truck

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8104 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
0	no	7775	95.9%
1	yes	242	3.0%
7	not a dejure resident	87	1.1%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v127: main floor material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	earth/sand	3755	46.3%
12	dung	615	7.6%
20	rudimentary	0	
21	wood planks	0	
22	palm/bambou	0	
30	finished	0	
31	parquet or polished wood	0	

File : BFIR71FL

v127: main floor material

Value	Label	Cases	Percentage
32	vinyl or asphalt strips	0	
33	ceramic tiles	215	2.7%
34	cement	3433	42.3%
35	carpet	0	
96	other	2	0.0%
97	not a dejure resident	87	1.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v128: main wall material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no walls	0	
12	cane/palm/trunks	350	4.3%
13	dirt	4315	53.2%
20	rudimentary	0	
21	bamboo with mud	76	0.9%
22	stone with mud	424	5.2%
23	uncovered adobe	282	3.5%
24	plywood	0	
25	cardboard	0	
26	reused wood	0	
30	finished	0	
31	cement	1525	18.8%
32	stone with lime/cement	67	0.8%
33	bricks	526	6.5%
34	cement blocks	47	0.6%
35	covered adobe	164	2.0%
36	wood planks/shingles	13	0.2%
96	other	231	2.8%
97	not a dejure resident	87	1.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v129: main roof material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no roof	0	
12	thatch/palm leaf	1843	22.7%
13	sod	0	

File : BFIR71FL

v129: main roof material

Value	Label	Cases	Percentage
20	rudimentary	0	
21	rustic mat	0	
22	palm/bamboo	0	
23	wood planks	0	
24	cardboard	0	
30	finished	0	
31	metal	5337	65.8%
32	wood	792	9.8%
33	zinc/cement fiber	0	
34	tiles/slate	0	
35	cement	0	
36	shingles	0	
96	other	48	0.6%
97	not a dejure resident	87	1.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v130: religion

Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no religion	0	
1	muslim	5212	64.4%
2	catholic	1649	20.4%
3	protestant	573	7.1%
4	traditionnal/animist	525	6.5%
5	without religion	137	1.7%
96	other	2	0.0%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v131: ethnicity

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	bobo	113	1.4%
2	dioula	65	0.8%
3	fulfuldé / peul	771	9.5%
4	gourmatché	366	4.5%
5	gourounsi	311	3.8%
6	lobi	193	2.4%
7	mossi	3979	49.1%
8	sénoufo	233	2.9%
9	touareg / bella	86	1.1%
10	dagara	236	2.9%
11	bissa	407	5.0%
12	pays cedeao	40	0.5%
13	autres pays africains	4	0.0%
14	autres nationalités	0	
96	autre	1303	16.1%
98	nsp	2	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v133: education in single years

Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=8105 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0		5791	71.4%
1		45	0.6%
2		101	1.2%
3		168	2.1%
4		171	2.1%
5		284	3.5%
6		367	4.5%
7		260	3.2%
8		249	3.1%
9		231	2.9%
10		202	2.5%
11		48	0.6%
12		67	0.8%
13		62	0.8%
14		17	0.2%
15		19	0.2%
16		9	0.1%
17		10	0.1%
18		4	0.0%
97	inconsistent	0	

v133: education in single years

Value	Label	Cases	Percentage
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v134: de facto place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	572	7.1%
1	small city	1097	13.5%
2	countryside	6442	79.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v135: usual resident or visitor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	usual resident	8024	98.9%
2	visitor	87	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v136: number of household members (listed)

Information	[Type= continuous] [Format=numeric] [Range= 1-40] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=8.19 /-] [StdDev=4.464 /-]

v137: number of children 5 and under in household (de jure)

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1489	18.4%
1		2365	29.2%
2		2325	28.7%
3		1032	12.7%
4		516	6.4%
5		209	2.6%
6		105	1.3%
7		45	0.6%
8		16	0.2%
9		6	0.1%
10		3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v138: number of eligible women in household (de facto)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3350	41.3%
2		2619	32.3%

v138: number of eligible women in household (de facto)

Value	Label	Cases	Percentage
3		1211	14.9%
4		574	7.1%
5		243	3.0%
6		42	0.5%
7		52	0.6%
10		20	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v139: de jure region of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	abroad	0	
1	boucle de mouhoun	610	7.5%
2	cascades	678	8.4%
3	centre	687	8.5%
4	centre-est	665	8.2%
5	centre-nord	621	7.7%
6	centre-ouest	641	7.9%
7	centre-sud	540	6.7%
8	est	558	6.9%
9	hauts basins	547	6.7%
10	nord	590	7.3%
11	plateau central	674	8.3%
12	sahel	651	8.0%
13	sud-ouest	562	6.9%
97	not dejure resident	87	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v140: de jure type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	abroad	0	
1	urban	1641	20.2%
2	rural	6383	78.7%
7	not a dejure resident	87	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v141: de jure place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	551	6.8%
1	small city	1090	13.4%
2	countryside	6383	78.7%

v141: de jure place of residence

Value	Label	Cases	Percentage
4	abroad	0	
7	not a dejure resident	87	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v149: educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	5781	71.3%
1	incomplete primary	783	9.7%
2	complete primary	326	4.0%
3	incomplete secondary	1087	13.4%
4	complete secondary	67	0.8%
5	higher	67	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v150: relationship to household head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	head	393	4.8%
2	wife or husband	5549	68.4%
3	son/daughter	1156	14.3%
4	son/daughter-in-law	320	3.9%
5	grandchild	78	1.0%
6	parent	23	0.3%
7	parent-in-law	55	0.7%
8	brother/sister	152	1.9%
9	co-spouse	21	0.3%
10	other relative	230	2.8%
11	adopted/foster child	31	0.4%
12	not related	103	1.3%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v151: sex of household head

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	7335	90.4%
2	female	776	9.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v152: age of household head

Information	[Type= discrete] [Format=numeric] [Range= 16-98] [Missing=*]

v152: age of household head

Statistics [NW/ W]	[Valid=8108 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
16		1	0.0%
17		5	0.1%
18		11	0.1%
19		8	0.1%
20		40	0.5%
21		40	0.5%
22		67	0.8%
23		85	1.0%
24		94	1.2%
25		146	1.8%
26		122	1.5%
27		172	2.1%
28		136	1.7%
29		138	1.7%
30		283	3.5%
31		160	2.0%
32		244	3.0%
33		162	2.0%
34		172	2.1%
35		280	3.5%
36		191	2.4%
37		188	2.3%
38		154	1.9%
39		159	2.0%
40		334	4.1%
41		176	2.2%
42		265	3.3%
43		188	2.3%
44		169	2.1%
45		326	4.0%
46		157	1.9%
47		193	2.4%
48		195	2.4%
49		195	2.4%
50		280	3.5%
51		119	1.5%
52		219	2.7%
53		142	1.8%
54		147	1.8%
55		187	2.3%
56		141	1.7%
57		121	1.5%
58		112	1.4%
59		99	1.2%

v152: age of household head

Value	Label	Cases	Percentage
60		246	3.0%
61		58	0.7%
62		71	0.9%
63		55	0.7%
64		100	1.2%
65		111	1.4%
66		41	0.5%
67		48	0.6%
68		62	0.8%
69		35	0.4%
70		93	1.1%
71		26	0.3%
72		34	0.4%
73		27	0.3%
74		22	0.3%
75		51	0.6%
76		16	0.2%
77		17	0.2%
78		31	0.4%
79		10	0.1%
80		35	0.4%
81		10	0.1%
82		7	0.1%
83		7	0.1%
84		7	0.1%
85		18	0.2%
86		3	0.0%
87		10	0.1%
89		4	0.0%
90		18	0.2%
92		1	0.0%
93		2	0.0%
94		1	0.0%
95		8	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v153: household has: telephone (land-line)

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=8095 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	7875	97.3%
1	yes	133	1.6%

v153: household has: telephone (land-line)

Value	Label	Cases	Percentage
7	not a dejure resident	87	1.1%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactt: all woman factor - total

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactu: all woman factor - urban/rural

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactr: all woman factor - regional

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfacte: all woman factor - educational

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactw: all woman factor - wealth index

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		8111	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v155: literacy

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=8091 /-] [Invalid=20 /-]

Value	Label	Cases	Percentage
0	cannot read at all	5950	73.5%
1	able to read only parts of sentence	513	6.3%
2	able to read whole sentence	1594	19.7%
3	no card with required language	30	0.4%

v155: literacy

Value	Label	Cases	Percentage
4	blind/visually impaired	4	0.0%
Sysmiss		20	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v156: na - ever participated in a literacy program outside of primary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v157: na - frequency of reading newspaper or magazine

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not at all	0	
1	less than once a week	0	
2	at least once a week	0	
3	almost every day	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v158: na - frequency of listening to radio

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not at all	0	
1	less than once a week	0	
2	at least once a week	0	
3	almost every day	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v159: na - frequency of watching television

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not at all	0	
1	less than once a week	0	
2	at least once a week	0	
3	almost every day	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v160: toilet facilities shared with other households

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=3872 /-] [Invalid=4239 /-]

Value	Label	Cases	Percentage
0	no	1812	46.8%
1	yes	1973	51.0%
7	not a dejure resident	87	2.2%
Sysmiss		4239	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v161: type of cooking fuel

Information	[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=8101 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
1	electricity	0	
2	lpg	472	5.8%
3	natural gas	0	
4	biogas	0	
5	kerosene	0	
6	coal, lignite	0	
7	charcoal	411	5.1%
8	wood	7124	87.9%
9	straw/shrubs/grass	0	
10	agricultural crop	0	
11	animal dung	0	
95	no food cooked in house	4	0.0%
96	other	3	0.0%
97	not a dejure resident	87	1.1%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v166: na - result of salt test for iodine

Information	[Type= discrete] [Format=numeric] [Range= 0-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	0 ppm (no iodine)	0	
7	7 ppm	0	
15	15 ppm	0	
30	30 ppm	0	
994	salt not tested	0	
995	no salt	0	
997	not a dejure resident	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v167: na - number of trips in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

v167: na - number of trips in last 12 months

Value	Label	Cases	Percentage
0	none	0	
90	90+	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v168: na - away for more than one month in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v190: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	poorest	1630	20.1%
2	poorer	1678	20.7%
3	middle	1767	21.8%
4	richer	1734	21.4%
5	richest	1302	16.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v191: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -167764-538062] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=5115.717 /-] [StdDev=98800.12 /-]

ml101: type of mosquito bed net(s) slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no net	1872	23.1%
1	only treated nets	6102	75.2%
2	both treated and untreated nets	1	0.0%
3	only untreated nets	136	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_01: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
1		5300	100.0%
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_02: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
2		2935	100.0%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_03: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
3		580	100.0%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_04: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
4		37	100.0%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_05: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
5		2	100.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_06: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_07: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_08: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

bidx_08: birth column number

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_09: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_10: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_11: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_12: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_13: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_14: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_15: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]

bidx_15: birth column number

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_16: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_17: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_18: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_19: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx_20: birth column number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_01: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
1		2365	44.6%
2		2355	44.4%
3		543	10.2%
4		35	0.7%
5		2	0.0%
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_02: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
1		2355	80.2%
2		543	18.5%
3		35	1.2%
4		2	0.1%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_03: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

bord_03: birth order number

Value	Label	Cases	Percentage
1		543	93.6%
2		35	6.0%
3		2	0.3%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_04: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
1		35	94.6%
2		2	5.4%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_05: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
1		2	100.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_06: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_07: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_08: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_09: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

bord_09: birth order number

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_10: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_11: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_12: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_13: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_14: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_15: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_16: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]

bord_16: birth order number

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_17: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_18: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_19: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord_20: birth order number

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_01: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
0	single birth	5188	97.9%
1	1st of multiple	2	0.0%
2	2nd of multiple	109	2.1%
3	3rd of multiple	1	0.0%
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_02: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

b0_02: child is twin

Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
0	single birth	2785	94.9%
1	1st of multiple	118	4.0%
2	2nd of multiple	32	1.1%
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_03: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
0	single birth	541	93.3%
1	1st of multiple	32	5.5%
2	2nd of multiple	7	1.2%
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_04: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
0	single birth	29	78.4%
1	1st of multiple	7	18.9%
2	2nd of multiple	1	2.7%
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_05: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
0	single birth	1	50.0%
1	1st of multiple	1	50.0%
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	

b0_05: child is twin

Value	Label	Cases	Percentage
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_06: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_07: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_08: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_09: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b0_09: child is twin

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_10: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_11: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_12: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

b0_12: child is twin

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_13: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_14: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_15: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_16: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	

b0_16: child is twin

Value	Label	Cases	Percentage
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_17: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_18: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_19: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0_20: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	single birth	0	
1	1st of multiple	0	
2	2nd of multiple	0	
3	3rd of multiple	0	
4	4th of multiple	0	
5	5th of multiple	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_01: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
1		436	8.2%
2		399	7.5%
3		442	8.3%
4		475	9.0%
5		449	8.5%
6		510	9.6%
7		421	7.9%
8		513	9.7%
9		463	8.7%
10		529	10.0%
11		353	6.7%
12		310	5.8%
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_02: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
1		332	11.3%
2		249	8.5%
3		262	8.9%
4		247	8.4%
5		257	8.8%
6		267	9.1%
7		226	7.7%
8		260	8.9%
9		260	8.9%
10		259	8.8%
11		163	5.6%

b1_02: month of birth

Value	Label	Cases	Percentage
12		153	5.2%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_03: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
1		69	11.9%
2		64	11.0%
3		40	6.9%
4		47	8.1%
5		45	7.8%
6		43	7.4%
7		55	9.5%
8		48	8.3%
9		60	10.3%
10		63	10.9%
11		26	4.5%
12		20	3.4%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_04: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
1		9	24.3%
2		5	13.5%
3		3	8.1%
4		4	10.8%
5		1	2.7%
6		1	2.7%
7		3	8.1%
8		4	10.8%
9		2	5.4%
10		2	5.4%
11		1	2.7%
12		2	5.4%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_05: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 3-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

b1_05: month of birth

Value	Label	Cases	Percentage
3		1	50.0%
8		1	50.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_06: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_07: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_08: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_09: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_10: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_11: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_12: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_13: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_14: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_15: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_16: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_17: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_18: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_19: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1_20: month of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_01: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2008-2014] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
2008		164	3.1%
2009		286	5.4%

b2_01: year of birth

Value	Label	Cases	Percentage
2010		427	8.1%
2011		724	13.7%
2012		1146	21.6%
2013		1311	24.7%
2014		1242	23.4%
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_02: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2008-2014] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
2008		428	14.6%
2009		759	25.9%
2010		809	27.6%
2011		644	21.9%
2012		222	7.6%
2013		49	1.7%
2014		24	0.8%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_03: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2008-2013] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
2008		245	42.2%
2009		220	37.9%
2010		78	13.4%
2011		28	4.8%
2012		8	1.4%
2013		1	0.2%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_04: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2008-2011] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
2008		19	51.4%
2009		12	32.4%
2010		5	13.5%
2011		1	2.7%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_05: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-2010] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
2009		1	50.0%
2010		1	50.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_06: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_07: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_08: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_09: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_10: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_11: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b2_11: year of birth

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_12: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_13: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_14: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_15: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_16: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_17: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_18: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]

b2_18: year of birth

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_19: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2_20: year of birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_01: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1297-1379] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-] [Mean=1351.983 /-] [StdDev=19.329 /-]

b3_02: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1297-1378] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-] [Mean=1324.874 /-] [StdDev=15.476 /-]

b3_03: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1297-1357] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-] [Mean=1312.236 /-] [StdDev=11.669 /-]

b3_04: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1297-1335] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-] [Mean=1309 /-] [StdDev=10.195 /-]

b3_05: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 1311-1328] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
1311		1	50.0%
1328		1	50.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_06: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b3_06: date of birth (cmc)

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_07: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_08: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_09: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_10: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_11: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_12: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_13: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]

b3_13: date of birth (cmc)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_14: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_15: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_16: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_17: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_18: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_19: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3_20: date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_01: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
1	male	2727	51.5%
2	female	2573	48.5%
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_02: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
1	male	1523	51.9%
2	female	1412	48.1%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_03: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
1	male	301	51.9%
2	female	279	48.1%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_04: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
1	male	21	56.8%
2	female	16	43.2%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_05: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	2	100.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_06: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_07: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_08: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_09: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b4_09: sex of child

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_10: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_11: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_12: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_13: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_14: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	

b4_14: sex of child

Value	Label	Cases	Percentage
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_15: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_16: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_17: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_18: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_19: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	

b4_19: sex of child

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b4_20: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_01: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
0	no	206	3.9%
1	yes	5094	96.1%
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_02: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
0	no	244	8.3%
1	yes	2691	91.7%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_03: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
0	no	72	12.4%
1	yes	508	87.6%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_04: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
0	no	8	21.6%
1	yes	29	78.4%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_05: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_06: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_07: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_08: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_09: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_10: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b5_10: child is alive

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_11: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_12: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_13: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_14: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_15: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

b5_15: child is alive

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_16: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_17: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_18: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_19: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5_20: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

b5_20: child is alive

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_01: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_02: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_03: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	

b6_03: na - age at death

Value	Label	Cases	Percentage
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_04: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_05: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_06: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	

b6_06: na - age at death

Value	Label	Cases	Percentage
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_07: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_08: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_09: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_10: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_11: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_12: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_13: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_14: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_15: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_16: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_17: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_18: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_19: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6_20: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_01: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_02: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_03: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_04: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_05: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b7_05: na - age at death (months, imputed)

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_06: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_07: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_08: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_09: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_10: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_11: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_12: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]

b7_12: na - age at death (months, imputed)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_13: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_14: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_15: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_16: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_17: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_18: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_19: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7_20: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_01: current age of child

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=5094 /-] [Invalid=3017 /-]

Value	Label	Cases	Percentage
0		1356	26.6%
1		1217	23.9%
2		1091	21.4%
3		655	12.9%
4		373	7.3%
5		264	5.2%
6		138	2.7%
Sysmiss		3017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_02: current age of child

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=2691 /-] [Invalid=5420 /-]

Value	Label	Cases	Percentage
0		26	1.0%
1		38	1.4%
2		211	7.8%
3		609	22.6%
4		770	28.6%
5		673	25.0%
6		364	13.5%
Sysmiss		5420	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_03: current age of child

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=508 /-] [Invalid=7603 /-]

Value	Label	Cases	Percentage
1		1	0.2%
2		11	2.2%

b8_03: current age of child

Value	Label	Cases	Percentage
3		15	3.0%
4		68	13.4%
5		196	38.6%
6		217	42.7%
Sysmiss		7603	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_04: current age of child

Information	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]
Statistics [NW/ W]	[Valid=29 /-] [Invalid=8082 /-]

Value	Label	Cases	Percentage
3		1	3.4%
4		4	13.8%
5		14	48.3%
6		10	34.5%
Sysmiss		8082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_05: current age of child

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
5		1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_06: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_07: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_08: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_09: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_10: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_11: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_12: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_13: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_14: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_15: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_16: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_17: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_18: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_19: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8_20: current age of child

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_01: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=5094 /-] [Invalid=3017 /-]

Value	Label	Cases	Percentage
0	respondent	5024	98.6%
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	70	1.4%
Sysmiss		3017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_02: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=2691 /-] [Invalid=5420 /-]

Value	Label	Cases	Percentage
0	respondent	2551	94.8%
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	140	5.2%
Sysmiss		5420	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_03: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=508 /-] [Invalid=7603 /-]

b9_03: child lives with whom

Value	Label	Cases	Percentage
0	respondent	474	93.3%
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	34	6.7%
Sysmiss		7603	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_04: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=29 /-] [Invalid=8082 /-]

Value	Label	Cases	Percentage
0	respondent	26	89.7%
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	3	10.3%
Sysmiss		8082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_05: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_06: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_07: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

b9_07: child lives with whom

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_08: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_09: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_10: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_11: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_12: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_13: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_14: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_15: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_16: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_17: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_18: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_19: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9_20: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	respondent	0	
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_01: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	5272	99.5%
2	month and age - year imputed	0	
3	year and age - month imputed	22	0.4%
4	year and age - year ignored	0	
5	year - age/month imputed	6	0.1%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		2811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_02: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	2899	98.8%
2	month and age - year imputed	0	
3	year and age - month imputed	27	0.9%
4	year and age - year ignored	0	

b10_02: completeness of information

Value	Label	Cases	Percentage
5	year - age/month imputed	9	0.3%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_03: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	568	97.9%
2	month and age - year imputed	0	
3	year and age - month imputed	8	1.4%
4	year and age - year ignored	0	
5	year - age/month imputed	4	0.7%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_04: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	35	94.6%
2	month and age - year imputed	0	
3	year and age - month imputed	1	2.7%
4	year and age - year ignored	0	
5	year - age/month imputed	1	2.7%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_05: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	2	100.0%
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	

b10_05: completeness of information

Value	Label	Cases	Percentage
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_06: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_07: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_08: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	

b10_08: completeness of information

Value	Label	Cases	Percentage
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_09: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_10: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_11: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	

b10_11: completeness of information

Value	Label	Cases	Percentage
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_12: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_13: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_14: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	

b10_14: completeness of information

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_15: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_16: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_17: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

b10_17: completeness of information

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_18: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_19: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10_20: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_01: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 7-78] [Missing=*]
Statistics [NW/ W]	[Valid=2886 /-] [Invalid=5225 /-] [Mean=35.927 /-] [StdDev=11.902 /-]

b11_02: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 7-74] [Missing=*]
Statistics [NW/ W]	[Valid=552 /-] [Invalid=7559 /-] [Mean=27.938 /-] [StdDev=10.031 /-]

b11_03: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-44] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=8081 /-] [Mean=23.333 /-] [StdDev=8.81 /-]

b11_04: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
11		1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_05: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_06: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_07: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_08: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_09: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_10: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_11: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_12: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_13: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_14: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_15: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_16: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_17: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_18: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_19: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11_20: preceding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_01: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_02: succeeding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 0-78] [Missing=*]
Statistics [NW/ W]	[Valid=2825 /-] [Invalid=5286 /-] [Mean=35.866 /-] [StdDev=11.904 /-]

b12_03: succeeding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 4-74] [Missing=*]
Statistics [NW/ W]	[Valid=579 /-] [Invalid=7532 /-] [Mean=28.446 /-] [StdDev=10.494 /-]

b12_04: succeeding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-49] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-] [Mean=24.892 /-] [StdDev=9.489 /-]

b12_05: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Range= 11-29] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
11		1	50.0%
29		1	50.0%
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_06: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_07: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_08: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_09: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_10: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_11: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_12: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_13: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_14: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_15: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_16: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_17: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_18: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_19: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b12_20: succeeding birth interval (months)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_01: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_02: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b13_02: na - flag for age at death

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_03: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_04: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_05: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

b13_05: na - flag for age at death

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_06: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_07: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_08: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_09: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_10: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_11: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_12: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_13: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_14: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_15: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_16: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_17: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_18: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_19: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b13_20: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_01: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_02: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2935 /-] [Invalid=5176 /-]

Value	Label	Cases	Percentage
0	no	2901	98.8%
1	yes	34	1.2%
Sysmiss		5176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_03: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=580 /-] [Invalid=7531 /-]

Value	Label	Cases	Percentage
0	no	567	97.8%
1	yes	13	2.2%
Sysmiss		7531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_04: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=8074 /-]

Value	Label	Cases	Percentage
0	no	36	97.3%
1	yes	1	2.7%
Sysmiss		8074	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_05: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=8109 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	
Sysmiss		8109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_06: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

b15_06: live birth between births

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_07: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_08: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_09: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_10: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_11: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

b15_11: live birth between births

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_12: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_13: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_14: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_15: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_16: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

b15_16: live birth between births

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_17: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_18: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_19: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15_20: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_01: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=5094 /-] [Invalid=3017 /-]

Value	Label	Cases	Percentage
0	not listed in household	70	1.4%
1		1	0.0%
2		65	1.3%

b16_01: child's line number in household

Value	Label	Cases	Percentage
3		863	16.9%
4		643	12.6%
5		680	13.3%
6		600	11.8%
7		517	10.1%
8		400	7.9%
9		296	5.8%
10		240	4.7%
11		191	3.7%
12		155	3.0%
13		107	2.1%
14		78	1.5%
15		51	1.0%
16		32	0.6%
17		21	0.4%
18		28	0.5%
19		18	0.4%
20		16	0.3%
21		9	0.2%
22		4	0.1%
24		2	0.0%
25		1	0.0%
27		2	0.0%
28		1	0.0%
31		1	0.0%
32		1	0.0%
39		1	0.0%
Sysmiss		3017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_02: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-33] [Missing=*]
Statistics [NW/ W]	[Valid=2691 /-] [Invalid=5420 /-]

Value	Label	Cases	Percentage
0	not listed in household	137	5.1%
2		13	0.5%
3		414	15.4%
4		585	21.7%
5		334	12.4%
6		279	10.4%
7		216	8.0%
8		153	5.7%
9		149	5.5%
10		113	4.2%
11		78	2.9%

b16_02: child's line number in household

Value	Label	Cases	Percentage
12		54	2.0%
13		46	1.7%
14		31	1.2%
15		23	0.9%
16		17	0.6%
17		19	0.7%
18		8	0.3%
19		8	0.3%
20		5	0.2%
21		2	0.1%
22		1	0.0%
23		2	0.1%
24		1	0.0%
26		1	0.0%
28		1	0.0%
33		1	0.0%
Sysmiss		5420	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_03: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=508 /-] [Invalid=7603 /-]

Value	Label	Cases	Percentage
0	not listed in household	35	6.9%
2		6	1.2%
3		87	17.1%
4		77	15.2%
5		94	18.5%
6		51	10.0%
7		35	6.9%
8		32	6.3%
9		25	4.9%
10		18	3.5%
11		8	1.6%
12		9	1.8%
13		13	2.6%
14		2	0.4%
15		2	0.4%
16		5	1.0%
17		6	1.2%
18		1	0.2%
19		1	0.2%
23		1	0.2%
Sysmiss		7603	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_04: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=29 /-] [Invalid=8082 /-]

Value	Label	Cases	Percentage
0	not listed in household	3	10.3%
3		3	10.3%
4		5	17.2%
5		4	13.8%
6		2	6.9%
7		4	13.8%
8		3	10.3%
10		2	6.9%
12		1	3.4%
13		1	3.4%
21		1	3.4%
Sysmiss		8082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_05: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
0	not listed in household	1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_06: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_07: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_08: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

b16_08: child's line number in household

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_09: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_10: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_11: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_12: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_13: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_14: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

b16_14: child's line number in household

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_15: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_16: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_17: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_18: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_19: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16_20: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not listed in household	0	
Sysmiss		8111	

b16_20: child's line number in household

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v201: total children ever born

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1739	21.4%
1		938	11.6%
2		927	11.4%
3		879	10.8%
4		846	10.4%
5		758	9.3%
6		644	7.9%
7		519	6.4%
8		363	4.5%
9		234	2.9%
10		140	1.7%
11		72	0.9%
12		23	0.3%
13		15	0.2%
14		6	0.1%
15		3	0.0%
16		3	0.0%
18		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v202: sons at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3163	39.0%
1		2254	27.8%
2		1516	18.7%
3		752	9.3%
4		301	3.7%
5		90	1.1%
6		28	0.3%
7		6	0.1%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v203: daughters at home

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3410	42.0%
1		2336	28.8%

v203: daughters at home

Value	Label	Cases	Percentage
2		1533	18.9%
3		630	7.8%
4		159	2.0%
5		36	0.4%
6		4	0.0%
7		1	0.0%
8		1	0.0%
11		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v204: sons elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6630	81.7%
1		948	11.7%
2		383	4.7%
3		109	1.3%
4		32	0.4%
5		5	0.1%
6		4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v205: daughters elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6225	76.7%
1		1118	13.8%
2		492	6.1%
3		198	2.4%
4		63	0.8%
5		10	0.1%
6		4	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v206: sons who have died

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6184	76.2%
1		1360	16.8%
2		414	5.1%
3		109	1.3%
4		31	0.4%

v206: sons who have died

Value	Label	Cases	Percentage
5		7	0.1%
6		5	0.1%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v207: daughters who have died

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6354	78.3%
1		1263	15.6%
2		356	4.4%
3		98	1.2%
4		24	0.3%
5		10	0.1%
6		4	0.0%
7		1	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v208: births in last five years

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no births	3231	39.8%
1		3053	37.6%
2		1700	21.0%
3		121	1.5%
4		5	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v209: births in past year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no births	6588	81.2%
1		1491	18.4%
2		32	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v210: births in month of interview

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8044	99.2%
1		65	0.8%
2		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v211: na - date of first birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v212: na - age of respondent at 1st birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v213: currently pregnant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

v213: currently pregnant

Value	Label	Cases	Percentage
0	no or unsure	7393	91.1%
1	yes	718	8.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v214: duration of current pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=718 /-] [Invalid=7393 /-]

Value	Label	Cases	Percentage
1		24	3.3%
2		76	10.6%
3		85	11.8%
4		109	15.2%
5		80	11.1%
6		107	14.9%
7		97	13.5%
8		100	13.9%
9		39	5.4%
10		1	0.1%
Sysmiss		7393	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v215: na - time since last menstrual period

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	day of interview	0	
101	days: 1	0	
199	days: number missing	0	
201	weeks: 1	0	
299	weeks: number missing	0	
301	months: 1	0	
399	months: number missing	0	
401	years: 1	0	
499	years: number missing	0	
994	in menopause/had hysterectomy	0	
995	before last birth	0	
996	never menstruated	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v216: na - menstruated in last six weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

v216: na - menstruated in last six weeks

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v217: na - knowledge of ovulatory cycle

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	during her period	0	
2	after period ended	0	
3	middle of the cycle	0	
4	before period begins	0	
5	at any time	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v218: number of living children

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1831	22.6%
1		1071	13.2%
2		1137	14.0%
3		1114	13.7%
4		945	11.7%
5		805	9.9%
6		582	7.2%
7		350	4.3%
8		175	2.2%
9		55	0.7%
10		33	0.4%
11		8	0.1%
13		2	0.0%
14		1	0.0%
15		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v219: living children + current pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1650	20.3%

v219: living children + current pregnancy

Value	Label	Cases	Percentage
1		1121	13.8%
2		1147	14.1%
3		1125	13.9%
4		980	12.1%
5		827	10.2%
6		608	7.5%
7		365	4.5%
8		181	2.2%
9		59	0.7%
10		35	0.4%
11		8	0.1%
13		2	0.0%
14		1	0.0%
15		1	0.0%
18		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v220: living children + current pregnancy (grouped)

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1650	20.3%
1		1121	13.8%
2		1147	14.1%
3		1125	13.9%
4		980	12.1%
5		827	10.2%
6	6+	1261	15.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v221: na - marriage to first birth interval (months)

Information	[Type= discrete] [Format=numeric] [Range= 996-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
996	negative interval	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v222: last birth to interview (months)

Information	[Type= continuous] [Format=numeric] [Range= 0-82] [Missing=*]
Statistics [NW/ W]	[Valid=5300 /-] [Invalid=2811 /-] [Mean=26.448 /-] [StdDev=19.337 /-]

v223: completeness of current pregnancy information

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=718 /-] [Invalid=7393 /-]

v223: completeness of current pregnancy information

Value	Label	Cases	Percentage
7	month - exact date	711	99.0%
8	none - date placed	7	1.0%
Sysmiss		7393	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v224: entries in birth history

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		2811	34.7%
1		2365	29.2%
2		2355	29.0%
3		543	6.7%
4		35	0.4%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v225: na - current pregnancy wanted

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	not at all	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v226: na - time since last period (comp) (months)

Information	[Type= discrete] [Format=numeric] [Range= 994-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
994	in menopause	0	
995	before last birth	0	
996	never menstruated	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v227: na - flag for last period

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	n > interval since birth	0	
2	n + amen. > interval	0	

v227: na - flag for last period

Value	Label	Cases	Percentage
3	n, but period not returned	0	
4	95, but no birth	0	
5	95, but period returned	0	
6	96, but period returned	0	
7	n, last period during pregnancy	0	
8	96, had children	0	
9	n, period before last birth	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v228: na - ever had a terminated pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v229: na - month pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v230: na - year pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v231: na - cmc pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v232: na - completeness of last termination information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year	0	
2	from calendar	0	
5	year	0	
7	month	0	
8	none	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v233: na - months when pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v234: na - other such pregnancies

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v235: na - index last child prior to maternity-health (calendar)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no prior child	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v237: na - birth between last and interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v238: na - births in last three years

Information	[Type= discrete] [Format=numeric] [Missing=*]

v238: na - births in last three years

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v239: na - pregnancies terminated before calendar beginning

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v240: na - month of last termination prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v241: na - year of last termination prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v242: na - cmc termination ended prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v243: na - completeness of last termination date prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	month and year	0	
2	from calendar	0	

v243: na - completeness of last termination date prior to calendar

Value	Label	Cases	Percentage
5	year	0	
7	month	0	
8	none	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx_1: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=4880 /-] [Invalid=3231 /-]

Value	Label	Cases	Percentage
1		4880	100.0%
Sysmiss		3231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx_2: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx_3: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx_4: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx_5: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx_6: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

midx_6: index to birth history

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1_1: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1_2: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1_3: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1_4: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1_5: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	

m1_5: na - number of tetanus injections before birth

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1_6: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a_1: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a_2: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a_3: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a_4: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a_5: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a_6: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b_1: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b_2: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b_3: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b_4: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b_5: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b_6: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c_1: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c_2: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m1c_2: na - year of last tetanus injection before pregnancy

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c_3: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c_4: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c_5: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c_6: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d_1: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d_2: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d_3: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d_4: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d_5: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d_6: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e_1: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e_2: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	

m1e_2: na - last tetanus injection before pregnancy (cmc)

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e_3: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e_4: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e_5: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e_6: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a_1: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	4768	98.0%
1	yes	99	2.0%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a_2: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m2a_2: prenatal: doctor

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a_3: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a_4: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a_5: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a_6: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b_1: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	3892	80.0%

m2b_1: prenatal: nurse

Value	Label	Cases	Percentage
1	yes	975	20.0%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b_2: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b_3: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b_4: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b_5: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b_6: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m2b_6: prenatal: nurse

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c_1: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	2486	51.1%
1	yes	2381	48.9%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c_2: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c_3: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c_4: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c_5: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c_6: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d_1: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	2993	61.5%
1	yes	1874	38.5%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d_2: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d_3: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d_4: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d_5: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m2d_5: prenatal: auxiliary birth attendant

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d_6: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e_1: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	4818	99.0%
1	yes	49	1.0%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e_2: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e_3: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e_4: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e_5: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m2e_5: prenatal: matron/birth attendant trained

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e_6: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f_1: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f_2: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f_3: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f_4: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m2f_4: na - prenatal: cs health professional

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f_5: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f_6: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g_1: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	4851	99.7%
1	yes	16	0.3%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g_2: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g_3: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m2g_3: prenatal: traditional birth attendant

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g_4: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g_5: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g_6: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h_1: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	4858	99.8%
1	yes	9	0.2%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h_2: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h_3: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h_4: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h_5: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h_6: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i_1: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i_2: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m2i_2: na - prenatal: cs other person

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i_3: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i_4: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i_5: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i_6: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j_1: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m2j_1: na - prenatal: cs other person

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j_2: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j_3: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j_4: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j_5: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j_6: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m2j_6: na - prenatal: cs other person

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k_1: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=3244 /-]

Value	Label	Cases	Percentage
0	no	4862	99.9%
1	yes	5	0.1%
Sysmiss		3244	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k_2: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k_3: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k_4: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k_5: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k_6: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l_1: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l_2: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l_3: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l_4: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l_5: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m2l_5: na - prenatal: cs other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l_6: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m_1: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m_2: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m_3: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m_4: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m_5: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m_6: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n_1: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4874 /-] [Invalid=3237 /-]

m2n_1: prenatal: no one

Value	Label	Cases	Percentage
0	no: some care	4741	97.3%
1	yes: no care	133	2.7%
Sysmiss		3237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n_2: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some care	0	
1	yes: no care	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n_3: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some care	0	
1	yes: no care	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n_4: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some care	0	
1	yes: no care	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n_5: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some care	0	
1	yes: no care	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n_6: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some care	0	

m2n_6: prenatal: no one

Value	Label	Cases	Percentage
1	yes: no care	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a_1: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a_2: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a_3: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a_4: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a_5: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m3a_5: na - assistance: doctor

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a_6: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b_1: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b_2: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b_3: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b_4: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b_5: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b_6: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c_1: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c_2: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c_3: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c_4: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m3c_4: na - assistance: cs health professional

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c_5: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c_6: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d_1: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d_2: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d_3: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m3d_3: na - assistance: cs health professional

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d_4: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d_5: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d_6: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e_1: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e_2: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m3e_2: na - assistance: cs health professional

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e_3: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e_4: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e_5: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e_6: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f_1: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f_2: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f_3: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f_4: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f_5: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f_6: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g_1: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m3g_1: na - assistance: traditional birth attendant

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g_2: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g_3: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g_4: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g_5: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g_6: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h_1: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h_2: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h_3: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m3h_3: na - assistance: cs other person

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h_4: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h_5: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h_6: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i_1: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i_2: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m3i_2: na - assistance: cs other person

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i_3: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i_4: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i_5: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i_6: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j_1: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m3j_1: na - assistance: cs other person

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j_2: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j_3: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j_4: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j_5: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j_6: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k_1: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k_2: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k_3: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k_4: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k_5: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k_6: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m3k_6: na - assistance: other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l_1: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l_2: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l_3: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l_4: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l_5: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m3l_5: na - assistance: cs other

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l_6: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m_1: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m_2: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m_3: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m_4: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m3m_4: na - assistance: cs other

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m_5: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m_6: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n_1: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n_2: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n_3: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n_4: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n_5: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n_6: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4_1: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	
96	breastfed until died	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4_2: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	
96	breastfed until died	0	

m4_2: na - duration of breastfeeding

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4_3: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	
96	breastfed until died	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4_4: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	
96	breastfed until died	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4_5: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	
96	breastfed until died	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4_6: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	
96	breastfed until died	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5_1: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5_2: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5_3: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5_4: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]

m5_4: na - months of breastfeeding

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5_5: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5_6: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6_1: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6_2: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	

m6_2: na - duration of amenorrhea

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6_3: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6_4: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6_5: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6_6: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7_1: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m7_1: na - months of amenorrhea

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7_2: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7_3: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7_4: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7_5: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7_6: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

m7_6: na - months of amenorrhea

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8_1: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8_2: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8_3: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8_4: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8_5: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m8_5: na - duration of abstinence

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8_6: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9_1: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9_2: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9_3: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9_4: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m9_4: na - months of abstinence

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9_5: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9_6: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10_1: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10_2: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10_3: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m10_3: na - wanted pregnancy when became pregnant

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10_4: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10_5: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10_6: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11_1: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	
Sysmiss		8111	

m11_1: na - desired time would have waited

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11_2: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11_3: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11_4: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11_5: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	

m11_5: na - desired time would have waited

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11_6: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13_1: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13_2: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13_3: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13_4: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13_5: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13_6: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14_1: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4873 /-] [Invalid=3238 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	44	0.9%
1		99	2.0%
2		354	7.3%
3		1177	24.2%
4		2082	42.7%
5		652	13.4%
6		219	4.5%
7		47	1.0%
8		20	0.4%
9		34	0.7%
10		8	0.2%
11		1	0.0%
15		1	0.0%
98	don't know	135	2.8%
Sysmiss		3238	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14_2: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14_3: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14_4: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14_5: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14_6: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15_1: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m15_1: na - place of delivery

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15_2: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15_3: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	

m15_3: na - place of delivery

Value	Label	Cases	Percentage
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15_4: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15_5: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15_6: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17_1: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17_2: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17_3: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17_4: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

m17_4: na - delivery by caesarean section

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17_5: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17_6: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18_1: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	
3	average	0	
4	smaller than average	0	
5	very small	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18_2: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	
3	average	0	
4	smaller than average	0	
5	very small	0	

m18_2: na - size of child at birth

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18_3: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	
3	average	0	
4	smaller than average	0	
5	very small	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18_4: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	
3	average	0	
4	smaller than average	0	
5	very small	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18_5: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	
3	average	0	
4	smaller than average	0	
5	very small	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18_6: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m18_6: na - size of child at birth

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	
3	average	0	
4	smaller than average	0	
5	very small	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19_1: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19_2: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19_3: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19_4: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19_5: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]

m19_5: na - birth weight in kilograms (3 decimals)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19_6: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a_1: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	
8	don't know	0	
9	special answers	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a_2: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	
8	don't know	0	
9	special answers	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a_3: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	

m19a_3: na - weight at birth/recall

Value	Label	Cases	Percentage
8	don't know	0	
9	special answers	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a_4: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	
8	don't know	0	
9	special answers	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a_5: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	
8	don't know	0	
9	special answers	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a_6: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	
8	don't know	0	
9	special answers	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27_1: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	

m27_1: na - flag for breastfeeding

Value	Label	Cases	Percentage
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27_2: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27_3: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27_4: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27_5: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m27_5: na - flag for breastfeeding

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27_6: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28_1: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28_2: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28_3: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m28_3: na - flag for amenorrhea

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28_4: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28_5: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28_6: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29_1: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	

m29_1: na - flag for abstinence

Value	Label	Cases	Percentage
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29_2: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29_3: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29_4: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29_5: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29_6: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34_1: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34_2: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]

m34_2: na - when child put to breast

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34_3: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34_4: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34_5: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	

m34_5: na - when child put to breast

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34_6: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35_1: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35_2: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35_3: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35_4: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35_5: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35_6: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36_1: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36_2: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36_3: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36_4: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36_5: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36_6: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38_1: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38_2: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38_3: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38_4: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

m38_4: na - drank from bottle with nipple yesterday/last night

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38_5: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38_6: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a_1: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a_2: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a_3: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a_4: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a_5: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a_6: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39_1: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

m39_1: na - number of times ate solid, semi-solid or soft food yesterday

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39_2: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39_3: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39_4: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39_5: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39_6: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	

m39_6: na - number of times ate solid, semi-solid or soft food yesterday

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a_1: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a_2: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a_3: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a_4: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a_5: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m42a_5: na - during pregnancy: weighed

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a_6: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b_1: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b_2: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b_3: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b_4: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b_5: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b_6: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c_1: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c_2: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c_3: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c_4: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c_5: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m42c_5: na - during pregnancy: blood pressure taken

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c_6: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d_1: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d_2: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d_3: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d_4: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m42d_4: na - during pregnancy: urine sample taken

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d_5: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d_6: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e_1: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e_2: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e_3: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m42e_3: na - during pregnancy: blood sample taken

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e_4: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e_5: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e_6: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43_1: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43_2: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m43_2: na - told about pregnancy complications

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43_3: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43_4: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43_5: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43_6: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44_1: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m44_1: na - told where to go for pregnancy complications

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44_2: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44_3: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44_4: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44_5: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44_6: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45_1: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45_2: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45_3: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45_4: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

m45_4: na - during pregnancy, given or bought iron tablets/syrup

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45_5: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45_6: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46_1: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46_2: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46_3: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46_4: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46_5: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46_6: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47_1: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47_2: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47_3: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

m47_3: na - during pregnancy, had difficulty with daylight vision

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47_4: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47_5: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47_6: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48_1: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48_2: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48_3: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48_4: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48_5: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48_6: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

m48_6: na - during pregnancy, had difficulty with night blindness

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a_1: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=3236 /-]

Value	Label	Cases	Percentage
0	no	1415	29.0%
1	yes	3409	69.9%
8	don't know	51	1.0%
Sysmiss		3236	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a_2: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a_3: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a_4: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a_5: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m49a_5: during pregnancy took: sp/fansidar for malaria

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a_6: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b_1: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=3236 /-]

Value	Label	Cases	Percentage
0	no	4753	97.5%
1	yes	71	1.5%
8	don't know	51	1.0%
Sysmiss		3236	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b_2: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b_3: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b_4: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m49b_4: during pregnancy took: chloroquine for malaria

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b_5: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b_6: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c_1: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=3236 /-]

Value	Label	Cases	Percentage
0	no	4724	96.9%
1	yes	100	2.1%
8	don't know	51	1.0%
Sysmiss		3236	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c_2: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c_3: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c_4: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c_5: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c_6: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d_1: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

m49d_1: during pregnancy took: artesunate

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d_2: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d_3: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d_4: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d_5: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d_6: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m49d_6: during pregnancy took: artesunate

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e_1: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e_2: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e_3: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e_4: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e_5: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m49e_5: during pregnancy took: amodiaquine

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e_6: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f_1: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f_2: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f_3: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f_4: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f_5: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f_6: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g_1: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g_2: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

m49g_2: during pregnancy took: traditional drug

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g_3: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g_4: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g_5: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g_6: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x_1: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=3236 /-]

Value	Label	Cases	Percentage
0	no	4658	95.5%
1	yes	166	3.4%

m49x_1: during pregnancy took: other drug for malaria

Value	Label	Cases	Percentage
8	don't know	51	1.0%
Sysmiss		3236	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x_2: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x_3: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x_4: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x_5: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x_6: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z_1: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=3236 /-]

Value	Label	Cases	Percentage
0	no	4646	95.3%
1	yes: don't know which drug taken	178	3.7%
8	don't know	51	1.0%
Sysmiss		3236	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z_2: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know which drug taken	0	
8	don't know	0	
Sysmiss		8111	

m49z_2: during pregnancy took: don't know

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z_3: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know which drug taken	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z_4: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know which drug taken	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z_5: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know which drug taken	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z_6: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know which drug taken	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y_1: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=3236 /-]

Value	Label	Cases	Percentage
0	no	4141	84.9%
1	yes, took no drug	683	14.0%

m49y_1: during pregnancy took: no drug for malaria

Value	Label	Cases	Percentage
8	don't know	51	1.0%
Sysmiss		3236	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y_2: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, took no drug	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y_3: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, took no drug	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y_4: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, took no drug	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y_5: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, took no drug	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y_6: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m49y_6: during pregnancy took: no drug for malaria

Value	Label	Cases	Percentage
0	no	0	
1	yes, took no drug	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50_1: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50_2: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50_3: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50_4: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50_5: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m50_5: na - respondent's check up after delivery

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50_6: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51_1: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51_2: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51_3: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51_4: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51_5: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51_6: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52_1: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52_2: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52_3: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m52_3: na - respondent's health professional checked up after delivery

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52_4: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52_5: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52_6: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	

m52_6: na - respondent's health professional checked up after delivery

Value	Label	Cases	Percentage
20	other person	0	
21	traditional birth attendant	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54_1: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54_2: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54_3: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54_4: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54_5: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54_6: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a_1: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a_2: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a_3: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a_4: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

m55a_4: na - first 3 days, given milk (other than breast milk)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a_5: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a_6: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b_1: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b_2: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b_3: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m55b_3: na - first 3 days, given plain water

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b_4: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b_5: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b_6: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c_1: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c_2: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c_3: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c_4: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c_5: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m55c_5: na - first 3 days, given sugar/glucose water

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c_6: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d_1: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d_2: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d_3: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d_4: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m55d_4: na - first 3 days, given gripe water

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d_5: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d_6: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e_1: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e_2: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e_3: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m55e_3: na - first 3 days, given sugar/salt solution

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e_4: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e_5: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e_6: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f_1: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f_2: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f_3: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f_4: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f_5: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f_6: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g_1: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g_2: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m55g_2: na - first 3 days, given infant formula

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g_3: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g_4: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g_5: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g_6: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h_1: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m55h_1: na - first 3 days, given tea/infusions

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h_2: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h_3: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h_4: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h_5: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h_6: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m55h_6: na - first 3 days, given tea/infusions

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i_1: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i_2: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i_3: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i_4: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i_5: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i_6: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j_1: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j_2: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j_3: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j_4: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j_5: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m55j_5: na - first 3 days, given coffee

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j_6: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k_1: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k_2: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k_3: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k_4: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k_5: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k_6: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l_1: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m55l_1: na - first 3 days, given country specific

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l_2: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l_3: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l_4: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l_5: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l_6: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m55l_6: na - first 3 days, given country specific

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m_1: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m_2: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m_3: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m_4: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m_5: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m55m_5: na - first 3 days, given country specific

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m_6: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n_1: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n_2: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n_3: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n_4: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n_5: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n_6: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o_1: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o_2: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o_3: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o_4: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m55o_4: na - first 3 days, given country specific

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o_5: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o_6: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x_1: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x_2: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x_3: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m55x_3: na - first 3 days, given other

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x_4: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x_5: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x_6: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z_1: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z_2: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	

m55z_2: na - first 3 days, given nothing

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z_3: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z_4: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z_5: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z_6: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a_1: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a_2: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a_3: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a_4: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a_5: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a_6: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b_1: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57b_1: na - antenatal care: other home

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b_2: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b_3: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b_4: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b_5: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b_6: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c_1: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c_2: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c_3: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57c_3: na - antenatal care: cs home

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c_4: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c_5: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c_6: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d_1: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d_2: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m57d_2: na - antenatal care: cs home

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d_3: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d_4: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d_5: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d_6: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e_1: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m57e_1: na - antenatal care: government hospital

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e_2: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e_3: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e_4: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e_5: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e_6: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57f_6: na - antenatal care: cs public health

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m57g_5: na - antenatal care: cs public health

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m57h_4: na - antenatal care: cs public health

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57j_3: na - antenatal care: cs public health

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57k_5: na - antenatal care: cs public health

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l_1: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l_2: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l_3: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l_4: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m57l_4: na - antenatal care: cs public health

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l_5: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l_6: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m_1: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m_2: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m_3: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m57m_3: na - antenatal care: private hospital/clinic

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m_4: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m_5: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m_6: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n_1: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n_2: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n_3: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n_4: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n_5: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n_6: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o_1: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o_2: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57o_2: na - antenatal care: cs private medical

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o_3: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o_4: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o_5: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o_6: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p_1: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m57p_1: na - antenatal care: cs private medical

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p_2: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p_3: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p_4: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p_5: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p_6: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m57p_6: na - antenatal care: cs private medical

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q_1: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q_2: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q_3: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q_4: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q_5: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q_6: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r_1: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r_2: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r_3: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r_4: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r_5: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57r_5: na - antenatal care: cs private medical

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r_6: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s_1: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s_2: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s_3: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s_4: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s_5: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s_6: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t_1: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57t_1: na - antenatal care: cs other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t_2: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t_3: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t_4: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t_5: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t_6: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m57t_6: na - antenatal care: cs other

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u_1: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u_2: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u_3: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u_4: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u_5: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m57u_5: na - antenatal care: cs other

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u_6: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v_1: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v_2: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v_3: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v_4: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v_5: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v_6: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x_1: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x_2: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x_3: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x_4: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m57x_4: na - antenatal care: other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x_5: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x_6: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60_1: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60_2: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60_3: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m60_3: na - drugs for intestinal parasites during pregnancy

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60_4: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60_5: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60_6: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61_1: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	

m61_1: na - time spent at place of delivery

Value	Label	Cases	Percentage
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61_2: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61_3: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61_4: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	

m61_4: na - time spent at place of delivery

Value	Label	Cases	Percentage
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61_5: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61_6: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62_1: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62_2: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m62_2: na - respondent's health checked before discharge

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62_3: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62_4: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62_5: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62_6: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a_1: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a_2: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a_3: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a_4: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a_5: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a_6: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b_1: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b_2: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b_3: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m65b_3: na - reason didn't deliver at health facility: facility not open

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b_4: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b_5: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b_6: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c_1: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c_2: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m65c_2: na - reason didn't deliver at health facility: too far/no transport

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c_3: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c_4: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c_5: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c_6: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d_1: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m65d_1: na - reason didn't deliver at health facility: don't trust facility/poor service

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d_2: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d_3: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d_4: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d_5: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d_6: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e_1: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e_2: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e_3: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e_4: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e_5: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e_6: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m65e_6: na - reason didn't deliver at health facility: no female provider

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f_1: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f_2: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f_3: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f_4: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f_5: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m65f_5: na - reason didn't deliver at health facility: husband/family didn't allow

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f_6: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g_1: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g_2: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g_3: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g_4: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m65g_4: na - reason didn't deliver at health facility: not necessary

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g_5: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g_6: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h_1: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h_2: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h_3: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h_4: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h_5: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h_6: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i_1: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i_2: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i_3: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m65i_3: na - reason didn't deliver at health facility: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i_4: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i_5: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i_6: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j_1: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j_2: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j_3: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j_4: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j_5: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

m65j_5: na - reason didn't deliver at health facility: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j_6: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k_1: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k_2: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k_3: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k_4: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

m65k_4: na - reason didn't deliver at health facility: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k_5: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k_6: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l_1: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l_2: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l_3: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m65l_3: na - reason didn't deliver at health facility: cs

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l_4: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l_5: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l_6: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x_1: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x_2: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x_3: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x_4: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x_5: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x_6: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66_1: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66_2: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

m66_2: na - respondent's health checked after discharge/delivery at home

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66_3: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66_4: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66_5: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66_6: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70_1: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70_2: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70_3: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70_4: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70_5: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

m70_5: na - baby postnatal check within 2 months

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70_6: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71_1: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71_2: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71_3: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	

m71_3: na - time after delivery postnatal check took place

Value	Label	Cases	Percentage
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71_4: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71_5: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71_6: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	
101	hours: 1	0	

m71_6: na - time after delivery postnatal check took place

Value	Label	Cases	Percentage
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72_1: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72_2: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72_3: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	

m72_3: na - person who performed postnatal checkup

Value	Label	Cases	Percentage
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72_4: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72_5: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72_6: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	
13	auxiliary midwife	0	

m72_6: na - person who performed postnatal checkup

Value	Label	Cases	Percentage
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73_1: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73_2: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73_3: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73_4: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	

m73_4: na - place baby was first checked

Value	Label	Cases	Percentage
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73_5: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73_6: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		8111	

m73_6: na - place baby was first checked

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hidx_1: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=4880 /-] [Invalid=3231 /-]

Value	Label	Cases	Percentage
1		4880	100.0%
Sysmiss		3231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hidx_2: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1827 /-] [Invalid=6284 /-]

Value	Label	Cases	Percentage
2		1827	100.0%
Sysmiss		6284	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hidx_3: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=127 /-] [Invalid=7984 /-]

Value	Label	Cases	Percentage
3		127	100.0%
Sysmiss		7984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hidx_4: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=8105 /-]

Value	Label	Cases	Percentage
4		6	100.0%
Sysmiss		8105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hidx_5: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
5		1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hidx_6: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1_1: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1_2: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1_3: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1_4: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1_5: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h1_5: na - has health card

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1_6: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2_1: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2_2: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2_3: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h2_3: na - received bcg

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2_4: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2_5: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2_6: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d_1: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

h2d_1: na - bcg day

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d_2: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d_3: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d_4: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d_5: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d_6: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h2d_6: na - bcg day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m_1: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m_2: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m_3: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m_4: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m_5: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

h2m_5: na - bcg month

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m_6: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y_1: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y_2: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y_3: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y_4: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	

h2y_4: na - bcg year

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y_5: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y_6: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3_1: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3_2: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3_3: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h3_3: na - received dpt 1

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3_4: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3_5: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3_6: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d_1: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d_2: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d_3: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d_4: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d_5: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d_6: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m_1: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m_2: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m_3: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h3m_3: na - dpt 1 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m_4: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m_5: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m_6: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y_1: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y_2: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h3y_2: na - dpt 1 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y_3: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y_4: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y_5: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y_6: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4_1: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	

h4_1: na - received polio 1

Value	Label	Cases	Percentage
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4_2: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4_3: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4_4: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4_5: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h4_5: na - received polio 1

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4_6: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d_1: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d_2: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d_3: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d_4: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d_5: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d_6: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m_1: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m_2: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m_3: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h4m_3: na - polio 1 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m_4: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m_5: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m_6: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y_1: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y_2: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h4y_2: na - polio 1 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y_3: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y_4: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y_5: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y_6: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5_1: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	

h5_1: na - received dpt 2

Value	Label	Cases	Percentage
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5_2: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5_3: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5_4: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5_5: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h5_5: na - received dpt 2

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5_6: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d_1: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d_2: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d_3: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d_4: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d_5: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d_6: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m_1: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m_2: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m_3: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m_4: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m_5: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h5m_5: na - dpt 2 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m_6: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y_1: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y_2: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y_3: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y_4: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h5y_4: na - dpt 2 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y_5: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y_6: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6_1: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6_2: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6_3: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6_4: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6_5: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6_6: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d_1: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d_2: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d_3: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d_4: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d_5: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d_6: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h6d_6: na - polio 2 day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m_1: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m_2: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m_3: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m_4: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m_5: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

h6m_5: na - polio 2 month

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m_6: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y_1: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y_2: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y_3: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y_4: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	

h6y_4: na - polio 2 year

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y_5: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y_6: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7_1: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7_2: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7_3: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h7_3: na - received dpt 3

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7_4: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7_5: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7_6: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d_1: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d_2: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d_3: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d_4: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d_5: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d_6: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h7d_6: na - dpt 3 day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m_1: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m_2: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m_3: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m_4: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m_5: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m_6: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y_1: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h7y_1: na - dpt 3 year

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y_2: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y_3: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y_4: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y_5: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y_6: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h7y_6: na - dpt 3 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8_1: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8_2: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8_3: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8_4: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	

h8_4: na - received polio 3

Value	Label	Cases	Percentage
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8_5: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8_6: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d_1: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d_2: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

h8d_2: na - polio 3 day

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d_3: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d_4: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d_5: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d_6: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m_1: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m_2: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m_3: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m_4: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m_5: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m_6: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y_1: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h8y_1: na - polio 3 year

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y_2: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y_3: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y_4: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y_5: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y_6: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h8y_6: na - polio 3 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9_1: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9_2: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9_3: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9_4: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	

h9_4: na - received measles

Value	Label	Cases	Percentage
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9_5: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9_6: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d_1: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d_2: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

h9d_2: na - measles day

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d_3: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d_4: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d_5: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d_6: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m_1: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m_2: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m_3: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m_4: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m_5: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m_6: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y_1: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y_2: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y_3: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h9y_3: na - measles year

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y_4: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y_5: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y_6: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0_1: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0_2: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h0_2: na - received polio 0

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0_3: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0_4: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0_5: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0_6: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h0_6: na - received polio 0

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d_1: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d_2: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d_3: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d_4: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d_5: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

h0d_5: na - polio 0 day

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d_6: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m_1: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m_2: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m_3: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m_4: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h0m_4: na - polio 0 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m_5: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m_6: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y_1: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y_2: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y_3: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h0y_3: na - polio 0 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y_4: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y_5: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y_6: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10_1: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10_2: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h10_2: na - ever had vaccination

Value	Label	Cases	Percentage
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10_3: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10_4: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10_5: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10_6: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11_1: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h11_1: na - had diarrhea recently

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11_2: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11_3: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11_4: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11_5: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h11_5: na - had diarrhea recently

Value	Label	Cases	Percentage
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11_6: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b_1: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b_2: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b_3: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b_4: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b_5: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b_6: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a_1: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a_2: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a_3: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a_4: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a_5: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

h12a_5: na - diarrhea: government hospital

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a_6: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12b_4: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h12c_3: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12d_2: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12f_1: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h12f_6: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12g_5: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i_1: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i_2: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i_3: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i_4: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i_5: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i_6: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j_1: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12j_1: na - diarrhea: private hospital/clinic

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j_2: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j_3: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j_4: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j_5: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j_6: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h12j_6: na - diarrhea: private hospital/clinic

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k_1: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k_2: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k_3: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k_4: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k_5: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12k_5: na - diarrhea: private pharmacy

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k_6: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l_1: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l_2: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l_3: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l_4: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l_5: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l_6: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m_1: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m_2: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m_3: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m_4: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12m_4: na - diarrhea: cs private medical

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m_5: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m_6: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n_1: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n_2: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n_3: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h12n_3: na - diarrhea: cs private medical

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n_4: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n_5: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n_6: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o_1: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o_2: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12o_2: na - diarrhea: cs private medical

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o_3: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o_4: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o_5: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o_6: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p_1: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p_2: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p_3: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p_4: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p_5: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p_6: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q_1: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12q_1: na - diarrhea: cs private medical

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q_2: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q_3: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q_4: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q_5: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q_6: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r_1: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r_2: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r_3: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12r_3: na - diarrhea: cs private medical

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r_4: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r_5: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r_6: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s_1: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s_2: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h12s_2: na - diarrhea: cs other sector

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s_3: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s_4: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s_5: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s_6: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t_1: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12t_1: na - diarrhea: cs other sector

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t_2: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t_3: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t_4: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t_5: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t_6: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u_1: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u_2: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u_3: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u_4: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u_5: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u_6: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12u_6: na - diarrhea: cs other sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v_1: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v_2: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v_3: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v_4: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v_5: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h12v_5: na - diarrhea: cs other sector

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v_6: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w_1: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w_2: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w_3: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w_4: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12w_4: na - diarrhea: cs other sector

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w_5: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w_6: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x_1: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x_2: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x_3: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x_4: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x_5: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x_6: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y_1: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y_2: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y_3: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12y_3: na - diarrhea: no treatment

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y_4: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y_5: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y_6: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z_1: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z_2: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z_3: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z_4: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z_5: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h12z_5: na - diarrhea: medical treatment

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z_6: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13_1: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13_2: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13_3: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13_4: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13_5: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13_6: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b_1: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b_2: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h13b_2: na - given pre-packaged ors liquid

Value	Label	Cases	Percentage
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b_3: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b_4: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b_5: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b_6: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14_1: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h14_1: na - given recommended home solution

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14_2: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14_3: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14_4: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14_5: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h14_5: na - given recommended home solution

Value	Label	Cases	Percentage
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14_6: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15_1: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15_2: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15_3: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15_4: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15_5: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15_6: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a_1: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a_2: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h15a_2: na - given antimotility

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a_3: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a_4: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a_5: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a_6: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b_1: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h15b_1: na - given antibiotic injection

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b_2: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b_3: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b_4: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b_5: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b_6: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h15b_6: na - given antibiotic injection

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c_1: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c_2: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c_3: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c_4: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c_5: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c_6: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d_1: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d_2: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d_3: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d_4: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d_5: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d_6: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h15d_6: na - given home remedy, herbal medicine

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e_1: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e_2: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e_3: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e_4: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e_5: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h15e_5: na - given zinc

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e_6: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f_1: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f_2: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f_3: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f_4: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h15f_4: na - given other (not antibiotic, antimotility, zinc)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f_5: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f_6: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g_1: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g_2: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g_3: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g_4: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g_5: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g_6: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h_1: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h15h_1: na - given non-antibiotic injection

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h_2: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h_3: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h_4: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h_5: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h_6: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h15h_6: na - given non-antibiotic injection

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i_1: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i_2: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i_3: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i_4: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i_5: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h15i_5: na - given unknown injection

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i_6: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j_1: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j_2: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j_3: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j_4: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j_5: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j_6: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k_1: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k_2: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h15k_2: na - given cs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k_3: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k_4: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k_5: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k_6: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l_1: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h15l_1: na - given cs

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l_2: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l_3: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l_4: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l_5: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l_6: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m_1: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m_2: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h15m_2: na - given cs

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m_3: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m_4: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m_5: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m_6: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20_1: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h20_1: na - given other treatment

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20_2: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20_3: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20_4: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20_5: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20_6: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h20_6: na - given other treatment

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a_1: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a_2: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a_3: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a_4: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a_5: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a_6: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21_1: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21_2: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21_3: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21_4: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

h21_4: na - received any treatment

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21_5: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21_6: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22_1: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4691 /-] [Invalid=3420 /-]

Value	Label	Cases	Percentage
0	no	2652	56.5%
1	yes	2033	43.3%
8	don't know	6	0.1%
Sysmiss		3420	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22_2: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1646 /-] [Invalid=6465 /-]

Value	Label	Cases	Percentage
0	no	1072	65.1%
1	yes	557	33.8%
8	don't know	17	1.0%
Sysmiss		6465	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22_3: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=94 /-] [Invalid=8017 /-]

h22_3: had fever in last two weeks

Value	Label	Cases	Percentage
0	no	62	66.0%
1	yes	27	28.7%
8	don't know	5	5.3%
Sysmiss		8017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22_4: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=8106 /-]

Value	Label	Cases	Percentage
0	no	4	80.0%
1	yes	0	
8	don't know	1	20.0%
Sysmiss		8106	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22_5: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22_6: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31_1: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31_2: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31_3: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31_4: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31_5: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31_6: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h31_6: na - had cough in last two weeks

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b_1: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b_2: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b_3: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b_4: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b_5: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b_6: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c_1: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c_2: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c_3: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h31c_3: na - problem in the chest or blocked or running nose

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c_4: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c_5: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c_6: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d_1: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d_2: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d_3: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	

h31d_3: na - had fever/cough in last 2 weeks: amount offered to drink

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d_4: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d_5: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d_6: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e_1: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h31e_1: na - had fever/cough in last 2 weeks: amount offered to eat

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e_2: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e_3: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e_4: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	

h31e_4: na - had fever/cough in last 2 weeks: amount offered to eat

Value	Label	Cases	Percentage
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e_5: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e_6: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a_1: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	1969	96.9%
1	yes	62	3.1%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a_2: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

h32a_2: fever/cough: government hospital

Value	Label	Cases	Percentage
0	no	548	98.7%
1	yes	7	1.3%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a_3: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	26	96.3%
1	yes	1	3.7%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a_4: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a_5: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a_6: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b_1: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	1160	57.1%

h32b_1: fever/cough: government health center

Value	Label	Cases	Percentage
1	yes	871	42.9%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b_2: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	354	63.8%
1	yes	201	36.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b_3: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	19	70.4%
1	yes	8	29.6%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b_4: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b_5: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b_6: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h32b_6: fever/cough: government health center

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c_1: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	1777	87.5%
1	yes	254	12.5%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c_2: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	497	89.5%
1	yes	58	10.5%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c_3: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	24	88.9%
1	yes	3	11.1%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c_4: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c_5: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c_6: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d_1: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d_2: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d_3: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d_4: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d_5: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32d_5: na - fever/cough: cs public sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d_6: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e_1: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2009	98.9%
1	yes	22	1.1%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e_2: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	544	98.0%
1	yes	11	2.0%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e_3: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e_4: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h32e_4: fever/cough: health worker

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e_5: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e_6: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f_1: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2016	99.3%
1	yes	15	0.7%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f_2: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	552	99.5%
1	yes	3	0.5%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f_3: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	

h32f_3: fever/cough: other public sector

Value	Label	Cases	Percentage
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f_4: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f_5: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f_6: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g_1: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g_2: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g_3: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g_4: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g_5: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g_6: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h_1: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32h_1: na - fever/cough: cs public sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h_2: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h_3: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h_4: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h_5: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h_6: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h32h_6: na - fever/cough: cs public sector

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i_1: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i_2: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i_3: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i_4: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i_5: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h32i_5: na - fever/cough: cs public sector

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i_6: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j_1: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2025	99.7%
1	yes	6	0.3%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j_2: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	553	99.6%
1	yes	2	0.4%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j_3: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j_4: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j_5: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j_6: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k_1: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	1990	98.0%
1	yes	41	2.0%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k_2: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	540	97.3%
1	yes	15	2.7%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k_3: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k_4: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32k_4: fever/cough: private pharmacy

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k_5: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k_6: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l_1: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2030	100.0%
1	yes	1	0.0%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l_2: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	555	100.0%
1	yes	0	
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l_3: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%

h32l_3: fever/cough: private doctor

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l_4: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l_5: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l_6: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m_1: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2031	100.0%
1	yes	0	
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m_2: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	555	100.0%
1	yes	0	

h32m_2: fever/cough: private mobile clinic

Value	Label	Cases	Percentage
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m_3: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m_4: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m_5: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m_6: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n_1: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2020	99.5%
1	yes	11	0.5%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n_2: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	553	99.6%
1	yes	2	0.4%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n_3: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n_4: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n_5: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n_6: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o_1: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

h32o_1: fever/cough: other private medical

Value	Label	Cases	Percentage
0	no	2030	100.0%
1	yes	1	0.0%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o_2: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	555	100.0%
1	yes	0	
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o_3: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o_4: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o_5: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o_6: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p_1: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p_2: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p_3: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32p_3: na - fever/cough: cs private medical

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p_4: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p_5: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p_6: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q_1: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q_2: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h32q_2: na - fever/cough: cs private medical

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q_3: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q_4: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q_5: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q_6: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r_1: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h32r_1: na - fever/cough: cs private medical

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r_2: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r_3: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r_4: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r_5: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r_6: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s_1: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2019	99.4%
1	yes	12	0.6%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s_2: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	550	99.1%
1	yes	5	0.9%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s_3: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s_4: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s_5: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s_6: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32s_6: fever/cough: shop

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t_1: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	1996	98.3%
1	yes	35	1.7%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t_2: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	544	98.0%
1	yes	11	2.0%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t_3: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	24	88.9%
1	yes	3	11.1%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t_4: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t_5: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h32t_5: fever/cough: traditional pract

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t_6: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u_1: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2025	99.7%
1	yes	6	0.3%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u_2: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	554	99.8%
1	yes	1	0.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u_3: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u_4: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h32u_4: fever/cough: market

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u_5: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u_6: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v_1: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2008	98.9%
1	yes	23	1.1%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v_2: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	551	99.3%
1	yes	4	0.7%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v_3: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v_4: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v_5: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v_6: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w_1: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w_2: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w_3: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32w_3: na - fever/cough: cs other sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w_4: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w_5: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w_6: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x_1: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	2016	99.3%
1	yes	15	0.7%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x_2: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	550	99.1%
1	yes	5	0.9%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x_3: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x_4: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x_5: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h32x_5: fever/cough: other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x_6: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y_1: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no: received treatment	1358	66.9%
1	yes: no treatment	673	33.1%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y_2: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no: received treatment	321	57.8%
1	yes: no treatment	234	42.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y_3: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no: received treatment	14	51.9%
1	yes: no treatment	13	48.1%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y_4: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	

h32y_4: fever/cough: no treatment

Value	Label	Cases	Percentage
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y_5: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y_6: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z_1: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=6080 /-]

Value	Label	Cases	Percentage
0	no	795	39.1%
1	yes	1236	60.9%
Sysmiss		6080	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z_2: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	271	48.8%
1	yes	284	51.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z_3: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	15	55.6%
1	yes	12	44.4%

h32z_3: fever/cough: medical treatment

Value	Label	Cases	Percentage
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z_4: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z_5: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z_6: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33_1: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33_2: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h33_2: na - received vitamin a1 (most recent)

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33_3: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33_4: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33_5: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33_6: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h33_6: na - received vitamin a1 (most recent)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d_1: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d_2: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d_3: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d_4: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d_5: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

h33d_5: na - vitamin a1 day

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d_6: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m_1: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m_2: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m_3: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m_4: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h33m_4: na - vitamin a1 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m_5: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m_6: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y_1: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y_2: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y_3: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

h33y_3: na - vitamin a1 year

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y_4: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y_5: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y_6: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34_1: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34_2: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h34_2: na - vitamin a in last 6 months

Value	Label	Cases	Percentage
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34_3: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34_4: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34_5: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34_6: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35_1: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h35_1: na - any vaccinations in last 2 years part of campaign

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35_2: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35_3: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35_4: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35_5: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35_6: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h35_6: na - any vaccinations in last 2 years part of campaign

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a_1: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a_2: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a_3: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a_4: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a_5: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a_6: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b_1: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b_2: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b_3: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h36b_3: na - vaccinated during campaign b

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b_4: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b_5: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b_6: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c_1: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c_2: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h36c_2: na - vaccinated during campaign c

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c_3: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c_4: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c_5: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c_6: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d_1: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h36d_1: na - vaccinated during campaign d

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d_2: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d_3: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d_4: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d_5: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d_6: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e_1: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e_2: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e_3: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e_4: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h36e_4: na - vaccinated during campaign e

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e_5: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e_6: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f_1: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f_2: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f_3: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h36f_3: na - vaccinated during campaign f

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f_4: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f_5: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f_6: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a_1: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a_2: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37a_2: na - sp/fansidar taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a_3: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a_4: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a_5: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a_6: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b_1: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h37b_1: na - chloroquine taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b_2: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b_3: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b_4: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b_5: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b_6: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c_1: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c_2: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c_3: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37c_3: na - amodiaquine taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c_4: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c_5: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c_6: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d_1: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d_2: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h37d_2: na - quinine taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d_3: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d_4: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d_5: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d_6: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e_1: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h37e_1: na - combination with artemisinin taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e_2: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e_3: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e_4: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e_5: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e_6: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f_1: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f_2: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f_3: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f_4: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f_5: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f_6: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37f_6: na - cs antimalarial taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g_1: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g_2: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g_3: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g_4: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g_5: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h37g_5: na - cs antimalarial taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g_6: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h_1: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h_2: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h_3: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h_4: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h37h_4: na - other antimalarial taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h_5: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h_6: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i_1: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i_2: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i_3: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i_4: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i_5: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i_6: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j_1: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j_2: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j_3: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37j_3: na - antibiotic injection taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j_4: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j_5: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j_6: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k_1: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k_2: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k_3: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k_4: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k_5: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37k_5: na - aspirin taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k_6: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l_1: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l_2: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l_3: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l_4: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h37l_4: na - acetaminophen/paracetamol/panadol taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l_5: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l_6: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m_1: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m_2: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m_3: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h37m_3: na - ibuprofen taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m_4: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m_5: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m_6: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n_1: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n_2: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n_3: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n_4: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n_5: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n_6: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o_1: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o_2: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37o_2: na - cs other for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o_3: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o_4: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o_5: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o_6: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p_1: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h37p_1: na - cs other for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p_2: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p_3: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p_4: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p_5: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p_6: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h37p_6: na - cs other for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x_1: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x_2: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x_3: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x_4: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x_5: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x_6: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y_1: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y_2: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y_3: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y_4: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y_5: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h37y_5: na - nothing taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y_6: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z_1: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z_2: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z_3: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z_4: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z_5: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z_6: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38_1: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h38_1: na - diarrhea in last 2 weeks: amount offered to drink

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38_2: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38_3: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38_4: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

h38_4: na - diarrhea in last 2 weeks: amount offered to drink

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38_5: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38_6: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39_1: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39_2: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	

h39_2: na - diarrhea in last 2 weeks: amount offered to eat

Value	Label	Cases	Percentage
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39_3: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39_4: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39_5: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	

h39_5: na - diarrhea in last 2 weeks: amount offered to eat

Value	Label	Cases	Percentage
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39_6: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40_1: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40_2: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40_3: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h40_3: na - received vitamin a2 (2nd most recent)

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40_4: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40_5: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40_6: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d_1: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

h40d_1: na - vitamin a2 day

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d_2: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d_3: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d_4: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d_5: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d_6: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h40d_6: na - vitamin a2 day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m_1: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m_2: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m_3: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m_4: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m_5: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	

h40m_5: na - vitamin a2 month

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m_6: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y_1: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y_2: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y_3: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y_4: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	

h40y_4: na - vitamin a2 year

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y_5: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y_6: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a_1: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a_2: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a_3: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

h41a_3: na - received vitamin a after most recent in card

Value	Label	Cases	Percentage
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a_4: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a_5: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a_6: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b_1: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b_2: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h41b_2: na - ever received vitamin a dose

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b_3: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b_4: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b_5: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b_6: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42_1: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42_2: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

h42_2: na - taking iron pills, sprinkles or syrup

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42_3: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42_4: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42_5: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42_6: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43_1: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h43_1: na - drugs for intestinal parasites in last 6 months

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43_2: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43_3: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43_4: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43_5: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43_6: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

h43_6: na - drugs for intestinal parasites in last 6 months

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a_1: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a_2: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	

h44a_2: na - place first sought treatment for diarrhea

Value	Label	Cases	Percentage
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a_3: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a_4: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	

h44a_4: na - place first sought treatment for diarrhea

Value	Label	Cases	Percentage
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a_5: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a_6: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	

h44a_6: na - place first sought treatment for diarrhea

Value	Label	Cases	Percentage
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b_1: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b_2: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b_3: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b_4: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b_5: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b_6: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c_1: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c_2: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c_3: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h44c_3: na - still has diarrhea

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c_4: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c_5: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c_6: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45_1: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45_2: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]

h45_2: na - times zinc was given

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45_3: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45_4: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45_5: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45_6: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a_1: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=1358 /-] [Invalid=6753 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	59	4.3%
12	government health center	869	64.0%
13	government health post	254	18.7%
14	health worker	21	1.5%

h46a_1: place first sought treatment for fever

Value	Label	Cases	Percentage
15	other public sector	15	1.1%
20	private sector	0	
21	private hospital, clinic	6	0.4%
22	pharmacy	36	2.7%
23	private doctor	1	0.1%
24	private mobile clinic	0	
25	private health worker	11	0.8%
26	other private medical	0	
30	other	0	
31	health community worker	23	1.7%
32	shop	12	0.9%
33	traditional pract	33	2.4%
34	market	5	0.4%
96	other	13	1.0%
Sysmiss		6753	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a_2: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=321 /-] [Invalid=7790 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	7	2.2%
12	government health center	201	62.6%
13	government health post	58	18.1%
14	health worker	11	3.4%
15	other public sector	3	0.9%
20	private sector	0	
21	private hospital, clinic	2	0.6%
22	pharmacy	14	4.4%
23	private doctor	0	
24	private mobile clinic	0	
25	private health worker	2	0.6%
26	other private medical	0	
30	other	0	
31	health community worker	4	1.2%
32	shop	5	1.6%
33	traditional pract	8	2.5%
34	market	1	0.3%
96	other	5	1.6%
Sysmiss		7790	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a_3: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=8097 /-]

h46a_3: place first sought treatment for fever

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	1	7.1%
12	government health center	8	57.1%
13	government health post	3	21.4%
14	health worker	0	
15	other public sector	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	private mobile clinic	0	
25	private health worker	0	
26	other private medical	0	
30	other	0	
31	health community worker	0	
32	shop	0	
33	traditional pract	2	14.3%
34	market	0	
96	other	0	
Sysmiss		8097	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a_4: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	government health center	0	
13	government health post	0	
14	health worker	0	
15	other public sector	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	private mobile clinic	0	
25	private health worker	0	
26	other private medical	0	
30	other	0	
31	health community worker	0	
32	shop	0	
33	traditional pract	0	
34	market	0	
96	other	0	

h46a_4: place first sought treatment for fever

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a_5: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	government health center	0	
13	government health post	0	
14	health worker	0	
15	other public sector	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	private mobile clinic	0	
25	private health worker	0	
26	other private medical	0	
30	other	0	
31	health community worker	0	
32	shop	0	
33	traditional pract	0	
34	market	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a_6: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	government health center	0	
13	government health post	0	
14	health worker	0	
15	other public sector	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	private mobile clinic	0	
25	private health worker	0	
26	other private medical	0	

h46a_6: place first sought treatment for fever

Value	Label	Cases	Percentage
30	other	0	
31	health community worker	0	
32	shop	0	
33	traditional pract	0	
34	market	0	
96	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b_1: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b_2: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b_3: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b_4: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b_5: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

h46b_5: na - days after fever sought advice or treatment

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b_6: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47_1: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1370	67.4%
1	yes	652	32.1%
8	don't know	10	0.5%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47_2: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=556 /-] [Invalid=7555 /-]

Value	Label	Cases	Percentage
0	no	382	68.7%
1	yes	166	29.9%
8	don't know	8	1.4%
Sysmiss		7555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47_3: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	20	74.1%
1	yes	5	18.5%
8	don't know	2	7.4%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47_4: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47_5: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47_6: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx_1: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=4880 /-] [Invalid=3231 /-]

Value	Label	Cases	Percentage
1		4880	100.0%
Sysmiss		3231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx_2: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1827 /-] [Invalid=6284 /-]

Value	Label	Cases	Percentage
2		1827	100.0%
Sysmiss		6284	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx_3: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=127 /-] [Invalid=7984 /-]

Value	Label	Cases	Percentage
3		127	100.0%
Sysmiss		7984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx_4: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=8105 /-]

hwidx_4: index to birth history

Value	Label	Cases	Percentage
4		6	100.0%
Sysmiss		8105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx_5: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
5		1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx_6: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw1_1: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=4645 /-] [Invalid=3466 /-] [Mean=22.556 /-] [StdDev=15.218 /-]

hw1_2: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=1590 /-] [Invalid=6521 /-] [Mean=44.374 /-] [StdDev=10.817 /-]

hw1_3: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 22-59] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-] [Mean=48.8 /-] [StdDev=9.249 /-]

hw1_4: child's age in months

Information	[Type= discrete] [Format=numeric] [Range= 44-56] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
44		1	25.0%
54		1	25.0%
55		1	25.0%
56		1	25.0%
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw1_5: child's age in months

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

hw1_5: child's age in months

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw1_6: child's age in months

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw2_1: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw2_2: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw2_3: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw2_4: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw2_5: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw2_6: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3_1: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3_2: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3_3: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

hw3_3: na - child's height in centimeters (1 decimal)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3_4: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3_5: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3_6: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4_1: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4_2: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4_3: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4_4: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4_5: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4_6: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5_1: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5_2: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5_3: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5_4: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5_5: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5_6: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6_1: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6_2: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6_3: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6_4: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6_5: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6_6: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7_1: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7_2: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7_3: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7_4: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7_5: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7_6: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8_1: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8_2: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8_3: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8_4: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8_5: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8_6: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9_1: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9_2: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9_3: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9_4: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9_5: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9_6: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10_1: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10_2: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10_3: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10_4: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10_5: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10_6: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11_1: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11_2: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11_3: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11_4: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11_5: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11_6: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12_1: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12_2: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12_3: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12_4: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12_5: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12_6: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13_1: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	

hw13_1: na - result of measurement - height/weight

Value	Label	Cases	Percentage
4	refused	0	
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13_2: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	
4	refused	0	
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13_3: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	
4	refused	0	
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13_4: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	
4	refused	0	

hw13_4: na - result of measurement - height/weight

Value	Label	Cases	Percentage
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13_5: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	
4	refused	0	
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13_6: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	
4	refused	0	
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15_1: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15_2: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15_3: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15_4: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15_5: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15_6: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		8111	

hw15_6: na - height: lying or standing

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16_1: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=4550 /-] [Invalid=3561 /-]

Value	Label	Cases	Percentage
1		231	5.1%
2		189	4.2%
3		156	3.4%
4		157	3.5%
5		180	4.0%
6		133	2.9%
7		177	3.9%
8		197	4.3%
9		122	2.7%
10		191	4.2%
11		149	3.3%
12		198	4.4%
13		142	3.1%
14		159	3.5%
15		182	4.0%
16		142	3.1%
17		128	2.8%
18		160	3.5%
19		133	2.9%
20		148	3.3%
21		107	2.4%
22		139	3.1%
23		124	2.7%
24		114	2.5%
25		130	2.9%
26		123	2.7%
27		137	3.0%
28		140	3.1%
29		95	2.1%
30		110	2.4%
31		50	1.1%
97	inconsistent	0	
98	don't know	7	0.2%
Sysmiss		3561	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16_2: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1551 /-] [Invalid=6560 /-]

Value	Label	Cases	Percentage
1		125	8.1%

hw16_2: day of birth of child

Value	Label	Cases	Percentage
2		53	3.4%
3		53	3.4%
4		58	3.7%
5		52	3.4%
6		50	3.2%
7		60	3.9%
8		38	2.5%
9		47	3.0%
10		87	5.6%
11		56	3.6%
12		61	3.9%
13		46	3.0%
14		37	2.4%
15		71	4.6%
16		52	3.4%
17		66	4.3%
18		58	3.7%
19		40	2.6%
20		56	3.6%
21		35	2.3%
22		36	2.3%
23		43	2.8%
24		33	2.1%
25		45	2.9%
26		38	2.5%
27		30	1.9%
28		39	2.5%
29		32	2.1%
30		35	2.3%
31		19	1.2%
97	inconsistent	0	
98	don't know	0	
Sysmiss		6560	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16_3: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=8029 /-]

Value	Label	Cases	Percentage
1		8	9.8%
2		6	7.3%
3		6	7.3%
5		3	3.7%
6		1	1.2%
7		3	3.7%

hw16_3: day of birth of child

Value	Label	Cases	Percentage
8		1	1.2%
9		1	1.2%
10		2	2.4%
11		3	3.7%
12		3	3.7%
13		3	3.7%
14		4	4.9%
15		4	4.9%
16		2	2.4%
17		3	3.7%
18		2	2.4%
19		5	6.1%
20		5	6.1%
22		2	2.4%
23		2	2.4%
24		2	2.4%
25		2	2.4%
26		1	1.2%
27		1	1.2%
28		3	3.7%
29		2	2.4%
31		2	2.4%
97	inconsistent	0	
98	don't know	0	
Sysmiss		8029	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16_4: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
3		1	25.0%
17		2	50.0%
24		1	25.0%
97	inconsistent	0	
98	don't know	0	
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16_5: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16_6: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw17_1: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=4645 /-] [Invalid=3466 /-] [Mean=16.708 /-] [StdDev=8.415 /-]

hw17_2: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=1590 /-] [Invalid=6521 /-] [Mean=17.255 /-] [StdDev=8.443 /-]

hw17_3: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-] [Mean=16.588 /-] [StdDev=8.564 /-]

hw17_4: date measured (day)

Information	[Type= discrete] [Format=numeric] [Range= 21-27] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
21		2	50.0%
24		1	25.0%
27		1	25.0%

hw17_4: date measured (day)

Value	Label	Cases	Percentage
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw17_5: date measured (day)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw17_6: date measured (day)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw18_1: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=4645 /-] [Invalid=3466 /-]

Value	Label	Cases	Percentage
9		121	2.6%
10		2455	52.9%
11		2067	44.5%
12		2	0.0%
Sysmiss		3466	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw18_2: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-11] [Missing=*]
Statistics [NW/ W]	[Valid=1590 /-] [Invalid=6521 /-]

Value	Label	Cases	Percentage
9		31	1.9%
10		843	53.0%
11		716	45.0%
Sysmiss		6521	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw18_3: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-11] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-]

Value	Label	Cases	Percentage
9		1	1.2%
10		39	45.9%
11		45	52.9%
Sysmiss		8026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw18_4: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 10-11] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
10		3	75.0%
11		1	25.0%
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw18_5: date measured (month)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw18_6: date measured (month)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19_1: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=4645 /-] [Invalid=3466 /-]

Value	Label	Cases	Percentage
2014		4645	100.0%
Sysmiss		3466	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19_2: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=1590 /-] [Invalid=6521 /-]

Value	Label	Cases	Percentage
2014		1590	100.0%
Sysmiss		6521	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19_3: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-]

Value	Label	Cases	Percentage
2014		85	100.0%
Sysmiss		8026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19_4: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]

hw19_4: date measured (year)

Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
2014		4	100.0%
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19_5: date measured (year)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19_6: date measured (year)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51_1: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=3944 /-] [Invalid=4167 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		2119	53.7%
2		1262	32.0%
3		202	5.1%
4		82	2.1%
5		69	1.7%
6		44	1.1%
7		45	1.1%
8		36	0.9%
9		20	0.5%
10		15	0.4%
11		16	0.4%
12		8	0.2%
13		9	0.2%
14		4	0.1%
15		6	0.2%
16		2	0.1%
18		1	0.0%
19		1	0.0%
20		3	0.1%
Sysmiss		4167	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51_2: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
Statistics [NW/ W]	[Valid=1571 /-] [Invalid=6540 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		841	53.5%
2		532	33.9%
3		75	4.8%
4		29	1.8%
5		27	1.7%
6		14	0.9%
7		18	1.1%
8		7	0.4%
9		7	0.4%
10		11	0.7%
11		2	0.1%
12		3	0.2%
14		1	0.1%
15		2	0.1%
16		1	0.1%
18		1	0.1%
Sysmiss		6540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51_3: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		48	56.5%
2		27	31.8%
3		3	3.5%
4		4	4.7%
5		1	1.2%
8		1	1.2%
9		1	1.2%
Sysmiss		8026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51_4: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		2	50.0%
2		2	50.0%
Sysmiss		8107	

hw51_4: line number of parent/caretaker

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51_5: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51_6: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52_1: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3924 /-] [Invalid=4187 /-]

Value	Label	Cases	Percentage
1	granted	3875	98.8%
2	refused	33	0.8%
3	not present/other	0	
5	absent	8	0.2%
6	other	8	0.2%
Sysmiss		4187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52_2: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=1570 /-] [Invalid=6541 /-]

Value	Label	Cases	Percentage
1	granted	1547	98.5%
2	refused	8	0.5%
3	not present/other	0	
5	absent	11	0.7%
6	other	4	0.3%
Sysmiss		6541	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52_3: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-]

Value	Label	Cases	Percentage
1	granted	82	96.5%
2	refused	2	2.4%

hw52_3: read consent statement - hemoglobin

Value	Label	Cases	Percentage
3	not present/other	0	
5	absent	1	1.2%
6	other	0	
Sysmiss		8026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52_4: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
1	granted	3	75.0%
2	refused	1	25.0%
3	not present/other	0	
5	absent	0	
6	other	0	
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52_5: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
3	not present/other	0	
5	absent	0	
6	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52_6: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	refused	0	
3	not present/other	0	
5	absent	0	
6	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53_1: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 35-996] [Missing=*]
Statistics [NW/ W]	[Valid=3920 /-] [Invalid=4191 /-]

hw53_1: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
35		1	0.0%
36		1	0.0%
41		2	0.1%
42		1	0.0%
43		2	0.1%
44		2	0.1%
45		4	0.1%
46		2	0.1%
47		8	0.2%
48		6	0.2%
49		8	0.2%
50		12	0.3%
51		7	0.2%
52		13	0.3%
53		17	0.4%
54		10	0.3%
55		15	0.4%
56		18	0.5%
57		25	0.6%
58		17	0.4%
59		18	0.5%
60		25	0.6%
61		31	0.8%
62		30	0.8%
63		42	1.1%
64		33	0.8%
65		45	1.1%
66		50	1.3%
67		45	1.1%
68		53	1.4%
69		47	1.2%
70		47	1.2%
71		58	1.5%
72		52	1.3%
73		50	1.3%
74		51	1.3%
75		77	2.0%
76		54	1.4%
77		58	1.5%
78		65	1.7%
79		63	1.6%
80		96	2.4%
81		81	2.1%
82		91	2.3%
83		69	1.8%

hw53_1: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
84		86	2.2%
85		82	2.1%
86		77	2.0%
87		99	2.5%
88		83	2.1%
89		97	2.5%
90		96	2.4%
91		79	2.0%
92		83	2.1%
93		80	2.0%
94		98	2.5%
95		81	2.1%
96		72	1.8%
97		76	1.9%
98		76	1.9%
99		77	2.0%
100		70	1.8%
101		68	1.7%
102		62	1.6%
103		67	1.7%
104		56	1.4%
105		61	1.6%
106		39	1.0%
107		67	1.7%
108		53	1.4%
109		54	1.4%
110		47	1.2%
111		39	1.0%
112		33	0.8%
113		25	0.6%
114		31	0.8%
115		27	0.7%
116		27	0.7%
117		27	0.7%
118		17	0.4%
119		26	0.7%
120		14	0.4%
121		19	0.5%
122		16	0.4%
123		10	0.3%
124		15	0.4%
125		10	0.3%
126		12	0.3%
127		8	0.2%
128		4	0.1%

hw53_1: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
129		7	0.2%
131		2	0.1%
132		4	0.1%
133		5	0.1%
135		1	0.0%
139		3	0.1%
140		1	0.0%
994	not present	8	0.2%
995	refused	33	0.8%
996	other	8	0.2%
Sysmiss		4191	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53_2: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-996] [Missing=*]
Statistics [NW/ W]	[Valid=1571 /-] [Invalid=6540 /-]

Value	Label	Cases	Percentage
31		1	0.1%
35		1	0.1%
39		1	0.1%
42		1	0.1%
46		3	0.2%
49		2	0.1%
50		1	0.1%
51		2	0.1%
52		3	0.2%
53		1	0.1%
54		2	0.1%
55		3	0.2%
56		2	0.1%
57		7	0.4%
58		5	0.3%
59		4	0.3%
60		7	0.4%
61		4	0.3%
62		4	0.3%
63		8	0.5%
64		13	0.8%
65		11	0.7%
66		14	0.9%
67		14	0.9%
68		14	0.9%
69		14	0.9%
70		18	1.1%
71		25	1.6%

hw53_2: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
72		11	0.7%
73		16	1.0%
74		10	0.6%
75		13	0.8%
76		14	0.9%
77		14	0.9%
78		27	1.7%
79		20	1.3%
80		34	2.2%
81		23	1.5%
82		29	1.8%
83		27	1.7%
84		23	1.5%
85		38	2.4%
86		33	2.1%
87		38	2.4%
88		34	2.2%
89		25	1.6%
90		32	2.0%
91		39	2.5%
92		40	2.5%
93		40	2.5%
94		39	2.5%
95		38	2.4%
96		33	2.1%
97		32	2.0%
98		38	2.4%
99		33	2.1%
100		28	1.8%
101		33	2.1%
102		26	1.7%
103		28	1.8%
104		40	2.5%
105		28	1.8%
106		36	2.3%
107		30	1.9%
108		22	1.4%
109		22	1.4%
110		14	0.9%
111		19	1.2%
112		27	1.7%
113		16	1.0%
114		17	1.1%
115		8	0.5%
116		21	1.3%

hw53_2: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
117		18	1.1%
118		16	1.0%
119		12	0.8%
120		14	0.9%
121		8	0.5%
122		11	0.7%
123		16	1.0%
124		7	0.4%
125		8	0.5%
126		6	0.4%
127		8	0.5%
128		7	0.4%
129		6	0.4%
130		3	0.2%
131		3	0.2%
133		1	0.1%
134		4	0.3%
135		1	0.1%
136		1	0.1%
138		2	0.1%
139		1	0.1%
140		1	0.1%
144		1	0.1%
994	not present	11	0.7%
995	refused	8	0.5%
996	other	4	0.3%
Sysmiss		6540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53_3: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 64-996] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-]

Value	Label	Cases	Percentage
64		1	1.2%
68		2	2.4%
71		1	1.2%
72		1	1.2%
73		1	1.2%
76		2	2.4%
77		1	1.2%
78		1	1.2%
79		2	2.4%
80		4	4.7%
83		1	1.2%
84		1	1.2%

hw53_3: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
85		3	3.5%
86		4	4.7%
88		3	3.5%
90		1	1.2%
91		3	3.5%
93		2	2.4%
94		2	2.4%
95		2	2.4%
96		2	2.4%
97		4	4.7%
98		1	1.2%
99		2	2.4%
100		1	1.2%
101		2	2.4%
102		3	3.5%
103		2	2.4%
104		2	2.4%
105		4	4.7%
106		1	1.2%
107		1	1.2%
108		1	1.2%
109		3	3.5%
110		2	2.4%
111		1	1.2%
112		1	1.2%
114		1	1.2%
115		2	2.4%
116		1	1.2%
119		2	2.4%
121		1	1.2%
125		3	3.5%
134		1	1.2%
994	not present	1	1.2%
995	refused	2	2.4%
996	other	0	
Sysmiss		8026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53_4: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 77-996] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
77		1	25.0%
80		1	25.0%
126		1	25.0%

hw53_4: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
994	not present	0	
995	refused	1	25.0%
996	other	0	
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53_5: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53_6: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55_1: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=4155 /-] [Invalid=3956 /-]

Value	Label	Cases	Percentage
0	measured	3871	93.2%
1	dead	188	4.5%
3	not present	8	0.2%
4	refused	33	0.8%
6	other	8	0.2%
7	no measurement found in household	47	1.1%
Sysmiss		3956	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55_2: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1808 /-] [Invalid=6303 /-]

Value	Label	Cases	Percentage
0	measured	1548	85.6%
1	dead	173	9.6%
3	not present	11	0.6%

hw55_2: result of measurement - hemoglobin

Value	Label	Cases	Percentage
4	refused	8	0.4%
6	other	4	0.2%
7	no measurement found in household	64	3.5%
Sysmiss		6303	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55_3: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=127 /-] [Invalid=7984 /-]

Value	Label	Cases	Percentage
0	measured	82	64.6%
1	dead	32	25.2%
3	not present	1	0.8%
4	refused	2	1.6%
6	other	0	
7	no measurement found in household	10	7.9%
Sysmiss		7984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55_4: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=8105 /-]

Value	Label	Cases	Percentage
0	measured	3	50.0%
1	dead	1	16.7%
3	not present	0	
4	refused	1	16.7%
6	other	0	
7	no measurement found in household	1	16.7%
Sysmiss		8105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55_5: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	1	100.0%
3	not present	0	
4	refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55_6: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

hw55_6: result of measurement - hemoglobin

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
3	not present	0	
4	refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56_1: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 35-997] [Missing=*]
Statistics [NW/ W]	[Valid=3871 /-] [Invalid=4240 /-]

Value	Label	Cases	Percentage
35		1	0.0%
36		1	0.0%
41		2	0.1%
42		1	0.0%
43		2	0.1%
44		2	0.1%
45		4	0.1%
46		2	0.1%
47		8	0.2%
48		6	0.2%
49		8	0.2%
50		12	0.3%
51		7	0.2%
52		13	0.3%
53		17	0.4%
54		10	0.3%
55		15	0.4%
56		18	0.5%
57		25	0.6%
58		17	0.4%
59		18	0.5%
60		25	0.6%
61		31	0.8%
62		30	0.8%
63		42	1.1%
64		33	0.9%
65		45	1.2%
66		50	1.3%
67		45	1.2%
68		53	1.4%
69		47	1.2%

hw56_1: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
70		47	1.2%
71		58	1.5%
72		52	1.3%
73		50	1.3%
74		51	1.3%
75		77	2.0%
76		54	1.4%
77		58	1.5%
78		65	1.7%
79		63	1.6%
80		96	2.5%
81		81	2.1%
82		91	2.4%
83		69	1.8%
84		86	2.2%
85		82	2.1%
86		77	2.0%
87		99	2.6%
88		83	2.1%
89		97	2.5%
90		96	2.5%
91		79	2.0%
92		83	2.1%
93		80	2.1%
94		98	2.5%
95		81	2.1%
96		72	1.9%
97		76	2.0%
98		76	2.0%
99		77	2.0%
100		70	1.8%
101		68	1.8%
102		62	1.6%
103		67	1.7%
104		56	1.4%
105		61	1.6%
106		39	1.0%
107		67	1.7%
108		53	1.4%
109		54	1.4%
110		47	1.2%
111		39	1.0%
112		33	0.9%
113		25	0.6%
114		31	0.8%

hw56_1: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
115		27	0.7%
116		27	0.7%
117		27	0.7%
118		17	0.4%
119		26	0.7%
120		14	0.4%
121		19	0.5%
122		16	0.4%
123		10	0.3%
124		15	0.4%
125		10	0.3%
126		12	0.3%
127		8	0.2%
128		4	0.1%
129		7	0.2%
131		2	0.1%
132		4	0.1%
133		5	0.1%
135		1	0.0%
139		3	0.1%
140		1	0.0%
997	inconsistent	0	
Sysmiss		4240	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56_2: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-997] [Missing=*]
Statistics [NW/ W]	[Valid=1548 /-] [Invalid=6563 /-]

Value	Label	Cases	Percentage
31		1	0.1%
35		1	0.1%
39		1	0.1%
42		1	0.1%
46		3	0.2%
49		2	0.1%
50		1	0.1%
51		2	0.1%
52		3	0.2%
53		1	0.1%
54		2	0.1%
55		3	0.2%
56		2	0.1%
57		7	0.5%
58		5	0.3%
59		4	0.3%

hw56_2: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
60		7	0.5%
61		4	0.3%
62		4	0.3%
63		8	0.5%
64		13	0.8%
65		11	0.7%
66		14	0.9%
67		14	0.9%
68		14	0.9%
69		14	0.9%
70		18	1.2%
71		25	1.6%
72		11	0.7%
73		16	1.0%
74		10	0.6%
75		13	0.8%
76		14	0.9%
77		14	0.9%
78		27	1.7%
79		20	1.3%
80		34	2.2%
81		23	1.5%
82		29	1.9%
83		27	1.7%
84		23	1.5%
85		38	2.5%
86		33	2.1%
87		38	2.5%
88		34	2.2%
89		25	1.6%
90		32	2.1%
91		39	2.5%
92		40	2.6%
93		40	2.6%
94		39	2.5%
95		38	2.5%
96		33	2.1%
97		32	2.1%
98		38	2.5%
99		33	2.1%
100		28	1.8%
101		33	2.1%
102		26	1.7%
103		28	1.8%
104		40	2.6%

hw56_2: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
105		28	1.8%
106		36	2.3%
107		30	1.9%
108		22	1.4%
109		22	1.4%
110		14	0.9%
111		19	1.2%
112		27	1.7%
113		16	1.0%
114		17	1.1%
115		8	0.5%
116		21	1.4%
117		18	1.2%
118		16	1.0%
119		12	0.8%
120		14	0.9%
121		8	0.5%
122		11	0.7%
123		16	1.0%
124		7	0.5%
125		8	0.5%
126		6	0.4%
127		8	0.5%
128		7	0.5%
129		6	0.4%
130		3	0.2%
131		3	0.2%
133		1	0.1%
134		4	0.3%
135		1	0.1%
136		1	0.1%
138		2	0.1%
139		1	0.1%
140		1	0.1%
144		1	0.1%
997	inconsistent	0	
Sysmiss		6563	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56_3: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 64-997] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=8029 /-]

Value	Label	Cases	Percentage
64		1	1.2%
68		2	2.4%

hw56_3: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
71		1	1.2%
72		1	1.2%
73		1	1.2%
76		2	2.4%
77		1	1.2%
78		1	1.2%
79		2	2.4%
80		4	4.9%
83		1	1.2%
84		1	1.2%
85		3	3.7%
86		4	4.9%
88		3	3.7%
90		1	1.2%
91		3	3.7%
93		2	2.4%
94		2	2.4%
95		2	2.4%
96		2	2.4%
97		4	4.9%
98		1	1.2%
99		2	2.4%
100		1	1.2%
101		2	2.4%
102		3	3.7%
103		2	2.4%
104		2	2.4%
105		4	4.9%
106		1	1.2%
107		1	1.2%
108		1	1.2%
109		3	3.7%
110		2	2.4%
111		1	1.2%
112		1	1.2%
114		1	1.2%
115		2	2.4%
116		1	1.2%
119		2	2.4%
121		1	1.2%
125		3	3.7%
134		1	1.2%
997	inconsistent	0	
Sysmiss		8029	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56_4: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 77-997] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=8108 /-]

Value	Label	Cases	Percentage
77		1	33.3%
80		1	33.3%
126		1	33.3%
997	inconsistent	0	
Sysmiss		8108	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56_5: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 997-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
997	inconsistent	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56_6: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 997-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
997	inconsistent	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57_1: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3871 /-] [Invalid=4240 /-]

Value	Label	Cases	Percentage
1	severe	590	15.2%
2	moderate	2254	58.2%
3	mild	597	15.4%
4	not anemic	430	11.1%
Sysmiss		4240	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57_2: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=1548 /-] [Invalid=6563 /-]

Value	Label	Cases	Percentage
1	severe	142	9.2%
2	moderate	836	54.0%
3	mild	293	18.9%
4	not anemic	277	17.9%
Sysmiss		6563	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57_3: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=8029 /-]

Value	Label	Cases	Percentage
1	severe	3	3.7%
2	moderate	44	53.7%
3	mild	20	24.4%
4	not anemic	15	18.3%
Sysmiss		8029	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57_4: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=8108 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	2	66.7%
3	mild	0	

hw57_4: anemia level

Value	Label	Cases	Percentage
4	not anemic	1	33.3%
Sysmiss		8108	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57_5: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	
4	not anemic	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57_6: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	
4	not anemic	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58_1: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58_2: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58_3: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

hw58_3: na - agrees to referral - anemia

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58_4: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58_5: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58_6: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70_1: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70_2: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

hw70_2: na - height/age standard deviation (new who)

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70_3: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70_4: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70_5: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70_6: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71_1: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71_2: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71_3: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71_4: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71_5: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

hw71_5: na - weight/age standard deviation (new who)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71_6: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72_1: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72_2: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72_3: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72_4: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	

hw72_4: na - weight/height standard deviation (new who)

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72_5: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72_6: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73_1: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73_2: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73_3: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

hw73_3: na - bmi standard deviation (new who)

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73_4: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73_5: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73_6: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v801: time interview started (hhmm - 24 hour clock)

Information	[Type= continuous] [Format=numeric] [Range= 600-2250] [Missing=*]
Statistics [NW/ W]	[Valid=8094 /-] [Invalid=17 /-] [Mean=1320.921 /-] [StdDev=390.041 /-]

v802: time interview ended (hhmm - 24 hour clock)

Information	[Type= continuous] [Format=numeric] [Range= 605-2258] [Missing=*]
Statistics [NW/ W]	[Valid=7955 /-] [Invalid=156 /-] [Mean=1344.322 /-] [StdDev=390.118 /-]

v803: length of interview in minutes

Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=7949 /-] [Invalid=162 /-]

v803: length of interview in minutes

Value	Label	Cases	Percentage
0		5	0.1%
1		5	0.1%
2		13	0.2%
3		28	0.4%
4		57	0.7%
5		142	1.8%
6		199	2.5%
7		263	3.3%
8		340	4.3%
9		376	4.7%
10		616	7.7%
11		518	6.5%
12		592	7.4%
13		537	6.8%
14		414	5.2%
15		646	8.1%
16		369	4.6%
17		335	4.2%
18		317	4.0%
19		193	2.4%
20		355	4.5%
21		184	2.3%
22		182	2.3%
23		144	1.8%
24		103	1.3%
25		105	1.3%
26		67	0.8%
27		52	0.7%
28		51	0.6%
29		35	0.4%
30		83	1.0%
31		22	0.3%
32		27	0.3%
33		15	0.2%
34		16	0.2%
35		26	0.3%
36		11	0.1%
37		11	0.1%
38		13	0.2%
39		7	0.1%
40		11	0.1%
42		3	0.0%
43		5	0.1%
44		4	0.1%
45		4	0.1%

v803: length of interview in minutes

Value	Label	Cases	Percentage
46		1	0.0%
47		2	0.0%
48		1	0.0%
49		2	0.0%
50		1	0.0%
51		2	0.0%
53		1	0.0%
55		3	0.0%
56		1	0.0%
58		2	0.0%
60		2	0.0%
62		1	0.0%
65		2	0.0%
66		2	0.0%
67		2	0.0%
68		1	0.0%
69		2	0.0%
70		2	0.0%
71		1	0.0%
72		1	0.0%
73		3	0.0%
74		1	0.0%
75		2	0.0%
76		2	0.0%
78		3	0.0%
79		2	0.0%
80		2	0.0%
82		2	0.0%
83		2	0.0%
84		2	0.0%
90		1	0.0%
91		1	0.0%
95	95+	18	0.2%
96	2+ visits	375	4.7%
97	inconsistent	0	
Sysmiss		162	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v804: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		7736	95.4%
2		316	3.9%
3		59	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v805: interviewer identification

Information	[Type= continuous] [Format=numeric] [Range= 11-124] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=67.932 /-] [StdDev=34.421 /-]

v806: keyer identification

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		324	4.0%
2		406	5.0%
3		545	6.7%
4		1178	14.5%
5		1084	13.4%
6		907	11.2%
7		1090	13.4%
8		469	5.8%
9		506	6.2%
10		693	8.5%
11		320	3.9%
12		589	7.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v811: na - presence of children < 10 for 'wife beating justified' questions

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes - listening	0	
2	yes - not listening	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v812: na - presence of husband for 'wife beating justified' questions

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes - listening	0	
2	yes - not listening	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v813: na - presence of other males for 'wife beating justified' questions

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes - listening	0	

v813: na - presence of other males for 'wife beating justified' questions

Value	Label	Cases	Percentage
2	yes - not listening	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v814: na - presence of other females for 'wife beating justified' questions

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes - listening	0	
2	yes - not listening	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v815a: na - presence of children < 10 during sexual activity section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v815b: na - presence of male adults during sexual activity section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v815c: na - presence of female adults during sexual activity section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml_1: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=4880 /-] [Invalid=3231 /-]

Value	Label	Cases	Percentage
1		4880	100.0%
Sysmiss		3231	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml_2: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=1827 /-] [Invalid=6284 /-]

Value	Label	Cases	Percentage
2		1827	100.0%
Sysmiss		6284	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml_3: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=127 /-] [Invalid=7984 /-]

Value	Label	Cases	Percentage
3		127	100.0%
Sysmiss		7984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml_4: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=8105 /-]

Value	Label	Cases	Percentage
4		6	100.0%
Sysmiss		8105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml_5: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
5		1	100.0%
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml_6: index to birth history

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0_1: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

ml0_1: type of mosquito bed net(s) child slept under last night

Statistics [NW/ W]	[Valid=4645 /-] [Invalid=3466 /-]

Value	Label	Cases	Percentage
0	no net	949	20.4%
1	only treated nets	3619	77.9%
2	both treated and untreated nets	0	
3	only untreated nets	77	1.7%
Sysmiss		3466	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0_2: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1590 /-] [Invalid=6521 /-]

Value	Label	Cases	Percentage
0	no net	365	23.0%
1	only treated nets	1201	75.5%
2	both treated and untreated nets	1	0.1%
3	only untreated nets	23	1.4%
Sysmiss		6521	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0_3: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=8026 /-]

Value	Label	Cases	Percentage
0	no net	26	30.6%
1	only treated nets	58	68.2%
2	both treated and untreated nets	0	
3	only untreated nets	1	1.2%
Sysmiss		8026	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0_4: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=8107 /-]

Value	Label	Cases	Percentage
0	no net	3	75.0%
1	only treated nets	1	25.0%
2	both treated and untreated nets	0	
3	only untreated nets	0	
Sysmiss		8107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0_5: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no net	0	

ml0_5: type of mosquito bed net(s) child slept under last night

Value	Label	Cases	Percentage
1	only treated nets	0	
2	both treated and untreated nets	0	
3	only untreated nets	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0_6: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no net	0	
1	only treated nets	0	
2	both treated and untreated nets	0	
3	only untreated nets	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1_1: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3404 /-] [Invalid=4707 /-]

Value	Label	Cases	Percentage
1		879	25.8%
2		1226	36.0%
3		832	24.4%
4		315	9.3%
5		55	1.6%
6		25	0.7%
8		72	2.1%
98	don't know	0	
Sysmiss		4707	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1_2: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1_3: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

ml1_3: number of times took fansidar during pregnancy

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1_4: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1_5: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1_6: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2_1: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2_2: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2_3: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

ml2_3: na - source of antimalarial during pregnancy

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2_4: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2_5: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2_6: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11_1: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	
3	both fever and cough	0	
8	don't know	0	

ml11_1: na - child has fever/cough now

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11_2: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	
3	both fever and cough	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11_3: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	
3	both fever and cough	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11_4: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	
3	both fever and cough	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11_5: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	

ml11_5: na - child has fever/cough now

Value	Label	Cases	Percentage
3	both fever and cough	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11_6: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	
3	both fever and cough	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12_1: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12_2: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12_3: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12_4: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12_5: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12_6: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a_1: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1801	88.6%
1	yes	231	11.4%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a_2: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	499	89.9%
1	yes	56	10.1%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a_3: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	26	96.3%
1	yes	1	3.7%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a_4: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a_5: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a_6: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b_1: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	2011	99.0%
1	yes	21	1.0%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b_2: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

ml13b_2: chloroquine taken for fever/cough

Value	Label	Cases	Percentage
0	no	550	99.1%
1	yes	5	0.9%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b_3: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b_4: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b_5: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b_6: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c_1: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1593	78.4%

ml13c_1: amodiaquine taken for fever/cough

Value	Label	Cases	Percentage
1	yes	439	21.6%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c_2: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	441	79.5%
1	yes	114	20.5%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c_3: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	24	88.9%
1	yes	3	11.1%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c_4: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c_5: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c_6: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d_1: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	2008	98.8%
1	yes	24	1.2%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d_2: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

ml13d_2: quinine taken for fever/cough

Value	Label	Cases	Percentage
0	no	546	98.4%
1	yes	9	1.6%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d_3: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d_4: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d_5: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d_6: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e_1: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1732	85.2%

ml13e_1: combination with artemisinin taken for fever/cough

Value	Label	Cases	Percentage
1	yes	300	14.8%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e_2: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	488	87.9%
1	yes	67	12.1%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e_3: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	21	77.8%
1	yes	6	22.2%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e_4: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e_5: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e_6: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml13e_6: combination with artemisinin taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f_1: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f_2: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f_3: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f_4: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f_5: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f_6: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g_1: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g_2: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g_3: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g_4: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g_5: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml13g_5: na - cs antimalarial taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g_6: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h_1: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1968	96.9%
1	yes	64	3.1%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h_2: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	537	96.8%
1	yes	18	3.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h_3: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	26	96.3%
1	yes	1	3.7%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h_4: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

ml13h_4: other antimalarial taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h_5: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h_6: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i_1: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1703	83.8%
1	yes	329	16.2%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i_2: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	518	93.3%
1	yes	37	6.7%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i_3: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	26	96.3%
1	yes	1	3.7%

ml13i_3: antibiotic pill/syrup taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i_4: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i_5: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i_6: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j_1: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1810	89.1%
1	yes	222	10.9%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j_2: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	496	89.4%
1	yes	59	10.6%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j_3: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	25	92.6%
1	yes	2	7.4%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j_4: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j_5: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j_6: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k_1: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	988	48.6%
1	yes	1044	51.4%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k_2: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

ml13k_2: aspirin taken for fever/cough

Value	Label	Cases	Percentage
0	no	293	52.8%
1	yes	262	47.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k_3: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	13	48.1%
1	yes	14	51.9%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k_4: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k_5: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k_6: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l_1: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	2032	100.0%
1	yes	0	
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l_2: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	555	100.0%
1	yes	0	
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l_3: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l_4: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml13l_4: acetaminophen/paracetamol/panadol taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l_5: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l_6: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m_1: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	2022	99.5%
1	yes	10	0.5%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m_2: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	554	99.8%
1	yes	1	0.2%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m_3: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%

ml13m_3: ibuprofen taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m_4: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m_5: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m_6: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n_1: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n_2: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml13n_2: na - cs other taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n_3: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n_4: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n_5: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n_6: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o_1: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o_2: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o_3: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o_4: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o_5: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o_6: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p_1: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml13p_1: na - cs other taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p_2: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p_3: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p_4: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p_5: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p_6: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

ml13p_6: na - cs other taken for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x_1: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1886	92.8%
1	yes	146	7.2%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x_2: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	521	93.9%
1	yes	34	6.1%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x_3: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	26	96.3%
1	yes	1	3.7%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x_4: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x_5: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml13x_5: other taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x_6: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y_1: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1762	86.7%
1	yes, nothing taken	270	13.3%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y_2: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	431	77.7%
1	yes, nothing taken	124	22.3%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y_3: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	20	74.1%
1	yes, nothing taken	7	25.9%
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y_4: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y_5: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y_6: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z_1: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2032 /-] [Invalid=6079 /-]

Value	Label	Cases	Percentage
0	no	1993	98.1%
1	yes, don't know	39	1.9%
Sysmiss		6079	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z_2: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=555 /-] [Invalid=7556 /-]

Value	Label	Cases	Percentage
0	no	545	98.2%
1	yes, don't know	10	1.8%
Sysmiss		7556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z_3: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=8084 /-]

Value	Label	Cases	Percentage
0	no	27	100.0%
1	yes, don't know	0	
Sysmiss		8084	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z_4: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml13z_4: don't know if or what was taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z_5: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z_6: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a_1: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a_2: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a_3: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a_4: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a_5: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a_6: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml14a_6: na - injection given for fever/convulsion***

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b_1: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b_2: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b_3: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b_4: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b_5: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

ml14b_5: na - suppository given for fever/convulsion***

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b_6: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y_1: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y_2: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y_3: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y_4: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml14y_4: na - no suppository or injection given for fever/convulsion***

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y_5: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y_6: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z_1: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z_2: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z_3: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z_4: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z_5: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z_6: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a_1: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=231 /-] [Invalid=7880 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	77	33.3%
1	next day	106	45.9%
2	2 days after	33	14.3%
3	3 days after	13	5.6%
4	4+ days after	0	
8	don't know	2	0.9%
Sysmiss		7880	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a_2: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=55 /-] [Invalid=8056 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	19	34.5%
1	next day	24	43.6%
2	2 days after	10	18.2%
3	3 days after	2	3.6%

ml15a_2: timing of start of fansidar

Value	Label	Cases	Percentage
4	4+ days after	0	
8	don't know	0	
Sysmiss		8056	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a_3: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	1	100.0%
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a_4: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a_5: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a_6: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml15a_6: timing of start of fansidar

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b_1: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b_2: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b_3: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b_4: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b_5: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]

ml15b_5: na - number of days child took fansidar

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b_6: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c_1: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c_2: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c_3: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c_4: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

ml15c_4: na - first source for fansidar

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c_5: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c_6: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a_1: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=8097 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	8	57.1%
1	next day	6	42.9%
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8097	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a_2: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=8108 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	1	33.3%

ml16a_2: timing of start of chloroquine

Value	Label	Cases	Percentage
2	2 days after	0	
3	3 days after	2	66.7%
4	4+ days after	0	
8	don't know	0	
Sysmiss		8108	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a_3: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a_4: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a_5: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a_6: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b_1: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b_2: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b_3: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b_4: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b_5: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b_6: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c_1: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c_2: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

ml16c_2: na - first source for chloroquine

Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c_3: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c_4: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c_5: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c_6: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a_1: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=430 /-] [Invalid=7681 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	183	42.6%
1	next day	179	41.6%
2	2 days after	40	9.3%
3	3 days after	27	6.3%
4	4+ days after	0	
8	don't know	1	0.2%
Sysmiss		7681	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a_2: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=113 /-] [Invalid=7998 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	40	35.4%
1	next day	50	44.2%
2	2 days after	14	12.4%
3	3 days after	8	7.1%
4	4+ days after	0	
8	don't know	1	0.9%
Sysmiss		7998	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a_3: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=8108 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	1	33.3%
2	2 days after	1	33.3%
3	3 days after	1	33.3%
4	4+ days after	0	
8	don't know	0	
Sysmiss		8108	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a_4: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	

ml17a_4: timing of start of amodiaquine

Value	Label	Cases	Percentage
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a_5: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a_6: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b_1: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b_2: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	

ml17b_2: na - number of days child took amodiaquine

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b_3: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b_4: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b_5: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b_6: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c_1: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	

ml17c_1: na - first source for amodiaquine

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c_2: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c_3: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c_4: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c_5: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c_6: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml17c_6: na - first source for amodiaquine

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a_1: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=8089 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	11	50.0%
1	next day	10	45.5%
2	2 days after	1	4.5%
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8089	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a_2: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=8103 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	2	25.0%
1	next day	6	75.0%
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8103	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a_3: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a_4: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a_5: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a_6: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b_1: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b_2: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b_3: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b_4: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b_5: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b_6: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c_1: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml18c_1: na - first source for quinine

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c_2: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c_3: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c_4: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c_5: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c_6: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a_1: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a_2: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a_3: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a_4: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a_5: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a_6: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b_1: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b_2: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b_3: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b_4: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml19b_4: na - for fever/convulsion: gave tepid sponging***

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b_5: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b_6: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c_1: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c_2: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c_3: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

ml19c_3: na - for fever/convulsion: gave herbs***

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c_4: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c_5: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c_6: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d_1: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d_2: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml19d_2: na - for fever/convulsion: cs***

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d_3: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d_4: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d_5: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d_6: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e_1: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e_2: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e_3: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e_4: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e_5: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e_6: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f_1: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml19f_1: na - for fever/convulsion: cs***

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f_2: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f_3: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f_4: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f_5: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f_6: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	

ml19f_6: na - for fever/convulsion: cs***

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x_1: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x_2: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x_3: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x_4: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x_5: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml19x_5: na - for fever/convulsion: other***

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x_6: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y_1: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y_2: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y_3: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y_4: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y_5: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y_6: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z_1: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z_2: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z_3: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z_4: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml19z_4: na - for fever/convulsion: don't know if something else was done***

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z_5: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z_6: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a_1: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=169 /-] [Invalid=7942 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	73	43.2%
1	next day	60	35.5%
2	2 days after	23	13.6%
3	3 days after	12	7.1%
4	4+ days after	0	
8	don't know	1	0.6%
Sysmiss		7942	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a_2: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=8069 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	20	47.6%
1	next day	12	28.6%
2	2 days after	7	16.7%
3	3 days after	3	7.1%
4	4+ days after	0	
8	don't know	0	
Sysmiss		8069	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a_3: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=8106 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	5	100.0%
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8106	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a_4: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	

ml20a_4: timing of start of combination with artemisinin

Value	Label	Cases	Percentage
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a_5: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a_6: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b_1: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b_2: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	

ml20b_2: na - number of days child took combination with artemisinin

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b_3: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b_4: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b_5: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b_6: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c_1: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	

ml20c_1: na - first source for combination with artemisinin

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c_2: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c_3: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c_4: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c_5: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c_6: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml20c_6: na - first source for combination with artemisinin

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a_1: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a_2: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a_3: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a_4: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a_5: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a_6: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b_1: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b_2: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b_3: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b_4: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b_5: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b_6: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c_1: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml21c_1: na - first source for cs antimalarial

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c_2: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c_3: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c_4: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c_5: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c_6: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a_1: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a_2: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a_3: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a_4: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a_5: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a_6: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b_1: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b_2: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b_3: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b_4: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b_5: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b_6: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c_1: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml22c_1: na - first source for cs antimalarial

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c_2: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c_3: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c_4: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c_5: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c_6: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a_1: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=62 /-] [Invalid=8049 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	25	40.3%
1	next day	26	41.9%
2	2 days after	5	8.1%
3	3 days after	5	8.1%

ml23a_1: timing of start of other anti-malarial use

Value	Label	Cases	Percentage
4	4+ days after	0	
8	don't know	1	1.6%
Sysmiss		8049	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a_2: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=8095 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	10	62.5%
1	next day	3	18.8%
2	2 days after	2	12.5%
3	3 days after	1	6.2%
4	4+ days after	0	
8	don't know	0	
Sysmiss		8095	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a_3: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=8110 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	1	100.0%
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8110	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a_4: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a_5: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml23a_5: timing of start of other anti-malarial use

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a_6: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b_1: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b_2: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b_3: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	

ml23b_3: na - number of days child took other anti-malarial

Value	Label	Cases	Percentage
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b_4: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b_5: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b_6: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c_1: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c_2: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	

ml23c_2: na - first source for other anti-malarial

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c_3: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c_4: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c_5: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c_6: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c_1: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

ml24c_1: na - first source for antibiotic pill/syrup

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c_2: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c_3: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c_4: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c_5: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c_6: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=8111 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		8111	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sconces: concession

Information	[Type= continuous] [Format=numeric] [Range= 1-333] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-] [Mean=46.627 /-] [StdDev=37.223 /-]

sqlang: questionnaire language

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=8105 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	french	8016	98.9%
2	moore	84	1.0%
3	peuhl/fulfuldé	1	0.0%
4	dioula	4	0.0%
5	gulmantchema	0	
6	bissa	0	
7	dagara	0	
8	others	0	
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

silang: interview language

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
1	french	976	12.0%
2	moore	3853	47.6%
3	peuhl/fulfuldé	555	6.8%
4	dioula	1752	21.6%
5	gulmantchema	334	4.1%
6	bissa	251	3.1%
7	dagara	120	1.5%
8	others	262	3.2%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sinterp: interpreter

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8099 /-] [Invalid=12 /-]

sinterp: interpreter

Value	Label	Cases	Percentage
0	no	7224	89.2%
1	yes	875	10.8%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s105: woman's highest educational level (questionnaire configuration)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	5781	71.3%
1	primairy	1109	13.7%
2	secondary i (1st cycle)	969	11.9%
3	secondary ii (2nd cycle)	185	2.3%
4	higher	67	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s106: highest grade

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2324 /-] [Invalid=5787 /-]

Value	Label	Cases	Percentage
0		73	3.1%
1		361	15.5%
2		436	18.8%
3		463	19.9%
4		364	15.7%
5		301	13.0%
6		326	14.0%
8	dk	0	
Sysmiss		5787	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s111: heard or seen any messages on malaria during the last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8108 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	4416	54.5%
1	yes	3692	45.5%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112a: source of information : radio

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	5881	72.7%
1	yes	2212	27.3%

s112a: source of information : radio

Value	Label	Cases	Percentage
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112b: source of information : television

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	7543	93.2%
1	yes	550	6.8%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112c: source of information : poster

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8060	99.6%
1	yes	33	0.4%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112d: source of information : community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	7467	92.3%
1	yes	626	7.7%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112e: source of information : event in the community

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	7946	98.2%
1	yes	147	1.8%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112f: source of information : moderators of ngo

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8050	99.5%
1	yes	43	0.5%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112g: source of information : personal health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	6988	86.3%
1	yes	1105	13.7%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112h: source of information : crieurs publics

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8049	99.5%
1	yes	44	0.5%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112i: source of information : educational institution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8036	99.3%
1	yes	57	0.7%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112j: source of information : health facility

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8050	99.5%
1	yes	43	0.5%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112k: source of information : neighborhood/village

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8045	99.4%
1	yes	48	0.6%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112l: source of information : friends/neighbors

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

s112l: source of information : friends/neighbors

Value	Label	Cases	Percentage
0	no	7960	98.4%
1	yes	133	1.6%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112x: source of information : others

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8093 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8041	99.4%
1	yes	52	0.6%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s113: do you know the intra spraying ?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8105 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	no	7704	95.1%
1	yes	401	4.9%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s114: would you want your home to be sprayed ?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=399 /-] [Invalid=7712 /-]

Value	Label	Cases	Percentage
0	no	7	1.8%
1	yes	392	98.2%
Sysmiss		7712	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115a: main cause of malaria : mosquito bite

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	1200	14.8%
1	yes	6910	85.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115b: main cause of malaria : heavy oil consumption

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7924	97.7%
1	yes	186	2.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115c: main cause of malaria : work-related fatigue

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7844	96.7%
1	yes	266	3.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115d: main cause of malaria : insufficient sleeping

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8042	99.2%
1	yes	68	0.8%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115e: main cause of malaria : direct exposure to sunlight

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7605	93.8%
1	yes	505	6.2%
8	dont know	0	
Sysmiss		1	

s115e: main cause of malaria : direct exposure to sunlight

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115f: main cause of malaria : consumption of mangoes / sweet fruits

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7930	97.8%
1	yes	180	2.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115g: main cause of malaria : milk consumption

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8042	99.2%
1	yes	68	0.8%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115h: main cause of malaria : dirty water

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6883	84.9%
1	yes	1227	15.1%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115x: how can contract malaria : other (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6477	79.9%
1	yes	1633	20.1%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115z: how can contract malaria : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7684	94.7%
1	yes	426	5.3%

s115z: how can contract malaria : don't know

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s116: when do the mosquitoes that transmit malaria bite ?

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6869 /-] [Invalid=1242 /-]

Value	Label	Cases	Percentage
1	all day	993	14.5%
2	morning	30	0.4%
3	midday	24	0.3%
4	evening	1016	14.8%
5	first half of the night	3261	47.5%
6	second half of the night	1323	19.3%
7	at dawn	44	0.6%
8	don't konw	178	2.6%
Sysmiss		1242	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117a: symptom of malaria : fever

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	1499	18.5%
1	yes	6610	81.5%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117b: symptom of malaria : vomiting, lack of appetite

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	3690	45.5%
1	yes	4419	54.5%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117c: symptom of malaria : high temperature with convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7641	94.2%
1	yes	468	5.8%
8	dont know	0	

s117c: symptom of malaria : high temperature with convulsions

Value	Label	Cases	Percentage
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117d: symptom of malaria : high temperature with fainting

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7910	97.5%
1	yes	199	2.5%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117e: symptom of malaria : persistent fever

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7866	97.0%
1	yes	243	3.0%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117f: symptom of malaria : convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7580	93.5%
1	yes	529	6.5%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117g: symptom of malaria : jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7263	89.6%
1	yes	846	10.4%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117h: symptom of malaria : headache

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

s117h: symptom of malaria : headache

Value	Label	Cases	Percentage
0	no	5807	71.6%
1	yes	2302	28.4%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117i: symptom of malaria : urine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7985	98.5%
1	yes	124	1.5%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117x: symptom of malaria : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6884	84.9%
1	yes	1225	15.1%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117z: symptom of malaria : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	7951	98.1%
1	yes	158	1.9%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118a: best way to prevent malaria : sleep under a mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7714	95.1%
1	yes	396	4.9%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118b: best way to prevent malaria : sleep under a mosquito net impregnated with insect

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]
Notes	best way to prevent malaria : sleep under a mosquito net impregnated with insecticide

Value	Label	Cases	Percentage
0	no	1362	16.8%
1	yes	6748	83.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118c: best way to prevent malaria : take preventative medications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7371	90.9%
1	yes	739	9.1%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118d: best way to prevent malaria : using insecticide sprays, creams, lotions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7620	94.0%
1	yes	490	6.0%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118e: best way to prevent malaria : using insecticide coils

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7718	95.2%
1	yes	392	4.8%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118f: best way to prevent malaria : decoction/plant juice/root to drink as a preventiv

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]
Notes	best way to prevent malaria : decoction/plant juice/root to drink as a preventive

Value	Label	Cases	Percentage
0	no	7644	94.3%

s118f: best way to prevent malaria : decoction/plant juice/root to drink as a preventiv

Value	Label	Cases	Percentage
1	yes	466	5.7%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118g: best way to prevent malaria : making sure surroundings are clean

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6207	76.5%
1	yes	1903	23.5%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118h: best way to prevent malaria : spraying inside the house

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8065	99.4%
1	yes	45	0.6%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118i: best way to prevent malaria : screens on the widows

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8089	99.7%
1	yes	21	0.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118j: best way to prevent malaria : using a coil smoke

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7561	93.2%
1	yes	549	6.8%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118k: best way to prevent malaria : using electrical plates

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

s118k: best way to prevent malaria : using electrical plates

Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8109	100.0%
1	yes	1	0.0%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118l: best way to prevent malaria : air conditioning/fans

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8099	99.9%
1	yes	11	0.1%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118m: best way to prevent malaria : powder (spill)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8108	100.0%
1	yes	2	0.0%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118n: best way to prevent malaria : cover the body

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7493	92.4%
1	yes	617	7.6%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118w: best way to prevent malaria : other (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7196	88.7%
1	yes	914	11.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118x: best way to prevent malaria : other(2)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8045	99.2%
1	yes	65	0.8%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118z: best way to prevent malaria : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7683	94.7%
1	yes	427	5.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119a: to prevent malaria, household uses : sleep under a mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7897	97.4%
1	yes	213	2.6%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119b: to prevent malaria, household uses : sleep under a mosquito net impregnated with

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]
Notes	to prevent malaria, household uses : sleep under a mosquito net impregnated with insecticide

Value	Label	Cases	Percentage
0	no	1569	19.3%
1	yes	6541	80.7%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119c: to prevent malaria, household uses : take preventative medications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7588	93.6%
1	yes	522	6.4%
8	dont know	0	

s119c: to prevent malaria, household uses : take preventative medications

Value	Label	Cases	Percentage
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119d: to prevent malaria, household uses : using insecticide sprays, creams, lotions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7764	95.7%
1	yes	346	4.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119e: to prevent malaria, household uses : using insecticide coils

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7746	95.5%
1	yes	364	4.5%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119f: to prevent malaria, household uses : decoction/plant juice/root to drink as a pr

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]
Notes	to prevent malaria, household uses : decoction/plant juice/root to drink as a preventive

Value	Label	Cases	Percentage
0	no	7634	94.1%
1	yes	476	5.9%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119g: to prevent malaria, household uses : making sure surroundings are clean

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6472	79.8%
1	yes	1638	20.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119h: to prevent malaria, household uses : spraying inside the house

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

s119h: to prevent malaria, household uses : spraying inside the house

Value	Label	Cases	Percentage
0	no	8078	99.6%
1	yes	32	0.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119i: to prevent malaria, household uses : screens on the widows

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8097	99.8%
1	yes	13	0.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119j: to prevent malaria, household uses : using a coil smoke

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7711	95.1%
1	yes	399	4.9%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119k: to prevent malaria, household uses : using electrical plates

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8108	100.0%
1	yes	2	0.0%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119l: to prevent malaria, household uses : air conditioning/fans

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8093	99.8%
1	yes	17	0.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119m: to prevent malaria, household uses : powder (spill)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8109	100.0%
1	yes	1	0.0%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119n: to prevent malaria, household uses : cover the body

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7408	91.3%
1	yes	702	8.7%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119w: to prevent malaria, household uses : other (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7320	90.3%
1	yes	790	9.7%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119x: to prevent malaria, household uses : other(2)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8059	99.4%
1	yes	51	0.6%
8	dont know	0	
Sysmiss		1	

s119x: to prevent malaria, household uses : other(2)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119z: to prevent malaria, household uses : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7797	96.1%
1	yes	313	3.9%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120a: hear messages about malaria on the local radio

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	4750	58.6%
1	yes	3360	41.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120ba: language of the message on the local radio : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	6845	84.5%
1	yes	1258	15.5%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bb: language of the message on the local radio : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	5873	72.5%
1	yes	2230	27.5%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bc: language of the message on the local radio : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	7183	88.6%
1	yes	920	11.4%

s120bc: language of the message on the local radio : dioula

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bd: language of the message on the local radio : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	7734	95.4%
1	yes	369	4.6%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120be: language of the message on the local radio : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	7886	97.3%
1	yes	217	2.7%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bf: language of the message on the local radio : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	7970	98.4%
1	yes	133	1.6%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bg: language of the message on the local radio : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	8029	99.1%
1	yes	74	0.9%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bx: language of the message on the local radio : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8103 /-] [Invalid=8 /-]

s120bx: language of the message on the local radio : others

Value	Label	Cases	Percentage
0	no	7897	97.5%
1	yes	206	2.5%
8	dont know	0	
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120c: are these messages understandable to the local radio

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=3343 /-] [Invalid=4768 /-]

Value	Label	Cases	Percentage
0	no	204	6.1%
1	yes	3139	93.9%
8	dont know	0	
Sysmiss		4768	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120da: messages broadcast time on the local radio : morning

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	6459	79.8%
1	yes	1639	20.2%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120db: messages broadcast time on the local radio : noon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	7813	96.5%
1	yes	285	3.5%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120dc: messages broadcast time on the local radio : afternoon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	7838	96.8%
1	yes	260	3.2%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120dd: messages broadcast time on the local radio : evening

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	5655	69.8%
1	yes	2443	30.2%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121a: see/hear messages about malaria on the local television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6992	86.2%
1	yes	1117	13.8%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121ba: language of the message on the local television : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	7226	89.1%
1	yes	885	10.9%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bb: language of the message on the local television : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	7428	91.6%
1	yes	683	8.4%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bc: language of the message on the local television : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	7717	95.1%
1	yes	394	4.9%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bd: language of the message on the local television : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

s121bd: language of the message on the local television : peuhl/fulfuldé

Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	7978	98.4%
1	yes	133	1.6%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121be: language of the message on the local television : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	8105	99.9%
1	yes	6	0.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bf: language of the message on the local television : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	8097	99.8%
1	yes	14	0.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bg: language of the message on the local television : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	8108	100.0%
1	yes	3	0.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bx: language of the message on the local television : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	8094	99.8%
1	yes	17	0.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121c: are these messages understandable to the local television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1113 /-] [Invalid=6998 /-]

s121c: are these messages understandable to the local television

Value	Label	Cases	Percentage
0	no	65	5.8%
1	yes	1048	94.2%
8	dont know	0	
Sysmiss		6998	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121da: messages broadcast time on the local television : morning

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8106 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	7909	97.6%
1	yes	197	2.4%
8	dont know	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121db: messages broadcast time on the local television : noon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8106 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	7933	97.9%
1	yes	173	2.1%
8	dont know	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121dc: messages broadcast time on the local television : afternoon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8106 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	7917	97.7%
1	yes	189	2.3%
8	dont know	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121dd: messages broadcast time on the local television : evening

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8106 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	7239	89.3%
1	yes	867	10.7%
8	dont know	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122a: hear messages about malaria with health worker/ngos

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8108 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	5785	71.3%
1	yes	2323	28.7%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122ba: language of the message with health worker/ngos : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	7652	94.4%
1	yes	455	5.6%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bb: language of the message with health worker/ngos : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6432	79.3%
1	yes	1675	20.7%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bc: language of the message with health worker/ngos : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	7750	95.6%
1	yes	357	4.4%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bd: language of the message with health worker/ngos : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	7975	98.4%
1	yes	132	1.6%
8	dont know	0	
Sysmiss		4	

s122bd: language of the message with health worker/ngos : peuhl/fulfuldé

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122be: language of the message with health worker/ngos : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	8095	99.9%
1	yes	12	0.1%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bf: language of the message with health worker/ngos : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	8029	99.0%
1	yes	78	1.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bg: language of the message with health worker/ngos : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	8084	99.7%
1	yes	23	0.3%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bx: language of the message with health worker/ngos : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8107 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	7943	98.0%
1	yes	164	2.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122c: are these messages understandable with health worker/ngos

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2315 /-] [Invalid=5796 /-]

Value	Label	Cases	Percentage
0	no	86	3.7%
1	yes	2229	96.3%

s122c: are these messages understandable with health worker/ngos

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		5796	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123a: hear messages about malaria in the worship places

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8105 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	no	6723	82.9%
1	yes	1382	17.1%
8	dont know	0	
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123ba: language of the message in the worship places : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	7942	97.9%
1	yes	168	2.1%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bb: language of the message in the worship places : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6977	86.0%
1	yes	1133	14.0%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bc: language of the message in the worship places : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8010	98.8%
1	yes	100	1.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bd: language of the message in the worship places : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

s123bd: language of the message in the worship places : peuhl/fulfuldé

Value	Label	Cases	Percentage
0	no	8077	99.6%
1	yes	33	0.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123be: language of the message in the worship places : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8080	99.6%
1	yes	30	0.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bf: language of the message in the worship places : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8082	99.7%
1	yes	28	0.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bg: language of the message in the worship places : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8095	99.8%
1	yes	15	0.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bx: language of the message in the worship places : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	8012	98.8%
1	yes	98	1.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123c: are these messages understandable in the worship places

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1380 /-] [Invalid=6731 /-]

Value	Label	Cases	Percentage
0	no	33	2.4%
1	yes	1347	97.6%
8	dont know	0	
Sysmiss		6731	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s124a: last 12 months : heard message on the radio

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8110 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	5601	69.1%
1	yes	2509	30.9%
8	dont know	0	
Sysmiss		1	

s124a: last 12 months : heard message on the radio

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s124b: last 12 months : heard /seen message on the television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8108 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	7348	90.6%
1	yes	760	9.4%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s124c: last 12 months : seen clips on the television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8108 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	7595	93.7%
1	yes	513	6.3%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s125: preferred form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=8105 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	conical	1266	15.6%
2	rectangular	6839	84.4%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s126: preferred color of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=8108 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	white	3390	41.8%
2	green	831	10.2%
3	blue	2625	32.4%
4	no preference	846	10.4%
5	black	184	2.3%
6	others	232	2.9%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s127: owns an itn

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

s127: owns an itn

Value	Label	Cases	Percentage
0	no	1112	13.7%
1	yes	6997	86.3%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s128: is satisfied with the size of the itn

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6966 /-] [Invalid=1145 /-]

Value	Label	Cases	Percentage
0	no	792	11.4%
1	yes	6174	88.6%
8	dont know	0	
Sysmiss		1145	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s129: slept under an itn previous night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8109 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	1344	16.6%
1	yes	6765	83.4%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130a: reason didn?t sleep under itn : bad odor

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8089	99.9%
1	yes	9	0.1%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130b: reason didn?t sleep under itn : causes irritations/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8090	99.9%
1	yes	8	0.1%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130c: reason didn?t sleep under itn : makes person ill

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8092	99.9%
1	yes	6	0.1%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130d: reason didn?t sleep under itn : nausea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8098	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130e: reason didn?t sleep under itn : has dangerous chemicals

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8097	100.0%
1	yes	1	0.0%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130f: reason didn?t sleep under itn : can kill a foetus or cause miscarriage/stillbirt

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]
Notes	reason didn?t sleep under itn : can kill a foetus or cause miscarriage/stillbirth

Value	Label	Cases	Percentage
0	no	8098	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130g: reason didn?t sleep under itn : can suffocate or cause difficulty breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8075	99.7%
1	yes	23	0.3%
8	dont know	0	

s130g: reason didn?t sleep under itn : can suffocate or cause difficulty breathing

Value	Label	Cases	Percentage
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130h: reason didn?t sleep under itn : do not like the form

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8096	100.0%
1	yes	2	0.0%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130i: reason didn?t sleep under itn : heat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	7986	98.6%
1	yes	112	1.4%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130j: reason didn?t sleep under itn : net quickly becomes dirty

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8095	100.0%
1	yes	3	0.0%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130k: reason didn?t sleep under itn : do not like net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8041	99.3%
1	yes	57	0.7%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130l: reason didn?t sleep under itn : no net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

s130l: reason didn?t sleep under itn : no net

Value	Label	Cases	Percentage
0	no	7325	90.5%
1	yes	773	9.5%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130m: reason didn?t sleep under itn : unsatisfactory size

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8092	99.9%
1	yes	6	0.1%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130n: reason didn?t sleep under itn : net not effective

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8090	99.9%
1	yes	8	0.1%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130o: reason didn?t sleep under itn : no reason

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	7941	98.1%
1	yes	157	1.9%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130x: reason didn?t sleep under itn : other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	7875	97.2%
1	yes	223	2.8%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130z: reason didn?t sleep under itn : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=8098 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	8097	100.0%
1	yes	1	0.0%
8	dont know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s210: number of births in last 6 years

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	2811	34.7%
1		2365	29.2%
2		2355	29.0%
3		543	6.7%
4		35	0.4%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s223: number of births since 2009

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=8111 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	2975	36.7%
1		2629	32.4%
2		2172	26.8%
3		317	3.9%
4		16	0.2%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s310: number of fansidar pills taken

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=3568 /-] [Invalid=4543 /-]

Value	Label	Cases	Percentage
1		261	7.3%
2		74	2.1%
3		3111	87.2%
4		4	0.1%
5		2	0.1%
6	6 or more tablets	76	2.1%
8	don't remember	40	1.1%
Sysmiss		4543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s311: have you taken in the presence of health worker, at home or elsewhere?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=3546 /-] [Invalid=4565 /-]

Value	Label	Cases	Percentage
1	in front of health worker	1604	45.2%
2	at home	1931	54.5%
3	elsewhere	11	0.3%
Sysmiss		4565	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s313: source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3470 /-] [Invalid=4641 /-]

Value	Label	Cases	Percentage
1	antenatal visit	3443	99.2%
2	another facility visit	19	0.5%
6	other source	8	0.2%
Sysmiss		4641	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFKR71FL

v001: cluster number

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=127.504 /-] [StdDev=73.554 /-]

v002: household number

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=13.502 /-] [StdDev=7.535 /-]

v003: respondent's line number

Information	[Type= continuous] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=3.176 /-] [StdDev=2.53 /-]

v004: ultimate area unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=127.504 /-] [StdDev=73.554 /-]

v005: women's individual sample weight (6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 240843-5668936] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=971874.066 /-] [StdDev=555124.66 /-]

v006: month of interview

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
9		159	2.3%
10		3576	52.3%
11		3095	45.2%
12		11	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v007: year of interview

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2014		6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v008: date of interview (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 1377-1380] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1377		159	2.3%
1378		3576	52.3%
1379		3095	45.2%
1380		11	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFKR71FL

v009: respondent's month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3250	47.5%
2		349	5.1%
3		351	5.1%
4		335	4.9%
5		329	4.8%
6		311	4.5%
7		328	4.8%
8		328	4.8%
9		303	4.4%
10		315	4.6%
11		184	2.7%
12		458	6.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v010: respondent's year of birth

Information	[Type= continuous] [Format=numeric] [Range= 1964-1999] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=1985.117 /-] [StdDev=6.856 /-]

v011: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 780-1196] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=1025.523 /-] [StdDev=82.598 /-]

v012: respondent's current age

Information	[Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=28.802 /-] [StdDev=6.85 /-]

v013: age in 5-year groups

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	15-19	441	6.4%
2	20-24	1587	23.2%
3	25-29	1851	27.1%
4	30-34	1437	21.0%
5	35-39	1009	14.7%
6	40-44	405	5.9%
7	45-49	111	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v014: completeness of age information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

File : BFKR71FL

v014: completeness of age information

Value	Label	Cases	Percentage
1	month and year - information complete	5237	76.6%
2	month and age - year imputed	0	
3	year and age - month imputed	1529	22.4%
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	75	1.1%
7	month - age/year imputed	0	
8	none - all imputed	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v015: result of individual interview

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	completed	6841	100.0%
2	not at home	0	
3	postponed	0	
4	refused	0	
5	partially completed	0	
6	respondent incapacitated	0	
7	other	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v016: day of interview

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=16.877 /-] [StdDev=8.46 /-]

v017: na - cmc start of calendar

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v018: na - row of month of interview

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no calendar	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v019: na - length of calendar

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

File : BFKR71FL

v019: na - length of calendar

Value	Label	Cases	Percentage
0	no calendar	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v019a: number of calendar columns

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no calendar	6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v020: ever-married sample

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	all woman sample	6841	100.0%
1	ever married sample	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v021: primary sampling unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=127.504 /-] [StdDev=73.554 /-]

v022: sample strata for sampling errors

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	41	0.6%
2	boucle du mouhoun rural	551	8.1%
3	cascades urbain	84	1.2%
4	cascades rural	461	6.7%
5	centre urbain	266	3.9%
6	centre rural	83	1.2%
7	centre est urbain	87	1.3%
8	centre est rural	502	7.3%
9	centre nord urbain	52	0.8%
10	centre nord rural	543	7.9%
11	centre ouest urbain	55	0.8%
12	centre ouest rural	472	6.9%
13	centre sud urbain	58	0.8%
14	centre sud rural	387	5.7%
15	est urbain	27	0.4%
16	est rural	471	6.9%
17	hauts-bassins urbain	131	1.9%

File : BFKR71FL

v022: sample strata for sampling errors

Value	Label	Cases	Percentage
18	hauts-bassins rural	330	4.8%
19	nord urbain	64	0.9%
20	nord rural	471	6.9%
21	plateau central urbain	42	0.6%
22	plateau central rural	519	7.6%
23	sahel urbain	47	0.7%
24	sahel rural	617	9.0%
25	sud ouest urbain	51	0.7%
26	sud ouest rural	429	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v023: stratification used in sample design

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	41	0.6%
2	boucle du mouhoun rural	551	8.1%
3	cascades urbain	84	1.2%
4	cascades rural	461	6.7%
5	centre urbain	266	3.9%
6	centre rural	83	1.2%
7	centre est urbain	87	1.3%
8	centre est rural	502	7.3%
9	centre nord urbain	52	0.8%
10	centre nord rural	543	7.9%
11	centre ouest urbain	55	0.8%
12	centre ouest rural	472	6.9%
13	centre sud urbain	58	0.8%
14	centre sud rural	387	5.7%
15	est urbain	27	0.4%
16	est rural	471	6.9%
17	hauts-bassins urbain	131	1.9%
18	hauts-bassins rural	330	4.8%
19	nord urbain	64	0.9%
20	nord rural	471	6.9%
21	plateau central urbain	42	0.6%
22	plateau central rural	519	7.6%
23	sahel urbain	47	0.7%
24	sahel rural	617	9.0%
25	sud ouest urbain	51	0.7%
26	sud ouest rural	429	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFKR71FL

v024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle de mouhoun	592	8.7%
2	cascades	545	8.0%
3	centre	349	5.1%
4	centre-est	589	8.6%
5	centre-nord	595	8.7%
6	centre-ouest	527	7.7%
7	centre-sud	445	6.5%
8	est	498	7.3%
9	hauts basins	461	6.7%
10	nord	535	7.8%
11	plateau central	561	8.2%
12	sahel	664	9.7%
13	sud-ouest	480	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	1005	14.7%
2	rural	5836	85.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v026: de facto place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	266	3.9%
1	small city	739	10.8%
2	countryside	5836	85.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v027: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6598	96.4%
2		209	3.1%
3		34	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v034: na - line number of husband

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]

File : BFKR71FL

v034: na - line number of husband

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	husband not in household	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v040: na - cluster altitude in meters

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v042: household selected for hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not selected	0	
1	selected	6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v044: na - selected for domestic violence module

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	woman not selected	0	
1	woman selected and interviewed	0	
2	woman selected, but privacy not possible	0	
3	woman selected, but not interviewed	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v101: region

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle de mouhoun	592	8.7%
2	cascades	545	8.0%
3	centre	349	5.1%
4	centre-est	589	8.6%
5	centre-nord	595	8.7%
6	centre-ouest	527	7.7%
7	centre-sud	445	6.5%
8	est	498	7.3%
9	hauts basins	461	6.7%

File : BFKR71FL

v101: region

Value	Label	Cases	Percentage
10	nord	535	7.8%
11	plateau central	561	8.2%
12	sahel	664	9.7%
13	sud-ouest	480	7.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v102: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	1005	14.7%
2	rural	5836	85.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v103: na - childhood place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	capital, large city	0	
1	city	0	
2	town	0	
3	countryside	0	
4	abroad	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v104: na - years lived in place of residence

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
95	always	0	
96	visitor	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v105: na - type of place of previous residence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	capital, large city	0	
1	city	0	
2	town	0	
3	countryside	0	

File : BFKR71FL

v105: na - type of place of previous residence

Value	Label	Cases	Percentage
4	abroad	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v106: highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	5517	80.6%
1	primary	860	12.6%
2	secondary	444	6.5%
3	higher	20	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v107: highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=1321 /-] [Invalid=5520 /-]

Value	Label	Cases	Percentage
0	no years completed at level v106	25	1.9%
1		127	9.6%
2		186	14.1%
3		249	18.8%
4		214	16.2%
5		236	17.9%
6		262	19.8%
7		22	1.7%
Sysmiss		5520	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v113: source of drinking water

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
10	piped water	0	
11	piped into dwelling	36	0.5%
12	piped to yard/plot	288	4.2%
13	public tap/standpipe	733	10.7%
14	piped from the neighbor	5	0.1%
20	tube well water	0	
21	tube well or borehole	3601	52.6%
30	dug well (open/protected)	0	
31	protected well	411	6.0%
32	unprotected well	1276	18.7%
40	surface water	0	

File : BFKR71FL

v113: source of drinking water

Value	Label	Cases	Percentage
41	protected spring	10	0.1%
42	unprotected spring	149	2.2%
43	river/dam/lake/ponds/stream/canal/irrigation channel	216	3.2%
51	rainwater	4	0.1%
61	tanker truck	0	
62	cart with small tank	15	0.2%
71	bottled water	12	0.2%
96	other	2	0.0%
97	not a dejure resident	82	1.2%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v115: time to get to water source

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=6820 /-] [Invalid=21 /-]

Value	Label	Cases	Percentage
1		43	0.6%
2		78	1.1%
3		69	1.0%
4		27	0.4%
5		536	7.9%
6		46	0.7%
7		25	0.4%
8		27	0.4%
9		2	0.0%
10		889	13.0%
11		2	0.0%
12		8	0.1%
13		3	0.0%
14		3	0.0%
15		759	11.1%
16		11	0.2%
17		2	0.0%
18		5	0.1%
20		651	9.5%
21		2	0.0%
23		2	0.0%
24		3	0.0%
25		90	1.3%
26		2	0.0%
30		893	13.1%
35		47	0.7%
36		1	0.0%
39		1	0.0%

File : BFKR71FL

v115: time to get to water source

Value	Label	Cases	Percentage
40		181	2.7%
45		140	2.1%
48		1	0.0%
49		1	0.0%
50		29	0.4%
55		1	0.0%
59		2	0.0%
60		819	12.0%
63		5	0.1%
65		9	0.1%
70		8	0.1%
75		6	0.1%
80		16	0.2%
90		90	1.3%
95		3	0.0%
100		6	0.1%
110		3	0.0%
120		305	4.5%
125		3	0.0%
138		1	0.0%
140		5	0.1%
145		5	0.1%
150		7	0.1%
160		2	0.0%
180		66	1.0%
190		3	0.0%
200		2	0.0%
210		1	0.0%
240		13	0.2%
280		2	0.0%
300		12	0.2%
996	on premises	587	8.6%
997	not a dejure resident	82	1.2%
998	don't know	177	2.6%
Sysmiss		21	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v116: type of toilet facility

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=6832 /-] [Invalid=9 /-]

Value	Label	Cases	Percentage
10	flush toilet	0	
11	flush to piped sewer system	3	0.0%
12	flush to septic tank	99	1.4%

File : BFKR71FL

v116: type of toilet facility

Value	Label	Cases	Percentage
13	flush to pit latrine	6	0.1%
14	flush to somewhere else	0	
15	flush, don't know where	0	
20	pit toilet latrine	0	
21	ventilated improved pit latrine (vip)	14	0.2%
22	pit latrine with slab	2507	36.7%
23	pit latrine without slab/open pit	193	2.8%
30	no facility	0	
31	no facility/bush/field	3914	57.3%
41	composting toilet	7	0.1%
42	bucket toilet	0	
43	hanging toilet/latrine	0	
96	other	7	0.1%
97	not a dejure resident	82	1.2%
Sysmiss		9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v119: household has: electricity

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6828 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
0	no	6110	89.5%
1	yes	636	9.3%
7	not a dejure resident	82	1.2%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v120: household has: radio

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6829 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	2652	38.8%
1	yes	4095	60.0%
7	not a dejure resident	82	1.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v121: household has: television

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	5596	82.0%
1	yes	1146	16.8%
7	not a dejure resident	82	1.2%

File : BFKR71FL

v121: household has: television

Value	Label	Cases	Percentage
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v122: household has: refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6823 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	6548	96.0%
1	yes	193	2.8%
7	not a dejure resident	82	1.2%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v123: household has: bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6833 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	853	12.5%
1	yes	5898	86.3%
7	not a dejure resident	82	1.2%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v124: household has: motorcycle/scooter

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6829 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	3110	45.5%
1	yes	3637	53.3%
7	not a dejure resident	82	1.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v125: household has: car/truck

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6835 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	no	6645	97.2%
1	yes	108	1.6%
7	not a dejure resident	82	1.2%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v127: main floor material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]

File : BFKR71FL

v127: main floor material

Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	earth/sand	3424	50.1%
12	dung	564	8.2%
20	rudimentary	0	
21	wood planks	0	
22	palm/bambou	0	
30	finished	0	
31	parquet or polished wood	0	
32	vinyl or asphalt strips	0	
33	ceramic tiles	71	1.0%
34	cement	2696	39.4%
35	carpet	0	
96	other	2	0.0%
97	not a dejure resident	82	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v128: main wall material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no walls	0	
12	cane/palm/trunks	340	5.0%
13	dirt	3847	56.3%
20	rudimentary	0	
21	bamboo with mud	71	1.0%
22	stone with mud	419	6.1%
23	uncovered adobe	266	3.9%
24	plywood	0	
25	cardboard	0	
26	reused wood	0	
30	finished	0	
31	cement	969	14.2%
32	stone with lime/cement	51	0.7%
33	bricks	390	5.7%
34	cement blocks	38	0.6%
35	covered adobe	145	2.1%
36	wood planks/shingles	9	0.1%
96	other	211	3.1%
97	not a dejure resident	82	1.2%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v129: main roof material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=6835 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no roof	0	
12	thatch/palm leaf	1727	25.3%
13	sod	0	
20	rudimentary	0	
21	rustic mat	0	
22	palm/bamboo	0	
23	wood planks	0	
24	cardboard	0	
30	finished	0	
31	metal	4230	61.9%
32	wood	774	11.3%
33	zinc/cement fiber	0	
34	tiles/slate	0	
35	cement	0	
36	shingles	0	

v129: main roof material

Value	Label	Cases	Percentage
96	other	22	0.3%
97	not a dejure resident	82	1.2%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v130: religion

Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=6830 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no religion	0	
1	muslim	4531	66.3%
2	catholic	1289	18.9%
3	protestant	419	6.1%
4	traditionnal/animist	463	6.8%
5	without religion	128	1.9%
96	other	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v131: ethnicity

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
1	bobo	95	1.4%
2	dioula	45	0.7%
3	fulfuldé / peul	728	10.6%
4	gourmatché	340	5.0%
5	gourounsi	249	3.6%
6	lobi	156	2.3%
7	mossi	3259	47.7%
8	sénoufo	186	2.7%
9	touareg / bella	83	1.2%
10	dagara	194	2.8%
11	bissa	318	4.6%
12	pays cedeao	17	0.2%
13	autres pays africains	4	0.1%
14	autres nationalités	0	
96	autre	1163	17.0%
98	nsp	2	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v133: education in single years

Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

v133: education in single years

Value	Label	Cases	Percentage
0		5523	80.8%
1		40	0.6%
2		95	1.4%
3		149	2.2%
4		121	1.8%
5		212	3.1%
6		252	3.7%
7		85	1.2%
8		86	1.3%
9		96	1.4%
10		87	1.3%
11		22	0.3%
12		28	0.4%
13		23	0.3%
14		2	0.0%
15		5	0.1%
16		4	0.1%
17		6	0.1%
18		2	0.0%
97	inconsistent	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v134: de facto place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	266	3.9%
1	small city	739	10.8%
2	countryside	5836	85.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v135: usual resident or visitor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	usual resident	6759	98.8%
2	visitor	82	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v136: number of household members (listed)

Information	[Type= continuous] [Format=numeric] [Range= 1-40] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=8.263 /-] [StdDev=4.331 /-]

v137: number of children 5 and under in household (de jure)

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

v137: number of children 5 and under in household (de jure)

Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		138	2.0%
1		1676	24.5%
2		2637	38.5%
3		1230	18.0%
4		662	9.7%
5		280	4.1%
6		143	2.1%
7		46	0.7%
8		17	0.2%
9		8	0.1%
10		4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v138: number of eligible women in household (de facto)

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3416	49.9%
2		2079	30.4%
3		818	12.0%
4		342	5.0%
5		137	2.0%
6		15	0.2%
7		26	0.4%
10		8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v139: de jure region of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	abroad	0	
1	boucle de mouhoun	583	8.5%
2	cascades	543	7.9%
3	centre	334	4.9%
4	centre-est	586	8.6%
5	centre-nord	586	8.6%
6	centre-ouest	523	7.6%
7	centre-sud	441	6.4%
8	est	496	7.3%
9	hauts basins	456	6.7%
10	nord	527	7.7%
11	plateau central	550	8.0%
12	sahel	664	9.7%

v139: de jure region of residence

Value	Label	Cases	Percentage
13	sud-ouest	470	6.9%
97	not dejure resident	82	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v140: de jure type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	abroad	0	
1	urban	982	14.4%
2	rural	5777	84.4%
7	not a dejure resident	82	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v141: de jure place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	251	3.7%
1	small city	731	10.7%
2	countryside	5777	84.4%
4	abroad	0	
7	not a dejure resident	82	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v149: educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	5517	80.6%
1	incomplete primary	626	9.2%
2	complete primary	234	3.4%
3	incomplete secondary	416	6.1%
4	complete secondary	28	0.4%
5	higher	20	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v150: relationship to household head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	head	249	3.6%
2	wife or husband	5791	84.7%
3	son/daughter	216	3.2%
4	son/daughter-in-law	337	4.9%
5	grandchild	10	0.1%

v150: relationship to household head

Value	Label	Cases	Percentage
6	parent	4	0.1%
7	parent-in-law	46	0.7%
8	brother/sister	60	0.9%
9	co-spouse	16	0.2%
10	other relative	83	1.2%
11	adopted/foster child	3	0.0%
12	not related	26	0.4%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v151: sex of household head

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	6401	93.6%
2	female	440	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v152: age of household head

Information	[Type= discrete] [Format=numeric] [Range= 16-98] [Missing=*]
Statistics [NW/ W]	[Valid=6836 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
16		1	0.0%
17		3	0.0%
18		10	0.1%
19		4	0.1%
20		23	0.3%
21		30	0.4%
22		46	0.7%
23		76	1.1%
24		68	1.0%
25		145	2.1%
26		130	1.9%
27		169	2.5%
28		170	2.5%
29		160	2.3%
30		354	5.2%
31		180	2.6%
32		287	4.2%
33		192	2.8%
34		206	3.0%
35		321	4.7%
36		216	3.2%
37		214	3.1%

v152: age of household head

Value	Label	Cases	Percentage
38		171	2.5%
39		161	2.4%
40		316	4.6%
41		163	2.4%
42		237	3.5%
43		150	2.2%
44		153	2.2%
45		273	4.0%
46		133	1.9%
47		128	1.9%
48		126	1.8%
49		113	1.7%
50		186	2.7%
51		83	1.2%
52		143	2.1%
53		91	1.3%
54		90	1.3%
55		109	1.6%
56		75	1.1%
57		73	1.1%
58		58	0.8%
59		61	0.9%
60		148	2.2%
61		39	0.6%
62		42	0.6%
63		28	0.4%
64		56	0.8%
65		68	1.0%
66		26	0.4%
67		27	0.4%
68		36	0.5%
69		15	0.2%
70		47	0.7%
71		9	0.1%
72		18	0.3%
73		15	0.2%
74		13	0.2%
75		20	0.3%
76		9	0.1%
77		7	0.1%
78		14	0.2%
79		4	0.1%
80		25	0.4%
81		5	0.1%
82		3	0.0%

v152: age of household head

Value	Label	Cases	Percentage
83		7	0.1%
84		3	0.0%
85		14	0.2%
86		1	0.0%
87		12	0.2%
89		1	0.0%
90		14	0.2%
92		1	0.0%
93		3	0.0%
95		8	0.1%
97	97+	0	
98	don't know	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v153: household has: telephone (land-line)

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6825 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	no	6699	98.2%
1	yes	44	0.6%
7	not a dejure resident	82	1.2%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactt: all woman factor - total

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactu: all woman factor - urban/rural

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactr: all woman factor - regional

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfacte: all woman factor - educational

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

awfactw: all woman factor - wealth index

Information	[Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		6841	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v155: literacy

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=6827 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	cannot read at all	5660	82.9%
1	able to read only parts of sentence	407	6.0%
2	able to read whole sentence	729	10.7%
3	no card with required language	31	0.5%
4	blind/visually impaired	0	
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v156: na - ever participated in a literacy program outside of primary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v157: na - frequency of reading newspaper or magazine

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	not at all	0	
1	less than once a week	0	
2	at least once a week	0	
3	almost every day	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v158: na - frequency of listening to radio

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

v158: na - frequency of listening to radio

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	not at all	0	
1	less than once a week	0	
2	at least once a week	0	
3	almost every day	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v159: na - frequency of watching television

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	not at all	0	
1	less than once a week	0	
2	at least once a week	0	
3	almost every day	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v160: toilet facilities shared with other households

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=2915 /-] [Invalid=3926 /-]

Value	Label	Cases	Percentage
0	no	1280	43.9%
1	yes	1553	53.3%
7	not a dejure resident	82	2.8%
Sysmiss		3926	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v161: type of cooking fuel

Information	[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=6829 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
1	electricity	0	
2	lpg	206	3.0%
3	natural gas	0	
4	biogas	0	
5	kerosene	0	
6	coal, lignite	0	
7	charcoal	284	4.2%
8	wood	6253	91.6%
9	straw/shrubs/grass	0	
10	agricultural crop	0	
11	animal dung	0	
95	no food cooked in house	0	
96	other	4	0.1%

v161: type of cooking fuel

Value	Label	Cases	Percentage
97	not a dejure resident	82	1.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v166: na - result of salt test for iodine

Information	[Type= discrete] [Format=numeric] [Range= 0-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	0 ppm (no iodine)	0	
7	7 ppm	0	
15	15 ppm	0	
30	30 ppm	0	
994	salt not tested	0	
995	no salt	0	
997	not a dejure resident	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v167: na - number of trips in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-90] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	none	0	
90	90+	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v168: na - away for more than one month in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v190: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	poorest	1527	22.3%
2	poorer	1531	22.4%
3	middle	1616	23.6%
4	richer	1471	21.5%
5	richest	696	10.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v191: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -167764-538062] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=-11585.704 /-] [StdDev=81561.222 /-]

ml101: type of mosquito bed net(s) slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no net	1210	17.7%
1	only treated nets	5517	80.6%
2	both treated and untreated nets	0	
3	only untreated nets	114	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v201: total children ever born

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		820	12.0%
2		1211	17.7%
3		1114	16.3%
4		1063	15.5%
5		809	11.8%
6		607	8.9%
7		523	7.6%
8		320	4.7%
9		182	2.7%
10		111	1.6%
11		50	0.7%
12		9	0.1%
13		15	0.2%
14		5	0.1%
15		1	0.0%
16		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v202: sons at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1316	19.2%
1		2482	36.3%
2		1674	24.5%
3		864	12.6%
4		351	5.1%
5		107	1.6%
6		37	0.5%
7		9	0.1%

v202: sons at home

Value	Label	Cases	Percentage
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v203: daughters at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1517	22.2%
1		2438	35.6%
2		1822	26.6%
3		784	11.5%
4		222	3.2%
5		50	0.7%
6		4	0.1%
7		2	0.0%
8		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v204: sons elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5722	83.6%
1		814	11.9%
2		247	3.6%
3		45	0.7%
4		12	0.2%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v205: daughters elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5350	78.2%
1		1063	15.5%
2		317	4.6%
3		83	1.2%
4		25	0.4%
5		2	0.0%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v206: sons who have died

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

v206: sons who have died

Value	Label	Cases	Percentage
0		4994	73.0%
1		1413	20.7%
2		336	4.9%
3		73	1.1%
4		19	0.3%
5		5	0.1%
6		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v207: daughters who have died

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		5175	75.6%
1		1278	18.7%
2		292	4.3%
3		68	1.0%
4		16	0.2%
5		8	0.1%
6		3	0.0%
8		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v208: births in last five years

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no births	0	
1		3053	44.6%
2		3400	49.7%
3		363	5.3%
4		20	0.3%
5		5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v209: births in past year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no births	4239	62.0%
1		2517	36.8%
2		85	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v210: births in month of interview

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

v210: births in month of interview

Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		6721	98.2%
1		114	1.7%
2		6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v211: na - date of first birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v212: na - age of respondent at 1st birth

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v213: currently pregnant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no or unsure	6294	92.0%
1	yes	547	8.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v214: duration of current pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=547 /-] [Invalid=6294 /-]

Value	Label	Cases	Percentage
1		19	3.5%
2		53	9.7%
3		70	12.8%
4		73	13.3%
5		64	11.7%
6		79	14.4%
7		73	13.3%
8		82	15.0%
9		33	6.0%
10		1	0.2%
Sysmiss		6294	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v215: na - time since last menstrual period

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
100	day of interview	0	
101	days: 1	0	
199	days: number missing	0	
201	weeks: 1	0	
299	weeks: number missing	0	
301	months: 1	0	
399	months: number missing	0	
401	years: 1	0	
499	years: number missing	0	
994	in menopause/had hysterectomy	0	
995	before last birth	0	
996	never menstruated	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v216: na - menstruated in last six weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v217: na - knowledge of ovulatory cycle

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	during her period	0	
2	after period ended	0	
3	middle of the cycle	0	
4	before period begins	0	
5	at any time	0	
6	other	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v218: number of living children

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

v218: number of living children

Value	Label	Cases	Percentage
0		75	1.1%
1		991	14.5%
2		1444	21.1%
3		1347	19.7%
4		1045	15.3%
5		837	12.2%
6		539	7.9%
7		320	4.7%
8		155	2.3%
9		53	0.8%
10		26	0.4%
11		7	0.1%
13		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v219: living children + current pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-13] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		52	0.8%
1		895	13.1%
2		1449	21.2%
3		1357	19.8%
4		1066	15.6%
5		871	12.7%
6		560	8.2%
7		333	4.9%
8		161	2.4%
9		59	0.9%
10		29	0.4%
11		7	0.1%
13		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v220: living children + current pregnancy (grouped)

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		52	0.8%
1		895	13.1%
2		1449	21.2%
3		1357	19.8%
4		1066	15.6%
5		871	12.7%
6	6+	1151	16.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v221: na - marriage to first birth interval (months)

Information	[Type= discrete] [Format=numeric] [Range= 996-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
996	negative interval	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v222: last birth to interview (months)

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=20.026 /-] [StdDev=14.673 /-]

v223: completeness of current pregnancy information

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=547 /-] [Invalid=6294 /-]

Value	Label	Cases	Percentage
7	month - exact date	542	99.1%
8	none - date placed	5	0.9%
Sysmiss		6294	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v224: entries in birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1960	28.7%
2		3617	52.9%
3		1156	16.9%
4		99	1.4%
5		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v225: na - current pregnancy wanted

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	not at all	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v226: na - time since last period (comp) (months)

Information	[Type= discrete] [Format=numeric] [Range= 994-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
994	in menopause	0	
995	before last birth	0	

v226: na - time since last period (comp) (months)

Value	Label	Cases	Percentage
996	never menstruated	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v227: na - flag for last period

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	n > interval since birth	0	
2	n + amen. > interval	0	
3	n, but period not returned	0	
4	95, but no birth	0	
5	95, but period returned	0	
6	96, but period returned	0	
7	n, last period during pregnancy	0	
8	96, had children	0	
9	n, period before last birth	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v228: na - ever had a terminated pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v229: na - month pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v230: na - year pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	

v230: na - year pregnancy ended

Value	Label	Cases	Percentage
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v231: na - cmc pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v232: na - completeness of last termination information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	month and year	0	
2	from calendar	0	
5	year	0	
7	month	0	
8	none	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v233: na - months when pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v234: na - other such pregnancies

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v235: na - index last child prior to maternity-health (calendar)

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

v235: na - index last child prior to maternity-health (calendar)

Value	Label	Cases	Percentage
0	no prior child	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v237: na - birth between last and interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v238: na - births in last three years

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v239: na - pregnancies terminated before calendar beginning

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v240: na - month of last termination prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v241: na - year of last termination prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v242: na - cmc termination ended prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

v243: na - completeness of last termination date prior to calendar

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	month and year	0	
2	from calendar	0	
5	year	0	
7	month	0	
8	none	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bidx: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4880	71.3%
2		1827	26.7%
3		127	1.9%
4		6	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bord: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		3342	48.9%
2		2880	42.1%
3		580	8.5%
4		37	0.5%
5		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b0: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	single birth	6594	96.4%

b0: child is twin

Value	Label	Cases	Percentage
1	1st of multiple	126	1.8%
2	2nd of multiple	120	1.8%
3	3rd of multiple	1	0.0%
4	4th of multiple	0	
5	5th of multiple	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b1: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		621	9.1%
2		542	7.9%
3		562	8.2%
4		608	8.9%
5		581	8.5%
6		646	9.4%
7		534	7.8%
8		623	9.1%
9		596	8.7%
10		648	9.5%
11		439	6.4%
12		441	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b2: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-2014] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2009		121	1.8%
2010		1320	19.3%
2011		1397	20.4%
2012		1376	20.1%
2013		1361	19.9%
2014		1266	18.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b3: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1318-1379] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=1349.439 /-] [StdDev=17.216 /-]

b4: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	3490	51.0%

b4: sex of child

Value	Label	Cases	Percentage
2	female	3351	49.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b5: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	395	5.8%
1	yes	6446	94.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b6: na - age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
100	died on day of birth	0	
101	days: 1	0	
199	days: number missing	0	
201	months: 1	0	
299	months: number missing	0	
301	years: 1	0	
399	years: number missing	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b7: na - age at death (months, imputed)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b8: current age of child

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=6446 /-] [Invalid=395 /-]

Value	Label	Cases	Percentage
0		1382	21.4%
1		1256	19.5%
2		1313	20.4%
3		1280	19.9%
4		1215	18.8%
Sysmiss		395	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b9: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=6446 /-] [Invalid=395 /-]

Value	Label	Cases	Percentage
0	respondent	6321	98.1%
1	father	0	
2	other relative	0	
3	someone else	0	
4	lives elsewhere	125	1.9%
Sysmiss		395	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b10: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	6800	99.4%
2	month and age - year imputed	0	
3	year and age - month imputed	30	0.4%
4	year and age - year ignored	0	
5	year - age/month imputed	11	0.2%
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b11: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 7-78] [Missing=*]
Statistics [NW/ W]	[Valid=3443 /-] [Invalid=3398 /-] [Mean=34.694 /-] [StdDev=11.919 /-]

b12: succeeding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=1858 /-] [Invalid=4983 /-] [Mean=31.848 /-] [StdDev=9.688 /-]

b13: na - flag for age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interview	0	
2	< breastfeeding	0	
3	< age supplemented	0	
4	< first breastfed	0	
5	< last vaccination	0	
6	outside range	0	
7	imputed, units given	0	
8	imputed, no units	0	
Sysmiss		6841	

b13: na - flag for age at death

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b15: live birth between births

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=1961 /-] [Invalid=4880 /-]

Value	Label	Cases	Percentage
0	no	1927	98.3%
1	yes	34	1.7%
Sysmiss		4880	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

b16: child's line number in household

Information	[Type= discrete] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=6446 /-] [Invalid=395 /-]

Value	Label	Cases	Percentage
0	not listed in household	122	1.9%
1		1	0.0%
2		69	1.1%
3		1089	16.9%
4		972	15.1%
5		833	12.9%
6		725	11.2%
7		609	9.4%
8		462	7.2%
9		380	5.9%
10		308	4.8%
11		231	3.6%
12		183	2.8%
13		135	2.1%
14		96	1.5%
15		59	0.9%
16		39	0.6%
17		34	0.5%
18		32	0.5%
19		22	0.3%
20		17	0.3%
21		11	0.2%
22		5	0.1%
23		1	0.0%
24		3	0.0%
25		1	0.0%
27		2	0.0%
28		1	0.0%
31		1	0.0%
32		1	0.0%
33		1	0.0%
39		1	0.0%

b16: child's line number in household

Value	Label	Cases	Percentage
Sysmiss		395	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

midx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=4880 /-] [Invalid=1961 /-]

Value	Label	Cases	Percentage
1		4880	100.0%
Sysmiss		1961	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1: na - number of tetanus injections before birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1a: na - number of tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	received no injection	0	
7	7+	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1b: na - month of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1c: na - year of last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1d: na - years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m1e: na - last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2a: prenatal: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	4768	98.0%
1	yes	99	2.0%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2b: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	3892	80.0%
1	yes	975	20.0%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2c: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	2486	51.1%
1	yes	2381	48.9%

m2c: prenatal: midwife

Value	Label	Cases	Percentage
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2d: prenatal: auxiliary birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	2993	61.5%
1	yes	1874	38.5%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2e: prenatal: matron/birth attendant trained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	4818	99.0%
1	yes	49	1.0%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2f: na - prenatal: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2g: prenatal: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	4851	99.7%
1	yes	16	0.3%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2h: prenatal: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	4858	99.8%
1	yes	9	0.2%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2i: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2j: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2k: prenatal: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4867 /-] [Invalid=1974 /-]

Value	Label	Cases	Percentage
0	no	4862	99.9%
1	yes	5	0.1%
Sysmiss		1974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2l: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2m: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m2n: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=4874 /-] [Invalid=1967 /-]

m2n: prenatal: no one

Value	Label	Cases	Percentage
0	no: some care	4741	97.3%
1	yes: no care	133	2.7%
Sysmiss		1967	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3a: na - assistance: doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3b: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3c: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3d: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3e: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	

m3e: na - assistance: cs health professional

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3f: na - assistance: cs health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3g: na - assistance: traditional birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3h: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3i: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3j: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m3j: na - assistance: cs other person

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3k: na - assistance: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3l: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3m: na - assistance: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m3n: na - assistance: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no: some assistance	0	
1	yes: no assistance	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m4: na - duration of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
95	still breastfeeding	0	

m4: na - duration of breastfeeding

Value	Label	Cases	Percentage
96	breastfed until died	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m5: na - months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
93	ever breastfed, not currently breastfeeding	0	
94	never breastfed	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m6: na - duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
96	period not returned	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m7: na - months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m8: na - duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 96-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
96	still abstaining	0	
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m9: na - months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m10: na - wanted pregnancy when became pregnant

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	then	0	
2	later	0	
3	no more	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m11: na - desired time would have waited

Information	[Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
101	months: 1	0	
199	months: number missing	0	
201	years: 1	0	
299	years: number missing	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m13: na - timing of 1st antenatal check (months)

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m14: number of antenatal visits during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4873 /-] [Invalid=1968 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	44	0.9%
1		99	2.0%
2		354	7.3%
3		1177	24.2%
4		2082	42.7%

m14: number of antenatal visits during pregnancy

Value	Label	Cases	Percentage
5		652	13.4%
6		219	4.5%
7		47	1.0%
8		20	0.4%
9		34	0.7%
10		8	0.2%
11		1	0.0%
15		1	0.0%
98	don't know	135	2.8%
Sysmiss		1968	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m15: na - place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	cs govt health professional	0	
23	cs govt health professional	0	
26	other public sector	0	
30	private sector	0	
31	private hospital/clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m17: na - delivery by caesarean section

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m18: na - size of child at birth

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	very large	0	
2	larger than average	0	

m18: na - size of child at birth

Value	Label	Cases	Percentage
3	average	0	
4	smaller than average	0	
5	very small	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19: na - birth weight in kilograms (3 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9996	not weighed at birth	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m19a: na - weight at birth/recall

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	not weighed	0	
1	from written card	0	
2	from mother's recall	0	
8	don't know	0	
9	special answers	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m27: na - flag for breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
3	> age at death	0	
4	during pregnancy in calendar	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m28: na - flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	

m28: na - flag for amenorrhea

Value	Label	Cases	Percentage
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m29: na - flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 month	0	
4	during pregnancy in calendar	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m34: na - when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-299] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	immediately	0	
100	within first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m35: na - number of times breastfed during previous night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m36: na - number of times breastfed during previous day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m38: na - drank from bottle with nipple yesterday/last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39a: na - did eat any solid, semi-solid or soft foods yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m39: na - number of times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	none	0	
7	7+	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42a: na - during pregnancy: weighed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

m42a: na - during pregnancy: weighed

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42b: na - during pregnancy: height measured

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42c: na - during pregnancy: blood pressure taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42d: na - during pregnancy: urine sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m42e: na - during pregnancy: blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m43: na - told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

m43: na - told about pregnancy complications

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m44: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m45: na - during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m46: na - days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	were not taken	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m47: na - during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m48: na - during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

m48: na - during pregnancy, had difficulty with night blindness

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49a: during pregnancy took: sp/fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=1966 /-]

Value	Label	Cases	Percentage
0	no	1415	29.0%
1	yes	3409	69.9%
8	don't know	51	1.0%
Sysmiss		1966	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49b: during pregnancy took: chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=1966 /-]

Value	Label	Cases	Percentage
0	no	4753	97.5%
1	yes	71	1.5%
8	don't know	51	1.0%
Sysmiss		1966	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49c: during pregnancy took: quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=1966 /-]

Value	Label	Cases	Percentage
0	no	4724	96.9%
1	yes	100	2.1%
8	don't know	51	1.0%
Sysmiss		1966	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49d: during pregnancy took: artesunate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49e: during pregnancy took: amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49f: during pregnancy took: combination with artémisininne

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49g: during pregnancy took: traditional drug

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49x: during pregnancy took: other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=1966 /-]

Value	Label	Cases	Percentage
0	no	4658	95.5%
1	yes	166	3.4%
8	don't know	51	1.0%
Sysmiss		1966	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49z: during pregnancy took: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=1966 /-]

Value	Label	Cases	Percentage
0	no	4646	95.3%
1	yes: don't know which drug taken	178	3.7%
8	don't know	51	1.0%
Sysmiss		1966	

m49z: during pregnancy took: don't know

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m49y: during pregnancy took: no drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=4875 /-] [Invalid=1966 /-]

Value	Label	Cases	Percentage
0	no	4141	84.9%
1	yes, took no drug	683	14.0%
8	don't know	51	1.0%
Sysmiss		1966	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m50: na - respondent's check up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m51: na - respondent's checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
101	1 hours	0	
199	hours missing	0	
200	0 days	0	
201	1 days	0	
299	days missing	0	
301	1 week	0	
399	weeks missing	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m52: na - respondent's health professional checked up after delivery

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
10	health professional	0	
11	doctor	0	
12	nurse/midwife	0	
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	

m52: na - respondent's health professional checked up after delivery

Value	Label	Cases	Percentage
96	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m54: na - received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55a: na - first 3 days, given milk (other than breast milk)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55b: na - first 3 days, given plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55c: na - first 3 days, given sugar/glucose water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55d: na - first 3 days, given gripe water

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	

m55d: na - first 3 days, given gripe water

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55e: na - first 3 days, given sugar/salt solution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55f: na - first 3 days, given fruit juice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55g: na - first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55h: na - first 3 days, given tea/infusions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55i: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m55i: na - first 3 days, given honey

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55j: na - first 3 days, given coffee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55k: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55l: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55m: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55n: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55o: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55x: na - first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m55z: na - first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no: given something	0	
1	yes: given nothing	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57a: na - antenatal care: respondent's home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57b: na - antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57c: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

m57c: na - antenatal care: cs home

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57d: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57e: na - antenatal care: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57f: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57g: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57h: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57i: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

m57i: na - antenatal care: cs public health

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57j: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57k: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57l: na - antenatal care: cs public health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57m: na - antenatal care: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57n: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	

m57n: na - antenatal care: cs private medical

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57o: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57p: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57q: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57r: na - antenatal care: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57s: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

m57s: na - antenatal care: cs other

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57t: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57u: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57v: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m57x: na - antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m60: na - drugs for intestinal parasites during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	

m60: na - drugs for intestinal parasites during pregnancy

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m61: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
100	hours: 0	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m62: na - respondent's health checked before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65a: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65b: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65c: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65d: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65e: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65f: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65g: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65h: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

m65h: na - reason didn't deliver at health facility: not customary

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65i: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65j: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65k: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65l: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m65x: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	

m65x: na - reason didn't deliver at health facility: other

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m66: na - respondent's health checked after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m70: na - baby postnatal check within 2 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m71: na - time after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
100	immediately/in first hour	0	
101	hours: 1	0	
199	hours: number missing	0	
201	days: 1	0	
299	days: number missing	0	
301	weeks: 1	0	
399	weeks: number missing	0	
998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m72: na - person who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
10	medical personnel	0	
11	doctor	0	
12	nurse, midwife	0	

m72: na - person who performed postnatal checkup

Value	Label	Cases	Percentage
13	auxiliary midwife	0	
20	other person	0	
21	traditional birth attendant	0	
22	community/village health worker	0	
96	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

m73: na - place baby was first checked

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public sector	0	
30	private sector	0	
31	private hospital, clinic	0	
36	other private sector	0	
96	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h1: na - has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no card	0	
1	yes, seen	0	
2	yes, not seen	0	
3	no longer has card	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2: na - received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	

h2: na - received bcg

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2d: na - bcg day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2m: na - bcg month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h2y: na - bcg year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3: na - received dpt 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3d: na - dpt 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h3d: na - dpt 1 day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3m: na - dpt 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h3y: na - dpt 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4: na - received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4d: na - polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4m: na - polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h4y: na - polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5: na - received dpt 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	

h5: na - received dpt 2

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5d: na - dpt 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5m: na - dpt 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h5y: na - dpt 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6: na - received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6d: na - polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h6d: na - polio 2 day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6m: na - polio 2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h6y: na - polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7: na - received dpt 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7d: na - dpt 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7m: na - dpt 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h7m: na - dpt 3 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h7y: na - dpt 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8: na - received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8d: na - polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8m: na - polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h8y: na - polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h8y: na - polio 3 year

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9: na - received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9d: na - measles day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9m: na - measles month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h9y: na - measles year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0: na - received polio 0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h0: na - received polio 0

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0d: na - polio 0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0m: na - polio 0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h0y: na - polio 0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h10: na - ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11: na - had diarrhea recently

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

h11: na - had diarrhea recently

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h11b: na - blood in the stools

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12a: na - diarrhea: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12b: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12c: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12d: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

h12d: na - diarrhea: cs public sector

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12e: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12f: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12g: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12h: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12i: na - diarrhea: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h12i: na - diarrhea: cs public sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12j: na - diarrhea: private hospital/clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12k: na - diarrhea: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12l: na - diarrhea: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12m: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12n: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	

h12n: na - diarrhea: cs private medical

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12o: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12p: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12q: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12r: na - diarrhea: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12s: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h12s: na - diarrhea: cs other sector

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12t: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12u: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12v: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12w: na - diarrhea: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12x: na - diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12y: na - diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h12y: na - diarrhea: no treatment

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h12z: na - diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13: na - given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: ors - spontaneous	0	
2	yes: ors - probed	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h13b: na - given pre-packaged ors liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h14: na - given recommended home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontaneous	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15: na - given antibiotic pills or syrups

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15a: na - given antimotility

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15b: na - given antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15c: na - given intravenous (iv)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15d: na - given home remedy, herbal medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

h15d: na - given home remedy, herbal medicine

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15e: na - given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15f: na - given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15g: na - given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15h: na - given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15i: na - given unknown injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h15i: na - given unknown injection

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15j: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15k: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15l: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h15m: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h20: na - given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h20: na - given other treatment

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21a: na - given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no: received treatment	0	
1	yes: no treatment	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h21: na - received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h22: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6436 /-] [Invalid=405 /-]

Value	Label	Cases	Percentage
0	no	3790	58.9%
1	yes	2617	40.7%
8	don't know	29	0.5%
Sysmiss		405	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31: na - had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, last 24 hours	0	
2	yes, last two weeks	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31b: na - short, rapid breaths

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31c: na - problem in the chest or blocked or running nose

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	chest only	0	
2	nose only	0	
3	both	0	
6	other	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31d: na - had fever/cough in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h31e: na - had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32a: fever/cough: government hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2543	97.3%
1	yes	70	2.7%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32b: fever/cough: government health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	1533	58.7%
1	yes	1080	41.3%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32c: fever/cough: government health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2298	87.9%
1	yes	315	12.1%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32d: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32e: fever/cough: health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2580	98.7%
1	yes	33	1.3%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32f: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

h32f: fever/cough: other public sector

Value	Label	Cases	Percentage
0	no	2595	99.3%
1	yes	18	0.7%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32g: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32h: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32i: na - fever/cough: cs public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32j: fever/cough: private hospital/ clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2605	99.7%
1	yes	8	0.3%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32k: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2557	97.9%

h32k: fever/cough: private pharmacy

Value	Label	Cases	Percentage
1	yes	56	2.1%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32l: fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2612	100.0%
1	yes	1	0.0%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32m: fever/cough: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2613	100.0%
1	yes	0	
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32n: fever/cough: private health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2600	99.5%
1	yes	13	0.5%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32o: fever/cough: other private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2612	100.0%
1	yes	1	0.0%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32p: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

h32p: na - fever/cough: cs private medical

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32q: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32r: na - fever/cough: cs private medical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32s: fever/cough: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2596	99.3%
1	yes	17	0.7%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32t: fever/cough: traditional pract

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2564	98.1%
1	yes	49	1.9%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32u: fever/cough: market

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2606	99.7%
1	yes	7	0.3%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32v: fever/cough: community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2586	99.0%
1	yes	27	1.0%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32w: na - fever/cough: cs other sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h32w: na - fever/cough: cs other sector

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32x: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	2593	99.2%
1	yes	20	0.8%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32y: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no: received treatment	1693	64.8%
1	yes: no treatment	920	35.2%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h32z: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2613 /-] [Invalid=4228 /-]

Value	Label	Cases	Percentage
0	no	1081	41.4%
1	yes	1532	58.6%
Sysmiss		4228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33: na - received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33d: na - vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h33d: na - vitamin a1 day

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33m: na - vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h33y: na - vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h34: na - vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h35: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36a: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h36a: na - vaccinated during campaign a

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36b: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36c: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36d: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36e: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h36f: na - vaccinated during campaign f

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37a: na - sp/fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37b: na - chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37c: na - amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37d: na - quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37e: na - combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

h37e: na - combination with artemisinin taken for fever/cough

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37f: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37g: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37h: na - other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37i: na - antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37j: na - antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h37j: na - antibiotic injection taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37k: na - aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37l: na - acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37m: na - ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37n: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37o: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	

h37o: na - cs other for fever/cough

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37p: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37x: na - other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37y: na - nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, nothing taken	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h37z: na - don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h38: na - diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	
2	much less	0	

h38: na - diarrhea in last 2 weeks: amount offered to drink

Value	Label	Cases	Percentage
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h39: na - diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	stopped food	0	
1	never gave food	0	
2	much less	0	
3	somewhat less	0	
4	about the same	0	
5	more	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vaccination date on card	0	
2	reported by mother	0	
3	vaccination marked on card	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40d: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40m: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h40m: na - vitamin a2 month

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h40y: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41a: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h41b: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h42: na - taking iron pills, sprinkles or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h43: na - drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h43: na - drugs for intestinal parasites in last 6 months

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44a: na - place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	0	
12	cs public	0	
13	cs public	0	
14	cs public	0	
15	cs public	0	
16	cs public	0	
20	private sector	0	
21	private hospital, clinic	0	
22	pharmacy	0	
23	private doctor	0	
24	cs private	0	
25	cs private	0	
26	cs private	0	
30	other	0	
31	cs other	0	
32	cs other	0	
96	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44b: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h44c: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h45: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

h45: na - times zinc was given

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46a: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=1693 /-] [Invalid=5148 /-]

Value	Label	Cases	Percentage
10	public sector	0	
11	government hospital	67	4.0%
12	government health center	1078	63.7%
13	government health post	315	18.6%
14	health worker	32	1.9%
15	other public sector	18	1.1%
20	private sector	0	
21	private hospital, clinic	8	0.5%
22	pharmacy	50	3.0%
23	private doctor	1	0.1%
24	private mobile clinic	0	
25	private health worker	13	0.8%
26	other private medical	0	
30	other	0	
31	health community worker	27	1.6%
32	shop	17	1.0%
33	traditional pract	43	2.5%
34	market	6	0.4%
96	other	18	1.1%
Sysmiss		5148	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h46b: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

h47: blood taken from child's finger/heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2615 /-] [Invalid=4226 /-]

Value	Label	Cases	Percentage
0	no	1772	67.8%
1	yes	823	31.5%
8	don't know	20	0.8%

h47: blood taken from child's finger/heel for testing

Value	Label	Cases	Percentage
Sysmiss		4226	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hwidx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4880	71.3%
2		1827	26.7%
3		127	1.9%
4		6	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw1: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=517 /-] [Mean=28.413 /-] [StdDev=17.2 /-]

hw2: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw3: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw4: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw5: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw6: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw7: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw8: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw9: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw10: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw11: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw12: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw13: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	measured	0	
1	dead	0	
2	sick	0	
3	not present	0	
4	refused	0	
5	mother refused	0	
6	other	0	
7	no measurement found in household	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw15: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw16: day of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6187 /-] [Invalid=654 /-]

Value	Label	Cases	Percentage
1		364	5.9%
2		248	4.0%
3		216	3.5%

hw16: day of birth of child

Value	Label	Cases	Percentage
4		215	3.5%
5		235	3.8%
6		184	3.0%
7		240	3.9%
8		236	3.8%
9		170	2.7%
10		280	4.5%
11		208	3.4%
12		262	4.2%
13		191	3.1%
14		200	3.2%
15		257	4.2%
16		196	3.2%
17		199	3.2%
18		220	3.6%
19		178	2.9%
20		209	3.4%
21		142	2.3%
22		177	2.9%
23		169	2.7%
24		150	2.4%
25		177	2.9%
26		162	2.6%
27		168	2.7%
28		182	2.9%
29		129	2.1%
30		145	2.3%
31		71	1.1%
97	inconsistent	0	
98	don't know	7	0.1%
Sysmiss		654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw17: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=517 /-] [Mean=16.848 /-] [StdDev=8.425 /-]

hw18: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=517 /-]

Value	Label	Cases	Percentage
9		153	2.4%
10		3340	52.8%
11		2829	44.7%
12		2	0.0%
Sysmiss		517	

hw18: date measured (month)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw19: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=517 /-]

Value	Label	Cases	Percentage
2014		6324	100.0%
Sysmiss		517	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw51: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=5604 /-] [Invalid=1237 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		3010	53.7%
2		1823	32.5%
3		280	5.0%
4		115	2.1%
5		97	1.7%
6		58	1.0%
7		63	1.1%
8		44	0.8%
9		28	0.5%
10		26	0.5%
11		18	0.3%
12		11	0.2%
13		9	0.2%
14		5	0.1%
15		8	0.1%
16		3	0.1%
18		2	0.0%
19		1	0.0%
20		3	0.1%
Sysmiss		1237	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw52: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=5583 /-] [Invalid=1258 /-]

Value	Label	Cases	Percentage
1	granted	5507	98.6%
2	refused	44	0.8%
3	not present/other	0	
5	absent	20	0.4%
6	other	12	0.2%
Sysmiss		1258	

hw52: read consent statement - hemoglobin

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw53: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-996] [Missing=*]
Statistics [NW/ W]	[Valid=5580 /-] [Invalid=1261 /-]

Value	Label	Cases	Percentage
31		1	0.0%
35		2	0.0%
36		1	0.0%
39		1	0.0%
41		2	0.0%
42		2	0.0%
43		2	0.0%
44		2	0.0%
45		4	0.1%
46		5	0.1%
47		8	0.1%
48		6	0.1%
49		10	0.2%
50		13	0.2%
51		9	0.2%
52		16	0.3%
53		18	0.3%
54		12	0.2%
55		18	0.3%
56		20	0.4%
57		32	0.6%
58		22	0.4%
59		22	0.4%
60		32	0.6%
61		35	0.6%
62		34	0.6%
63		50	0.9%
64		47	0.8%
65		56	1.0%
66		64	1.1%
67		59	1.1%
68		69	1.2%
69		61	1.1%
70		65	1.2%
71		84	1.5%
72		64	1.1%
73		67	1.2%
74		61	1.1%
75		90	1.6%
76		70	1.3%

hw53: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
77		74	1.3%
78		93	1.7%
79		85	1.5%
80		135	2.4%
81		104	1.9%
82		120	2.2%
83		97	1.7%
84		110	2.0%
85		123	2.2%
86		114	2.0%
87		137	2.5%
88		120	2.2%
89		122	2.2%
90		129	2.3%
91		121	2.2%
92		123	2.2%
93		122	2.2%
94		139	2.5%
95		121	2.2%
96		107	1.9%
97		112	2.0%
98		115	2.1%
99		112	2.0%
100		99	1.8%
101		103	1.8%
102		91	1.6%
103		97	1.7%
104		98	1.8%
105		93	1.7%
106		76	1.4%
107		98	1.8%
108		76	1.4%
109		79	1.4%
110		63	1.1%
111		59	1.1%
112		61	1.1%
113		41	0.7%
114		49	0.9%
115		37	0.7%
116		49	0.9%
117		45	0.8%
118		33	0.6%
119		40	0.7%
120		28	0.5%
121		28	0.5%

hw53: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
122		27	0.5%
123		26	0.5%
124		22	0.4%
125		21	0.4%
126		19	0.3%
127		16	0.3%
128		11	0.2%
129		13	0.2%
130		3	0.1%
131		5	0.1%
132		4	0.1%
133		6	0.1%
134		5	0.1%
135		2	0.0%
136		1	0.0%
138		2	0.0%
139		4	0.1%
140		2	0.0%
144		1	0.0%
994	not present	20	0.4%
995	refused	44	0.8%
996	other	12	0.2%
Sysmiss		1261	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw55: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=6097 /-] [Invalid=744 /-]

Value	Label	Cases	Percentage
0	measured	5504	90.3%
1	dead	395	6.5%
3	not present	20	0.3%
4	refused	44	0.7%
6	other	12	0.2%
7	no measurement found in household	122	2.0%
Sysmiss		744	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-997] [Missing=*]
Statistics [NW/ W]	[Valid=5504 /-] [Invalid=1337 /-]

Value	Label	Cases	Percentage
31		1	0.0%
35		2	0.0%
36		1	0.0%
39		1	0.0%

hw56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
41		2	0.0%
42		2	0.0%
43		2	0.0%
44		2	0.0%
45		4	0.1%
46		5	0.1%
47		8	0.1%
48		6	0.1%
49		10	0.2%
50		13	0.2%
51		9	0.2%
52		16	0.3%
53		18	0.3%
54		12	0.2%
55		18	0.3%
56		20	0.4%
57		32	0.6%
58		22	0.4%
59		22	0.4%
60		32	0.6%
61		35	0.6%
62		34	0.6%
63		50	0.9%
64		47	0.9%
65		56	1.0%
66		64	1.2%
67		59	1.1%
68		69	1.3%
69		61	1.1%
70		65	1.2%
71		84	1.5%
72		64	1.2%
73		67	1.2%
74		61	1.1%
75		90	1.6%
76		70	1.3%
77		74	1.3%
78		93	1.7%
79		85	1.5%
80		135	2.5%
81		104	1.9%
82		120	2.2%
83		97	1.8%
84		110	2.0%
85		123	2.2%

hw56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
86		114	2.1%
87		137	2.5%
88		120	2.2%
89		122	2.2%
90		129	2.3%
91		121	2.2%
92		123	2.2%
93		122	2.2%
94		139	2.5%
95		121	2.2%
96		107	1.9%
97		112	2.0%
98		115	2.1%
99		112	2.0%
100		99	1.8%
101		103	1.9%
102		91	1.7%
103		97	1.8%
104		98	1.8%
105		93	1.7%
106		76	1.4%
107		98	1.8%
108		76	1.4%
109		79	1.4%
110		63	1.1%
111		59	1.1%
112		61	1.1%
113		41	0.7%
114		49	0.9%
115		37	0.7%
116		49	0.9%
117		45	0.8%
118		33	0.6%
119		40	0.7%
120		28	0.5%
121		28	0.5%
122		27	0.5%
123		26	0.5%
124		22	0.4%
125		21	0.4%
126		19	0.3%
127		16	0.3%
128		11	0.2%
129		13	0.2%
130		3	0.1%

hw56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
131		5	0.1%
132		4	0.1%
133		6	0.1%
134		5	0.1%
135		2	0.0%
136		1	0.0%
138		2	0.0%
139		4	0.1%
140		2	0.0%
144		1	0.0%
997	inconsistent	0	
Sysmiss		1337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw57: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=5504 /-] [Invalid=1337 /-]

Value	Label	Cases	Percentage
1	severe	735	13.4%
2	moderate	3136	57.0%
3	mild	910	16.5%
4	not anemic	723	13.1%
Sysmiss		1337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw58: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw70: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw71: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

hw71: na - weight/age standard deviation (new who)

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw72: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hw73: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxml: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4880	71.3%
2		1827	26.7%
3		127	1.9%
4		6	0.1%
5		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml0: type of mosquito bed net(s) child slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=517 /-]

Value	Label	Cases	Percentage
0	no net	1343	21.2%
1	only treated nets	4879	77.2%
2	both treated and untreated nets	1	0.0%
3	only untreated nets	101	1.6%
Sysmiss		517	

ml0: type of mosquito bed net(s) child slept under last night

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml1: number of times took fansidar during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3404 /-] [Invalid=3437 /-]

Value	Label	Cases	Percentage
1		879	25.8%
2		1226	36.0%
3		832	24.4%
4		315	9.3%
5		55	1.6%
6		25	0.7%
8		72	2.1%
98	don't know	0	
Sysmiss		3437	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml2: na - source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
1	antenatal visit	0	
2	another facility visit	0	
6	other source	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml11: na - child has fever/cough now

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes, fever only	0	
2	yes, cough only	0	
3	both fever and cough	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml12: na - child has had convulsions in last 2 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13a: fansidar taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2326	89.0%
1	yes	288	11.0%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13b: chloroquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2588	99.0%
1	yes	26	1.0%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13c: amodiaquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2058	78.7%
1	yes	556	21.3%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13d: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2581	98.7%
1	yes	33	1.3%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13e: combination with artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2241	85.7%
1	yes	373	14.3%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13f: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

ml13f: na - cs antimalarial taken for fever/cough

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13g: na - cs antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13h: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2531	96.8%
1	yes	83	3.2%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13i: antibiotic pill/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2247	86.0%
1	yes	367	14.0%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13j: antibiotic injection taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2331	89.2%
1	yes	283	10.8%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13k: aspirin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	1294	49.5%
1	yes	1320	50.5%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13l: acetaminophen/paracetamol/panadol taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2614	100.0%
1	yes	0	
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13m: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

ml13m: ibuprofen taken for fever/cough

Value	Label	Cases	Percentage
0	no	2603	99.6%
1	yes	11	0.4%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13n: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13o: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13p: na - cs other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13x: other taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2433	93.1%
1	yes	181	6.9%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13y: nothing taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2213	84.7%

ml13y: nothing taken for fever/cough

Value	Label	Cases	Percentage
1	yes, nothing taken	401	15.3%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml13z: don't know if or what was taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2614 /-] [Invalid=4227 /-]

Value	Label	Cases	Percentage
0	no	2565	98.1%
1	yes, don't know	49	1.9%
Sysmiss		4227	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14a: na - injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14b: na - suppository given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14y: na - no suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml14z: na - don't know if suppository or injection given for fever/convulsion***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

ml14z: na - don't know if suppository or injection given for fever/convulsion***

Value	Label	Cases	Percentage
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15a: timing of start of fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=287 /-] [Invalid=6554 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	96	33.4%
1	next day	130	45.3%
2	2 days after	44	15.3%
3	3 days after	15	5.2%
4	4+ days after	0	
8	don't know	2	0.7%
Sysmiss		6554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15b: na - number of days child took fansidar

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml15c: na - first source for fansidar

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16a: timing of start of chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=6824 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	8	47.1%
1	next day	7	41.2%
2	2 days after	0	
3	3 days after	2	11.8%
4	4+ days after	0	
8	don't know	0	
Sysmiss		6824	

ml16a: timing of start of chloroquine

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16b: na - number of days child took chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml16c: na - first source for chloroquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17a: timing of start of amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=546 /-] [Invalid=6295 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	223	40.8%
1	next day	230	42.1%
2	2 days after	55	10.1%
3	3 days after	36	6.6%
4	4+ days after	0	
8	don't know	2	0.4%
Sysmiss		6295	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17b: na - number of days child took amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml17c: na - first source for amodiaquine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	

ml17c: na - first source for amodiaquine

Value	Label	Cases	Percentage
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18a: timing of start of quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=6811 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	13	43.3%
1	next day	16	53.3%
2	2 days after	1	3.3%
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		6811	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18b: na - number of days child took quinine

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml18c: na - first source for quinine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19a: na - for fever/convulsion: consulted traditional healer***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19b: na - for fever/convulsion: gave tepid sponging***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19c: na - for fever/convulsion: gave herbs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19d: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19e: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19f: na - for fever/convulsion: cs***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19x: na - for fever/convulsion: other***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

ml19x: na - for fever/convulsion: other***

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19y: na - for fever/convulsion: gave/did nothing***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml19z: na - for fever/convulsion: don't know if something else was done***

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20a: timing of start of combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=216 /-] [Invalid=6625 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	98	45.4%
1	next day	72	33.3%
2	2 days after	30	13.9%
3	3 days after	15	6.9%
4	4+ days after	0	
8	don't know	1	0.5%
Sysmiss		6625	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20b: na - number of days child took combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml20c: na - first source for combination with artemisinin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

ml20c: na - first source for combination with artemisinin

Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21a: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21b: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml21c: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22a: na - timing of start of cs antimalarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	0	
1	next day	0	
2	2 days after	0	

ml22a: na - timing of start of cs antimalarial use

Value	Label	Cases	Percentage
3	3 days after	0	
4	4+ days after	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22b: na - number of days child took cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml22c: na - first source for cs antimalarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23a: timing of start of other anti-malarial use

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=79 /-] [Invalid=6762 /-]

Value	Label	Cases	Percentage
0	same day as fever/cough	36	45.6%
1	next day	29	36.7%
2	2 days after	7	8.9%
3	3 days after	6	7.6%
4	4+ days after	0	
8	don't know	1	1.3%
Sysmiss		6762	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23b: na - number of days child took other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
7	7+ days	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml23c: na - first source for other anti-malarial

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ml24c: na - first source for antibiotic pill/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=6841 /-]

Value	Label	Cases	Percentage
0	other source	0	
1	at home	0	
8	don't know	0	
Sysmiss		6841	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sconces: concession

Information	[Type= continuous] [Format=numeric] [Range= 1-333] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-] [Mean=45.897 /-] [StdDev=36.549 /-]

sqlang: questionnaire language

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6836 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	french	6755	98.8%
2	moore	75	1.1%
3	peuhl/fulfuldé	1	0.0%
4	dioula	5	0.1%
5	gulmantchema	0	
6	bissa	0	
7	dagara	0	
8	others	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

silang: interview language

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=6834 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
1	french	390	5.7%
2	moore	3421	50.1%
3	peuhl/fulfuldé	575	8.4%
4	dioula	1548	22.7%
5	gulmantchema	318	4.7%
6	bissa	210	3.1%
7	dagara	124	1.8%
8	others	248	3.6%
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sinterp: interpreter

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6830 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	6037	88.4%
1	yes	793	11.6%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s105: woman's highest educational level (questionnaire configuration)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	5517	80.6%

s105: woman's highest educational level (questionnaire configuration)

Value	Label	Cases	Percentage
1	primairy	860	12.6%
2	secondary i (1st cycle)	369	5.4%
3	secondary ii (2nd cycle)	75	1.1%
4	higher	20	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s106: highest grade

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1321 /-] [Invalid=5520 /-]

Value	Label	Cases	Percentage
0		28	2.1%
1		143	10.8%
2		214	16.2%
3		271	20.5%
4		212	16.0%
5		219	16.6%
6		234	17.7%
8	dk	0	
Sysmiss		5520	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s111: heard or seen any messages on malaria during the last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	3650	53.4%
1	yes	3187	46.6%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112a: source of information : radio

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	5004	73.3%
1	yes	1820	26.7%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112b: source of information : television

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6506	95.3%
1	yes	318	4.7%
Sysmiss		17	

s112b: source of information : television

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112c: source of information : poster

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6813	99.8%
1	yes	11	0.2%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112d: source of information : community health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6193	90.8%
1	yes	631	9.2%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112e: source of information : event in the community

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6704	98.2%
1	yes	120	1.8%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112f: source of information : moderators of ngo

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6781	99.4%
1	yes	43	0.6%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112g: source of information : personal health

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	5591	81.9%
1	yes	1233	18.1%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112h: source of information : crieurs publics

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6789	99.5%
1	yes	35	0.5%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112i: source of information : educational institution

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6815	99.9%
1	yes	9	0.1%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112j: source of information : health facility

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6786	99.4%
1	yes	38	0.6%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112k: source of information : neighborhood/village

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6796	99.6%
1	yes	28	0.4%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112l: source of information : friends/neighbors

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	6729	98.6%
1	yes	95	1.4%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s112x: source of information : others

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6824 /-] [Invalid=17 /-]

s112x: source of information : others

Value	Label	Cases	Percentage
0	no	6807	99.8%
1	yes	17	0.2%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s113: do you know the intra spraying ?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6558	95.9%
1	yes	279	4.1%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s114: would you want your home to be sprayed ?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=276 /-] [Invalid=6565 /-]

Value	Label	Cases	Percentage
0	no	2	0.7%
1	yes	274	99.3%
Sysmiss		6565	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115a: main cause of malaria : mosquito bite

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	1044	15.3%
1	yes	5797	84.7%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115b: main cause of malaria : heavy oil consumption

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6691	97.8%
1	yes	150	2.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115c: main cause of malaria : work-related fatigue

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6627	96.9%

s115c: main cause of malaria : work-related fatigue

Value	Label	Cases	Percentage
1	yes	214	3.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115d: main cause of malaria : insufficient sleeping

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6779	99.1%
1	yes	62	0.9%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115e: main cause of malaria : direct exposure to sunlight

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6402	93.6%
1	yes	439	6.4%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115f: main cause of malaria : consumption of mangoes / sweet fruits

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6700	97.9%
1	yes	141	2.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115g: main cause of malaria : milk consumption

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6773	99.0%
1	yes	68	1.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115h: main cause of malaria : dirty water

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	5823	85.1%
1	yes	1018	14.9%

s115h: main cause of malaria : dirty water

Value	Label	Cases	Percentage
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115x: how can contract malaria : other (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	5414	79.1%
1	yes	1427	20.9%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s115z: how can contract malaria : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6474	94.6%
1	yes	367	5.4%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s116: when do the mosquitoes that transmit malaria bite ?

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=5756 /-] [Invalid=1085 /-]

Value	Label	Cases	Percentage
1	all day	775	13.5%
2	morning	22	0.4%
3	midday	19	0.3%
4	evening	741	12.9%
5	first half of the night	2827	49.1%
6	second half of the night	1193	20.7%
7	at dawn	35	0.6%
8	don't konw	144	2.5%
Sysmiss		1085	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117a: symptom of malaria : fever

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	1256	18.4%
1	yes	5583	81.6%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117b: symptom of malaria : vomiting, lack of appetite

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	3145	46.0%
1	yes	3694	54.0%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117c: symptom of malaria : high temperature with convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6449	94.3%
1	yes	390	5.7%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117d: symptom of malaria : high temperature with fainting

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6692	97.9%
1	yes	147	2.1%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117e: symptom of malaria : persistent fever

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6642	97.1%
1	yes	197	2.9%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117f: symptom of malaria : convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6381	93.3%
1	yes	458	6.7%
8	dont know	0	
Sysmiss		2	

s117f: symptom of malaria : convulsions

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117g: symptom of malaria : jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6102	89.2%
1	yes	737	10.8%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117h: symptom of malaria : headache

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	5087	74.4%
1	yes	1752	25.6%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117i: symptom of malaria : urine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6710	98.1%
1	yes	129	1.9%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117x: symptom of malaria : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	5703	83.4%
1	yes	1136	16.6%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s117z: symptom of malaria : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6729	98.4%
1	yes	110	1.6%

s117z: symptom of malaria : don't know

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118a: best way to prevent malaria : sleep under a mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6521	95.3%
1	yes	320	4.7%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118b: best way to prevent malaria : sleep under a mosquito net impregnated with insect

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]
Notes	best way to prevent malaria : sleep under a mosquito net impregnated with insecticide

Value	Label	Cases	Percentage
0	no	1208	17.7%
1	yes	5633	82.3%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118c: best way to prevent malaria : take preventative medications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6239	91.2%
1	yes	602	8.8%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118d: best way to prevent malaria : using insecticide sprays, creams, lotions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6555	95.8%
1	yes	286	4.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118e: best way to prevent malaria : using insecticide coils

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6564	96.0%

s118e: best way to prevent malaria : using insecticide coils

Value	Label	Cases	Percentage
1	yes	277	4.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118f: best way to prevent malaria : decoction/plant juice/root to drink as a preventiv

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]
Notes	best way to prevent malaria : decoction/plant juice/root to drink as a preventive

Value	Label	Cases	Percentage
0	no	6431	94.0%
1	yes	410	6.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118g: best way to prevent malaria : making sure surroundings are clean

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	5257	76.8%
1	yes	1584	23.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118h: best way to prevent malaria : spraying inside the house

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6803	99.4%
1	yes	38	0.6%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118i: best way to prevent malaria : screens on the widows

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6833	99.9%
1	yes	8	0.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118j: best way to prevent malaria : using a coil smoke

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6456	94.4%
1	yes	385	5.6%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118k: best way to prevent malaria : using electrical plates

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6841	100.0%
1	yes	0	
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118l: best way to prevent malaria : air conditioning/fans

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

s118l: best way to prevent malaria : air conditioning/fans

Value	Label	Cases	Percentage
0	no	6830	99.8%
1	yes	11	0.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118m: best way to prevent malaria : powder (spill)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6841	100.0%
1	yes	0	
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118n: best way to prevent malaria : cover the body

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6324	92.4%
1	yes	517	7.6%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118w: best way to prevent malaria : other (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6079	88.9%
1	yes	762	11.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118x: best way to prevent malaria : other(2)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6790	99.3%
1	yes	51	0.7%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s118z: best way to prevent malaria : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6462	94.5%

s118z: best way to prevent malaria : don't know

Value	Label	Cases	Percentage
1	yes	379	5.5%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119a: to prevent malaria, household uses : sleep under a mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6682	97.7%
1	yes	159	2.3%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119b: to prevent malaria, household uses : sleep under a mosquito net impregnated with

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]
Notes	to prevent malaria, household uses : sleep under a mosquito net impregnated with insecticide

Value	Label	Cases	Percentage
0	no	1265	18.5%
1	yes	5576	81.5%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119c: to prevent malaria, household uses : take preventative medications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6398	93.5%
1	yes	443	6.5%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119d: to prevent malaria, household uses : using insecticide sprays, creams, lotions

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6653	97.3%
1	yes	188	2.7%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119e: to prevent malaria, household uses : using insecticide coils

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6565	96.0%

s119e: to prevent malaria, household uses : using insecticide coils

Value	Label	Cases	Percentage
1	yes	276	4.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119f: to prevent malaria, household uses : decoction/plant juice/root to drink as a pr

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]
Notes	to prevent malaria, household uses : decoction/plant juice/root to drink as a preventive

Value	Label	Cases	Percentage
0	no	6416	93.8%
1	yes	425	6.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119g: to prevent malaria, household uses : making sure surroundings are clean

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	5403	79.0%
1	yes	1438	21.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119h: to prevent malaria, household uses : spraying inside the house

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6821	99.7%
1	yes	20	0.3%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119i: to prevent malaria, household uses : screens on the widows

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6835	99.9%
1	yes	6	0.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119j: to prevent malaria, household uses : using a coil smoke

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6558	95.9%

s119j: to prevent malaria, household uses : using a coil smoke

Value	Label	Cases	Percentage
1	yes	283	4.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119k: to prevent malaria, household uses : using electrical plates

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6841	100.0%
1	yes	0	
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119l: to prevent malaria, household uses : air conditioning/fans

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6828	99.8%
1	yes	13	0.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119m: to prevent malaria, household uses : powder (spill)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6840	100.0%
1	yes	1	0.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119n: to prevent malaria, household uses : cover the body

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6231	91.1%
1	yes	610	8.9%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119w: to prevent malaria, household uses : other (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6169	90.2%
1	yes	672	9.8%

s119w: to prevent malaria, household uses : other (1)

Value	Label	Cases	Percentage
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119x: to prevent malaria, household uses : other(2)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6794	99.3%
1	yes	47	0.7%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s119z: to prevent malaria, household uses : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6555	95.8%
1	yes	286	4.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120a: hear messages about malaria on the local radio

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	4000	58.5%
1	yes	2841	41.5%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120ba: language of the message on the local radio : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	5950	87.0%
1	yes	887	13.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bb: language of the message on the local radio : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	4951	72.4%
1	yes	1886	27.6%

s120bb: language of the message on the local radio : moore

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bc: language of the message on the local radio : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6104	89.3%
1	yes	733	10.7%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bd: language of the message on the local radio : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6509	95.2%
1	yes	328	4.8%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120be: language of the message on the local radio : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6623	96.9%
1	yes	214	3.1%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bf: language of the message on the local radio : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6725	98.4%
1	yes	112	1.6%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bg: language of the message on the local radio : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

s120bg: language of the message on the local radio : dagara

Value	Label	Cases	Percentage
0	no	6784	99.2%
1	yes	53	0.8%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120bx: language of the message on the local radio : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6683	97.7%
1	yes	154	2.3%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120c: are these messages understandable to the local radio

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2831 /-] [Invalid=4010 /-]

Value	Label	Cases	Percentage
0	no	181	6.4%
1	yes	2650	93.6%
8	dont know	0	
Sysmiss		4010	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120da: messages broadcast time on the local radio : morning

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	5457	79.8%
1	yes	1381	20.2%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120db: messages broadcast time on the local radio : noon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	6626	96.9%
1	yes	212	3.1%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120dc: messages broadcast time on the local radio : afternoon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	6672	97.6%
1	yes	166	2.4%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s120dd: messages broadcast time on the local radio : evening

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	4698	68.7%
1	yes	2140	31.3%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121a: see/hear messages about malaria on the local television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6132	89.6%
1	yes	708	10.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121ba: language of the message on the local television : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6328	92.5%
1	yes	513	7.5%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bb: language of the message on the local television : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6372	93.1%
1	yes	469	6.9%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bc: language of the message on the local television : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6559	95.9%
1	yes	282	4.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bd: language of the message on the local television : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6738	98.5%
1	yes	103	1.5%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121be: language of the message on the local television : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6837	99.9%
1	yes	4	0.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bf: language of the message on the local television : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6829	99.8%
1	yes	12	0.2%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bg: language of the message on the local television : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6840	100.0%
1	yes	1	0.0%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121bx: language of the message on the local television : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6833	99.9%
1	yes	8	0.1%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121c: are these messages understandable to the local television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=705 /-] [Invalid=6136 /-]

Value	Label	Cases	Percentage
0	no	47	6.7%
1	yes	658	93.3%
8	dont know	0	
Sysmiss		6136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121da: messages broadcast time on the local television : morning

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6711	98.1%
1	yes	128	1.9%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121db: messages broadcast time on the local television : noon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6745	98.6%
1	yes	94	1.4%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121dc: messages broadcast time on the local television : afternoon

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6748	98.7%
1	yes	91	1.3%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s121dd: messages broadcast time on the local television : evening

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6265	91.6%
1	yes	574	8.4%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122a: hear messages about malaria with health worker/ngos

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	4478	65.5%
1	yes	2361	34.5%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122ba: language of the message with health worker/ngos : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6494	95.0%
1	yes	343	5.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bb: language of the message with health worker/ngos : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	5114	74.8%
1	yes	1723	25.2%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bc: language of the message with health worker/ngos : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6440	94.2%
1	yes	397	5.8%
8	dont know	0	
Sysmiss		4	

s122bc: language of the message with health worker/ngos : dioula

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bd: language of the message with health worker/ngos : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6698	98.0%
1	yes	139	2.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122be: language of the message with health worker/ngos : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6821	99.8%
1	yes	16	0.2%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bf: language of the message with health worker/ngos : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6767	99.0%
1	yes	70	1.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bg: language of the message with health worker/ngos : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6817	99.7%
1	yes	20	0.3%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122bx: language of the message with health worker/ngos : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6657	97.4%
1	yes	180	2.6%

s122bx: language of the message with health worker/ngos : others

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s122c: are these messages understandable with health worker/ngos

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2350 /-] [Invalid=4491 /-]

Value	Label	Cases	Percentage
0	no	91	3.9%
1	yes	2259	96.1%
8	dont know	0	
Sysmiss		4491	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123a: hear messages about malaria in the worship places

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6834 /-] [Invalid=7 /-]

Value	Label	Cases	Percentage
0	no	5635	82.5%
1	yes	1199	17.5%
8	dont know	0	
Sysmiss		7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123ba: language of the message in the worship places : french

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6743	98.6%
1	yes	97	1.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bb: language of the message in the worship places : moore

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	5864	85.7%
1	yes	976	14.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bc: language of the message in the worship places : dioula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

s123bc: language of the message in the worship places : dioula

Value	Label	Cases	Percentage
0	no	6742	98.6%
1	yes	98	1.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bd: language of the message in the worship places : peuhl/fulfuldé

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6807	99.5%
1	yes	33	0.5%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123be: language of the message in the worship places : goulmantchema

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6812	99.6%
1	yes	28	0.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bf: language of the message in the worship places : bissa

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6818	99.7%
1	yes	22	0.3%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bg: language of the message in the worship places : dagara

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6829	99.8%
1	yes	11	0.2%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123bx: language of the message in the worship places : others

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6742	98.6%
1	yes	98	1.4%
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s123c: are these messages understandable in the worship places

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1197 /-] [Invalid=5644 /-]

Value	Label	Cases	Percentage
0	no	28	2.3%
1	yes	1169	97.7%
8	dont know	0	
Sysmiss		5644	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s124a: last 12 months : heard message on the radio

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	4771	69.7%
1	yes	2070	30.3%
8	dont know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s124b: last 12 months : heard /seen message on the television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6348	92.8%
1	yes	491	7.2%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s124c: last 12 months : seen clips on the television

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6839 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6494	95.0%
1	yes	345	5.0%
8	dont know	0	
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s125: preferred form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=6836 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	conical	948	13.9%
2	rectangular	5888	86.1%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s126: preferred color of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
1	white	2589	37.9%
2	green	745	10.9%
3	blue	2339	34.2%
4	no preference	771	11.3%
5	black	196	2.9%
6	others	197	2.9%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s127: owns an itn

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6838 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	no	630	9.2%
1	yes	6208	90.8%
8	dont know	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s128: is satisfied with the size of the itn

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6181 /-] [Invalid=660 /-]

Value	Label	Cases	Percentage
0	no	791	12.8%
1	yes	5390	87.2%
8	dont know	0	
Sysmiss		660	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s129: slept under an itn previous night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6840 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	829	12.1%
1	yes	6011	87.9%

s129: slept under an itn previous night

Value	Label	Cases	Percentage
8	dont know	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130a: reason didn?t sleep under itn : bad odor

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6832	99.9%
1	yes	5	0.1%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130b: reason didn?t sleep under itn : causes irritations/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6832	99.9%
1	yes	5	0.1%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130c: reason didn?t sleep under itn : makes person ill

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6836	100.0%
1	yes	1	0.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130d: reason didn?t sleep under itn : nausea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6837	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130e: reason didn?t sleep under itn : has dangerous chemicals

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

s130e: reason didn?t sleep under itn : has dangerous chemicals

Value	Label	Cases	Percentage
0	no	6837	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130f: reason didn?t sleep under itn : can kill a foetus or cause miscarriage/stillbirt

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]
Notes	reason didn?t sleep under itn : can kill a foetus or cause miscarriage/stillbirth

Value	Label	Cases	Percentage
0	no	6837	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130g: reason didn?t sleep under itn : can suffocate or cause difficulty breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6826	99.8%
1	yes	11	0.2%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130h: reason didn?t sleep under itn : do not like the form

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6837	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130i: reason didn?t sleep under itn : heat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6769	99.0%
1	yes	68	1.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130j: reason didn?t sleep under itn : net quickly becomes dirty

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6836	100.0%
1	yes	1	0.0%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130k: reason didn?t sleep under itn : do not like net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6817	99.7%
1	yes	20	0.3%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130l: reason didn?t sleep under itn : no net

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6334	92.6%
1	yes	503	7.4%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130m: reason didn?t sleep under itn : unsatisfactory size

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6837	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130n: reason didn?t sleep under itn : net not effective

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6827	99.9%
1	yes	10	0.1%
8	dont know	0	
Sysmiss		4	

s130n: reason didn?t sleep under itn : net not effective

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130o: reason didn?t sleep under itn : no reason

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6748	98.7%
1	yes	89	1.3%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130x: reason didn?t sleep under itn : other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6691	97.9%
1	yes	146	2.1%
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s130z: reason didn?t sleep under itn : don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6837 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	6837	100.0%
1	yes	0	
8	dont know	0	
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s210: number of births in last 6 years

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	0	
1		1960	28.7%
2		3617	52.9%
3		1156	16.9%
4		99	1.4%
5		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s223: number of births since 2009

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=6841 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	0	
1		2377	34.7%
2		3668	53.6%
3		737	10.8%
4		50	0.7%
5		9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s310: number of fansidar pills taken

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=4821 /-] [Invalid=2020 /-]

Value	Label	Cases	Percentage
1		342	7.1%
2		98	2.0%
3		4237	87.9%
4		6	0.1%
5		4	0.1%
6	6 or more tablets	92	1.9%
8	don't remember	42	0.9%
Sysmiss		2020	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s311: have you taken in the presence of health worker, at home or elsewhere?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4792 /-] [Invalid=2049 /-]

Value	Label	Cases	Percentage
1	in front of health worker	2209	46.1%
2	at home	2571	53.7%
3	elsewhere	12	0.3%
Sysmiss		2049	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

s313: source of antimalarial during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=4696 /-] [Invalid=2145 /-]

Value	Label	Cases	Percentage
1	antenatal visit	4666	99.4%
2	another facility visit	19	0.4%
6	other source	11	0.2%
Sysmiss		2145	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFPR71FL

hhid: case identification

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

hv002: household number

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=13.492 /-] [StdDev=7.529 /-]

hv003: respondent's line number (answering household questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	incomplete household	0	
1		25832	65.3%
2		11186	28.3%
3		1081	2.7%
4		443	1.1%
5		243	0.6%
6		152	0.4%
7		151	0.4%
8		106	0.3%
9		127	0.3%
10		33	0.1%
11		49	0.1%
12		27	0.1%
14		22	0.1%
15		16	0.0%
17		21	0.1%
18		20	0.1%
20		20	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv004: ultimate area unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=127.834 /-] [StdDev=72.903 /-]

hv005: household sample weight (6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 242411-5743427] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=975072.746 /-] [StdDev=592768.551 /-]

hv006: month of interview

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
9		1460	3.7%
10		20205	51.1%
11		17844	45.1%

File : BFPR71FL

hv006: month of interview

Value	Label	Cases	Percentage
12		20	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv007: year of interview

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2014		39529	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv008: date of interview (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 1377-1380] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1377		1460	3.7%
1378		20205	51.1%
1379		17844	45.1%
1380		20	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv009: number of household members

Information	[Type= continuous] [Format=numeric] [Range= 1-40] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=8.369 /-] [StdDev=4.455 /-]

hv010: number of eligible women in household

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3576	9.0%
1		17188	43.5%
2		11009	27.9%
3		4622	11.7%
4		1974	5.0%
5		824	2.1%
6		132	0.3%
7		154	0.4%
10		50	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv011: na - number of eligible men in household

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFPR71FL

hv012: number of de jure members

Information	[Type= continuous] [Format=numeric] [Range= 0-39] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=8.305 /-] [StdDev=4.435 /-]

hv013: number of de facto members

Information	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=8.15 /-] [StdDev=4.431 /-]

hv014: number of children 5 and under (de jure)

Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		7730	19.6%
1		10726	27.1%
2		11461	29.0%
3		5093	12.9%
4		2581	6.5%
5		1058	2.7%
6		540	1.4%
7		220	0.6%
8		74	0.2%
9		28	0.1%
10		18	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv015: result of household interview

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	completed	39529	100.0%
2	no household member/no competent member at home	0	
3	entire household absent for extended period of time	0	
4	postponed	0	
5	refused	0	
6	dwelling vacant or address not a dwelling	0	
7	dwelling destroyed	0	
8	dwelling not found	0	
9	other	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv016: day of interview

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=16.694 /-] [StdDev=8.413 /-]

hv017: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

File : BFPR71FL

hv017: number of visits

Value	Label	Cases	Percentage
1		37620	95.2%
2		1496	3.8%
3		413	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv020: ever-married sample

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	all woman sample	39529	100.0%
1	ever married sample	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv021: primary sampling unit

Information	[Type= continuous] [Format=numeric] [Range= 1-252] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=127.834 /-] [StdDev=72.903 /-]

hv022: sample strata for sampling errors

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	287	0.7%
2	boucle du mouhoun rural	2672	6.8%
3	cascades urbain	540	1.4%
4	cascades rural	2616	6.6%
5	centre urbain	2099	5.3%
6	centre rural	599	1.5%
7	centre est urbain	545	1.4%
8	centre est rural	2670	6.8%
9	centre nord urbain	299	0.8%
10	centre nord rural	2732	6.9%
11	centre ouest urbain	395	1.0%
12	centre ouest rural	2834	7.2%
13	centre sud urbain	418	1.1%
14	centre sud rural	2443	6.2%
15	est urbain	243	0.6%
16	est rural	2524	6.4%
17	hauts-bassins urbain	892	2.3%
18	hauts-bassins rural	1808	4.6%
19	nord urbain	349	0.9%
20	nord rural	2764	7.0%
21	plateau central urbain	325	0.8%
22	plateau central rural	3142	7.9%
23	sahel urbain	304	0.8%

File : BFPR71FL

hv022: sample strata for sampling errors

Value	Label	Cases	Percentage
24	sahel rural	3183	8.1%
25	sud ouest urbain	360	0.9%
26	sud ouest rural	2486	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv023: stratification used in sample design

Information	[Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle du mouhoun urbain	287	0.7%
2	boucle du mouhoun rural	2672	6.8%
3	cascades urbain	540	1.4%
4	cascades rural	2616	6.6%
5	centre urbain	2099	5.3%
6	centre rural	599	1.5%
7	centre est urbain	545	1.4%
8	centre est rural	2670	6.8%
9	centre nord urbain	299	0.8%
10	centre nord rural	2732	6.9%
11	centre ouest urbain	395	1.0%
12	centre ouest rural	2834	7.2%
13	centre sud urbain	418	1.1%
14	centre sud rural	2443	6.2%
15	est urbain	243	0.6%
16	est rural	2524	6.4%
17	hauts-bassins urbain	892	2.3%
18	hauts-bassins rural	1808	4.6%
19	nord urbain	349	0.9%
20	nord rural	2764	7.0%
21	plateau central urbain	325	0.8%
22	plateau central rural	3142	7.9%
23	sahel urbain	304	0.8%
24	sahel rural	3183	8.1%
25	sud ouest urbain	360	0.9%
26	sud ouest rural	2486	6.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	boucle de mouhoun	2959	7.5%
2	cascades	3156	8.0%
3	centre	2698	6.8%

File : BFPR71FL

hv024: region

Value	Label	Cases	Percentage
4	centre-est	3215	8.1%
5	centre-nord	3031	7.7%
6	centre-ouest	3229	8.2%
7	centre-sud	2861	7.2%
8	est	2767	7.0%
9	hauts basins	2700	6.8%
10	nord	3113	7.9%
11	plateau central	3467	8.8%
12	sahel	3487	8.8%
13	sud-ouest	2846	7.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	7056	17.9%
2	rural	32473	82.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv026: place of residence

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	ouagadougou	2099	5.3%
1	small city	4957	12.5%
2	countryside	32473	82.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv027: na - household selected for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	not selected	0	
1	men's survey	0	
2	husband's survey	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv028: na - household weight for male subsample (6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFPR71FL

hv035: number of eligible children for height and weight

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		8955	22.7%
1		13213	33.4%
2		10249	25.9%
3		4227	10.7%
4		1866	4.7%
5		631	1.6%
6		238	0.6%
7		104	0.3%
8		46	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv040: na - cluster altitude in meters

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv041: na - total adults measured

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv042: household selected for hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not selected	0	
1	selected	39529	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv044: na - household selected for domestic violence module

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	household not selected	0	
1	household selected	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFPR71FL

hv201: source of drinking water

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=39526 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
10	piped water	0	
11	piped into dwelling	322	0.8%
12	piped to yard/plot	2438	6.2%
13	public tap/standpipe	4652	11.8%
14	piped from the neighbor	35	0.1%
20	tube well water	0	
21	tube well or borehole	20459	51.8%
30	dug well (open/protected)	0	
31	protected well	2354	6.0%
32	unprotected well	6794	17.2%
40	surface water	0	
41	protected spring	50	0.1%
42	unprotected spring	890	2.3%
43	river/dam/lake/ponds/stream/canal/irrigation channel	1205	3.0%
51	rainwater	25	0.1%
61	tanker truck	1	0.0%
62	cart with small tank	174	0.4%
71	bottled water	110	0.3%
96	other	17	0.0%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv202: na - source of non-drinking water

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
10	piped water	0	
11	piped into dwelling	0	
12	piped to yard/plot	0	
13	public tap/standpipe	0	
20	tube well water	0	
21	tube well or borehole	0	
30	dug well (open/protected)	0	
31	protected well	0	
32	unprotected well	0	
40	surface water	0	
41	protected spring	0	
42	unprotected spring	0	
43	river/dam/lake/ponds/stream/canal/irrigation channel	0	
51	rainwater	0	
61	tanker truck	0	

File : BFPR71FL

hv202: na - source of non-drinking water

Value	Label	Cases	Percentage
62	cart with small tank	0	
71	bottled water	0	
96	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv204: time to get to water source (minutes)

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=39325 /-] [Invalid=204 /-]

Value	Label	Cases	Percentage
1		220	0.6%
2		404	1.0%
3		338	0.9%
4		192	0.5%
5		3093	7.9%
6		214	0.5%
7		149	0.4%
8		168	0.4%
9		19	0.0%
10		5035	12.8%
11		15	0.0%
12		43	0.1%
13		21	0.1%
14		20	0.1%
15		4230	10.8%
16		65	0.2%
17		29	0.1%
18		16	0.0%
19		3	0.0%
20		3579	9.1%
21		10	0.0%
23		8	0.0%
24		16	0.0%
25		460	1.2%
26		9	0.0%
27		11	0.0%
30		5315	13.5%
32		2	0.0%
34		1	0.0%
35		248	0.6%
36		8	0.0%
37		11	0.0%
39		3	0.0%
40		1045	2.7%

File : BFPR71FL

hv204: time to get to water source (minutes)

Value	Label	Cases	Percentage
42		5	0.0%
45		793	2.0%
46		7	0.0%
48		2	0.0%
49		8	0.0%
50		239	0.6%
52		4	0.0%
55		4	0.0%
59		6	0.0%
60		4471	11.4%
61		8	0.0%
63		15	0.0%
64		10	0.0%
65		81	0.2%
66		6	0.0%
68		6	0.0%
70		79	0.2%
75		47	0.1%
80		67	0.2%
90		516	1.3%
95		15	0.0%
100		19	0.0%
110		8	0.0%
120		1868	4.8%
125		22	0.1%
138		8	0.0%
140		28	0.1%
145		21	0.1%
150		37	0.1%
160		9	0.0%
180		331	0.8%
190		8	0.0%
200		4	0.0%
210		9	0.0%
240		82	0.2%
280		6	0.0%
300		69	0.2%
480		10	0.0%
996	on premises	4256	10.8%
998	don't know	1141	2.9%
Sysmiss		204	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFPR71FL

hv205: type of toilet facility

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=39479 /-] [Invalid=50 /-]

Value	Label	Cases	Percentage
10	flush toilet	0	
11	flush to piped sewer system	85	0.2%
12	flush to septic tank	718	1.8%
13	flush to pit latrine	37	0.1%
14	flush to somewhere else	0	
15	flush, don't know where	0	
20	pit toilet latrine	0	
21	ventilated improved pit latrine (vip)	136	0.3%
22	pit latrine with slab	15557	39.4%
23	pit latrine without slab/open pit	1031	2.6%
30	no facility	0	
31	no facility/bush/field	21779	55.2%
41	composting toilet	88	0.2%
42	bucket toilet	0	
43	hanging toilet/latrine	0	
96	other	48	0.1%
Sysmiss		50	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv206: has electricity

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39462 /-] [Invalid=67 /-]

Value	Label	Cases	Percentage
0	no	34705	87.9%
1	yes	4757	12.1%
Sysmiss		67	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv207: has radio

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39464 /-] [Invalid=65 /-]

Value	Label	Cases	Percentage
0	no	15440	39.1%
1	yes	24024	60.9%
Sysmiss		65	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv208: has television

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39434 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
0	no	32227	81.7%

File : BFPR71FL

hv208: has television

Value	Label	Cases	Percentage
1	yes	7207	18.3%
Sysmiss		95	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv209: has refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39433 /-] [Invalid=96 /-]

Value	Label	Cases	Percentage
0	no	37816	95.9%
1	yes	1617	4.1%
Sysmiss		96	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv210: has bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39463 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	5085	12.9%
1	yes	34378	87.1%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv211: has motorcycle/scooter

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39445 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	18403	46.7%
1	yes	21042	53.3%
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv212: has car/truck

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39484 /-] [Invalid=45 /-]

Value	Label	Cases	Percentage
0	no	38551	97.6%
1	yes	933	2.4%
Sysmiss		45	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv213: main floor material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=39505 /-] [Invalid=24 /-]

Value	Label	Cases	Percentage
10	natural	0	

File : BFPR71FL

hv213: main floor material

Value	Label	Cases	Percentage
11	earth/sand	19633	49.7%
12	dung	3107	7.9%
20	rudimentary	0	
21	wood planks	0	
22	palm/bambou	0	
30	finished	0	
31	parquet or polished wood	0	
32	vinyl or asphalt strips	0	
33	ceramic tiles	753	1.9%
34	cement	16001	40.5%
35	carpet	0	
96	other	11	0.0%
Sysmiss		24	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv214: main wall material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=39513 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
10	natural	0	
11	no walls	0	
12	cane/palm/trunks	1707	4.3%
13	dirt	22209	56.2%
20	rudimentary	0	
21	bamboo with mud	379	1.0%
22	stone with mud	2207	5.6%
23	uncovered adobe	1399	3.5%
24	plywood	0	
25	cardboard	0	
26	reused wood	0	
30	finished	0	
31	cement	6680	16.9%
32	stone with lime/cement	327	0.8%
33	bricks	2382	6.0%
34	cement blocks	206	0.5%
35	covered adobe	821	2.1%
36	wood planks/shingles	57	0.1%
96	other	1139	2.9%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv215: main roof material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=39504 /-] [Invalid=25 /-]

File : BFPR71FL

hv215: main roof material

Value	Label	Cases	Percentage
10	natural	0	
11	no roof	0	
12	thatch/palm leaf	9601	24.3%
13	sod	0	
20	rudimentary	0	
21	rustic mat	0	
22	palm/bamboo	0	
23	wood planks	0	
24	cardboard	0	
30	finished	0	
31	metal	25472	64.5%
32	wood	4242	10.7%
33	zinc/cement fiber	0	
34	tiles/slate	0	
35	cement	0	
36	shingles	0	
96	other	189	0.5%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv216: number of rooms used for sleeping

Information	[Type= continuous] [Format=numeric] [Range= 1-22] [Missing=*]
Statistics [NW/ W]	[Valid=39346 /-] [Invalid=183 /-] [Mean=3.156 /-] [StdDev=1.891 /-]

hv217: relationship structure

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no adults	9	0.0%
1	one adult	1325	3.4%
2	two adults, opposite sex	9853	24.9%
3	two adults, same sex	583	1.5%
4	three+ related adults	25965	65.7%
5	unrelated adults	1794	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv218: line number of head of household

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		39519	100.0%
2		5	0.0%
5		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : BFPR71FL

hv219: sex of head of household

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	36210	91.6%
2	female	3319	8.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv220: age of head of household

Information	[Type= discrete] [Format=numeric] [Range= 13-98] [Missing=*]
Statistics [NW/ W]	[Valid=39516 /-] [Invalid=13 /-]

Value	Label	Cases	Percentage
13		4	0.0%
15		1	0.0%
16		18	0.0%
17		20	0.1%
18		60	0.2%
19		35	0.1%
20		146	0.4%
21		167	0.4%
22		250	0.6%
23		316	0.8%
24		336	0.9%
25		544	1.4%
26		450	1.1%
27		635	1.6%
28		576	1.5%
29		582	1.5%
30		1222	3.1%
31		695	1.8%
32		1144	2.9%
33		762	1.9%
34		812	2.1%
35		1363	3.4%
36		924	2.3%
37		925	2.3%
38		754	1.9%
39		807	2.0%
40		1523	3.9%
41		783	2.0%
42		1210	3.1%
43		852	2.2%
44		826	2.1%
45		1565	4.0%
46		769	1.9%

File : BFPR71FL

hv220: age of head of household

Value	Label	Cases	Percentage
47		861	2.2%
48		821	2.1%
49		833	2.1%
50		1307	3.3%
51		573	1.5%
52		1027	2.6%
53		712	1.8%
54		681	1.7%
55		940	2.4%
56		705	1.8%
57		575	1.5%
58		550	1.4%
59		550	1.4%
60		1379	3.5%
61		333	0.8%
62		423	1.1%
63		364	0.9%
64		560	1.4%
65		713	1.8%
66		284	0.7%
67		342	0.9%
68		358	0.9%
69		235	0.6%
70		636	1.6%
71		168	0.4%
72		234	0.6%
73		159	0.4%
74		173	0.4%
75		350	0.9%
76		101	0.3%
77		139	0.4%
78		208	0.5%
79		65	0.2%
80		278	0.7%
81		86	0.2%
82		59	0.1%
83		44	0.1%
84		64	0.2%
85		123	0.3%
86		32	0.1%
87		85	0.2%
88		10	0.0%
89		34	0.1%

File : BFPR71FL

hv220: age of head of household

Value	Label	Cases	Percentage
90		123	0.3%
91		2	0.0%
92		8	0.0%
93		17	0.0%
94		4	0.0%
95		112	0.3%
97	97+	0	
98	don't know	0	
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv221: has telephone (land-line)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39463 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	38994	98.8%
1	yes	469	1.2%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv225: share toilet with other households

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=17681 /-] [Invalid=21848 /-]

Value	Label	Cases	Percentage
0	no	8401	47.5%
1	yes	9280	52.5%
Sysmiss		21848	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv226: type of cooking fuel

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=39471 /-] [Invalid=58 /-]

Value	Label	Cases	Percentage
1	electricity	0	
2	lpg	1745	4.4%
3	natural gas	0	
4	biogas	0	
5	kerosene	0	
6	coal, lignite	0	
7	charcoal	1711	4.3%
8	wood	35805	90.7%
9	straw/shrubs/grass	0	
10	agricultural crop	0	
11	animal dung	0	
95	no food cooked in house	180	0.5%
96	other	30	0.1%
Sysmiss		58	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv227: has mosquito bed net for sleeping

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	2991	7.6%
1	yes	36538	92.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv228: children under 5 slept under mosquito bed net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

hv228: children under 5 slept under mosquito bed net last night

Statistics [NW/ W]	[Valid=30033 /-] [Invalid=9496 /-]

Value	Label	Cases	Percentage
0	no	3498	11.6%
1	all children	20966	69.8%
2	some children	3463	11.5%
3	no net in household	2106	7.0%
Sysmiss		9496	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv230a: na - place where household members wash their hands

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	observed	0	
2	not observed: not in dwelling	0	
3	not observed: no permission to see	0	
4	not observed: other reason	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv230b: na - presence of water at hand washing place

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	water not available	0	
1	water is available	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232: na - items present: soap or detergent

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232b: na - items present: ash, mud, sand

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232c: na - items present: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232d: na - items present: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232e: na - items present: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv232y: na - items present: none

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: no cleansing agent observed	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv234: na - result of salt test for iodine (ppm)

Information	[Type= discrete] [Format=numeric] [Range= 0-995] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	0 ppm (no iodine)	0	
7	below 15 ppm	0	
15	15 ppm and above	0	
30	30 ppm	0	
994	salt not tested	0	
995	no salt in household	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv234a: na - result of salt test for iodine

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no iodine	0	
1	iodine present	0	
3	no salt in household	0	
6	salt not tested	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv235: location of source for water

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=36564 /-] [Invalid=2965 /-]

Value	Label	Cases	Percentage
1	in own dwelling	283	0.8%
2	in own yard/plot	1188	3.2%
3	elsewhere	35093	96.0%
Sysmiss		2965	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv236: na - person fetching water

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	adult woman	0	
2	adult man	0	
3	female child under 15 years old	0	
4	male child under 15 years old	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237: na - anything done to water to make safe to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237a: na - water usually treated by: boil

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	

hv237a: na - water usually treated by: boil

Value	Label	Cases	Percentage
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237b: na - water usually treated by: add bleach/chlorine

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237c: na - water usually treated by: strain through a cloth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237d: na - water usually treated by: use water filter

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237e: na - water usually treated by: solar disinfection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237f: na - water usually treated by: let it stand and settle

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

hv237f: na - water usually treated by: let it stand and settle

Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237g: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237h: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237i: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237j: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237k: na - water usually treated by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237x: na - water usually treated by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv237z: na - water usually treated by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: don't know what is done to water	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv238: number of households sharing toilet

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=9280 /-] [Invalid=30249 /-]

Value	Label	Cases	Percentage
2		2691	29.0%
3		2057	22.2%
4		1490	16.1%
5		1042	11.2%
6		574	6.2%
7		279	3.0%
8		251	2.7%
9		115	1.2%
95	10 or more households	716	7.7%
98	don't know	65	0.7%
Sysmiss		30249	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv239: na - food cooked on stove or open fire

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	open fire	0	
2	open stove	0	
3	closed stove with chimney	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv240: na - household has a chimney, hood or neither

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	neither chimney or hood	0	
1	chimney	0	
2	hood	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv241: na - food cooked in the house/ separate building/ outdoors

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	in the house	0	
2	in a separate building	0	
3	outdoors	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv242: na - household has separate room used as kitchen

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243a: has mobile telephone

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39467 /-] [Invalid=62 /-]

Value	Label	Cases	Percentage
0	no	4618	11.7%
1	yes	34849	88.3%
Sysmiss		62	

hv243a: has mobile telephone

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243b: has watch

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39441 /-] [Invalid=88 /-]

Value	Label	Cases	Percentage
0	no	30995	78.6%
1	yes	8446	21.4%
Sysmiss		88	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243c: has animal-drawn cart

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39454 /-] [Invalid=75 /-]

Value	Label	Cases	Percentage
0	no	20212	51.2%
1	yes	19242	48.8%
Sysmiss		75	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv243d: has boat with a motor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39468 /-] [Invalid=61 /-]

Value	Label	Cases	Percentage
0	no	39463	100.0%
1	yes	5	0.0%
Sysmiss		61	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv244: owns land usable for agriculture

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	5468	13.8%
1	yes	34050	86.2%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv245: hectares of agricultural land (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=34017 /-] [Invalid=5512 /-]

Value	Label	Cases	Percentage
1		29	0.1%
2		35	0.1%
3		18	0.1%
4		29	0.1%
5		1010	3.0%
7		25	0.1%

hv245: hectares of agricultural land (1 decimal)

Value	Label	Cases	Percentage
8		58	0.2%
10		3159	9.3%
12		11	0.0%
13		10	0.0%
15		1465	4.3%
20		5592	16.4%
21		7	0.0%
25		787	2.3%
28		3	0.0%
30		4686	13.8%
35		478	1.4%
36		7	0.0%
40		3510	10.3%
45		242	0.7%
50		3142	9.2%
54		1	0.0%
55		118	0.3%
56		4	0.0%
60		1743	5.1%
62		8	0.0%
65		42	0.1%
70		753	2.2%
73		9	0.0%
75		113	0.3%
80		599	1.8%
85		54	0.2%
90		186	0.5%
95		43	0.1%
100		1583	4.7%
105		69	0.2%
110		48	0.1%
115		10	0.0%
120		239	0.7%
125		23	0.1%
130		39	0.1%
135		9	0.0%
140		43	0.1%
150		329	1.0%
155		10	0.0%
160		78	0.2%
170		15	0.0%
180		12	0.0%
190		3	0.0%
200		352	1.0%
220		3	0.0%

hv245: hectares of agricultural land (1 decimal)

Value	Label	Cases	Percentage
225		9	0.0%
230		15	0.0%
240		12	0.0%
250		54	0.2%
300		101	0.3%
305		20	0.1%
310		6	0.0%
320		2	0.0%
330		8	0.0%
400		51	0.1%
500		20	0.1%
600		5	0.0%
700		3	0.0%
750		1	0.0%
950	95 or more	195	0.6%
998	unknown	2674	7.9%
Sysmiss		5512	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246: owns livestock, herds or farm animals

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	7411	18.7%
1	yes	32118	81.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246a: na - owns cattle

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246b: owns cows/ bulls

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39512 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	none	20526	51.9%
1		3052	7.7%
2		5169	13.1%
3		1992	5.0%
4		1832	4.6%

hv246b: owns cows/ bulls

Value	Label	Cases	Percentage
5		1328	3.4%
6		753	1.9%
7		433	1.1%
8		299	0.8%
9		175	0.4%
10		1133	2.9%
11		50	0.1%
12		223	0.6%
13		60	0.2%
14		32	0.1%
15		310	0.8%
16		102	0.3%
17		8	0.0%
18		2	0.0%
19		8	0.0%
20		681	1.7%
21		21	0.1%
22		45	0.1%
23		1	0.0%
24		21	0.1%
25		58	0.1%
26		14	0.0%
27		36	0.1%
28		7	0.0%
29		12	0.0%
30		274	0.7%
31		10	0.0%
34		5	0.0%
35		8	0.0%
36		17	0.0%
40		104	0.3%
41		5	0.0%
45		20	0.1%
48		10	0.0%
49		7	0.0%
50		146	0.4%
54		3	0.0%
55		15	0.0%
60		87	0.2%
65		8	0.0%
70		21	0.1%
90		5	0.0%
95	95 or more	213	0.5%
98	unknown	171	0.4%
Sysmiss		17	

hv246b: owns cows/ bulls

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246c: owns horses/ donkeys/ mules

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39512 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	none	20459	51.8%
1		10648	26.9%
2		4822	12.2%
3		2113	5.3%
4		778	2.0%
5		367	0.9%
6		209	0.5%
7		44	0.1%
8		15	0.0%
10		11	0.0%
12		5	0.0%
41		3	0.0%
95	95 or more	9	0.0%
98	unknown	29	0.1%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246d: owns goats

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39512 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	none	16019	40.5%
1		1740	4.4%
2		3168	8.0%
3		2424	6.1%
4		2425	6.1%
5		2894	7.3%
6		1672	4.2%
7		1225	3.1%
8		486	1.2%
9		338	0.9%
10		3223	8.2%
11		125	0.3%
12		365	0.9%
13		164	0.4%
14		157	0.4%
15		669	1.7%
16		76	0.2%
17		60	0.2%
18		48	0.1%
19		20	0.1%

hv246d: owns goats

Value	Label	Cases	Percentage
20		1007	2.5%
21		14	0.0%
22		29	0.1%
23		26	0.1%
24		14	0.0%
25		115	0.3%
26		25	0.1%
27		10	0.0%
28		12	0.0%
29		30	0.1%
30		349	0.9%
32		16	0.0%
34		20	0.1%
35		28	0.1%
36		10	0.0%
40		110	0.3%
45		7	0.0%
50		54	0.1%
56		3	0.0%
60		54	0.1%
65		18	0.0%
70		21	0.1%
86		6	0.0%
95	95 or more	62	0.2%
98	unknown	174	0.4%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246e: owns sheep

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39512 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	none	19906	50.4%
1		1678	4.2%
2		3060	7.7%
3		2150	5.4%
4		1840	4.7%
5		2299	5.8%
6		1058	2.7%
7		953	2.4%
8		485	1.2%
9		311	0.8%
10		2019	5.1%
11		140	0.4%
12		366	0.9%

hv246e: owns sheep

Value	Label	Cases	Percentage
13		81	0.2%
14		120	0.3%
15		693	1.8%
16		105	0.3%
17		15	0.0%
18		75	0.2%
19		29	0.1%
20		825	2.1%
21		16	0.0%
22		78	0.2%
23		10	0.0%
24		21	0.1%
25		157	0.4%
26		24	0.1%
27		42	0.1%
28		7	0.0%
29		2	0.0%
30		358	0.9%
31		34	0.1%
32		13	0.0%
35		36	0.1%
36		3	0.0%
40		161	0.4%
41		10	0.0%
44		12	0.0%
50		85	0.2%
60		38	0.1%
65		8	0.0%
78		7	0.0%
80		18	0.0%
95	95 or more	67	0.2%
98	unknown	97	0.2%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246f: owns chickens

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39470 /-] [Invalid=59 /-]

Value	Label	Cases	Percentage
0	none	12184	30.9%
1		576	1.5%
2		1590	4.0%
3		1515	3.8%
4		1246	3.2%
5		2180	5.5%

hv246f: owns chickens

Value	Label	Cases	Percentage
6		1146	2.9%
7		872	2.2%
8		492	1.2%
9		317	0.8%
10		4484	11.4%
11		150	0.4%
12		614	1.6%
13		260	0.7%
14		144	0.4%
15		1450	3.7%
16		188	0.5%
17		196	0.5%
18		186	0.5%
19		36	0.1%
20		3276	8.3%
21		143	0.4%
22		117	0.3%
23		112	0.3%
24		76	0.2%
25		590	1.5%
26		86	0.2%
27		67	0.2%
28		26	0.1%
29		30	0.1%
30		1512	3.8%
32		104	0.3%
33		12	0.0%
34		43	0.1%
35		155	0.4%
36		57	0.1%
37		23	0.1%
38		7	0.0%
40		902	2.3%
41		3	0.0%
42		26	0.1%
43		26	0.1%
44		31	0.1%
45		46	0.1%
46		5	0.0%
48		12	0.0%
49		5	0.0%
50		580	1.5%
52		1	0.0%
54		10	0.0%
55		7	0.0%

hv246f: owns chickens

Value	Label	Cases	Percentage
56		21	0.1%
57		10	0.0%
60		318	0.8%
65		14	0.0%
68		6	0.0%
70		100	0.3%
71		14	0.0%
73		9	0.0%
75		6	0.0%
80		32	0.1%
90		37	0.1%
95	95 or more	570	1.4%
98	unknown	417	1.1%
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246g: owns pigs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39512 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	none	33902	85.8%
1		1246	3.2%
2		1280	3.2%
3		641	1.6%
4		526	1.3%
5		465	1.2%
6		398	1.0%
7		223	0.6%
8		159	0.4%
9		93	0.2%
10		220	0.6%
11		51	0.1%
12		87	0.2%
13		22	0.1%
14		26	0.1%
15		45	0.1%
16		22	0.1%
17		8	0.0%
18		7	0.0%
19		6	0.0%
20		66	0.2%
26		3	0.0%
95	95 or more	0	
98	unknown	16	0.0%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246h: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246i: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246j: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv246k: na - owns cs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	none	0	
95	95 or more	0	
98	unknown	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv247: has bank account

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39255 /-] [Invalid=274 /-]

Value	Label	Cases	Percentage
0	no	33285	84.8%
1	yes	5970	15.2%
Sysmiss		274	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv252: na - frequency household members smoke inside the house

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	never	0	
1	daily	0	
2	weekly	0	
3	monthly	0	
4	less than monthly	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253: has dwelling been sprayed against mosquitoes in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39446 /-] [Invalid=83 /-]

Value	Label	Cases	Percentage
0	no	38873	98.5%
1	yes	289	0.7%
8	don't know	284	0.7%
Sysmiss		83	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253a: dwelling sprayed by: government worker/program

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39415 /-] [Invalid=114 /-]

Value	Label	Cases	Percentage
0	no	39053	99.1%
1	yes	78	0.2%
8	don't know	284	0.7%
Sysmiss		114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253b: dwelling sprayed by: private company

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39415 /-] [Invalid=114 /-]

Value	Label	Cases	Percentage
0	no	39035	99.0%
1	yes	96	0.2%
8	don't know	284	0.7%
Sysmiss		114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253c: dwelling sprayed by: ngo

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39415 /-] [Invalid=114 /-]

Value	Label	Cases	Percentage
0	no	39123	99.3%
1	yes	8	0.0%

hv253c: dwelling sprayed by: ngo

Value	Label	Cases	Percentage
8	don't know	284	0.7%
Sysmiss		114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253d: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253e: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253f: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253g: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253h: na - dwelling sprayed by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

hv253h: na - dwelling sprayed by: cs

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253x: dwelling sprayed by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39415 /-] [Invalid=114 /-]

Value	Label	Cases	Percentage
0	no	39110	99.2%
1	yes	21	0.1%
8	don't know	284	0.7%
Sysmiss		114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv253z: dwelling sprayed by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39415 /-] [Invalid=114 /-]

Value	Label	Cases	Percentage
0	no	39072	99.1%
1	yes: don't know who sprayed the dwelling	59	0.1%
8	don't know if it was sprayed	284	0.7%
Sysmiss		114	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv270: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	poorest	8557	21.6%
2	poorer	8725	22.1%
3	middle	8763	22.2%
4	richer	8420	21.3%
5	richest	5064	12.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv271: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -167764-538062] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=-4391.197 /-] [StdDev=90101.169 /-]

hml1: number of mosquito bed nets

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		2991	7.6%

hml1: number of mosquito bed nets

Value	Label	Cases	Percentage
1		3456	8.7%
2		8850	22.4%
3		12764	32.3%
4		3737	9.5%
5		3051	7.7%
6		3286	8.3%
7		1394	3.5%
98	don't know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml1a: number of mosquito bed nets with specific information

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		2991	7.6%
1		3456	8.7%
2		8850	22.4%
3		12764	32.3%
4		3737	9.5%
5		3051	7.7%
6		3286	8.3%
7		1394	3.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml2: number of children under mosquito bed net previous night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		15100	38.2%
1		11799	29.8%
2		8607	21.8%
3		2590	6.6%
4		981	2.5%
5		319	0.8%
6		103	0.3%
7		12	0.0%
8		18	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

chl0: na - number of de-jure children 5-14 for child labor module

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

shconces: concession

Information	[Type= continuous] [Format=numeric] [Range= 1-333] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=46.069 /-] [StdDev=36.454 /-]

sh110g: table

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39447 /-] [Invalid=82 /-]

Value	Label	Cases	Percentage
0	no	19377	49.1%
1	yes	20070	50.9%
Sysmiss		82	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110h: chair

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39472 /-] [Invalid=57 /-]

Value	Label	Cases	Percentage
0	no	11877	30.1%
1	yes	27595	69.9%
Sysmiss		57	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110i: cupboard/library

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39468 /-] [Invalid=61 /-]

Value	Label	Cases	Percentage
0	no	36835	93.3%
1	yes	2633	6.7%
Sysmiss		61	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110j: stove/cooker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39491 /-] [Invalid=38 /-]

Value	Label	Cases	Percentage
0	no	36131	91.5%
1	yes	3360	8.5%
Sysmiss		38	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110k: freezer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39487 /-] [Invalid=42 /-]

Value	Label	Cases	Percentage
0	no	38935	98.6%
1	yes	552	1.4%
Sysmiss		42	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110l: shotgun

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39468 /-] [Invalid=61 /-]

Value	Label	Cases	Percentage
0	no	37242	94.4%
1	yes	2226	5.6%
Sysmiss		61	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh110m: plow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39434 /-] [Invalid=95 /-]

Value	Label	Cases	Percentage
0	no	18435	46.7%
1	yes	20999	53.3%
Sysmiss		95	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh118a: has canoe

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39453 /-] [Invalid=76 /-]

Value	Label	Cases	Percentage
0	no	39399	99.9%
1	yes	54	0.1%
Sysmiss		76	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh125a: mosquitoes reduced since the sprayed?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=264 /-] [Invalid=39265 /-]

Value	Label	Cases	Percentage
0	no	39	14.8%
1	yes	225	85.2%
Sysmiss		39265	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh137: has mosquito nets before 2013 distribution campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39523 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	no	8830	22.3%
1	yes	30693	77.7%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh138: number of nets before the campaign

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=30627 /-] [Invalid=8902 /-]

sh138: number of nets before the campaign

Value	Label	Cases	Percentage
1		6322	20.6%
2		9068	29.6%
3		7066	23.1%
4		3902	12.7%
5		1717	5.6%
6		1204	3.9%
7	7+	1000	3.3%
8	don't know	348	1.1%
Sysmiss		8902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh140: the net from the campaign was used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6377 /-] [Invalid=33152 /-]

Value	Label	Cases	Percentage
0	no	38	0.6%
1	yes	6339	99.4%
Sysmiss		33152	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141a: reason not used: net not powerfull

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39513	100.0%
1	yes	5	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141b: reason not used: members don't like mosquito

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39507	100.0%
1	yes	11	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141c: reason not used: size not satisfy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141d: reason not used: form not satify

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141e: reason not used: bad odor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141f: reason not used: causes irritation/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141g: reason not used: make sick

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141h: reason not used: gives nausea

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141i: reason not used: hazardous chemical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

sh141i: reason not used: hazardous chemical

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141j: reason not used: can suffocate/breathing difficult

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141k: reason not used: heat

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39513	100.0%
1	yes	5	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141l: reason not used: mosquito dirty quickly

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141m: reason not used : no raison

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39501	100.0%
1	yes	17	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141x: reason not used: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39513	100.0%

sh141x: reason not used: other

Value	Label	Cases	Percentage
1	yes	5	0.0%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh141z: reason not used: don't now

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39518 /-] [Invalid=11 /-]

Value	Label	Cases	Percentage
0	no	39518	100.0%
1	yes	0	
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh142: are all these mosquito nets used?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=24231 /-] [Invalid=15298 /-]

Value	Label	Cases	Percentage
1	ye all	23557	97.2%
2	yes some	578	2.4%
3	no none	96	0.4%
Sysmiss		15298	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143a: reason not using all campaign nets : net not powerfull

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39364	100.0%
1	yes	0	
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143b: reason not using all campaign nets : members don't like mosquito

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39311	99.9%
1	yes	53	0.1%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143c: reason not using all campaign nets : size not satisfy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39357	100.0%
1	yes	7	0.0%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143d: reason not using all campaign nets : form not satify

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

sh143d: reason not using all campaign nets : form not satify

Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39364	100.0%
1	yes	0	
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143e: reason not using all campaign nets : bad odor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39359	100.0%
1	yes	5	0.0%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143f: reason not using all campaign nets : causes irritation/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39356	100.0%
1	yes	8	0.0%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143g: reason not using all campaign nets : make sick

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39364	100.0%
1	yes	0	
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143h: reason not using all campaign nets : gives nausea

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39364	100.0%
1	yes	0	
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143i: reason not using all campaign nets : hazardous chemical

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

sh143i: reason not using all campaign nets : hazardous chemical

Value	Label	Cases	Percentage
0	no	39356	100.0%
1	yes	8	0.0%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143j: reason not using all campaign nets : can suffocate/breathing difficult

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39364	100.0%
1	yes	0	
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143k: reason not using all campaign nets : heat

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39342	99.9%
1	yes	22	0.1%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143l: reason not using all campaign nets :mosquito dirty quickly

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39356	100.0%
1	yes	8	0.0%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143m: reason not using all campaign nets : no reason

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39180	99.5%
1	yes	184	0.5%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143x: reason not using all campaign nets : other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39010	99.1%

sh143x: reason not using all campaign nets : other

Value	Label	Cases	Percentage
1	yes	354	0.9%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh143z: reason not using all campaign nets : don't now

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39364 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
0	no	39357	100.0%
1	yes	7	0.0%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh144: received nets during the distribution campaign 2013-2014

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39528 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	no	6869	17.4%
1	yes	32659	82.6%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh145: number of nets received

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=32659 /-] [Invalid=6870 /-]

Value	Label	Cases	Percentage
1		2703	8.3%
2		8145	24.9%
3		9263	28.4%
4		4885	15.0%
5		3013	9.2%
6		2082	6.4%
7		1039	3.2%
8		427	1.3%
9		239	0.7%
10		318	1.0%
11		66	0.2%
12		161	0.5%
13		45	0.1%
15		37	0.1%
20		71	0.2%
98	don't know	165	0.5%
Sysmiss		6870	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh146: does anyone have visited your household after the campaign to talk about nets?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

sh146: does anyone have visited your household after the campaign to talk about nets?

Statistics [NW/ W]	[Valid=39437 /-] [Invalid=92 /-]

Value	Label	Cases	Percentage
0	no	36652	92.9%
1	yes	2785	7.1%
Sysmiss		92	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh147a: showed how to suspend the net?

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2656 /-] [Invalid=36873 /-]

Value	Label	Cases	Percentage
0	no	151	5.7%
1	yes	2468	92.9%
8	don't know	37	1.4%
Sysmiss		36873	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh147b: explained the importance of sleeping each night under a llin

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=2712 /-] [Invalid=36817 /-]

Value	Label	Cases	Percentage
0	no	103	3.8%
1	yes	2564	94.5%
8	don't know	45	1.7%
Sysmiss		36817	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv101: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=39524 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	head	6448	16.3%
2	wife or husband	6979	17.7%
3	son/daughter	19731	49.9%
4	son/daughter-in-law	360	0.9%
5	grandchild	2109	5.3%
6	parent	622	1.6%
7	parent-in-law	120	0.3%
8	brother/sister	767	1.9%
9	co-spouse	47	0.1%
10	other relative	1564	4.0%
11	adopted/foster child	447	1.1%
12	not related	330	0.8%
13	niece/nephew by blood	0	
14	niece/nephew by marriage	0	
98	don't know	0	
Sysmiss		5	

hv101: relationship to head

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv102: usual resident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39524 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	295	0.7%
1	yes	39229	99.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv103: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39367 /-] [Invalid=162 /-]

Value	Label	Cases	Percentage
0	no	974	2.5%
1	yes	38393	97.5%
Sysmiss		162	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv104: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	19257	48.7%
2	female	20272	51.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv105: age of household members

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39525 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0		1491	3.8%
1		1307	3.3%
2		1405	3.6%
3		1460	3.7%
4		1412	3.6%
5		1344	3.4%
6		1235	3.1%
7		1636	4.1%
8		1365	3.5%
9		1288	3.3%
10		1392	3.5%
11		939	2.4%
12		1186	3.0%
13		1132	2.9%
14		856	2.2%

hv105: age of household members

Value	Label	Cases	Percentage
15		892	2.3%
16		728	1.8%
17		788	2.0%
18		740	1.9%
19		567	1.4%
20		770	1.9%
21		505	1.3%
22		576	1.5%
23		485	1.2%
24		467	1.2%
25		675	1.7%
26		436	1.1%
27		520	1.3%
28		459	1.2%
29		448	1.1%
30		688	1.7%
31		351	0.9%
32		527	1.3%
33		314	0.8%
34		361	0.9%
35		580	1.5%
36		354	0.9%
37		377	1.0%
38		291	0.7%
39		288	0.7%
40		468	1.2%
41		247	0.6%
42		315	0.8%
43		228	0.6%
44		221	0.6%
45		367	0.9%
46		200	0.5%
47		189	0.5%
48		207	0.5%
49		222	0.6%
50		302	0.8%
51		190	0.5%
52		285	0.7%
53		206	0.5%
54		225	0.6%
55		268	0.7%
56		190	0.5%
57		149	0.4%
58		144	0.4%
59		120	0.3%

hv105: age of household members

Value	Label	Cases	Percentage
60		342	0.9%
61		97	0.2%
62		124	0.3%
63		94	0.2%
64		109	0.3%
65		195	0.5%
66		75	0.2%
67		75	0.2%
68		83	0.2%
69		60	0.2%
70		188	0.5%
71		47	0.1%
72		70	0.2%
73		47	0.1%
74		43	0.1%
75		83	0.2%
76		28	0.1%
77		31	0.1%
78		39	0.1%
79		15	0.0%
80		90	0.2%
81		19	0.0%
82		19	0.0%
83		11	0.0%
84		17	0.0%
85		31	0.1%
86		4	0.0%
87		18	0.0%
88		6	0.0%
89		9	0.0%
90		26	0.1%
91		5	0.0%
92		1	0.0%
93		5	0.0%
94		4	0.0%
95	95+	36	0.1%
98	don't know	1	0.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv106: na - highest educational level attained

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	

hv106: na - highest educational level attained

Value	Label	Cases	Percentage
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv107: na - highest year of education completed

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv108: na - education completed in single years

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv109: na - educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	incomplete primary	0	
2	complete primary	0	
3	incomplete secondary	0	
4	complete secondary	0	
5	higher	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv110: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv111: na - mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv112: na - mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	mother not in household	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv113: na - father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv114: na - father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	father not in household	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv115: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=19944 /-] [Invalid=19585 /-]

Value	Label	Cases	Percentage
0	never married	4949	24.8%
1	married or living together	13726	68.8%
2	living together	0	
3	widowed	1048	5.3%
4	divorced/separated	221	1.1%
5	not living together	0	
Sysmiss		19585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv116: currently, formerly, never married

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=19944 /-] [Invalid=19585 /-]

Value	Label	Cases	Percentage
0	never married	4949	24.8%
1	currently married	13726	68.8%
2	formerly/ever married	1269	6.4%
Sysmiss		19585	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv117: eligibility for female interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	31313	79.2%
1	eligible	8216	20.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv118: na - eligibility for male interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	not eligible	0	
1	eligible	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv120: children eligibility for height/weight and hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	32455	82.1%
1	eligible	7074	17.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv121: na - member attended school during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	currently attending	0	
2	attended at some time	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv122: na - educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

hv122: na - educational level during current school year

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv123: na - grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv124: na - education in single years - current school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv125: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv126: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv127: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv128: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv129: na - school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	entered school	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 2+ years ago	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hv140: na - member has a birth certificate

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	0	
1	has certificate	0	
2	registered	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

idxh4: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 1-40] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=4.685 /-] [StdDev=3.517 /-]

sh03: relationship to head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=39524 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
1	head	6448	16.3%
2	wife or husband	6979	17.7%
3	son/daughter	19731	49.9%
4	son/daughter-in-law	360	0.9%
5	grandchild	2109	5.3%
6	parent	622	1.6%
7	parent-in-law	120	0.3%
8	brother/sister	767	1.9%
9	other relative	1564	4.0%
10	adopted/foster child	192	0.5%
11	child of spouse	255	0.6%
12	co-spouse	47	0.1%
13	not related	330	0.8%
98	don't know	0	
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh215: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6155 /-] [Invalid=33374 /-]

Value	Label	Cases	Percentage
1	postive falciparam	3964	64.4%
2	positive pieces (omv)	1	0.0%
4	negative	2189	35.6%
6	onther	1	0.0%
Sysmiss		33374	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218a: child suffering any illnesses or symptoms: extreme weakness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3787	95.7%
1	yes	171	4.3%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218b: child suffering any illnesses or symptoms: heart problem

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3954	99.9%
1	yes	4	0.1%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218c: child suffering any illnesses or symptoms: loss of consciousness

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3938	99.5%
1	yes	20	0.5%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218d: child suffering any illnesses or symptoms: deep breathing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3890	98.3%
1	yes	68	1.7%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218e: child suffering any illnesses or symptoms: convulsions

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3916	98.9%
1	yes	42	1.1%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218f: child suffering any illnesses or symptoms: bleeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

sh218f: child suffering any illnesses or symptoms: bleeding

Value	Label	Cases	Percentage
0	no	3943	99.6%
1	yes	15	0.4%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218g: child suffering any illnesses or symptoms: jaundice

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3896	98.4%
1	yes	62	1.6%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218h: child suffering any illnesses or symptoms: dark urine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	3602	91.0%
1	yes	356	9.0%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh218y: child suffering any illnesses or symptoms: no symptoms

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3958 /-] [Invalid=35571 /-]

Value	Label	Cases	Percentage
0	no	530	13.4%
1	yes, no symptoms	3428	86.6%
Sysmiss		35571	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh222: taking cta to treat the malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3316 /-] [Invalid=36213 /-]

Value	Label	Cases	Percentage
0	no	2556	77.1%
1	yes	760	22.9%
Sysmiss		36213	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh225: acceptance of medicine

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=2547 /-] [Invalid=36982 /-]

Value	Label	Cases	Percentage
1	accepted medicine	2154	84.6%

sh225: acceptance of medicine

Value	Label	Cases	Percentage
2	refused	1	0.0%
6	other	392	15.4%
Sysmiss		36982	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh227: result code of malaria treatment and referral

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=3948 /-] [Invalid=35581 /-]

Value	Label	Cases	Percentage
1	medication given	2189	55.4%
2	meds refused	9	0.2%
3	severe malaria referral	609	15.4%
4	already taking meds referral	758	19.2%
6	other	383	9.7%
Sysmiss		35581	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

scweight: child weight (to be used only for malaria laboratory test results - 6 decimals)

Information	[Type= continuous] [Format=numeric] [Range= 0-5947694] [Missing=*]
Statistics [NW/ W]	[Valid=6336 /-] [Invalid=33193 /-] [Mean=951231.037 /-] [StdDev=619147.761 /-]

ha0: na - index to household schedule

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha1: na - woman's age in years

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha2: na - woman's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha3: na - woman's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]

ha3: na - woman's height in centimeters (1 decimal)

Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha4: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha5: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha6: na - height/age percent ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha11: na - weight/height standard deviation (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12: na - weight/height percent ref. median (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12a: na - weight/height percent ref. median (fog)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha12b: na - weight/height percent ref. median (who)

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha13: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha32: na - date of birth (cmc)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha33: na - completeness of ha32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	0	
2	month and age - year imputed	0	
3	year and age - month imputed	0	
4	year and age - year ignored	0	
5	year - age/month imputed	0	
6	age - year/month imputed	0	
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha35: na - smoking (cigarettes in last 24 hours)

Information	[Type= discrete] [Format=numeric] [Range= 0-94] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	doesn't smoke	0	
80	80+	0	
94	smokes pipes, cigars, etc	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha40: na - body mass index

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha41: na - rohrer's index

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha50: na - under age 18

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	under age 18	0	
2	age 18 or older	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha51: na - line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	not in household	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha52: na - read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	granted	0	

ha52: na - read consent statement - hemoglobin

Value	Label	Cases	Percentage
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha53: na - hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 994-996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha54: na - currently pregnant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no/don't know	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha55: na - result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha56: na - hemoglobin level adjusted for altitude and smoking (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 997-997] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
997	inconsistent	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha57: na - anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

ha57: na - anemia level

Value	Label	Cases	Percentage
1	severe	0	
2	moderate	0	
3	mild	0	
4	not anemic	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha58: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha60: na - marital status

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	never in union	0	
2	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha61: na - read consent statement - hiv

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
4	sample not tested/lost/not enough dbs	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha62: na - bar code for hiv blood sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

ha63: na - result of measurement - hiv

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	blood taken	0	
2	not present	0	

ha63: na - result of measurement - hiv

Value	Label	Cases	Percentage
3	refused	0	
4	sample not tested/lost/damaged/insufficient	0	
5	not enough dbs to complete protocol	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha64: na - consent for additional tests

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha65: na - result of woman's individual interview

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
1	completed	0	
2	not at home	0	
3	postponed	0	
4	refused	0	
5	partly completed	0	
6	incapacitated	0	
7	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha66: na - woman's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no education	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha67: na - woman's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha68: na - woman's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	labels to be populated according to country	0	
8	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha69: na - hiv weight (6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ha70: na - interviewer that took blood for hiv testing

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc0: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 1-39] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-] [Mean=6.768 /-] [StdDev=3.681 /-]

hc1: child's age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-] [Mean=29.223 /-] [StdDev=17.237 /-]

hc2: na - child's weight in kilograms (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc3: na - child's height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 9994-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc4: na - height/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc5: na - height/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc6: na - height/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc7: na - weight/age percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc8: na - weight/age standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

hc8: na - weight/age standard deviation

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc9: na - weight/age percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc10: na - weight/height percentile

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc11: na - weight/height standard deviation

Information	[Type= discrete] [Format=numeric] [Range= 9998-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc12: na - weight/height percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 99998-99998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
99998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc13: na - result of measurement - height/weight

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	measured	0	
3	not present	0	
4	refused	0	
6	other	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc15: na - height: lying or standing

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

hc15: na - height: lying or standing

Value	Label	Cases	Percentage
0	not measured	0	
1	lying	0	
2	standing	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc16: day of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=6878 /-] [Invalid=32651 /-]

Value	Label	Cases	Percentage
1		427	6.2%
2		271	3.9%
3		244	3.5%
4		237	3.4%
5		269	3.9%
6		203	3.0%
7		264	3.8%
8		257	3.7%
9		191	2.8%
10		321	4.7%
11		235	3.4%
12		288	4.2%
13		211	3.1%
14		217	3.2%
15		282	4.1%
16		212	3.1%
17		216	3.1%
18		247	3.6%
19		193	2.8%
20		232	3.4%
21		153	2.2%
22		196	2.8%
23		183	2.7%
24		165	2.4%
25		199	2.9%
26		178	2.6%
27		188	2.7%
28		198	2.9%
29		151	2.2%
30		158	2.3%
31		83	1.2%
97	inconsistent	0	
98	don't know	9	0.1%
Sysmiss		32651	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc17: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-] [Mean=16.846 /-] [StdDev=8.384 /-]

hc18: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 9-12] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
9		183	2.6%
10		3737	52.8%
11		3151	44.5%
12		3	0.0%
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc19: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2014-2014] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
2014		7074	100.0%
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc27: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
1	male	3583	50.7%
2	female	3491	49.3%
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc30: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
1		637	9.0%
2		553	7.8%
3		570	8.1%
4		624	8.8%
5		607	8.6%
6		665	9.4%
7		555	7.8%
8		651	9.2%
9		624	8.8%
10		683	9.7%
11		445	6.3%
12		460	6.5%

hc30: month of birth

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know	0	
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc31: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2009-9998] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
2009		127	1.8%
2010		1400	19.8%
2011		1454	20.6%
2012		1430	20.2%
2013		1371	19.4%
2014		1292	18.3%
9997	inconsistent	0	
9998	don't know	0	
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc32: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1318-1379] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-] [Mean=1349.198 /-] [StdDev=17.23 /-]

hc33: completeness of hc32 information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
1	month and year - information complete	7019	99.2%
2	month and age - year imputed	0	
3	year and age - month imputed	54	0.8%
6	age - year/month imputed	1	0.0%
7	month - age/year imputed	0	
8	none - all imputed	0	
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc51: line number of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=6311 /-] [Invalid=33218 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		3474	55.0%
2		1972	31.2%
3		314	5.0%
4		131	2.1%

hc51: line number of parent/caretaker

Value	Label	Cases	Percentage
5		112	1.8%
6		65	1.0%
7		66	1.0%
8		47	0.7%
9		30	0.5%
10		31	0.5%
11		19	0.3%
12		14	0.2%
13		12	0.2%
14		5	0.1%
15		9	0.1%
16		3	0.0%
18		2	0.0%
19		1	0.0%
20		4	0.1%
Sysmiss		33218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc52: read consent statement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6288 /-] [Invalid=33241 /-]

Value	Label	Cases	Percentage
1	granted	6160	98.0%
2	refused	51	0.8%
5	absent	64	1.0%
6	other	13	0.2%
Sysmiss		33241	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc53: hemoglobin level (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-996] [Missing=*]
Statistics [NW/ W]	[Valid=6283 /-] [Invalid=33246 /-]

Value	Label	Cases	Percentage
31		1	0.0%
35		2	0.0%
36		2	0.0%
39		1	0.0%
41		2	0.0%
42		2	0.0%
43		2	0.0%
44		2	0.0%
45		4	0.1%
46		6	0.1%
47		9	0.1%
48		7	0.1%
49		10	0.2%

hc53: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
50		14	0.2%
51		11	0.2%
52		19	0.3%
53		18	0.3%
54		14	0.2%
55		18	0.3%
56		25	0.4%
57		37	0.6%
58		22	0.4%
59		23	0.4%
60		35	0.6%
61		37	0.6%
62		39	0.6%
63		55	0.9%
64		52	0.8%
65		63	1.0%
66		69	1.1%
67		65	1.0%
68		74	1.2%
69		63	1.0%
70		74	1.2%
71		88	1.4%
72		76	1.2%
73		71	1.1%
74		70	1.1%
75		95	1.5%
76		77	1.2%
77		83	1.3%
78		101	1.6%
79		95	1.5%
80		143	2.3%
81		115	1.8%
82		132	2.1%
83		103	1.6%
84		123	2.0%
85		136	2.2%
86		126	2.0%
87		150	2.4%
88		133	2.1%
89		134	2.1%
90		147	2.3%
91		128	2.0%
92		140	2.2%
93		136	2.2%
94		158	2.5%

hc53: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
95		149	2.4%
96		122	1.9%
97		124	2.0%
98		132	2.1%
99		123	2.0%
100		120	1.9%
101		112	1.8%
102		106	1.7%
103		112	1.8%
104		109	1.7%
105		107	1.7%
106		92	1.5%
107		106	1.7%
108		87	1.4%
109		89	1.4%
110		72	1.1%
111		66	1.1%
112		68	1.1%
113		53	0.8%
114		58	0.9%
115		41	0.7%
116		55	0.9%
117		49	0.8%
118		38	0.6%
119		45	0.7%
120		36	0.6%
121		34	0.5%
122		30	0.5%
123		33	0.5%
124		24	0.4%
125		23	0.4%
126		22	0.4%
127		17	0.3%
128		11	0.2%
129		13	0.2%
130		4	0.1%
131		6	0.1%
132		5	0.1%
133		6	0.1%
134		5	0.1%
135		3	0.0%
136		1	0.0%
138		2	0.0%
139		4	0.1%
140		2	0.0%

hc53: hemoglobin level (g/dl - 1 decimal)

Value	Label	Cases	Percentage
144		1	0.0%
152		1	0.0%
994	not present	64	1.0%
995	refused	51	0.8%
996	other	13	0.2%
Sysmiss		33246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc55: result of measurement - hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6283 /-] [Invalid=33246 /-]

Value	Label	Cases	Percentage
0	measured	6155	98.0%
3	not present	64	1.0%
4	refused	51	0.8%
6	other	13	0.2%
Sysmiss		33246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 31-997] [Missing=*]
Statistics [NW/ W]	[Valid=6155 /-] [Invalid=33374 /-]

Value	Label	Cases	Percentage
31		1	0.0%
35		2	0.0%
36		2	0.0%
39		1	0.0%
41		2	0.0%
42		2	0.0%
43		2	0.0%
44		2	0.0%
45		4	0.1%
46		6	0.1%
47		9	0.1%
48		7	0.1%
49		10	0.2%
50		14	0.2%
51		11	0.2%
52		19	0.3%
53		18	0.3%
54		14	0.2%
55		18	0.3%
56		25	0.4%
57		37	0.6%
58		22	0.4%
59		23	0.4%

hc56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
60		35	0.6%
61		37	0.6%
62		39	0.6%
63		55	0.9%
64		52	0.8%
65		63	1.0%
66		69	1.1%
67		65	1.1%
68		74	1.2%
69		63	1.0%
70		74	1.2%
71		88	1.4%
72		76	1.2%
73		71	1.2%
74		70	1.1%
75		95	1.5%
76		77	1.3%
77		83	1.3%
78		101	1.6%
79		95	1.5%
80		143	2.3%
81		115	1.9%
82		132	2.1%
83		103	1.7%
84		123	2.0%
85		136	2.2%
86		126	2.0%
87		150	2.4%
88		133	2.2%
89		134	2.2%
90		147	2.4%
91		128	2.1%
92		140	2.3%
93		136	2.2%
94		158	2.6%
95		149	2.4%
96		122	2.0%
97		124	2.0%
98		132	2.1%
99		123	2.0%
100		120	1.9%
101		112	1.8%
102		106	1.7%
103		112	1.8%
104		109	1.8%

hc56: hemoglobin level adjusted for altitude (g/dl - 1 decimal)

Value	Label	Cases	Percentage
105		107	1.7%
106		92	1.5%
107		106	1.7%
108		87	1.4%
109		89	1.4%
110		72	1.2%
111		66	1.1%
112		68	1.1%
113		53	0.9%
114		58	0.9%
115		41	0.7%
116		55	0.9%
117		49	0.8%
118		38	0.6%
119		45	0.7%
120		36	0.6%
121		34	0.6%
122		30	0.5%
123		33	0.5%
124		24	0.4%
125		23	0.4%
126		22	0.4%
127		17	0.3%
128		11	0.2%
129		13	0.2%
130		4	0.1%
131		6	0.1%
132		5	0.1%
133		6	0.1%
134		5	0.1%
135		3	0.0%
136		1	0.0%
138		2	0.0%
139		4	0.1%
140		2	0.0%
144		1	0.0%
152		1	0.0%
994	not present	0	
995	refused	0	
996	other	0	
997	inconsistent	0	
Sysmiss		33374	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc57: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

hc57: anemia level

Statistics [NW/ W]	[Valid=6155 /-] [Invalid=33374 /-]

Value	Label	Cases	Percentage
1	severe	803	13.0%
2	moderate	3484	56.6%
3	mild	1040	16.9%
4	not anemic	828	13.5%
Sysmiss		33374	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc58: na - agrees to referral - anemia

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc60: mother's line number (woman's questionnaire)

Information	[Type= discrete] [Format=numeric] [Range= 1-995] [Missing=*]
Statistics [NW/ W]	[Valid=7074 /-] [Invalid=32455 /-]

Value	Label	Cases	Percentage
1		221	3.1%
2		3983	56.3%
3		778	11.0%
4		323	4.6%
5		223	3.2%
6		178	2.5%
7		179	2.5%
8		107	1.5%
9		89	1.3%
10		69	1.0%
11		54	0.8%
12		38	0.5%
13		24	0.3%
14		18	0.3%
15		13	0.2%
16		12	0.2%
17		1	0.0%
18		6	0.1%
19		6	0.1%
20		2	0.0%
21		2	0.0%
26		1	0.0%
993	mother not de facto	114	1.6%
994	incomplete woman's interview	0	

hc60: mother's line number (woman's questionnaire)

Value	Label	Cases	Percentage
995	not in household	633	8.9%
Sysmiss		32455	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc61: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6327 /-] [Invalid=33202 /-]

Value	Label	Cases	Percentage
0	no education	5126	81.0%
1	primary	778	12.3%
2	secondary	402	6.4%
3	higher	21	0.3%
8	don't know	0	
Sysmiss		33202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc62: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=1198 /-] [Invalid=38331 /-]

Value	Label	Cases	Percentage
0		20	1.7%
1		114	9.5%
2		172	14.4%
3		224	18.7%
4		199	16.6%
5		213	17.8%
6		236	19.7%
7		20	1.7%
98	don't know	0	
Sysmiss		38331	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc63: preceding birth interval (months)

Information	[Type= continuous] [Format=numeric] [Range= 8-78] [Missing=*]
Statistics [NW/ W]	[Valid=3244 /-] [Invalid=36285 /-] [Mean=35.002 /-] [StdDev=11.756 /-]

hc64: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=6327 /-] [Invalid=33202 /-]

Value	Label	Cases	Percentage
1		3036	48.0%
2		2715	42.9%
3		542	8.6%
4		33	0.5%
5		1	0.0%
Sysmiss		33202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc68: mother's highest educational level (for preliminary and final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6327 /-] [Invalid=33202 /-]

Value	Label	Cases	Percentage
0	no education	5126	81.0%
1	primary	778	12.3%
2	secondary	402	6.4%
3	higher	21	0.3%
8	don't know	0	
Sysmiss		33202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc70: na - height/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc71: na - weight/age standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc72: na - weight/height standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hc73: na - bmi standard deviation (new who)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
9996	height out of plausible limits	0	
9997	age in days out of plausible limits	0	

hc73: na - bmi standard deviation (new who)

Value	Label	Cases	Percentage
9998	flagged cases	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlidx: mosquito bed net designation number

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=26778 /-] [Invalid=12751 /-]

Value	Label	Cases	Percentage
1		9799	36.6%
2		9214	34.4%
3		4842	18.1%
4		1608	6.0%
5		825	3.1%
6		395	1.5%
7		95	0.4%
Sysmiss		12751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml3: net observed by interviewer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26731 /-] [Invalid=12798 /-]

Value	Label	Cases	Percentage
0	not seen	3449	12.9%
1	yes, seen	23282	87.1%
Sysmiss		12798	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml4: months ago net obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=26748 /-] [Invalid=12781 /-]

Value	Label	Cases	Percentage
0		10	0.0%
1		69	0.3%
2		141	0.5%
3		267	1.0%
4		219	0.8%
5		265	1.0%
6		493	1.8%
7		177	0.7%
8		281	1.1%
9		298	1.1%
10		634	2.4%
11		932	3.5%
12		11335	42.4%
13		1830	6.8%
14		2498	9.3%

hml4: months ago net obtained

Value	Label	Cases	Percentage
15		892	3.3%
16		747	2.8%
17		104	0.4%
18		227	0.8%
19		21	0.1%
20		41	0.2%
21		22	0.1%
22		37	0.1%
23		44	0.2%
24		2731	10.2%
25		65	0.2%
26		107	0.4%
27		26	0.1%
28		55	0.2%
29		1	0.0%
30		27	0.1%
31		7	0.0%
32		4	0.0%
34		12	0.0%
35		2	0.0%
36		488	1.8%
96	more than 3 years ago	1176	4.4%
98	don't know	463	1.7%
Sysmiss		12781	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml5: net treated with insecticide when bought

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=371 /-] [Invalid=39158 /-]

Value	Label	Cases	Percentage
0	no	44	11.9%
1	yes	287	77.4%
8	don't know	40	10.8%
Sysmiss		39158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml6: net treatment status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=26749 /-] [Invalid=12780 /-]

Value	Label	Cases	Percentage
0	not pretreated	0	
1	pretreated, permanent treatment	26050	97.4%
2	pretreated, requiring future treatment	298	1.1%
3	not pretreated, came with kit and treated at home	0	
4	pretreated, treatment type not known	0	
6	other	278	1.0%

hml6: net treatment status

Value	Label	Cases	Percentage
8	don't know	123	0.5%
Sysmiss		12780	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml7: brand of net

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=26749 /-] [Invalid=12780 /-]

Value	Label	Cases	Percentage
11	long-lasting insectiside treated nets (llin) : oliset	15895	59.4%
12	long-lasting insectiside treated nets (llin) : pemanet	6774	25.3%
13	long-lasting insectiside treated nets (llin) : interceptor	663	2.5%
14	long-lasting insectiside treated nets (llin) : serena	127	0.5%
16	others/don't know brand (llin)	2591	9.7%
21	pretreated net : others	203	0.8%
26	don't know brand (pretreated net)	95	0.4%
96	other	278	1.0%
98	dk brand	123	0.5%
Sysmiss		12780	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml8: na - net treated since receiving

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	permanent net	0	
8	not sure	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml9: na - time since last re-treatment (months)

Information	[Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
95	25+ months ago	0	
96	more than 3 years ago	0	
98	don't know	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml10: insecticide-treated net (itn)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26778 /-] [Invalid=12751 /-]

Value	Label	Cases	Percentage
0	no, don't know	649	2.4%
1	yes	26129	97.6%
Sysmiss		12751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml11: number of persons who slept under this net

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

hml11: number of persons who slept under this net

Statistics [NW/ W]	[Valid=26778 /-] [Invalid=12751 /-]

Value	Label	Cases	Percentage
1		5284	19.7%
2		8878	33.2%
3		8527	31.8%
4		4089	15.3%
5	5+	0	
Sysmiss		12751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml21: someone slept under this net last night

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=26778 /-] [Invalid=12751 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	26778	100.0%
8	not sure (dk)	0	
Sysmiss		12751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmla: line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Range= 0-37] [Missing=*]
Statistics [NW/ W]	[Valid=26776 /-] [Invalid=12753 /-]

Value	Label	Cases	Percentage
0	no one	0	
1		7212	26.9%
2		8395	31.4%
3		4388	16.4%
4		1977	7.4%
5		1366	5.1%
6		1032	3.9%
7		737	2.8%
8		513	1.9%
9		340	1.3%
10		212	0.8%
11		201	0.8%
12		132	0.5%
13		94	0.4%
14		66	0.2%
15		35	0.1%
16		24	0.1%
17		13	0.0%
18		12	0.0%
19		9	0.0%
20		3	0.0%
21		5	0.0%

hmla: line number of person who slept in this net

Value	Label	Cases	Percentage
22		6	0.0%
23		2	0.0%
25		1	0.0%
37		1	0.0%
Sysmiss		12753	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmlb: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-32] [Missing=*]
Statistics [NW/ W]	[Valid=21492 /-] [Invalid=18037 /-] [Mean=5.382 /-] [StdDev=3.142 /-]

hmlc: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-33] [Missing=*]
Statistics [NW/ W]	[Valid=12620 /-] [Invalid=26909 /-] [Mean=6.467 /-] [StdDev=3.275 /-]

hmld: line number of person who slept in this net

Information	[Type= continuous] [Format=numeric] [Range= 1-27] [Missing=*]
Statistics [NW/ W]	[Valid=4089 /-] [Invalid=35440 /-] [Mean=7.338 /-] [StdDev=3.362 /-]

hmle: na - line number of person who slept in this net

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131a: form of mosquito net

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=26705 /-] [Invalid=12824 /-]

Value	Label	Cases	Percentage
1	conical/circular	94	0.4%
2	rectangular	26611	99.6%
Sysmiss		12824	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131b: source obtained net

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=25822 /-] [Invalid=13707 /-]

Value	Label	Cases	Percentage
1	campaign de 2013-2014	24228	93.8%
2	prenatal consultation	595	2.3%
3	child vaccination	156	0.6%
4	market	565	2.2%
5	pharmacy	109	0.4%
6	other	169	0.7%
Sysmiss		13707	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131c: net hung when obtained

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=26778 /-] [Invalid=12751 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	26778	100.0%
Sysmiss		12751	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sh131d: person who hung the net

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=26570 /-] [Invalid=12959 /-]

Value	Label	Cases	Percentage
1	household member	26562	100.0%
2	agent	0	
3	neighbor	2	0.0%
8	don't know	6	0.0%
Sysmiss		12959	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hmhidx: index to household schedule

Information	[Type= continuous] [Format=numeric] [Range= 1-40] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-] [Mean=4.685 /-] [StdDev=3.517 /-]

hml12: type of mosquito bed net(s) person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	did not sleep under a net	12751	32.3%
1	only treated (itn) nets	26125	66.1%
2	both treated (itn) and untreated nets	5	0.0%
3	only untreated nets	648	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml13: net designation number (hmlidx) for 1st net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	did not sleep under net	12751	32.3%
1		9799	24.8%
2		9214	23.3%
3		4842	12.2%
4		1608	4.1%
5		825	2.1%
6		395	1.0%
7		95	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml14: net designation number (hmlidx) for 2nd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 2-7] [Missing=*]
Statistics [NW/ W]	[Valid=109 /-] [Invalid=39420 /-]

Value	Label	Cases	Percentage
2		23	21.1%
3		28	25.7%
4		23	21.1%
5		15	13.8%
6		11	10.1%
7		9	8.3%
Sysmiss		39420	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml15: net designation number (hmlidx) for 3rd net person slept under last night

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=39528 /-]

Value	Label	Cases	Percentage
5		1	100.0%
Sysmiss		39528	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16: corrected age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=39525 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0		1453	3.7%
1		1349	3.4%
2		1438	3.6%
3		1436	3.6%
4		1396	3.5%
5		1343	3.4%
6		1243	3.1%
7		1632	4.1%
8		1365	3.5%
9		1288	3.3%
10		1392	3.5%
11		939	2.4%
12		1186	3.0%
13		1132	2.9%
14		870	2.2%
15		897	2.3%
16		736	1.9%
17		769	1.9%
18		732	1.9%
19		568	1.4%
20		774	2.0%
21		513	1.3%

hml16: corrected age from individual file

Value	Label	Cases	Percentage
22		578	1.5%
23		487	1.2%
24		460	1.2%
25		662	1.7%
26		434	1.1%
27		528	1.3%
28		465	1.2%
29		439	1.1%
30		692	1.8%
31		351	0.9%
32		522	1.3%
33		317	0.8%
34		364	0.9%
35		580	1.5%
36		361	0.9%
37		371	0.9%
38		295	0.7%
39		288	0.7%
40		463	1.2%
41		248	0.6%
42		313	0.8%
43		227	0.6%
44		222	0.6%
45		365	0.9%
46		202	0.5%
47		190	0.5%
48		207	0.5%
49		217	0.5%
50		302	0.8%
51		190	0.5%
52		285	0.7%
53		206	0.5%
54		225	0.6%
55		268	0.7%
56		190	0.5%
57		149	0.4%
58		144	0.4%
59		120	0.3%
60		342	0.9%
61		97	0.2%
62		124	0.3%
63		94	0.2%
64		109	0.3%
65		195	0.5%
66		75	0.2%

hml16: corrected age from individual file

Value	Label	Cases	Percentage
67		75	0.2%
68		83	0.2%
69		60	0.2%
70		188	0.5%
71		47	0.1%
72		70	0.2%
73		47	0.1%
74		43	0.1%
75		83	0.2%
76		28	0.1%
77		31	0.1%
78		39	0.1%
79		15	0.0%
80		90	0.2%
81		19	0.0%
82		19	0.0%
83		11	0.0%
84		17	0.0%
85		31	0.1%
86		4	0.0%
87		18	0.0%
88		6	0.0%
89		9	0.0%
90		26	0.1%
91		5	0.0%
92		1	0.0%
93		5	0.0%
94		4	0.0%
95		36	0.1%
97	97+	0	
98	don't know	1	0.0%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml16a: age in months (for children)

Information	[Type= continuous] [Format=numeric] [Range= 0-75] [Missing=*]
Statistics [NW/ W]	[Valid=8419 /-] [Invalid=31110 /-] [Mean=34.936 /-] [StdDev=20.572 /-]

hml17: flag for age from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no data from individual file	23023	58.2%
1	month and year - information complete	14676	37.1%
2	month and age - year imputed	1	0.0%
3	year and age - month imputed	1755	4.4%

hml17: flag for age from individual file

Value	Label	Cases	Percentage
4	year and age - year ignored	0	
5	year - age/month imputed	1	0.0%
6	age - year/month imputed	73	0.2%
7	month - age/year imputed	0	
8	none - all imputed	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml18: pregnancy status from individual file

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=8280 /-] [Invalid=31249 /-]

Value	Label	Cases	Percentage
0	not pregnant, don't know	7547	91.1%
1	pregnant	733	8.9%
Sysmiss		31249	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml19: person slept under an ever-treated net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	12893	32.6%
1	yes	26636	67.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml20: person slept under an llin net

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=39529 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	13478	34.1%
1	yes	26051	65.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml30: line number of parent/caretaker (for malaria testing)

Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
Statistics [NW/ W]	[Valid=6311 /-] [Invalid=33218 /-]

Value	Label	Cases	Percentage
0	not in household	0	
1		3474	55.0%
2		1972	31.2%
3		314	5.0%
4		131	2.1%
5		112	1.8%
6		65	1.0%
7		66	1.0%
8		47	0.7%
9		30	0.5%

hml30: line number of parent/caretaker (for malaria testing)

Value	Label	Cases	Percentage
10		31	0.5%
11		19	0.3%
12		14	0.2%
13		12	0.2%
14		5	0.1%
15		9	0.1%
16		3	0.0%
18		2	0.0%
19		1	0.0%
20		4	0.1%
Sysmiss		33218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml31: read consent statement for malaria

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=6283 /-] [Invalid=33246 /-]

Value	Label	Cases	Percentage
1	granted	6157	98.0%
2	refused	49	0.8%
5	not present	64	1.0%
6	other	13	0.2%
Sysmiss		33246	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32: final result of malaria from blood smear test

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6282 /-] [Invalid=33247 /-]

Value	Label	Cases	Percentage
0	negative	3202	51.0%
1	positive	2915	46.4%
3	unreadable	25	0.4%
4	not present	64	1.0%
5	refused	49	0.8%
6	others	13	0.2%
7	test undetermined	0	
8	sample not found in lab database	14	0.2%
Sysmiss		33247	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32a: na - presence of species: falciparum (pf)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

hml32a: na - presence of species: falciparum (pf)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32b: na - presence of species: malariae (pm)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32c: na - presence of species: ovale (po)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32d: na - presence of species: vivax (pv)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32e: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32f: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml32g: na - presence of species: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=39529 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		39529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml33: result of malaria measurement

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6284 /-] [Invalid=33245 /-]

Value	Label	Cases	Percentage
0	measured	6158	98.0%
3	not present	64	1.0%
4	refused	49	0.8%
6	other	13	0.2%
Sysmiss		33245	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hml34: bar code for blood smear sample

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=6311 /-] [Invalid=0 /-]

hml35: result of malaria rapid test

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=6155 /-] [Invalid=33374 /-]

Value	Label	Cases	Percentage
0	negative	2189	35.6%
1	positive	3965	64.4%
6	other	1	0.0%
Sysmiss		33374	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.