

**Burkina Faso**

**Institut national de la statistique et de la  
démographie, Ministère de l'économie et des finances**

**Enquête par grappes à indicateurs multiples (MICS) 2006**

**Study Documentation**

May 2, 2025

# Metadata Production

<b>Metadata Producer(s)</b>	Institut national de la statistique et de la démographie (INSD) , Ministère de l'économie et des finances , Documentation de l'étude
<b>Production Date</b>	May 2, 2025
<b>Version</b>	Version finale
<b>Identification</b>	DDI-BFA-INSD-MICS3-2006-v1

# Table of Contents

<a href="#">Overview</a> .....	4
<a href="#">Scope &amp; Coverage</a> .....	8
<a href="#">Producers &amp; Sponsors</a> .....	8
<a href="#">Sampling</a> .....	8
<a href="#">Data Collection</a> .....	9
<a href="#">Data Processing &amp; Appraisal</a> .....	9
<a href="#">Accessibility</a> .....	10
<a href="#">Rights &amp; Disclaimer</a> .....	10
<a href="#">Files Description</a> .....	11
<a href="#">ch enfants moins de 05 ans</a> .....	11
<a href="#">hh base ménage</a> .....	11
<a href="#">hl membre du ménage</a> .....	11
<a href="#">wm base femme</a> .....	11
<a href="#">who h données anthropométriques</a> .....	12
<a href="#">Variables List</a> .....	13
<a href="#">ch enfants moins de 05 ans</a> .....	13
<a href="#">hh base ménage</a> .....	26
<a href="#">hl membre du ménage</a> .....	32
<a href="#">wm base femme</a> .....	38
<a href="#">who h données anthropométriques</a> .....	51
<a href="#">Variables Description</a> .....	52
<a href="#">ch enfants moins de 05 ans</a> .....	53
<a href="#">hh base ménage</a> .....	165
<a href="#">hl membre du ménage</a> .....	222
<a href="#">wm base femme</a> .....	280
<a href="#">who h données anthropométriques</a> .....	386

## Enquête par grappes à indicateurs multiples (MICS) 2006 (MICS3)

Overview	
Type	Demographic and Health Survey [hh/dhs]
Identification	DDI-BFA-INSD-MICS3-2006-v1
Version	Production Date: 2008-02 Version finale

### Abstract

L'Enquête par grappe à indicateurs multiples (MICS 2006) du Burkina Faso est une enquête nationale qui porte sur les ménages, les femmes et les enfants. Elle est représentative aux niveaux national et du milieu de résidence. L'objectif principal est de collecter des informations récentes pour le suivi des progrès relatifs aux Objectifs du Millénaire pour le Développement (OMD) adopté en septembre 2000 et au Plan d'action d'un Monde Digne des Enfants (MDE), adopté en mai 2002.

L'Enquête à Indicateurs Multiples du Burkina Faso (MICS3) de 2006 a été réalisée par l'Institut National de la Statistique et de la Démographie (INSD). Elle a été entièrement financée par le Fonds des Nations Unies pour l'Enfance (UNICEF). Cette enquête intervient après l'enquête MICS1 réalisée par le Burkina Faso et financée par l'UNICEF en 1996. La troisième édition des enquêtes MICS (MICS3) a concerné plus de 50 pays à travers le monde au cours de la période 2005-2006. Les outils et méthodes de l'enquête sont fondés sur des modèles et standards développés par le projet MICS dont la mission consiste en la collecte d'informations sur la situation des enfants et des femmes dans les différents pays à travers le monde. Pour de plus amples informations, consulter le site [www.childinfo.org](http://www.childinfo.org).

### MORTALITE DES ENFANTS DE MOINS DE CINQ ANS

Dans le cadre de l'enquête MICS3, les taux de mortalité infanto-juvénile sont calculés sur la base d'une technique d'estimation indirecte dénommée Méthode de Brass. Le taux de mortalité infanto-juvénile (avant cinq ans) est de 188‰ pour la période de mars 2000 à avril 2002.

Le taux de mortalité infanto-juvénile est plus élevé chez les enfants de sexe féminin que chez les enfants de sexe masculin (190‰ contre 186‰). Les probabilités de décès des enfants de moins de cinq ans sont environ 1,5 fois plus élevées en milieu rural qu'en milieu urbain (respectivement 196‰ et 126‰).

### ETAT NUTRITIONNEL DES ENFANTS DE MOINS DE 5 ANS

#### Statut nutritionnel

- Un enfant sur trois âgés de moins de cinq ans (37%) souffre d'insuffisance pondérale. Egalement un enfant sur trois âgés de moins de cinq ans (35%) souffre d'un retard de croissance et un enfant sur cinq (23%) souffre d'émaciation.
- Sept pour cent (7%) des enfants âgés de moins de six (6) mois sont exclusivement allaités au sein maternel. A l'âge de 6-9 mois, 50% des enfants reçoivent du lait maternel et des aliments solides ou pâteux. Et à l'âge de 20-23 mois, 85% des enfants continuent d'être allaités au sein.
- Parmi les enfants de moins de 12 mois, 25% sont nourris convenablement.

#### Apport en vitamine A

- Au cours des six mois précédant l'enquête MICS3, près de sept enfants sur dix (67%) âgés de 6-59 mois ont reçu de la vitamine A et 18% n'en ont jamais reçu.
- La moitié des femmes âgées de 15-49 ans (48%) qui ont accouché au cours de l'année précédant MICS3 ont reçu une supplémentation en vitamine A dans les huit semaines suivant l'accouchement.

#### Faible poids à la naissance

- Quatre enfants sur dix (39 %) nés au cours des deux dernières années précédant l'enquête MICS3 ont été pesés et près de 16 % de ces enfants ont un poids inférieur à 2500 grammes.

## SANTE DE L'ENFANT

### Couverture vaccinale

- Les résultats de l'enquête MICS3 indiquent que 67% des enfants âgés de 12-23 mois ont reçu tous les vaccins recommandés. Ce pourcentage est plus faible en milieu rural (63%) qu'en milieu urbain (83%).  
 - Parmi les enfants âgés de 12-23 mois actuellement vaccinés, 92% ont reçu le BCG ; 79% la DTP3 ; 79% la Polio3 ; 76% la fièvre jaune et 75% la rougeole.  
 - Parmi les femmes ayant eu une naissance au cours des 12 derniers mois, trois sur quatre (75%) ont bénéficié de la protection prénatale contre le tétanos. Cette proportion est de 85% en milieu urbain contre 73% en milieu rural.

### Diarrhée

- Au cours des deux semaines précédant l'enquête, un enfant sur quatre âgé de moins de cinq ans (20%) a eu la diarrhée. Dix-sept pour cent (17%) des enfants sont concernés en milieu urbain contre 21% en milieu rural. Les enfants dont l'âge est compris entre 6-23 mois ont davantage souffert des épisodes diarrhéiques que les autres.  
 - Plus du tiers des enfants (36%) ayant souffert de la diarrhée ont reçu un traitement avec le liquide SRO préparé ou préemballé, ou encore les fluides recommandés faits à domicile.  
 - Durant les épisodes diarrhéiques, 42% des enfants malades ont reçu une thérapie de réhydratation par voie orale, ont pris davantage de fluides et ont continué de manger.

### Infections respiratoires aiguës

- Quatre pour cent (4%) des enfants de moins de cinq ans ont souffert d'une infection respiratoire aiguë (IRA). La prévalence des IRA est plus élevée en milieu rural (5%) qu'en milieu urbain (2%).  
 - Trente-neuf pour cent (39%) des enfants ayant souffert d'une IRA ont bénéficié des prestations d'un personnel de soins de santé approprié. Parmi les filles malades, 34% ont été traitées par les prestataires de soins de santé appropriés, contre 42% chez les garçons.  
 - Trente et un pour cent (31%) des enfants de moins de 5 ans atteints d'une IRA ont reçu des antibiotiques.  
 - Seulement 3% des mères ou des personnes en charge des enfants connaissent les deux signes d'IRA pour lesquels un enfant doit être emmené immédiatement dans un établissement de santé, à savoir une respiration rapide et une respiration difficile.

### Paludisme

- Dix-huit pour cent (18%) des enfants âgés de moins de cinq ans ont dormi sous une moustiquaire la nuit précédant l'enquête. Cette proportion n'est que de 10% pour les moustiquaires traitées. Le coût moyen d'une moustiquaire traitée est de 1500 FCFA dans le public et dans le privé.  
 - Un enfant sur cinq de moins de cinq ans (20%) a eu la fièvre au cours des deux semaines précédant l'enquête. La prévalence de la fièvre est de 22% en milieu urbain contre 19% en milieu rural. Les enfants âgés de 12-23 mois sont plus touchés par le paludisme que les autres (24%).  
 - Près de la moitié (48%) des enfants fébriles ont reçu un traitement antipaludéen approprié. Dans les 24 heures qui ont suivi les symptômes du paludisme, 41% des enfants fébriles ont reçu un traitement antipaludéen approprié.

xxi

- Durant la grossesse, quatre femmes sur cinq (79%) ont reçu un médicament antipaludéen dont 1% a reçu deux fois ou plus du SP/Fansidar. Le traitement à la chloroquine demeure élevée (73% des femmes).

## EAU ET ASSAINISSEMENT

- Selon la définition "internationale" utilisée dans l'enquête MICS3, 77% de la population a accès à l'eau potable ; 94% en milieu urbain contre 72% en milieu rural.  
 - Pour 11% des ménages, la source d'approvisionnement en eau de boisson se trouve sur place. Pour les autres ménages, le temps moyen pour aller chercher l'eau et revenir est de 36 minutes. Le temps mis pour aller à la source d'eau et revenir est plus élevé en milieu rural (37 minutes) qu'en milieu urbain (29 minutes).  
 - La femme adulte est la personne qui va chercher l'eau dans 85% des cas, quand la source d'approvisionnement en eau de boisson ne se trouve pas sur place. Les hommes adultes ne vont chercher de l'eau que dans 8% des cas.

- Un peu plus d'un tiers (37%) de la population vit dans des ménages disposant de toilettes appropriées. En milieu urbain, 94% de la population des ménages contre 19% en milieu rural disposent de toilettes appropriées.
- La proportion d'enfants dont les excréta sont évacués sagement est de 17%. Cette proportion est de 63% en milieu urbain contre 7% en milieu rural.
- Un tiers (32%) de la population utilise à la fois des sources améliorées d'approvisionnement en eau et des moyens améliorés d'évacuation des excréta. Le milieu urbain enregistre 89% contre 14% en milieu rural.

## CONDITIONS D'HABITATION

- En milieu urbain, 50% de la population des ménages n'ont pas de bail assuré (pas de papier en règle ou risque d'être expulsés). Par ailleurs, 69% des ménages vivent dans des habitations considérées précaires.

## SANTE DE LA REPRODUCTION

### Soins prénatals

- Au cours des visites prénatales, 85% des femmes ont fait prendre leur poids, 83% ont eu une prise de tension, 74% ont eu un prélèvement d'urines et 35% une prise de sang. - Plus de quatre femmes sur cinq (85%) âgées de 15-49 ans ayant donné naissance au cours des deux dernières années précédant l'enquête ont reçu des soins prénatals de professionnels de santé. Cette proportion est de 98% en milieu urbain contre 82% en milieu rural.

### Assistance pendant l'accouchement

- Parmi les femmes ayant accouché au cours des deux années précédant l'enquête, 51% l'ont fait dans un centre de santé. En ville, 94% des femmes ont accouché dans un centre de santé contre 40% en milieu rural.
- Au cours de la période considérée, 54% des accouchements ont été assistés par un personnel de santé qualifié. Les accouchements sont davantage assistés en milieu urbain (66%) qu'en milieu rural (51%).

### Contraception

- Treize pour cent (13%) des femmes âgées de 15-49 ans mariées ou en union utilisent (ou dont le partenaire utilise) une méthode moderne de contraception. Cette proportion est de 32% en milieu urbain contre 8% en milieu rural.

## PROTECTION DE L'ENFANT

### Enregistrement des naissances

- Parmi les naissances d'enfants de moins de 5 ans, 64% ont été enregistrées à l'Etat Civil. Cette proportion est de 86% en milieu urbain contre 58% en milieu rural.

### Discipline de l'enfant

- La grande majorité des enfants de 2-14 ans (83%) font l'objet de punitions psychologiques ou de punitions physiques et 37% des mères/personnes en charge des enfants pensent recourir à des punitions physiques pour la discipline de l'enfant.

## EXCISION

- Trois quarts des femmes âgées de 15-49 ans (73%) ont été excisées. Cette pratique touche aussi bien les femmes en milieu urbain (76%) que celles du milieu rural (72%). - La forme extrême de l'excision concerne 3% des femmes excisées.

## VIOLENCES CONJUGALES

- Près des trois quarts des femmes (71%) pensent qu'un mari a le droit de frapper ou de battre sa femme/partenaire lorsqu'elle néglige les enfants, sort sans le prévenir, lui tient tête dans les discussions, brûle la nourriture ou refuse des rapports sexuels. Cette proportion est plus élevée en milieu rural (76%) qu'en milieu urbain (59%).

## DEVELOPPEMENT DE L'ENFANT

- Douze pour cent (12%) des enfants âgés de moins de 5 ans ont bénéficié de quatre activités d'apprentissage avec l'encadrement d'un adulte de son ménage. L'implication du père dans ces activités s'est observée dans 23% de ces cas.

**EDUCATION Education préscolaire**

- Un peu plus de 2% des enfants de 3-4 ans fréquentent un établissement d'éducation préscolaire. Cette proportion est d'environ 8% en milieu urbain contre moins de 1% en milieu rural.
- Les enfants de sexe masculin sont en plus grande proportion que ceux du sexe féminin à fréquenter ce type d'établissement, respectivement 3% et 1%.

**Education primaire et secondaire**

- Près de deux enfants sur cinq (39%) en âge d'être inscrits en première année du primaire (taux net d'admission) sont effectivement inscrits ;
- Moins de la moitié (46%) des enfants en âge d'aller à l'école primaire (enfants âgés de 7-12 ans) fréquentent une école primaire : 79% en milieu urbain contre 36% en milieu rural. - Selon le sexe, les garçons sont plus scolarisés que les filles (49% contre 44% au primaire ; 17% contre 15% au secondaire). Neuf enfants sur dix (91%) qui entrent au CP1 finissent par atteindre la classe de CM1.
- Selon la définition des enquêtes MICS, le taux d'alphabétisation de la population féminine âgée de 15 à 24 ans est de 25%. Ce taux est de 51% en milieu urbain contre 10% en milieu rural.

**VIH / SIDA, ENFANTS ORPHELINS ET VULNERABLES****Connaissance de la transmission du VIH/Sida et utilisation du préservatif**

- La grande majorité des femmes de 15-49 ans (94%) ont déjà entendu parler du VIH/Sida. - Seulement 16% des femmes ont une connaissance approfondie du VIH/Sida, c'est-à-dire qu'elles identifient deux moyens de préventions et trois idées fausses sur le VIH/Sida. - Deux femmes sur cinq (40%) connaissent un centre de dépistage, un dixième des femmes (12%) ont déjà fait leur test, et parmi elles, environ neuf femmes sur dix (88%) se sont intéressées au résultat de leur test.

xxiii

- Parmi les femmes qui ont eu des consultations prénatales auprès d'un personnel médical qualifié (85%), 39% ont reçu des informations et conseils sur le VIH/Sida au cours d'une visite prénatale et 8% ont fait le test de dépistage; seulement 7% ont pris connaissance de leur résultat.
- Parmi les jeunes femmes de 15-24 ans, 57% ont eu des rapports sexuels au cours des 12 derniers mois précédant l'enquête, et parmi elles 30% ont eu ces rapports avec des partenaires avec lesquels elles ne sont pas en union. Près de deux tiers de ces jeunes femmes (64%) qui ont eu ce type de rapports ont déclaré avoir utilisé un préservatif lors du dernier rapport sexuel.

**Enfants orphelins et vulnérables**

- Plus de trois quarts (77%) des enfants âgés de 0-17 ans vivent avec leurs deux parents, 11% ne vivent pas avec un parent biologique et 7% ont un ou les deux parents décédés. - 15% des enfants de moins de 18 ans sont des enfants orphelins ou vulnérables. Parmi eux, trois enfants sur cinq (9%) sont vulnérables.
- Le ratio du taux de fréquentation scolaire des enfants orphelins et vulnérables au taux de fréquentation des enfants ni orphelins ni vulnérables est égal à 1,04, ce qui signifie qu'il n'y a pas de différence apparente entre les deux groupes d'enfants dans la fréquentation scolaire. - La majorité des enfants orphelins et vulnérables (93%) ne reçoit aucun soutien de la part du gouvernement et des organisations communautaires. Seuls 7% de ces enfants ont reçu au moins un des quatre types de soutien au cours des douze derniers mois tandis qu'une proportion très infime (0,2%) a reçu tous les quatre types de soutien (médical, émotionnel ou psychosocial, social ou matériel et scolaire).
- De façon générale, les enfants orphelins et vulnérables présentent des indices nutritionnels moins reluisants que ceux non orphelins ou non vulnérables.
- Le pourcentage d'adolescentes âgées de 15-17 ans qui ont eu des rapports sexuels avant l'âge de 15 ans est légèrement plus élevé chez les jeunes orphelines et vulnérables (7%) que chez les adolescentes n'étant ni orphelines et ni vulnérables (6%).

<b>Kind of Data</b>	Sample survey data [ssd]
<b>Unit of Analysis</b>	- Ménages ; - Femmes de 15 - 49 ans ; - Enfants de moins de 05 ans.

<b>Scope &amp; Coverage</b>	
<p><b>Scope</b></p> <ul style="list-style-type: none"> <li>- Education</li> <li>- Eau et assainissement</li> <li>- Bail assuré/Durabilité de l'habitat</li> <li>- Caractéristiques du ménage</li> <li>- Moustiquaires traitées aux insecticides</li> <li>- Enfants vulnérables et orphelins</li> <li>- Discipline de l'enfant</li> <li>- Iodation du sel</li> <li>- Mortalité des enfants</li> <li>- Anatoxine tétanique</li> <li>- Santé de la mère et du nouveau-né</li> <li>- Union et mariage</li> <li>- Contraception et besoins non satisfaits</li> <li>- Excision</li> <li>- Attitudes vis-à-vis de la violence domestique</li> <li>- Comportement sexuel</li> <li>- VIH/Sida</li> <li>- Enregistrement des naissances et éducation de la petite enfance</li> <li>- Vitamine A</li> <li>- Allaitement</li> <li>- Soins aux enfants malades</li> <li>- Paludisme chez les enfants de moins de cinq ans</li> <li>- Vaccination</li> <li>- Anthropométrie</li> </ul>	
<b>Keywords</b>	Education, Eau et assainissement, Enfants vulnérables et orphelins, Excision, Vaccination
<b>Time Period(s)</b>	2006
<b>Countries</b>	Burkina Faso
<p><b>Geographic Coverage</b></p> <p>Nationale</p>	
<p><b>Universe</b></p> <p>L'enquête a couvert tous les membres de droit du ménage (résidents habituels), toutes les femmes âgées de 15 à 49 ans résidant dans le ménage, tous les enfants âgés de 0 à 4 ans (moins de 5 ans) résidant dans le ménage.</p>	

<b>Producers &amp; Sponsors</b>	
<b>Primary Investigator(s)</b>	Institut national de la statistique et de la démographie, Ministère de l'économie et des finances
<b>Other Producer(s)</b>	Fonds des Nations unies pour l'enfance (UNICEF) , Nations Unies , Assistant technique et financière
<b>Funding Agency/ies</b>	Etat du Burkina Faso (BFA) , Financement local Fonds des Nations unies pour l'enfance (UNICEF) , Financement

<b>Sampling</b>
<p><b>Sampling Procedure</b></p> <p>L'échantillon de l'Enquête nationale à indicateurs multiples (MICS3) de 2006 du Burkina Faso a été constitué pour permettre des estimations basées sur un grand nombre d'indicateurs relatifs à la situation des enfants et des femmes, au niveau national et au niveau du milieu de résidence. L'échantillon de l'enquête MICS3 est un sous-échantillon de l'Enquête Démographique</p>

et de Santé de 2003. Le milieu de résidence a été identifié comme le principal domaine d'échantillonnage et le tirage de l'échantillon a été effectué de façon indépendante dans chaque domaine. L'échantillon a été sélectionné en deux étapes. Dans un premier temps, dans chaque milieu de résidence des grappes ont été sélectionnées avec une probabilité proportionnelle à la taille. Le nombre total de grappes sélectionnées est de 198. Dans un second temps, après l'établissement d'une liste des ménages dans les grappes sélectionnées, un échantillon systématique de 30 ménages par grappe a été tiré de façon aléatoire en milieu rural et un échantillon de 32 (Ouagadougou) à 36 (autres villes) ménages en milieu urbain. Une grappe n'a pu être visitée en raison de l'absence de son croquis durant la période de travail sur le terrain, ce qui ramène à 197 le nombre de grappes visitées. L'échantillon a été stratifié par milieu de résidence et n'est pas auto-pondéré. Pour obtenir des résultats au niveau national, des pondérations ont donc été calculées et appliquées aux résultats de l'enquête selon la méthodologie MICS. On peut trouver une description plus détaillée du plan d'échantillonnage dans l'Annexe A.

#### **Response Rate**

- Taux de réponse des ménages est de 93 %.
- Taux de réponse des femmes est de 90 %.
- Taux de réponse des enfants de moins de cinq ans 93%

#### **Weighting**

Voir annexe A du rapport final.

### **Data Collection**

<b>Data Collection Dates</b>	start 2006-03-29 end 2006-06-14
------------------------------	------------------------------------

<b>Data Collection Mode</b>	Face-to-face [f2f]
-----------------------------	--------------------

#### **Questionnaires**

- Questionnaire ménage ;
- Questionnaire individuel pour les femmes ;
- Questionnaire pour les enfants de moins de cinq ans.

<b>Data Collector(s)</b>	Institut national de la statistique et de la démographie (INSD) , Ministère de l'économie et des finances
--------------------------	---

#### **Supervision**

La supervision des travaux a été assurée par l'équipe de coordination du projet MICS3.

### **Data Processing & Appraisal**

#### **Data Editing**

Les données ont été saisies à l'aide du logiciel CSPro. Huit (8) micro-ordinateurs ont été utilisés par seize (16) opérateurs de saisie répartis en deux (2) équipes. Le contrôle, l'adaptation des programmes et l'édition ont été assurés par un programmeur, un superviseur de saisie et trois (3) éditeurs de données. Afin de garantir un contrôle de la qualité, tous les questionnaires ont fait l'objet d'une double saisie ; puis, il a été procédé à des contrôles de la cohérence interne. Les procédures et programmes standard élaborés dans le cadre du projet global MICS3 et adaptés aux questionnaires du Burkina Faso ont été utilisés tout au long du processus. Le traitement des données a commencé en juin 2006 et s'est achevé après janvier 2007 pour tenir compte des modifications dans les syntaxes apportées par le projet MICS3 (atelier de Dakar de janvier 2007). Les données ont été analysées en utilisant le logiciel Statistical Package for Social Sciences (SPSS), Version 14 dont le modèle de syntaxes et les plans d'exploitation des données ont été élaborés par l'UNICEF.

Compte tenu du déménagement de l'INSD de son site suivi du retour à ce même site, il a été difficile de procéder à la saisie simultanée en même temps que la collecte des données.

#### **Estimates of Sampling Error**

Voir annexe C du rapport final.

<b>Accessibility</b>	
<b>Access Authority</b>	Direction de l'informatique du management de l'information statistique (DIMIS) (INSD) , <a href="https://www.insd.bf">https://www.insd.bf</a>
<b>Contact(s)</b>	Institut national de la statistique et de la démographie (Ministère de l'économie et des finances) , <a href="https://www.insd.bf">https://www.insd.bf</a> , <a href="mailto:insd@insd.bf">insd@insd.bf</a>
<b>Distributor(s)</b>	Insttut Nationale de la statistique et de la demographie
<p><b><u>Confidentiality</u></b></p> <p>L'accès aux données est soumis aux principes de confidentialité et de protection des informations. Toute personne, institution ou organisation autorisée à accéder à ces données s'engage à respecter les dispositions suivantes :</p> <ol style="list-style-type: none"> <li>1. Utilisation limitée des données: les données fournies doivent être utilisées exclusivement aux fins pour lesquelles elles ont été obtenues. Toute utilisation non autorisée, notamment à des fins commerciales, est strictement interdite sans l'accord préalable des responsables concernés.</li> <li>2. Protection de la confidentialité: les utilisateurs doivent accorder une attention particulière à la confidentialité des informations individuelles ou sensibles contenues dans les données. En aucun cas, les données ne doivent être utilisées pour identifier ou divulguer des informations personnelles sur les individus ou les entités concernées.</li> <li>3. Partage et diffusion: les données ne peuvent être partagées, publiées ou transmises à d'autres niveaux sans une autorisation explicite préalable. Toute publication impliquant ces données doit garantir l'anonymat des informations sensibles et respecter scrupuleusement les droits des personnes concernées.</li> <li>4. Sécurité des données: les utilisateurs doivent prendre toutes les mesures nécessaires pour protéger leurs données contre tout accès non autorisé, toute perte ou tout dommage.</li> <li>5. Responsabilité légale: tout manquement aux conditions d'accès ou d'utilisation des données peut entraîner des sanctions, notamment la révocation des droits d'accès, des poursuites judiciaires et l'obligation de réparation.</li> <li>6. Engagement d'un engagement: les utilisateurs doivent signer un engagement de confidentialité avant d'accéder aux données, attestant ainsi de leur compréhension et de leur respect des conditions liées à leur utilisation.</li> </ol>	
<p><b><u>Access Conditions</u></b></p> <p>L'ensemble de données a été rendu anonyme et est disponible en tant qu'ensemble de données à usage public. Il est accessible à tous à des fins statistiques et de recherche uniquement, selon les conditions suivantes :</p> <ol style="list-style-type: none"> <li>1. Les données et autres matériels ne seront pas redistribués ou vendus à d'autres personnes, institutions ou organisations sans l'accord écrit l'INSD.</li> <li>2. Les données ne seront utilisées qu'à des fins statistiques et de recherche scientifique. Elles ne serviront qu'à communiquer des informations agrégées et non à enquêter sur des personnes ou des organisations spécifiques.</li> <li>3. Aucune tentative ne sera faite pour réidentifier les répondants et aucune utilisation ne sera faite de l'identité d'une personne ou d'un établissement découverte par inadvertance. Toute découverte de ce type sera immédiatement signalée à l'INSD.</li> <li>4. Aucune tentative ne sera faite pour établir des liens entre les ensembles de données fournis par l'INSD et d'autres ensembles de données qui pourraient permettre d'identifier des personnes ou des organisations.</li> <li>5. Tout livre, article, document de conférence, thèse, mémoire, rapport ou autre publication utilisant des données obtenues à partir du Catalogue central de données citera la source des données conformément à l'exigence de citation fournie avec chaque ensemble de données.</li> <li>6. Une copie électronique de tous les rapports et publications basés sur les données demandées sera envoyée à l'INSD via le mail <a href="mailto:fabrice.kambou@insd.bf">fabrice.kambou@insd.bf</a></li> </ol>	

## **Rights & Disclaimer**

### **Disclaimer**

L'utilisateur des données reconnaît que l'INSD, le distributeur autorisé des données et l'organisme de financement concerné ne sont pas responsables de l'utilisation des données ou des interprétations ou déductions basées sur ces utilisations.

### **Copyright**

(c) 2024, INSD

# Files Description

Dataset contains 5 file(s)

<b>ch_enfants_moins_de_05_ans</b>	
# Cases	5677
# Variable(s)	378
<b>File Content</b> Base des enfants de moins de 05 ans	
<b>Producer</b> Institut national de la statistique et de la démographie (INSD)	
<b>Version</b> Finale	

<b>hh_base_ménage</b>	
# Cases	6034
# Variable(s)	172
<b>File Content</b> Base ménage	
<b>Producer</b> Institut national de la statistique et de la démographie (INSD)	
<b>Version</b> Finale	

<b>hl_membre_du_ménage</b>	
# Cases	38504
# Variable(s)	179
<b>File Content</b> Base sur les membres du ménage	
<b>Producer</b> Institut national de la statistique et de la démographie (INSD)	
<b>Version</b> Finale	

<b>wm_base_femme</b>	
# Cases	8159
# Variable(s)	352
<b>File Content</b> Base femme en âge de procréer de 15 à 49 ans	
<b>Producer</b> Institut national de la statistique et de la démographie	

**Version**

Finale

**who\_h\_données\_anthropométriques**

# Cases	5677
# Variable(s)	13

**File Content**

Données anthropométriques

**Producer**

Institut national de la statistique et de la démographie (INSD)

**Version**

Finale

# Variables List

Dataset contains 1094 variable(s)

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">HH1</a>	Numero de la grappe	continuous	numeric-12.0	5677	0	-
2	<a href="#">HH2</a>	Numero du menage	continuous	numeric-12.0	5677	0	-
3	<a href="#">LN</a>	Numero de ligne	continuous	numeric-12.0	5677	0	-
4	<a href="#">UFR</a>	Region	discrete	numeric-12.0	5677	0	-
5	<a href="#">UF6AH</a>	Heure	discrete	numeric-12.0	5677	0	-
6	<a href="#">UF6AM</a>	Minuite	discrete	numeric-12.0	5677	0	-
7	<a href="#">UF1</a>	Numero de la grappe	continuous	numeric-12.0	5677	0	-
8	<a href="#">UF2</a>	Numero du menage	continuous	numeric-12.0	5677	0	-
9	<a href="#">UF4</a>	Numero de ligne de l'enfant	discrete	numeric-12.0	5677	0	-
10	<a href="#">UF6</a>	Numero de ligne de la mere/ gardienne	continuous	numeric-12.0	5677	0	-
11	<a href="#">UF8D</a>	Jour de l'interview	continuous	numeric-12.0	5677	0	-
12	<a href="#">UF8M</a>	Mois de l'interview	discrete	numeric-12.0	5677	0	-
13	<a href="#">UF8Y</a>	Annee de l'interview	discrete	numeric-12.0	5677	0	-
14	<a href="#">UFV</a>	Nombre de visite	discrete	numeric-12.0	5677	0	-
15	<a href="#">UF9</a>	Resultat de l'enquete des enfants de moins de 5 ans	discrete	numeric-12.0	5677	0	-
16	<a href="#">UFL</a>	Langue de l'interview	discrete	numeric-12.0	5283	394	-
17	<a href="#">UFI</a>	Recours a interprete	discrete	numeric-12.0	5283	394	-
18	<a href="#">UFBCB</a>	Numero controleur bureau	discrete	numeric-12.0	5283	394	-
19	<a href="#">UFAS</a>	Numero Agent de saisie	discrete	numeric-12.0	5677	0	-
20	<a href="#">UF10D</a>	Jour de naissance de l'enfant	discrete	numeric-12.0	5283	394	-
21	<a href="#">UF10M</a>	Mois de naissance de l'enfant	discrete	numeric-12.0	5283	394	-
22	<a href="#">UF10Y</a>	Annee de naissance de l'enfant	discrete	numeric-12.0	5283	394	-
23	<a href="#">UF11</a>	Age de l'enfant	discrete	numeric-12.0	5283	394	-
24	<a href="#">BR1</a>	A-t-il un certificat/acte de naissance	discrete	numeric-12.0	5283	394	-
25	<a href="#">BR2</a>	Sa naissance a t-elle etait declaree	discrete	numeric-12.0	3935	1742	-
26	<a href="#">BR3</a>	Pourquoi sa naissance n'est pas enregistree	discrete	numeric-12.0	1889	3788	-
27	<a href="#">BR4</a>	Savez-vous comment faire enregistrer une naissance	discrete	numeric-12.0	2061	3616	-
28	<a href="#">BR6</a>	Frequente-t-il une education prescolaire	discrete	numeric-12.0	1856	3821	-
29	<a href="#">BR7</a>	Combien d'heures a t-il frequente cet endroit au cours des 7	discrete	numeric-12.0	41	5636	-
30	<a href="#">BR8AM</a>	Livres-Mere	discrete	character-1	39	0	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
31	<a href="#">BR8AF</a>	Livres-Pere	discrete	character-1	17	0	-
32	<a href="#">BR8AO</a>	Livres-Autre	discrete	character-1	89	0	-
33	<a href="#">BR8AN</a>	Livres-Personne	discrete	character-1	5151	0	-
34	<a href="#">BR8BM</a>	Contes-Mere	discrete	character-1	131	0	-
35	<a href="#">BR8BF</a>	Contes-Pere	discrete	character-1	45	0	-
36	<a href="#">BR8BO</a>	Contes-Autre	discrete	character-1	190	0	-
37	<a href="#">BR8BN</a>	Contes-Personne	discrete	character-1	4964	0	-
38	<a href="#">BR8CM</a>	Chansons-Mere	discrete	character-1	961	0	-
39	<a href="#">BR8CF</a>	Chason-Pere	discrete	character-1	134	0	-
40	<a href="#">BR8CO</a>	Chanson-Autre	discrete	character-1	616	0	-
41	<a href="#">BR8CN</a>	Chanson-personne	discrete	character-1	3858	0	-
42	<a href="#">BR8DM</a>	Sortir en dehors-Mere	discrete	character-1	3009	0	-
43	<a href="#">BR8DF</a>	Sortir en dehos-Pere	discrete	character-1	484	0	-
44	<a href="#">BR8DO</a>	Sortir en dehors-Autre	discrete	character-1	1278	0	-
45	<a href="#">BR8DN</a>	Sortir en dehors-Personne	discrete	character-1	1710	0	-
46	<a href="#">BR8EM</a>	Jouer avec-Mere	discrete	character-1	2160	0	-
47	<a href="#">BR8EF</a>	Jouer avec-Pere	discrete	character-1	603	0	-
48	<a href="#">BR8EO</a>	Jouer avec-Autre	discrete	character-1	1933	0	-
49	<a href="#">BR8EN</a>	Jouer avec -Personne	discrete	character-1	1937	0	-
50	<a href="#">BR8FM</a>	Passer du temps-Mere	discrete	character-1	977	0	-
51	<a href="#">BR8FF</a>	Passer du temps-Pere	discrete	character-1	319	0	-
52	<a href="#">BR8FO</a>	Passer du temps-Autre	discrete	character-1	508	0	-
53	<a href="#">BR8FN</a>	Passer du temps-Personne	discrete	character-1	4044	0	-
54	<a href="#">VA1</a>	L'enfant a-t-il deja recu une capsule de vitamine A	discrete	numeric-12.0	5283	394	-
55	<a href="#">VA2</a>	Nombre de mois depuis la derniere dose	discrete	numeric-12.0	4051	1626	-
56	<a href="#">VA3</a>	Ou avait t-il recu cette derniere dose	discrete	numeric-12.0	4051	1626	-
57	<a href="#">BF1</a>	Avez-vous allaite l'enfant	discrete	numeric-12.0	5283	394	-
58	<a href="#">BF2</a>	Allaitez-vous encore l'enfant	discrete	numeric-12.0	5243	434	-
59	<a href="#">BF3A</a>	L'enfant a-t-il recu des supplements de vitamines	discrete	numeric-12.0	5283	394	-
60	<a href="#">BF3B</a>	L'enfant a-t-il recu de l'eau	discrete	numeric-12.0	5283	394	-
61	<a href="#">BF3C</a>	L'enfant a-t-il recu de l'eau sucee ou jus	discrete	numeric-12.0	5283	394	-
62	<a href="#">BF3D</a>	L'enfant a-t-il recu une solution de rehydratation orale	discrete	numeric-12.0	5283	394	-
63	<a href="#">BF3E</a>	L'enfant a-t-il recu une preparation pour bebe vendue comm	discrete	numeric-12.0	5283	394	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
64	<a href="#">BF3F</a>	L'enfant a-t-il reçu du lait en boîte, en poudre ou du lait	discrete	numeric-12.0	5283	394	-
65	<a href="#">BF3G</a>	L'enfant a-t-il reçu d'autres liquides	discrete	numeric-12.0	5283	394	-
66	<a href="#">BF3H</a>	L'enfant a-t-il reçu un aliment solide ou semi-solide	discrete	numeric-12.0	5283	394	-
67	<a href="#">BF3I</a>	L'enfant a-t-il reçu une décoction de feuille ou de racines	discrete	numeric-12.0	5283	394	-
68	<a href="#">BF5</a>	Combien de fois a-t-il mangé des aliments solides, semi-solides	discrete	numeric-12.0	4239	1438	-
69	<a href="#">CA1</a>	A-t-il eu la diarrhée au cours des deux dernières semaines	discrete	numeric-12.0	5283	394	-
70	<a href="#">CA2A</a>	Lui a-t-on donné un liquide préparé à partir d'un sachet app	discrete	numeric-12.0	1050	4627	-
71	<a href="#">CA2B</a>	Lui a-t-on donné un liquide maison recommandé par le Gouverneur	discrete	numeric-12.0	1050	4627	-
72	<a href="#">CA2C</a>	Lui a-t-on donné un liquide SRO préemballé	discrete	numeric-12.0	1050	4627	-
73	<a href="#">CA3</a>	Durant la diarrhée, lui a-t-on donné à boire moins, la même	discrete	numeric-12.0	1050	4627	-
74	<a href="#">CA4</a>	Durant la diarrhée, lui a-t-on donné à manger moins, la même	discrete	numeric-12.0	1050	4627	-
75	<a href="#">CA4B</a>	Où avez-vous obtenu le sachet SRO	discrete	numeric-12.0	148	5529	-
76	<a href="#">CA4C</a>	Combien avez-vous payé pour le sachet SRO	discrete	numeric-12.0	148	5529	-
77	<a href="#">CA5</a>	A-t-il souffert de la toux durant les deux dernières semaines	discrete	numeric-12.0	5283	394	-
78	<a href="#">CA6</a>	Durant la toux est-ce qu'il respirait plus vite que d'habitude	discrete	numeric-12.0	1199	4478	-
79	<a href="#">CA7</a>	Symptômes dus à un problème dans la poitrine, ou au nez/bouche	discrete	numeric-12.0	541	5136	-
80	<a href="#">CA8</a>	Avez-vous recherché conseils ou un traitement pour la maladie	discrete	numeric-12.0	225	5452	-
81	<a href="#">CA9</a>	Où avez-vous demandé conseils ou recherché un traitement	discrete	numeric-12.0	108	5569	-
82	<a href="#">CA11A</a>	Traitement antibiotique : Amoxicilline sirop	discrete	character-1	30	0	-
83	<a href="#">CA11B</a>	Traitement antibiotique : Amoxicilline comprimé	discrete	character-1	12	0	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
84	<a href="#">CA11C</a>	Traitement antibiotique : Ampiciline sirop	discrete	character-1	5	0	-
85	<a href="#">CA11D</a>	Traitement antibiotique : Ampiciline comprimé	discrete	character-1	2	0	-
86	<a href="#">CA11E</a>	Traitement antibiotique : Cotrimoxazole sirop	discrete	character-1	24	0	-
87	<a href="#">CA11F</a>	Traitement antibiotique : Cotrimoxazole comprimé	discrete	character-1	2	0	-
88	<a href="#">CA11G</a>	Autres traitement antibiotique	discrete	character-1	8	0	-
89	<a href="#">CA11P</a>	Paracetamol/Paracetamol/Panadol/Acetaminophen	discrete	character-1	24	0	-
90	<a href="#">CA11Q</a>	Aspirine	discrete	character-1	6	0	-
91	<a href="#">CA11R</a>	Ibuprofen	discrete	character-1	3	0	-
92	<a href="#">CA11X</a>	Autre	discrete	character-1	39	0	-
93	<a href="#">CA11Z</a>	NSP	discrete	character-1	44	0	-
94	<a href="#">CA10</a>	Est-ce-que l'enfant a pris des médicaments pour traiter la m	discrete	numeric-12.0	225	5452	-
95	<a href="#">CA11BB</a>	Où avez-vous reçu les antibiotiques	discrete	numeric-12.0	69	5608	-
96	<a href="#">CA11CC</a>	Combien avez-vous payé pour les antibiotiques	discrete	numeric-12.0	69	5608	-
97	<a href="#">CA13</a>	Qu'avez-vous fait pour vous débarrasser des excréments	discrete	numeric-12.0	3427	2250	-
98	<a href="#">CA14A</a>	Symptôme: L'enfant ne peut pas boire ou têter	discrete	character-1	757	0	-
99	<a href="#">CA14B</a>	Symptôme: L'enfant devient de plus en plus malade	discrete	character-1	1873	0	-
100	<a href="#">CA14C</a>	Symptôme: L'enfant développe une fièvre	discrete	character-1	4196	0	-
101	<a href="#">CA14D</a>	Symptôme: L'enfant a une respiration rapide	discrete	character-1	304	0	-
102	<a href="#">CA14E</a>	Symptôme: L'enfant a des difficultés à respirer	discrete	character-1	682	0	-
103	<a href="#">CA14F</a>	Symptôme: L'enfant a du sang dans les selles	discrete	character-1	315	0	-
104	<a href="#">CA14G</a>	Symptôme: L'enfant boit difficilement	discrete	character-1	166	0	-
105	<a href="#">CA14H</a>	Symptôme : L'enfant vomit difficilement	discrete	character-1	1513	0	-
106	<a href="#">CA14I</a>	Diarrhée	discrete	character-1	1884	0	-
107	<a href="#">CA14J</a>	N'arrive pas à dormir, agité	discrete	character-1	517	0	-
108	<a href="#">CA14K</a>	L'enfant a un catarrhe Écoulement nasal, conjonctive, larmoiement	discrete	character-1	192	0	-
109	<a href="#">CA14L</a>	Toux, rhume	discrete	character-1	362	0	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
110	<a href="#">CA14M</a>	Pleure beaucoup, pleure sans cess	discrete	character-1	142	0	-
111	<a href="#">CA14N</a>	Amaigrissement, perte de poids	discrete	character-1	18	0	-
112	<a href="#">CA14O</a>	Mal de ventre, ballonnement, ventre chaud, bruit du ventre	discrete	character-1	85	0	-
113	<a href="#">CA14P</a>	Plaies / bouton sur le corps	discrete	character-1	39	0	-
114	<a href="#">CA14Q</a>	perte de connaissance , evanouissement	discrete	character-1	14	0	-
115	<a href="#">CA14R</a>	Meningite	discrete	character-1	42	0	-
116	<a href="#">CA14S</a>	Fatigue, se couche beaucoup	discrete	character-1	35	0	-
117	<a href="#">CA14X</a>	Symptome: Autre	discrete	character-1	291	0	-
118	<a href="#">CA14Y</a>	NSP	discrete	character-1	25	0	-
119	<a href="#">CA14Z</a>	Manquant	discrete	character-1	103	0	-
120	<a href="#">ML1</a>	Est-ce-qu'il/elle a souffert de fièvre pendant les deux dern	discrete	numeric-12.0	5283	394	-
121	<a href="#">ML2</a>	Est-ce-qu'il/elle a ete vu par les services d'un etablisseme	discrete	numeric-12.0	1051	4626	-
122	<a href="#">ML3</a>	A-t-il pris des medicaments contre la fièvre	discrete	numeric-12.0	293	5384	-
123	<a href="#">ML4A</a>	Medicement fourni/prescrit: SP/Fansidar	discrete	character-1	3	0	-
124	<a href="#">ML4B</a>	Medicament fourni/prescrit: Chloroquine	discrete	character-1	202	0	-
125	<a href="#">ML4C</a>	Medicament fourni/prescrit: Amodiaquine	discrete	character-1	13	0	-
126	<a href="#">ML4D</a>	Medicament fourni/prescrit: Quinine	discrete	character-1	0	0	-
127	<a href="#">ML4E</a>	Medicament fourni/prescrit: bactrim	discrete	character-1	1	0	-
128	<a href="#">ML4F</a>	Medicament fourni/ Theralene	discrete	character-1	1	0	-
129	<a href="#">ML4G</a>	Medicament fourni / Amoxicilline	discrete	character-1	4	0	-
130	<a href="#">ML4H</a>	Medicament fourni/prescrit: Other anti-malaria	discrete	character-1	9	0	-
131	<a href="#">ML4I</a>	Medicament fourni / Cotrimoxazole	discrete	character-1	2	0	-
132	<a href="#">ML4J</a>	Medicament fourni/Nistatine	discrete	character-1	2	0	-
133	<a href="#">ML4K</a>	Medicament founi/ Flax	discrete	character-1	0	0	-
134	<a href="#">ML4P</a>	Medicament fourni/prescrit: Paracetamol/Panadol/ Acetaminophe	discrete	character-1	154	0	-
135	<a href="#">ML4Q</a>	Medicament fourni/prescrit: Aspirine	discrete	character-1	14	0	-
136	<a href="#">ML4R</a>	Medicament fourni/prescrit: Ibuprofen	discrete	character-1	4	0	-

<b>File ch_enfants_moins_de_05_ans</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
137	<a href="#">ML4X</a>	Medicament fourni/prescrit: Other	discrete	character-1	26	0	-
138	<a href="#">ML4Z</a>	NSP	discrete	character-1	25	0	-
139	<a href="#">ML5</a>	A-t-il pris des medicaments avant d'aller dans un etablissem	discrete	numeric-12.0	293	5384	-
140	<a href="#">ML6</a>	A-t-il pris des medicaments contre la fièvre ou le paludisme	discrete	numeric-12.0	758	4919	-
141	<a href="#">ML7A</a>	Medicament donne: SP/ Fansidar	discrete	character-1	1	0	-
142	<a href="#">ML7B</a>	Medicament donne: Chloroquine	discrete	character-1	265	0	-
143	<a href="#">ML7C</a>	Medicament donne: Amodiaquine	discrete	character-1	11	0	-
144	<a href="#">ML7D</a>	Medicament donne: Quinine	discrete	character-1	0	0	-
145	<a href="#">ML7E</a>	Medicament donne: Efferalgan	discrete	character-1	0	0	-
146	<a href="#">ML7F</a>	Medicament donne : Nistaline	discrete	character-1	0	0	-
147	<a href="#">ML7G</a>	Medicament donne : AspÂ©gic	discrete	character-1	2	0	-
148	<a href="#">ML7H</a>	Medicament donne: Autre Antipaludeen	discrete	character-1	8	0	-
149	<a href="#">ML7I</a>	Medicament donne : Bactrim	discrete	character-1	2	0	-
150	<a href="#">ML7J</a>	Decoctions de feuilles, racine	discrete	character-1	20	0	-
151	<a href="#">ML7K</a>	Medicaments traditionnels	discrete	character-1	18	0	-
152	<a href="#">ML7P</a>	Medicament donne: Paracetamol/Panadol/ Acetaminophen	discrete	character-1	329	0	-
153	<a href="#">ML7Q</a>	Medicament donne: Aspirine	discrete	character-1	30	0	-
154	<a href="#">ML7R</a>	Medicament donne: Ibuprofen	discrete	character-1	1	0	-
155	<a href="#">ML7X</a>	Medicament donne: Autre	discrete	character-1	45	0	-
156	<a href="#">ML7Z</a>	NSP	discrete	character-1	19	0	-
157	<a href="#">ML9</a>	Nombre de jours mis pour commencer a prendre l'antipaludeen	discrete	numeric-12.0	465	5212	-
158	<a href="#">ML9A</a>	Ou avez-vous reçu l' Antipaludeen	discrete	numeric-12.0	465	5212	-
159	<a href="#">ML9B</a>	Combien avez-vous paye pour l'Antipaludeen	discrete	numeric-12.0	465	5212	-
160	<a href="#">ML9C</a>	Temps mis pour traiter avec ces medicaments (Nombre jours)	discrete	numeric-12.0	465	5212	-
161	<a href="#">ML10</a>	Est-ce-qu'il/elle a dormi sous une moustiquaire la nuit dern	discrete	numeric-12.0	5283	394	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
162	<a href="#">ML11</a>	Depuis combien de temps votre menage possede-t-il la moustiq	discrete	numeric-12.0	862	4815	-
163	<a href="#">ML12</a>	Quelle est la marque de cette moustiquaire	discrete	numeric-12.0	862	4815	-
164	<a href="#">ML13</a>	Quand vous avez obtenu cette moustiquaire etait-elle traitee	discrete	numeric-12.0	487	5190	-
165	<a href="#">ML14</a>	L' avez vous depuis lors trempee dans un liquide pour tuer l	discrete	numeric-12.0	487	5190	-
166	<a href="#">ML15</a>	Temps ecole depuis que vous l'avez trempé dans un liquide	discrete	numeric-12.0	47	5630	-
167	<a href="#">IM1</a>	L'enfant a-t-il une carte de vaccination	discrete	numeric-12.0	5283	394	-
168	<a href="#">IM2D</a>	Jour de vaccination du BCG	discrete	numeric-12.0	3326	2351	-
169	<a href="#">IM2M</a>	Mois de vaccination du BCG	discrete	numeric-12.0	3119	2558	-
170	<a href="#">IM2Y</a>	Annee de vaccination du BCG	discrete	numeric-12.0	3119	2558	-
171	<a href="#">IM3AD</a>	Jour de vaccination VPO0	discrete	numeric-12.0	3326	2351	-
172	<a href="#">IM3AM</a>	Mois de vaccination VPO0	discrete	numeric-12.0	2999	2678	-
173	<a href="#">IM3AY</a>	Annee de vaccination VPO0	discrete	numeric-12.0	2999	2678	-
174	<a href="#">IM3BD</a>	Jour de vaccination VPO1	discrete	numeric-12.0	3326	2351	-
175	<a href="#">IM3BM</a>	Mois de vaccination VPO1	discrete	numeric-12.0	3031	2646	-
176	<a href="#">IM3BY</a>	Annee de vaccination VPO1	discrete	numeric-12.0	3031	2646	-
177	<a href="#">IM3CD</a>	Jour de vaccination VPO2	discrete	numeric-12.0	3326	2351	-
178	<a href="#">IM3CM</a>	Mois de vaccination VPO2	discrete	numeric-12.0	2818	2859	-
179	<a href="#">IM3CY</a>	Annee de vaccination VPO2	discrete	numeric-12.0	2818	2859	-
180	<a href="#">IM3DD</a>	Jour de vaccination VPO3	discrete	numeric-12.0	3326	2351	-
181	<a href="#">IM3DM</a>	Mois de vaccination VPO3	discrete	numeric-12.0	2541	3136	-
182	<a href="#">IM3DY</a>	Annee de vaccination VPO3	discrete	numeric-12.0	2541	3136	-
183	<a href="#">IM4AD</a>	Jour de vaccination DPT1	discrete	numeric-12.0	3326	2351	-
184	<a href="#">IM4AM</a>	Mois de vaccination DPT1	discrete	numeric-12.0	3023	2654	-
185	<a href="#">IM4AY</a>	Annee de vaccination DPT1	discrete	numeric-12.0	3023	2654	-
186	<a href="#">IM4BD</a>	Jour de vaccination DPT2	discrete	numeric-12.0	3326	2351	-
187	<a href="#">IM4BM</a>	Mois de vaccination DPT2	discrete	numeric-12.0	2813	2864	-
188	<a href="#">IM4BY</a>	Annee de vaccination DPT2	discrete	numeric-12.0	2813	2864	-
189	<a href="#">IM4CD</a>	Jour de vaccination DPT3	discrete	numeric-12.0	3326	2351	-
190	<a href="#">IM4CM</a>	Mois de vaccination DPT3	discrete	numeric-12.0	2538	3139	-
191	<a href="#">IM4CY</a>	Annee de vaccination DPT3	discrete	numeric-12.0	2538	3139	-
192	<a href="#">IM4DD</a>	Jour de vaccination IMOVAX1	discrete	numeric-12.0	3326	2351	-

<b>File ch_enfants_moins_de_05_ans</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
193	<a href="#">IM4DM</a>	Mois de vaccination IMOVAX1	discrete	numeric-12.0	21	5656	-
194	<a href="#">IM4DY</a>	Annee de vaccination IMOVAX1	discrete	numeric-12.0	21	5656	-
195	<a href="#">IM4ED</a>	Jour de vaccination IMOVAX2	discrete	numeric-12.0	3326	2351	-
196	<a href="#">IM4EM</a>	Mois de vaccination IMOVAX2	discrete	numeric-12.0	12	5665	-
197	<a href="#">IM4EY</a>	Annee de vaccination IMOVAX2	discrete	numeric-12.0	12	5665	-
198	<a href="#">IM4FD</a>	Jour de vaccination INOVAX3/GENHEVAC	discrete	numeric-12.0	3326	2351	-
199	<a href="#">IM4FM</a>	Mois de vaccination INOVAX3/GENHEVAC	discrete	numeric-12.0	13	5664	-
200	<a href="#">IM4FY</a>	Annee de vaccination INOVAX3/GENHEVAC	discrete	numeric-12.0	13	5664	-
201	<a href="#">IM6D</a>	Jour de vaccination Rougeole ou MMR	discrete	numeric-12.0	3326	2351	-
202	<a href="#">IM6M</a>	Mois de vaccination Rougeolenth ou MMR	discrete	numeric-12.0	2144	3533	-
203	<a href="#">IM6Y</a>	Annee de vaccination Rougeole ou MMR	discrete	numeric-12.0	2144	3533	-
204	<a href="#">IM7D</a>	Jour de vaccination de la Fievre Jaune	discrete	numeric-12.0	3326	2351	-
205	<a href="#">IM7M</a>	Mois de vaccination de la Fievre Jaune	discrete	numeric-12.0	2136	3541	-
206	<a href="#">IM7Y</a>	Annee de vaccination de la Fievre Jaune	discrete	numeric-12.0	2136	3541	-
207	<a href="#">IM8AD</a>	Jour Vitamine A (1)	discrete	numeric-12.0	3326	2351	-
208	<a href="#">IM8AM</a>	Mois Vitamine A (1)	discrete	numeric-12.0	24	5653	-
209	<a href="#">IM8AY</a>	Annee Vitamine A (1)	discrete	numeric-12.0	24	5653	-
210	<a href="#">IM8BD</a>	Jour Vitamine A (2)	discrete	numeric-12.0	3326	2351	-
211	<a href="#">IM8BM</a>	Mois Vitamine A (2)	discrete	numeric-12.0	4	5673	-
212	<a href="#">IM8BY</a>	Annee Vitamine A (2)	discrete	numeric-12.0	4	5673	-
213	<a href="#">IM8CD</a>	Jour Vitamine A (3)	discrete	numeric-12.0	3326	2351	-
214	<a href="#">IM8CM</a>	Mois Vitamine A (3)	discrete	numeric-12.0	1	5676	-
215	<a href="#">IM8CY</a>	Annee Vitamine A (3)	discrete	numeric-12.0	1	5676	-
216	<a href="#">IM9</a>	En dehors des vaccinations sur la carte l' enfant a-t-il rec	discrete	numeric-12.0	3326	2351	-
217	<a href="#">IM10</a>	Est-ce-que l'enfant a reçu des vaccinations y compris celle	discrete	numeric-12.0	1957	3720	-
218	<a href="#">IM11</a>	Est-ce-que l'enfant a reçu une vaccination du BCG	discrete	numeric-12.0	1631	4046	-
219	<a href="#">IM12</a>	Est-ce-que l'enfant a reçu une vaccination cotre la POLIO	discrete	numeric-12.0	1631	4046	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
220	<a href="#">IM13</a>	Quand est-ce-que le premier vaccin contre la POLIO a-t-il et	discrete	numeric-12.0	1570	4107	-
221	<a href="#">IM14</a>	Combien de fois le vaccin contre la POLIO a-t-il ete donne	discrete	numeric-12.0	1570	4107	-
222	<a href="#">IM15</a>	Est-ce-que l'enfant a reçu une vaccination DTCoq	discrete	numeric-12.0	1631	4046	-
223	<a href="#">IM16</a>	Combien de fois le vaccin DTCoq a-t-il ete donne	discrete	numeric-12.0	1173	4504	-
224	<a href="#">IM17</a>	Est-ce-que l'enfant a reçu une vaccination contre la Rougeol	discrete	numeric-12.0	1631	4046	-
225	<a href="#">IM18</a>	Est-ce-que l'enfant a reçu une vaccination contre la Fievre	discrete	numeric-12.0	1631	4046	-
226	<a href="#">IM19A</a>	L'enfant a-t-il participe a la JNV A	discrete	numeric-12.0	5283	394	-
227	<a href="#">IM19B</a>	L'enfant a-t-il participe a la JNV B	discrete	numeric-12.0	5283	394	-
228	<a href="#">IM19C</a>	L'enfant a-t-il participe a la JNV C	discrete	numeric-12.0	5283	394	-
229	<a href="#">AN1</a>	Poids de l'enfant (kilogrammes)	continuous	numeric-12.0	5283	394	-
230	<a href="#">AN2A</a>	Position a la mesure de la taille	discrete	numeric-12.0	5283	394	-
231	<a href="#">AN2</a>	Taille de l'enfant (centimetres)	continuous	numeric-12.0	5283	394	-
232	<a href="#">AN3</a>	Numero de code du mesureur	continuous	numeric-12.0	5283	394	-
233	<a href="#">AN4</a>	Resultat des mesures	discrete	numeric-12.0	5283	394	-
234	<a href="#">haz</a>	HAZ	continuous	numeric-12.0	5283	394	-
235	<a href="#">hap</a>	HAP	continuous	numeric-12.0	5283	394	-
236	<a href="#">ham</a>	HAM	continuous	numeric-12.0	5283	394	-
237	<a href="#">waz</a>	WAZ	continuous	numeric-12.0	5283	394	-
238	<a href="#">wap</a>	WAP	continuous	numeric-12.0	5283	394	-
239	<a href="#">wam</a>	WAM	continuous	numeric-12.0	5283	394	-
240	<a href="#">whz</a>	WHZ	continuous	numeric-12.0	5283	394	-
241	<a href="#">whp</a>	WHP	continuous	numeric-12.0	5283	394	-
242	<a href="#">whm</a>	WHM	continuous	numeric-12.0	5283	394	-
243	<a href="#">flag</a>	FLAG	discrete	numeric-12.0	5283	394	-
244	<a href="#">EFHH</a>	Heure	discrete	numeric-12.0	5283	394	-
245	<a href="#">EFHM</a>	Minutes	discrete	numeric-12.0	5283	394	-
246	<a href="#">HL4</a>	Sexe	discrete	numeric-12.0	5677	0	-
247	<a href="#">ED3A</a>	Plus haut niveau d'etudes atteint	discrete	numeric-12.0	674	5003	-
248	<a href="#">MDHH</a>	Heure	discrete	numeric-12.0	5677	0	-
249	<a href="#">MDHM</a>	Minuite	discrete	numeric-12.0	5677	0	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
250	<a href="#">HH3</a>	Numero de l'enqueteur	continuous	numeric-12.0	5677	0	-
251	<a href="#">HH4</a>	Numero du Controleur	continuous	numeric-12.0	5677	0	-
252	<a href="#">HH4A</a>	Chef d'Equipe	continuous	numeric-12.0	5677	0	-
253	<a href="#">HH5D</a>	Jour de l'enquete	continuous	numeric-12.0	5677	0	-
254	<a href="#">HH5M</a>	Mois de l'enquete	discrete	numeric-12.0	5677	0	-
255	<a href="#">HH5Y</a>	Annee de l'enquete	discrete	numeric-12.0	5677	0	-
256	<a href="#">HHV</a>	Nombre de Visite	discrete	numeric-12.0	5677	0	-
257	<a href="#">HH6</a>	Milieu	discrete	numeric-12.0	5677	0	-
258	<a href="#">HH7</a>	Region	discrete	numeric-12.0	5677	0	-
259	<a href="#">HH9</a>	Resultat de l' interview	discrete	numeric-12.0	5677	0	-
260	<a href="#">HH10</a>	Repondant HH questionnaire	discrete	numeric-12.0	5677	0	-
261	<a href="#">HH11</a>	Nombre total des membres du menage	continuous	numeric-12.0	5677	0	-
262	<a href="#">HH12</a>	Total femmes eligibles	discrete	numeric-12.0	5677	0	-
263	<a href="#">HH13</a>	Nombre de questionnaire femme remplis	discrete	numeric-12.0	5677	0	-
264	<a href="#">HH14</a>	Total Enfant de moins de 5 ans	discrete	numeric-12.0	5677	0	-
265	<a href="#">HH15</a>	Nombre de questionnaires enfants de moins de 5 ans remplis	discrete	numeric-12.0	5677	0	-
266	<a href="#">HHL</a>	Langue de l'Interview	discrete	numeric-12.0	5677	0	-
267	<a href="#">HHI</a>	Recours À Interprete	discrete	numeric-12.0	5677	0	-
268	<a href="#">HH16</a>	Numero de l'agent de saisie	discrete	numeric-12.0	5677	0	-
269	<a href="#">HH16A</a>	Numero du Controleur Bureau	discrete	numeric-12.0	5677	0	-
270	<a href="#">WS1</a>	Principale source d'eau que boivent les membre du menage	discrete	numeric-12.0	5677	0	-
271	<a href="#">WS2</a>	Principale source d'eau utilisee pour autres choses	discrete	numeric-12.0	1	5676	-
272	<a href="#">WS3</a>	Temps pour aller chercher de leau et revenir	discrete	numeric-12.0	5533	144	-
273	<a href="#">WS4</a>	Qui se rend habituellement a la source d'eau	discrete	numeric-12.0	5312	365	-
274	<a href="#">WS5</a>	Traitez vous l'eau avant de la boire	discrete	numeric-12.0	5677	0	-
275	<a href="#">WS6A</a>	La faire bouillir	discrete	character-1	13	0	-
276	<a href="#">WS6B</a>	Y ajouter de l'eau de javel/ chlore	discrete	character-1	57	0	-
277	<a href="#">WS6C</a>	La filtrer a travers un linge	discrete	character-1	712	0	-
278	<a href="#">WS6D</a>	Utiliser un filtre (ceramique, sable, composite)	discrete	character-1	122	0	-
279	<a href="#">WS6E</a>	Desinfection solaire	discrete	character-1	0	0	-
280	<a href="#">WS6F</a>	Laisser reposer	discrete	character-1	67	0	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
281	<a href="#">WS6X</a>	Autres	discrete	character-1	3	0	-
282	<a href="#">WS6Z</a>	NSP	discrete	character-1	9	0	-
283	<a href="#">WS7</a>	Type de toilettes	discrete	numeric-12.0	5677	0	-
284	<a href="#">WS8</a>	Partagez-vous ces toilettes avec d'autres menages	discrete	numeric-12.0	1542	4135	-
285	<a href="#">WS9</a>	Au total , combien de menages utilisent ces toilettes	discrete	numeric-12.0	648	5029	-
286	<a href="#">HC1A</a>	Religion du chef de menage	discrete	numeric-12.0	5677	0	-
287	<a href="#">HC1B</a>	Langue maternelle du chef de menage	discrete	numeric-12.0	5677	0	-
288	<a href="#">HC1C</a>	Ethnie du chef de menage	discrete	numeric-12.0	5677	0	-
289	<a href="#">HC2</a>	Nombre de pieces utilisees pour dormir	discrete	numeric-12.0	5677	0	-
290	<a href="#">HC3</a>	Principal material du sol	discrete	numeric-12.0	5677	0	-
291	<a href="#">HC4</a>	Principal material du toit	discrete	numeric-12.0	5677	0	-
292	<a href="#">HC5</a>	Principal meterial des murs	discrete	numeric-12.0	5677	0	-
293	<a href="#">HC6</a>	Type de combustible utilise pour la cuisine	discrete	numeric-12.0	5677	0	-
294	<a href="#">HC7</a>	Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un	discrete	numeric-12.0	5619	58	-
295	<a href="#">HC7A</a>	Est-ce-que le feu/four a une cheminee ou une hotte	discrete	numeric-12.0	22	5655	-
296	<a href="#">HC8</a>	Lieu ou vous faites la cuisine	discrete	numeric-12.0	5677	0	-
297	<a href="#">HC9A</a>	Electricite	discrete	numeric-12.0	5677	0	-
298	<a href="#">HC9B</a>	Radio	discrete	numeric-12.0	5677	0	-
299	<a href="#">HC9C</a>	Television	discrete	numeric-12.0	5677	0	-
300	<a href="#">HC9D</a>	Telephone mobile	discrete	numeric-12.0	5677	0	-
301	<a href="#">HC9E</a>	Telephone non-mobile (fixe)	discrete	numeric-12.0	5677	0	-
302	<a href="#">HC9F</a>	Refrigerateur	discrete	numeric-12.0	5677	0	-
303	<a href="#">HC10A</a>	Montre	discrete	numeric-12.0	5677	0	-
304	<a href="#">HC10B</a>	Bicyclette	discrete	numeric-12.0	5677	0	-
305	<a href="#">HC10C</a>	Motocyclette/scooter	discrete	numeric-12.0	5677	0	-
306	<a href="#">HC10D</a>	Charrette avec animal	discrete	numeric-12.0	5677	0	-
307	<a href="#">HC10E</a>	Voiture/Camion	discrete	numeric-12.0	5677	0	-
308	<a href="#">HC11</a>	Est-ce qu'un membre de votre menage possede une terre qui pe	discrete	numeric-12.0	5677	0	-
309	<a href="#">HC12</a>	Combien d'hectares de terres agricoles	discrete	numeric-12.0	5124	553	-
310	<a href="#">HC12A</a>	Les recoltes de cette terre suffisent pour les besoins du me	discrete	numeric-12.0	5124	553	-

<b>File ch_enfants_moins_de_05_ans</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
311	<a href="#">HC12B</a>	Nombre de mois couvert par les récoltes	discrete	numeric-12.0	2325	3352	-
312	<a href="#">HC13</a>	Est-ce que votre menage possede du betail, troupeau ou des a	discrete	numeric-12.0	5677	0	-
313	<a href="#">HC14A</a>	Nombre de Vaches laitieres ou de taureaux	discrete	numeric-12.0	4875	802	-
314	<a href="#">HC14B</a>	Nombre de Chevaux	discrete	numeric-12.0	4875	802	-
315	<a href="#">HC14C</a>	Nombre d'Anes ou de mules	discrete	numeric-12.0	4875	802	-
316	<a href="#">HC14D</a>	Nombre de chevres	discrete	numeric-12.0	4875	802	-
317	<a href="#">HC14E</a>	Nombre de moutons	discrete	numeric-12.0	4875	802	-
318	<a href="#">HC14F</a>	Nombre de Porcs/ Cochons	discrete	numeric-12.0	4875	802	-
319	<a href="#">HC14G</a>	Nombre de poulets	discrete	numeric-12.0	4875	802	-
320	<a href="#">HC14H</a>	Nombre de pindades	discrete	numeric-12.0	4875	802	-
321	<a href="#">HC14I</a>	Nombre de Dindon	discrete	numeric-12.0	4875	802	-
322	<a href="#">HC14J</a>	Nombre de Canard	discrete	numeric-12.0	4875	802	-
323	<a href="#">HC14K</a>	Nombre de Pigeon	discrete	numeric-12.0	4875	802	-
324	<a href="#">HC14L</a>	Autres	discrete	numeric-12.0	4875	802	-
325	<a href="#">HC15A</a>	Est-ce que vous ou quelqu'un dans votre menage est proprieta	discrete	numeric-12.0	5677	0	-
326	<a href="#">HC15B</a>	Est-ce que vous ou quelqu'un dans ce menage a un titre / acte	discrete	numeric-12.0	5192	485	-
327	<a href="#">HC15CA</a>	Permis Urbain d'Habiter (PUH)	discrete	character-1	355	0	-
328	<a href="#">HC15CB</a>	Certification d'impot foncier	discrete	character-1	45	0	-
329	<a href="#">HC15CC</a>	Facture d'electricite/ eau/telephone etc	discrete	character-1	61	0	-
330	<a href="#">HC15CE</a>	Attestation d'attribution	discrete	character-1	0	0	-
331	<a href="#">HC15CX</a>	Autres	discrete	character-1	228	0	-
332	<a href="#">HC15CY</a>	Aucun/pas de document	discrete	character-1	13	0	-
333	<a href="#">HC15CZ</a>	Manquant	discrete	character-1	13	0	-
334	<a href="#">HC15D</a>	Est-ce que vous avez un contrat ecrit pour la location	discrete	numeric-12.0	485	5192	-
335	<a href="#">HC15EA</a>	Agrement informel (par ecrit)	discrete	character-1	2	0	-
336	<a href="#">HC15EB</a>	Oral agrement (Non-document)	discrete	character-1	118	0	-
337	<a href="#">HC15EC</a>	Occupation avec accord du proprietaire	discrete	character-1	209	0	-
338	<a href="#">HC15ED</a>	Occupation sans accord du proprietaire	discrete	character-1	3	0	-
339	<a href="#">HC15EX</a>	Autres	discrete	character-1	0	0	-
340	<a href="#">HC15EY</a>	Aucun/pas de document	discrete	character-1	128	0	-
341	<a href="#">HC15EZ</a>	Manquant	discrete	character-1	8	0	-

File ch_enfants_moins_de_05_ans							
#	Name	Label	Type	Format	Valid	Invalid	Question
342	<a href="#">HC15F</a>	Vous sentez vous en securite de ne pas etre exulse(e) de cet	discrete	numeric-12.0	5677	0	-
343	<a href="#">HC15G</a>	Avez vous ete expluse de votre maison durant ces 5 dernieres	discrete	numeric-12.0	5677	0	-
344	<a href="#">HC15HA</a>	Region d'eboulement	discrete	character-1	50	0	-
345	<a href="#">HC15HB</a>	Region predisposee a linondation	discrete	character-1	92	0	-
346	<a href="#">HC15HC</a>	Bord de riviere	discrete	character-1	270	0	-
347	<a href="#">HC15HD</a>	Colline raide	discrete	character-1	322	0	-
348	<a href="#">HC15HE</a>	Montagne/tas d'ordures	discrete	character-1	286	0	-
349	<a href="#">HC15HF</a>	Region de pollution industrielle	discrete	character-1	1	0	-
350	<a href="#">HC15HG</a>	Chemin de fer	discrete	character-1	19	0	-
351	<a href="#">HC15HH</a>	Centrale electrique	discrete	character-1	0	0	-
352	<a href="#">HC15HI</a>	Pont aerien	discrete	character-1	1	0	-
353	<a href="#">HC15HY</a>	Aucun des codes ci-dessus	discrete	character-1	4706	0	-
354	<a href="#">HC15HZ</a>	Manquant	discrete	character-1	14	0	-
355	<a href="#">HC15IA</a>	Craquements/ouverture dans les murs	discrete	character-1	542	0	-
356	<a href="#">HC15IB</a>	Pas de fenetre	discrete	character-1	1248	0	-
357	<a href="#">HC15IC</a>	Fenetre avec vitres casses/pas de vitre	discrete	character-1	11	0	-
358	<a href="#">HC15ID</a>	trous visibles dans le toit	discrete	character-1	111	0	-
359	<a href="#">HC15IE</a>	Toit incomplet	discrete	character-1	42	0	-
360	<a href="#">HC15IF</a>	Porte peu solide	discrete	character-1	2535	0	-
361	<a href="#">HC15IY</a>	Aucun des codes ci-dessus	discrete	character-1	2635	0	-
362	<a href="#">HC15IZ</a>	Manquant	discrete	character-1	10	0	-
363	<a href="#">HC15JA</a>	Passage tres etroit entre les maisons au lieu de route	discrete	character-1	721	0	-
364	<a href="#">HC15JB</a>	Trop de cables electriques connectant voisinage & poste d'al	discrete	character-1	9	0	-
365	<a href="#">HC15JY</a>	Aucun des codes ci-dessus	discrete	character-1	4941	0	-
366	<a href="#">HC15JZ</a>	Manquant	discrete	character-1	11	0	-
367	<a href="#">cmcdioc</a>	Date of interview child (CMC)	discrete	numeric-12.0	5677	0	-
368	<a href="#">cdob</a>	Date of birth (CMC)	continuous	numeric-12.0	5283	394	-
369	<a href="#">cage</a>	Age (months)	continuous	numeric-12.0	5283	394	-
370	<a href="#">cage_6</a>	Age	discrete	numeric-12.0	5283	394	-
371	<a href="#">cage_11</a>	Age	discrete	numeric-12.0	5283	394	-
372	<a href="#">chweight</a>	Children Weight	continuous	numeric-12.0	5677	0	-
373	<a href="#">melevel</a>	Mother's education	discrete	numeric-12.0	5677	0	-

<b>File ch_enfants_moins_de_05_ans</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
374	<a href="#">milieu</a>	Milieu	discrete	numeric-12.0	5677	0	-
375	<a href="#">langue</a>	Langue du chef de menage	discrete	numeric-12.0	5283	394	-
376	<a href="#">hh1_xl</a>	conversion_num_grappe	continuous	numeric-12.0	5677	0	-
377	<a href="#">wlthscor</a>	Score de bien Ãatre economique	continuous	numeric-12.0	5677	0	-
378	<a href="#">wlthind5</a>	Quintiles de bien Ãatre economique	discrete	numeric-12.0	5677	0	-

<b>File hh_base_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">HH1</a>	Numero de la grappe	continuous	numeric-12.0	6034	0	-
2	<a href="#">HH2</a>	Numero du menage	continuous	numeric-12.0	6034	0	-
3	<a href="#">MDHH</a>	Heure	discrete	numeric-12.0	6034	0	-
4	<a href="#">MDHM</a>	Minuite	discrete	numeric-12.0	6034	0	-
5	<a href="#">HH3</a>	Numero de l'enqueteur	continuous	numeric-12.0	6034	0	-
6	<a href="#">HH4</a>	Numero du Controleur	continuous	numeric-12.0	6034	0	-
7	<a href="#">HH4A</a>	Chef d'Equipe	continuous	numeric-12.0	6034	0	-
8	<a href="#">HH5D</a>	Jour de l'enquete	continuous	numeric-12.0	6034	0	-
9	<a href="#">HH5M</a>	Mois de l'enquete	discrete	numeric-12.0	6034	0	-
10	<a href="#">HH5Y</a>	Annee de l'enquete	discrete	numeric-12.0	6034	0	-
11	<a href="#">HHV</a>	Nombre de Visite	discrete	numeric-12.0	6034	0	-
12	<a href="#">HH6</a>	Milieu	discrete	numeric-12.0	6034	0	-
13	<a href="#">HH7</a>	Region	discrete	numeric-12.0	6034	0	-
14	<a href="#">HH9</a>	Resultat de l' interview	discrete	numeric-12.0	6034	0	-
15	<a href="#">HH10</a>	Repondant HH questionnaire	discrete	numeric-12.0	5523	511	-
16	<a href="#">HH11</a>	Nombre total des membres du menage	continuous	numeric-12.0	5523	511	-
17	<a href="#">HH12</a>	Total femmes eligibles	discrete	numeric-12.0	5523	511	-
18	<a href="#">HH13</a>	Nombre de questionnaire femme remplis	discrete	numeric-12.0	5523	511	-
19	<a href="#">HH14</a>	Total Enfant de moins de 5 ans	discrete	numeric-12.0	5523	511	-
20	<a href="#">HH15</a>	Nombre de questionnaires enfants de moins de 5 ans remplis	discrete	numeric-12.0	5523	511	-
21	<a href="#">HHL</a>	Langue de l'Interview	discrete	numeric-12.0	5523	511	-
22	<a href="#">HHI</a>	Recours Ã Interprete	discrete	numeric-12.0	5523	511	-
23	<a href="#">HH16</a>	Numero de l'agent de saisie	discrete	numeric-12.0	6034	0	-
24	<a href="#">HH16A</a>	Numero du Controleur Bureau	discrete	numeric-12.0	6034	0	-
25	<a href="#">TOHL6</a>	Nombre total de femmes 15-49	discrete	numeric-12.0	5523	511	-

<b>File hh_base_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
26	<a href="#">TOHL7A</a>	Nombre d'enfant de 2 a 14 ans	discrete	numeric-12.0	5523	511	-
27	<a href="#">TOHL8</a>	Nombre total d'enfants de moins de 5 ans	discrete	numeric-12.0	5523	511	-
28	<a href="#">TOHL8A</a>	Nombre total de personnes tres malades	discrete	numeric-12.0	5523	511	-
29	<a href="#">TOHL9</a>	Nombre total de mere decedee	discrete	numeric-12.0	5523	511	-
30	<a href="#">TOHL10A</a>	Nombre total de mere tres malade	discrete	numeric-12.0	5523	511	-
31	<a href="#">TOHL11</a>	Nombre total de pere decede	discrete	numeric-12.0	5523	511	-
32	<a href="#">TOHL12A</a>	Nombre total de pere tres malade	discrete	numeric-12.0	5523	511	-
33	<a href="#">WS1</a>	Principale source d'eau que boivent les membre du menage	discrete	numeric-12.0	5523	511	-
34	<a href="#">WS2</a>	Principale source d'eau utilisee pour autres choses	discrete	numeric-12.0	12	6022	-
35	<a href="#">WS3</a>	Temps pour aller chercher de leau et revenir	discrete	numeric-12.0	5222	812	-
36	<a href="#">WS4</a>	Qui se rend habituellement a la source d'eau	discrete	numeric-12.0	4969	1065	-
37	<a href="#">WS5</a>	Traitez vous l'eau avant de la boire	discrete	numeric-12.0	5523	511	-
38	<a href="#">WS6A</a>	La faire bouillir	discrete	character-1	12	0	-
39	<a href="#">WS6B</a>	Y ajouter de l'eau de javel/ chlore	discrete	character-1	56	0	-
40	<a href="#">WS6C</a>	La filtrer a travers un linge	discrete	character-1	626	0	-
41	<a href="#">WS6D</a>	Utiliser un filtre (ceramique, sable, composite)	discrete	character-1	120	0	-
42	<a href="#">WS6E</a>	Desinfection solaire	discrete	character-1	0	0	-
43	<a href="#">WS6F</a>	Laisser reposer	discrete	character-1	64	0	-
44	<a href="#">WS6X</a>	Autres	discrete	character-1	7	0	-
45	<a href="#">WS6Z</a>	NSP	discrete	character-1	6	0	-
46	<a href="#">WS7</a>	Type de toilettes	discrete	numeric-12.0	5523	511	-
47	<a href="#">WS8</a>	Partagez-vous ces toilettes avec d'autres menages	discrete	numeric-12.0	1718	4316	-
48	<a href="#">WS9</a>	Au total , combien de menages utilisent ces toilettes	discrete	numeric-12.0	821	5213	-
49	<a href="#">HC1A</a>	Religion du chef de menage	discrete	numeric-12.0	5523	511	-
50	<a href="#">HC1B</a>	Langue maternelle du chef de menage	discrete	numeric-12.0	5523	511	-
51	<a href="#">HC1C</a>	Ethnie du chef de menage	discrete	numeric-12.0	5523	511	-
52	<a href="#">HC2</a>	Nombre de pieces utilisees pour dormir	discrete	numeric-12.0	5523	511	-
53	<a href="#">HC3</a>	Principal material du sol	discrete	numeric-12.0	5523	511	-

File hh_base_ménage							
#	Name	Label	Type	Format	Valid	Invalid	Question
54	<a href="#">HC4</a>	Principal material du toit	discrete	numeric-12.0	5523	511	-
55	<a href="#">HC5</a>	Principal materiel des murs	discrete	numeric-12.0	5523	511	-
56	<a href="#">HC6</a>	Type de combustible utilise pour la cuisine	discrete	numeric-12.0	5523	511	-
57	<a href="#">HC7</a>	Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un	discrete	numeric-12.0	5325	709	-
58	<a href="#">HC7A</a>	Est-ce-que le feu/four a une cheminee ou une hotte	discrete	numeric-12.0	129	5905	-
59	<a href="#">HC8</a>	Lieu ou vous faites la cuisine	discrete	numeric-12.0	5523	511	-
60	<a href="#">HC9A</a>	Electricite	discrete	numeric-12.0	5523	511	-
61	<a href="#">HC9B</a>	Radio	discrete	numeric-12.0	5523	511	-
62	<a href="#">HC9C</a>	Television	discrete	numeric-12.0	5523	511	-
63	<a href="#">HC9D</a>	Telephone mobile	discrete	numeric-12.0	5523	511	-
64	<a href="#">HC9E</a>	Telephone non-mobile (fixe)	discrete	numeric-12.0	5523	511	-
65	<a href="#">HC9F</a>	Refrigerateur	discrete	numeric-12.0	5523	511	-
66	<a href="#">HC10A</a>	Montre	discrete	numeric-12.0	5523	511	-
67	<a href="#">HC10B</a>	Bicyclette	discrete	numeric-12.0	5523	511	-
68	<a href="#">HC10C</a>	Motocyclette/scooter	discrete	numeric-12.0	5523	511	-
69	<a href="#">HC10D</a>	Charrette avec animal	discrete	numeric-12.0	5523	511	-
70	<a href="#">HC10E</a>	Voiture/Camion	discrete	numeric-12.0	5523	511	-
71	<a href="#">HC11</a>	Est-ce qu'un membre de votre menage possede une terre qui pe	discrete	numeric-12.0	5523	511	-
72	<a href="#">HC12</a>	Combien d'hectares de terres agricoles	discrete	numeric-12.0	4599	1435	-
73	<a href="#">HC12A</a>	Les recoltes de cette terre suffisent pour les besoins du me	discrete	numeric-12.0	4599	1435	-
74	<a href="#">HC12B</a>	Nombre de mois couvert par les recoltes	discrete	numeric-12.0	2112	3922	-
75	<a href="#">HC13</a>	Est-ce que votre menage possede du betail, troupeau ou des a	discrete	numeric-12.0	5523	511	-
76	<a href="#">HC14A</a>	Nombre de Vaches laitieres ou de taureaux	discrete	numeric-12.0	4298	1736	-
77	<a href="#">HC14B</a>	Nombre de Chevaux	discrete	numeric-12.0	4298	1736	-
78	<a href="#">HC14C</a>	Nombre d'Anes ou de mules	discrete	numeric-12.0	4298	1736	-
79	<a href="#">HC14D</a>	Nombre de chevres	discrete	numeric-12.0	4298	1736	-
80	<a href="#">HC14E</a>	Nombre de moutons	discrete	numeric-12.0	4298	1736	-
81	<a href="#">HC14F</a>	Nombre de Porcs/ Cochons	discrete	numeric-12.0	4298	1736	-
82	<a href="#">HC14G</a>	Nombre de poulets	discrete	numeric-12.0	4298	1736	-
83	<a href="#">HC14H</a>	Nombre de pindades	discrete	numeric-12.0	4298	1736	-
84	<a href="#">HC14I</a>	Nombre de Dindon	discrete	numeric-12.0	4298	1736	-

<b>File hh_base_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
85	<a href="#">HC14J</a>	Nombre de Canard	discrete	numeric-12.0	4298	1736	-
86	<a href="#">HC14K</a>	Nombre de Pigeon	discrete	numeric-12.0	4298	1736	-
87	<a href="#">HC14L</a>	Autres	discrete	numeric-12.0	4298	1736	-
88	<a href="#">HC15A</a>	Est-ce que vous ou quelqu'un dans votre ménage est proprieta	discrete	numeric-12.0	5523	511	-
89	<a href="#">HC15B</a>	Est-ce que vous ou quelqu'un dans ce ménage a un titre / acte	discrete	numeric-12.0	4791	1243	-
90	<a href="#">HC15CA</a>	Permis Urbain d'Habiter (PUH)	discrete	character-1	435	0	-
91	<a href="#">HC15CB</a>	Certification d'impot foncier	discrete	character-1	53	0	-
92	<a href="#">HC15CC</a>	Facture d'electricite/ eau/telephone etc	discrete	character-1	75	0	-
93	<a href="#">HC15CE</a>	Attestation d'attribution	discrete	character-1	0	0	-
94	<a href="#">HC15CX</a>	Autres	discrete	character-1	208	0	-
95	<a href="#">HC15CY</a>	Aucun/pas de document	discrete	character-1	17	0	-
96	<a href="#">HC15CZ</a>	Manquant	discrete	character-1	16	0	-
97	<a href="#">HC15D</a>	Est-ce que vous avez un contrat écrit pour la location	discrete	numeric-12.0	732	5302	-
98	<a href="#">HC15EA</a>	Accord informel (par écrit)	discrete	character-1	2	0	-
99	<a href="#">HC15EB</a>	Oral accord (Non-document)	discrete	character-1	248	0	-
100	<a href="#">HC15EC</a>	Occupation avec accord du propriétaire	discrete	character-1	244	0	-
101	<a href="#">HC15ED</a>	Occupation sans accord du propriétaire	discrete	character-1	6	0	-
102	<a href="#">HC15EX</a>	Autres	discrete	character-1	3	0	-
103	<a href="#">HC15EY</a>	Aucun/pas de document	discrete	character-1	173	0	-
104	<a href="#">HC15EZ</a>	Manquant	discrete	character-1	11	0	-
105	<a href="#">HC15F</a>	Vous sentez vous en securite de ne pas etre exulse(e) de cet	discrete	numeric-12.0	5523	511	-
106	<a href="#">HC15G</a>	Avez vous ete exulse de votre maison durant ces 5 dernieres	discrete	numeric-12.0	5523	511	-
107	<a href="#">HC15HA</a>	Region d'eboulement	discrete	character-1	54	0	-
108	<a href="#">HC15HB</a>	Region predisposee a linondation	discrete	character-1	83	0	-
109	<a href="#">HC15HC</a>	Bord de riviere	discrete	character-1	270	0	-
110	<a href="#">HC15HD</a>	Colline raide	discrete	character-1	370	0	-
111	<a href="#">HC15HE</a>	Montagne/tas d'ordures	discrete	character-1	265	0	-
112	<a href="#">HC15HF</a>	Region de pollution industrielle	discrete	character-1	1	0	-
113	<a href="#">HC15HG</a>	Chemin de fer	discrete	character-1	19	0	-
114	<a href="#">HC15HH</a>	Centrale electrique	discrete	character-1	0	0	-

File hh_base_ménage							
#	Name	Label	Type	Format	Valid	Invalid	Question
115	<a href="#">HC15HI</a>	Pont aerien	discrete	character-1	7	0	-
116	<a href="#">HC15HY</a>	Aucun des codes ci-dessus	discrete	character-1	4541	0	-
117	<a href="#">HC15HZ</a>	Manquant	discrete	character-1	10	0	-
118	<a href="#">HC15IA</a>	Craquements/ouverture dans les murs	discrete	character-1	496	0	-
119	<a href="#">HC15IB</a>	Pas de fenetre	discrete	character-1	1232	0	-
120	<a href="#">HC15IC</a>	Fenetre avec vitres casses/pas de vitre	discrete	character-1	11	0	-
121	<a href="#">HC15ID</a>	trous visibles dans le toit	discrete	character-1	120	0	-
122	<a href="#">HC15IE</a>	Toit incomplet	discrete	character-1	40	0	-
123	<a href="#">HC15IF</a>	Porte peu solide	discrete	character-1	2309	0	-
124	<a href="#">HC15IY</a>	Aucun des codes ci-dessus	discrete	character-1	2733	0	-
125	<a href="#">HC15IZ</a>	Manquant	discrete	character-1	6	0	-
126	<a href="#">HC15JA</a>	Passage tres etroit entre les maisons au lieu de route	discrete	character-1	698	0	-
127	<a href="#">HC15JB</a>	Trop de cables electriques connectant voisinage & poste d'al	discrete	character-1	6	0	-
128	<a href="#">HC15JY</a>	Aucun des codes ci-dessus	discrete	character-1	4815	0	-
129	<a href="#">HC15JZ</a>	Manquant	discrete	character-1	6	0	-
130	<a href="#">TN1</a>	Avez vous dans votre menage des moustiquaires utilisees pour	discrete	numeric-12.0	5523	511	-
131	<a href="#">TN2</a>	Nombre de moustiquaires	discrete	numeric-12.0	2728	3306	-
132	<a href="#">TN3L1</a>	Moustiquaires permanentes ( Permanet/SÅ©rÅ©na)	discrete	numeric-12.0	2728	3306	-
133	<a href="#">TN3L2</a>	Moustiquaires permanentes ( Olyset)	discrete	numeric-12.0	2728	3306	-
134	<a href="#">TN3O1</a>	Moustiquaires a reimpreignes	discrete	numeric-12.0	2728	3306	-
135	<a href="#">TN3O2</a>	Moustiquaires Ordinaires	discrete	numeric-12.0	2728	3306	-
136	<a href="#">TN3O3</a>	Autre marque	discrete	numeric-12.0	2728	3306	-
137	<a href="#">TN3O4</a>	Marque inconnue	discrete	numeric-12.0	2728	3306	-
138	<a href="#">TN3A</a>	Ou avez vous reçu la moustiquaire	discrete	numeric-12.0	2728	3306	-
139	<a href="#">TN3B</a>	Combien avez vous paye pour la moustiquaire	discrete	numeric-12.0	2728	3306	-
140	<a href="#">TN5</a>	Etait-elle traitee avec un insecticide	discrete	numeric-12.0	1663	4371	-
141	<a href="#">TN6</a>	Depuis combien de temps possédez-vous la plus recente mousti	discrete	numeric-12.0	1736	4298	-
142	<a href="#">TN7</a>	L'avez vous ou les avez vous trempee(s) dans un liquide pour	discrete	numeric-12.0	1736	4298	-
143	<a href="#">TN8</a>	Depuis combien de mois l'avez vous trempee dans un liquide	discrete	numeric-12.0	90	5944	-

<b>File hh_base_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
144	<a href="#">OV2</a>	Est-ce qu'un membre de votre famille est decede au cours des	discrete	numeric-12.0	4883	1151	-
145	<a href="#">OV3</a>	Parmi les decedes y'a-t-il des personnes agees de 18-59 ans	discrete	numeric-12.0	687	5347	-
146	<a href="#">OV4</a>	Parmi les decedes y'a-t-il quelqu'un de tres malade au moins	discrete	numeric-12.0	184	5850	-
147	<a href="#">CD7</a>	Total enfants ages de 2-14 ans	discrete	numeric-12.0	4575	1459	-
148	<a href="#">CD9</a>	Enregistrer le rang de l'enfant (a partir de la reponse du	discrete	numeric-12.0	3705	2329	-
149	<a href="#">CD11</a>	Numero de ligne de l'enfant	discrete	numeric-12.0	4575	1459	-
150	<a href="#">CD12A</a>	Retirer les privileges , lui interdire quelque chose qu'il a	discrete	numeric-12.0	4575	1459	-
151	<a href="#">CD12B</a>	Expliquer avec quelque chose pourquoi la conduite etait mauv	discrete	numeric-12.0	4575	1459	-
152	<a href="#">CD12C</a>	Le/la secouer	discrete	numeric-12.0	4575	1459	-
153	<a href="#">CD12D</a>	Crier, hurler sur lui/elle	discrete	numeric-12.0	4575	1459	-
154	<a href="#">CD12E</a>	Lui donner quelque chose d'autre a faire	discrete	numeric-12.0	4575	1459	-
155	<a href="#">CD12F</a>	Claquer, frapper ou gifler avec la main nue	discrete	numeric-12.0	4575	1459	-
156	<a href="#">CD12G</a>	Le/la frapper sur les fesses avec une ceinture, une brosse a	discrete	numeric-12.0	4575	1459	-
157	<a href="#">CD12H</a>	L'appeler idiot, pareisseux ou quelque chose de ce genre	discrete	numeric-12.0	4575	1459	-
158	<a href="#">CD12I</a>	Le/la frapper ou gifler sur le visage , la tete ou les oreil	discrete	numeric-12.0	4575	1459	-
159	<a href="#">CD12J</a>	Le/la frapper sur la main, le bras ou la jambe	discrete	numeric-12.0	4575	1459	-
160	<a href="#">CD12K</a>	Le/la taper avec un instrument aussi dur que possible	discrete	numeric-12.0	4575	1459	-
161	<a href="#">CD13</a>	Pensez vous que pour l'elever vous avez besoin de le punir p	discrete	numeric-12.0	4575	1459	-
162	<a href="#">SI1</a>	Resultat du test de l'echantillon du sel	discrete	numeric-12.0	5523	511	-
163	<a href="#">MFHH</a>	Heure	discrete	numeric-12.0	5523	511	-
164	<a href="#">MFHM</a>	Minutes	discrete	numeric-12.0	5523	511	-
165	<a href="#">hh1_xl</a>	conversion_num_grappe	continuous	numeric-12.0	6034	0	-
166	<a href="#">hhweight</a>	Household Weight	continuous	numeric-12.0	6034	0	-
167	<a href="#">helevel</a>	Education of household head	discrete	numeric-12.0	5523	511	-
168	<a href="#">hhsex</a>	Sex of household head	discrete	numeric-12.0	5523	511	-
169	<a href="#">langue</a>	Langue du chef de menage	discrete	numeric-12.0	5523	511	-

File hh_base_ménage							
#	Name	Label	Type	Format	Valid	Invalid	Question
170	<a href="#">milieu</a>	Milieu	discrete	numeric-12.0	6034	0	-
171	<a href="#">wlthscor</a>	Score de bien-être économique	continuous	numeric-12.0	6034	0	-
172	<a href="#">wlthind5</a>	Quintiles de bien-être économique	discrete	numeric-12.0	6034	0	-

File hl_membre_du_ménage							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">HH1</a>	Numero de la grappe	continuous	numeric-12.0	38504	0	-
2	<a href="#">HH2</a>	Numero du menage	continuous	numeric-12.0	38504	0	-
3	<a href="#">HL1</a>	Numero de ligne	continuous	numeric-12.0	38504	0	-
4	<a href="#">HL2A</a>	Situation de Residence	discrete	numeric-12.0	38504	0	-
5	<a href="#">HL3</a>	Lien de parente avec le Chef de menage	discrete	numeric-12.0	38504	0	-
6	<a href="#">HL4</a>	Sexe	discrete	numeric-12.0	38504	0	-
7	<a href="#">HL5</a>	Age	discrete	numeric-12.0	38504	0	-
8	<a href="#">HL6</a>	Numero de ligne de la femme eligible	discrete	numeric-12.0	38504	0	-
9	<a href="#">HL7A</a>	numéro de ligne de la mère /gardienne de l'enfant 2-14 ans	continuous	numeric-12.0	38504	0	-
10	<a href="#">HL8</a>	Numero de ligne de la mere/gardienne de l'enfant	discrete	numeric-12.0	38504	0	-
11	<a href="#">HL8A</a>	Membre malade 3 mois sur les 12 derniers mois	discrete	numeric-12.0	15471	23033	-
12	<a href="#">HL9</a>	La mere biologique est-elle en vie?	discrete	numeric-12.0	20517	17987	-
13	<a href="#">HL10</a>	Numero de ligne de la mere dans le menage	discrete	numeric-12.0	19972	18532	-
14	<a href="#">HL10A</a>	Mere malade pendant au moins 3 mois au cours des 12 dernier	discrete	numeric-12.0	2221	36283	-
15	<a href="#">HL11</a>	Le pere biologique est-il en vie?	discrete	numeric-12.0	20517	17987	-
16	<a href="#">HL12</a>	Numero de ligne du pere dans le menage	discrete	numeric-12.0	19276	19228	-
17	<a href="#">HL12A</a>	Pere malade pendant au moins 3 mois au cours des 12 dernier	discrete	numeric-12.0	2370	36134	-
18	<a href="#">ED1</a>	Numero de ligne	continuous	numeric-12.0	38504	0	-
19	<a href="#">ED2</a>	A-t-il/elle frequente l'ecole	discrete	numeric-12.0	32827	5677	-
20	<a href="#">ED3A</a>	Plus haut niveau d'etudes atteint	discrete	numeric-12.0	8903	29601	-
21	<a href="#">ED3B</a>	Derniere classe achevee a ce niveau	discrete	numeric-12.0	8903	29601	-
22	<a href="#">ED4</a>	At-il/elle frequente l'ecole durant l'annee scolaire (2004-	discrete	numeric-12.0	6834	31670	-

File hl_membre_du_ménage							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	<a href="#">ED5</a>	Depuis la semaine derniere combien de jours est-il alle a l'	discrete	numeric-12.0	4945	33559	-
24	<a href="#">ED6A</a>	Niveau d'education atteint durant cette annee scolaire	discrete	numeric-12.0	4945	33559	-
25	<a href="#">ED6B</a>	Classe frequentee durant cette annee scolaire	discrete	numeric-12.0	4945	33559	-
26	<a href="#">ED7</a>	A t-il/elle frequente l'ecole durant l'annee scolaire (2003-	discrete	numeric-12.0	6834	31670	-
27	<a href="#">ED8A</a>	Niveau d'education frequente l'annee scolaire passee	discrete	numeric-12.0	4422	34082	-
28	<a href="#">ED8B</a>	Classe frequentee l'annee passee	discrete	numeric-12.0	4422	34082	-
29	<a href="#">OV8A</a>	Numero de ligne de l'enfant	continuous	numeric-12.0	4879	33625	-
30	<a href="#">OV8B</a>	Age de l'enfant	discrete	numeric-12.0	4879	33625	-
31	<a href="#">OV10</a>	Avez -vous recu du support medical durant les 12 derniers mo	discrete	numeric-12.0	4879	33625	-
32	<a href="#">OV11</a>	Avez-vous recu du support emotionnel ou psychologique durant	discrete	numeric-12.0	4879	33625	-
33	<a href="#">OV12</a>	Avez vous recu du support emotionnel ou psychologique durant	discrete	numeric-12.0	58	38446	-
34	<a href="#">OV13</a>	Avez-vous recu du support materiel durant les 12 derniers mo	discrete	numeric-12.0	4879	33625	-
35	<a href="#">OV14</a>	Avez-vous recu du support materiel durant les 3 derniers mo	discrete	numeric-12.0	100	38404	-
36	<a href="#">OV15</a>	Avez-vous recu du support social durant les 12 derniers mois	discrete	numeric-12.0	4879	33625	-
37	<a href="#">OV16</a>	Avez vous recu du support social durant les 3 derniers mois	discrete	numeric-12.0	21	38483	-
38	<a href="#">OV18</a>	Avez-vous recu du support pour la scolarite durant les 12 d	discrete	numeric-12.0	3718	34786	-
39	<a href="#">MDHH</a>	Heure	discrete	numeric-12.0	38504	0	-
40	<a href="#">MDHM</a>	Minuite	discrete	numeric-12.0	38504	0	-
41	<a href="#">HH3</a>	Numero de l'enqueteur	continuous	numeric-12.0	38504	0	-
42	<a href="#">HH4</a>	Numero du Controleur	continuous	numeric-12.0	38504	0	-
43	<a href="#">HH4A</a>	Chef d'Equipe	continuous	numeric-12.0	38504	0	-
44	<a href="#">HH5D</a>	Jour de l'enquete	continuous	numeric-12.0	38504	0	-
45	<a href="#">HH5M</a>	Mois de l'enquete	discrete	numeric-12.0	38504	0	-
46	<a href="#">HH5Y</a>	Annee de l'enquete	discrete	numeric-12.0	38504	0	-
47	<a href="#">HHV</a>	Nombre de Visite	discrete	numeric-12.0	38504	0	-
48	<a href="#">HH6</a>	Milieu	discrete	numeric-12.0	38504	0	-

<b>File hl_membre_du_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
49	<a href="#">HH7</a>	Region	discrete	numeric-12.0	38504	0	-
50	<a href="#">HH9</a>	Resultat de l' interview	discrete	numeric-12.0	38504	0	-
51	<a href="#">HH10</a>	Repondant HH questionnaire	discrete	numeric-12.0	38504	0	-
52	<a href="#">HH11</a>	Nombre total des membres du menage	continuous	numeric-12.0	38504	0	-
53	<a href="#">HH12</a>	Total femmes eligibles	discrete	numeric-12.0	38504	0	-
54	<a href="#">HH13</a>	Nombre de questionnaire femme remplis	discrete	numeric-12.0	38504	0	-
55	<a href="#">HH14</a>	Total Enfant de moins de 5 ans	discrete	numeric-12.0	38504	0	-
56	<a href="#">HH15</a>	Nombre de questionnaires enfants de moins de 5 ans remplis	discrete	numeric-12.0	38504	0	-
57	<a href="#">HHL</a>	Langue de l'Interview	discrete	numeric-12.0	38504	0	-
58	<a href="#">HHI</a>	Recours À Interprete	discrete	numeric-12.0	38504	0	-
59	<a href="#">HH16</a>	Numero de l'agent de saisie	discrete	numeric-12.0	38504	0	-
60	<a href="#">HH16A</a>	Numero du Controleur Bureau	discrete	numeric-12.0	38504	0	-
61	<a href="#">WS1</a>	Principale source d'eau que boivent les membre du menage	discrete	numeric-12.0	38504	0	-
62	<a href="#">WS2</a>	Principale source d'eau utilisee pour autres choses	discrete	numeric-12.0	23	38481	-
63	<a href="#">WS3</a>	Temps pour aller chercher de leau et revenir	discrete	numeric-12.0	36618	1886	-
64	<a href="#">WS4</a>	Qui se rend habituellement a la source d'eau	discrete	numeric-12.0	35026	3478	-
65	<a href="#">WS5</a>	Traitez vous l'eau avant de la boire	discrete	numeric-12.0	38504	0	-
66	<a href="#">WS6A</a>	La faire bouillir	discrete	character-1	70	0	-
67	<a href="#">WS6B</a>	Y ajouter de l'eau de javel/ chlore	discrete	character-1	360	0	-
68	<a href="#">WS6C</a>	La filtrer a travers un linge	discrete	character-1	4639	0	-
69	<a href="#">WS6D</a>	Utiliser un filtre (ceramique, sable, composite)	discrete	character-1	960	0	-
70	<a href="#">WS6E</a>	Desinfection solaire	discrete	character-1	0	0	-
71	<a href="#">WS6F</a>	Laisser reposer	discrete	character-1	424	0	-
72	<a href="#">WS6X</a>	Autres	discrete	character-1	35	0	-
73	<a href="#">WS6Z</a>	NSP	discrete	character-1	51	0	-
74	<a href="#">WS7</a>	Type de toilettes	discrete	numeric-12.0	38504	0	-
75	<a href="#">WS8</a>	Partagez-vous ces toilettes avec d'autres menages	discrete	numeric-12.0	11967	26537	-
76	<a href="#">WS9</a>	Au total , combien de menages utilisent ces toilettes	discrete	numeric-12.0	4655	33849	-
77	<a href="#">HC1A</a>	Religion du chef de menage	discrete	numeric-12.0	38504	0	-

<b>File hl_membre_du_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
78	<a href="#">HC1B</a>	Langue maternelle du chef de ménage	discrete	numeric-12.0	38504	0	-
79	<a href="#">HC1C</a>	Ethnie du chef de ménage	discrete	numeric-12.0	38504	0	-
80	<a href="#">HC2</a>	Nombre de pieces utilisees pour dormir	discrete	numeric-12.0	38504	0	-
81	<a href="#">HC3</a>	Principal material du sol	discrete	numeric-12.0	38504	0	-
82	<a href="#">HC4</a>	Principal material du toit	discrete	numeric-12.0	38504	0	-
83	<a href="#">HC5</a>	Principal meterial des murs	discrete	numeric-12.0	38504	0	-
84	<a href="#">HC6</a>	Type de combustible utilise pour la cuisine	discrete	numeric-12.0	38504	0	-
85	<a href="#">HC7</a>	Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un	discrete	numeric-12.0	37818	686	-
86	<a href="#">HC7A</a>	Est-ce-que le feu/four a une cheminee ou une hotte	discrete	numeric-12.0	358	38146	-
87	<a href="#">HC8</a>	Lieu ou vous faites la cuisine	discrete	numeric-12.0	38504	0	-
88	<a href="#">HC9A</a>	Electricite	discrete	numeric-12.0	38504	0	-
89	<a href="#">HC9B</a>	Radio	discrete	numeric-12.0	38504	0	-
90	<a href="#">HC9C</a>	Television	discrete	numeric-12.0	38504	0	-
91	<a href="#">HC9D</a>	Telephone mobile	discrete	numeric-12.0	38504	0	-
92	<a href="#">HC9E</a>	Telephone non-mobile (fixe)	discrete	numeric-12.0	38504	0	-
93	<a href="#">HC9F</a>	Refrigerateur	discrete	numeric-12.0	38504	0	-
94	<a href="#">HC10A</a>	Montre	discrete	numeric-12.0	38504	0	-
95	<a href="#">HC10B</a>	Bicyclette	discrete	numeric-12.0	38504	0	-
96	<a href="#">HC10C</a>	Motocyclette/scooter	discrete	numeric-12.0	38504	0	-
97	<a href="#">HC10D</a>	Charrette avec animal	discrete	numeric-12.0	38504	0	-
98	<a href="#">HC10E</a>	Voiture/Camion	discrete	numeric-12.0	38504	0	-
99	<a href="#">HC11</a>	Est-ce qu'un membre de votre ménage possède une terre qui pe	discrete	numeric-12.0	38504	0	-
100	<a href="#">HC12</a>	Combien d'hectares de terres agricoles	discrete	numeric-12.0	33452	5052	-
101	<a href="#">HC12A</a>	Les recoltes de cette terre suffisent pour les besoins du me	discrete	numeric-12.0	33452	5052	-
102	<a href="#">HC12B</a>	Nombre de mois couvert par les recoltes	discrete	numeric-12.0	15647	22857	-
103	<a href="#">HC13</a>	Est-ce que votre ménage possède du betail, troupeau ou des a	discrete	numeric-12.0	38504	0	-
104	<a href="#">HC14A</a>	Nombre de Vaches laitieres ou de taureaux	discrete	numeric-12.0	32369	6135	-
105	<a href="#">HC14B</a>	Nombre de Chevaux	discrete	numeric-12.0	32369	6135	-
106	<a href="#">HC14C</a>	Nombre d'Anes ou de mules	discrete	numeric-12.0	32369	6135	-
107	<a href="#">HC14D</a>	Nombre de chevres	discrete	numeric-12.0	32369	6135	-

<b>File hl_membre_du_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
108	<a href="#">HC14E</a>	Nombre de moutons	discrete	numeric-12.0	32369	6135	-
109	<a href="#">HC14F</a>	Nombre de Porcs/ Cochons	discrete	numeric-12.0	32369	6135	-
110	<a href="#">HC14G</a>	Nombre de poulets	discrete	numeric-12.0	32369	6135	-
111	<a href="#">HC14H</a>	Nombre de pindades	discrete	numeric-12.0	32369	6135	-
112	<a href="#">HC14I</a>	Nombre de Dindon	discrete	numeric-12.0	32369	6135	-
113	<a href="#">HC14J</a>	Nombre de Canard	discrete	numeric-12.0	32369	6135	-
114	<a href="#">HC14K</a>	Nombre de Pigeon	discrete	numeric-12.0	32369	6135	-
115	<a href="#">HC14L</a>	Autres	discrete	numeric-12.0	32369	6135	-
116	<a href="#">HC15A</a>	Est-ce que vous ou quelqu'un dans votre menage est proprieta	discrete	numeric-12.0	38504	0	-
117	<a href="#">HC15B</a>	Est-ce que vous ou quelqu'un dans ce menage a un titre / acte	discrete	numeric-12.0	35179	3325	-
118	<a href="#">HC15CA</a>	Permis Urbain d'Habiter (PUH)	discrete	character-1	3575	0	-
119	<a href="#">HC15CB</a>	Certification d'impôt foncier	discrete	character-1	454	0	-
120	<a href="#">HC15CC</a>	Facture d'electricite/ eau/telephone etc	discrete	character-1	698	0	-
121	<a href="#">HC15CE</a>	Attestation d'attribution	discrete	character-1	0	0	-
122	<a href="#">HC15CX</a>	Autres	discrete	character-1	1599	0	-
123	<a href="#">HC15CY</a>	Aucun/pas de document	discrete	character-1	176	0	-
124	<a href="#">HC15CZ</a>	Manquant	discrete	character-1	103	0	-
125	<a href="#">HC15D</a>	Est-ce que vous avez un contrat écrit pour la location	discrete	numeric-12.0	3325	35179	-
126	<a href="#">HC15EA</a>	Accord informel (par écrit)	discrete	character-1	10	0	-
127	<a href="#">HC15EB</a>	Oral accord (Non-document)	discrete	character-1	958	0	-
128	<a href="#">HC15EC</a>	Occupation avec accord du propriétaire	discrete	character-1	1185	0	-
129	<a href="#">HC15ED</a>	Occupation sans accord du propriétaire	discrete	character-1	19	0	-
130	<a href="#">HC15EX</a>	Autres	discrete	character-1	7	0	-
131	<a href="#">HC15EY</a>	Aucun/pas de document	discrete	character-1	878	0	-
132	<a href="#">HC15EZ</a>	Manquant	discrete	character-1	49	0	-
133	<a href="#">HC15F</a>	Vous sentez vous en securite de ne pas etre exulse(e) de cet	discrete	numeric-12.0	38504	0	-
134	<a href="#">HC15G</a>	Avez vous ete expluse de votre maison durant ces 5 dernieres	discrete	numeric-12.0	38504	0	-
135	<a href="#">HC15HA</a>	Region d'eboulement	discrete	character-1	344	0	-
136	<a href="#">HC15HB</a>	Region predisposee a linondation	discrete	character-1	563	0	-
137	<a href="#">HC15HC</a>	Bord de riviere	discrete	character-1	1810	0	-

File hl_membre_du_ménage							
#	Name	Label	Type	Format	Valid	Invalid	Question
138	<a href="#">HC15HD</a>	Colline raide	discrete	character-1	2306	0	-
139	<a href="#">HC15HE</a>	Montagne/tas d'ordures	discrete	character-1	1812	0	-
140	<a href="#">HC15HF</a>	Region de pollution industrielle	discrete	character-1	7	0	-
141	<a href="#">HC15HG</a>	Chemin de fer	discrete	character-1	167	0	-
142	<a href="#">HC15HH</a>	Centrale électrique	discrete	character-1	0	0	-
143	<a href="#">HC15HI</a>	Pont aérien	discrete	character-1	38	0	-
144	<a href="#">HC15HY</a>	Aucun des codes ci-dessus	discrete	character-1	32019	0	-
145	<a href="#">HC15HZ</a>	Manquant	discrete	character-1	78	0	-
146	<a href="#">HC15IA</a>	Craquements/ouverture dans les murs	discrete	character-1	3582	0	-
147	<a href="#">HC15IB</a>	Pas de fenêtre	discrete	character-1	8218	0	-
148	<a href="#">HC15IC</a>	Fenêtre avec vitres cassées/pas de vitre	discrete	character-1	86	0	-
149	<a href="#">HC15ID</a>	trous visibles dans le toit	discrete	character-1	716	0	-
150	<a href="#">HC15IE</a>	Toit incomplet	discrete	character-1	273	0	-
151	<a href="#">HC15IF</a>	Porte peu solide	discrete	character-1	16264	0	-
152	<a href="#">HC15IY</a>	Aucun des codes ci-dessus	discrete	character-1	18901	0	-
153	<a href="#">HC15IZ</a>	Manquant	discrete	character-1	49	0	-
154	<a href="#">HC15JA</a>	Passage très étroit entre les maisons au lieu de route	discrete	character-1	4720	0	-
155	<a href="#">HC15JB</a>	Trop de câbles électriques connectant voisinage & poste d'al	discrete	character-1	49	0	-
156	<a href="#">HC15JY</a>	Aucun des codes ci-dessus	discrete	character-1	33695	0	-
157	<a href="#">HC15JZ</a>	Manquant	discrete	character-1	55	0	-
158	<a href="#">TOHL6</a>	Nombre total de femmes 15-49	discrete	numeric-12.0	38504	0	-
159	<a href="#">TOHL7A</a>	Nombre d'enfant de 2 à 14 ans	discrete	numeric-12.0	38504	0	-
160	<a href="#">TOHL8</a>	Nombre total d'enfants de moins de 5 ans	discrete	numeric-12.0	38504	0	-
161	<a href="#">TOHL8A</a>	Nombre total de personnes très malades	discrete	numeric-12.0	38504	0	-
162	<a href="#">TOHL9</a>	Nombre total de mère décédée	discrete	numeric-12.0	38504	0	-
163	<a href="#">TOHL10A</a>	Nombre total de mère très malade	discrete	numeric-12.0	38504	0	-
164	<a href="#">TOHL11</a>	Nombre total de père décédé	discrete	numeric-12.0	38504	0	-
165	<a href="#">TOHL12A</a>	Nombre total de père très malade	discrete	numeric-12.0	38504	0	-
166	<a href="#">OV2</a>	Est-ce qu'un membre de votre famille est décédé au cours des	discrete	numeric-12.0	37153	1351	-
167	<a href="#">OV3</a>	Parmi les décédés y'a-t-il des personnes âgées de 18-59 ans	discrete	numeric-12.0	5629	32875	-

<b>File hl_membre_du_ménage</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
168	<a href="#">OV4</a>	Parmi les decedes y'a-t-il quelqu'un de tres malade au moins	discrete	numeric-12.0	1685	36819	-
169	<a href="#">hhweight</a>	Household Weight	continuous	numeric-12.0	38504	0	-
170	<a href="#">mline</a>	Mother's line number	continuous	numeric-12.0	20517	17987	-
171	<a href="#">melevel</a>	Mother's education	discrete	numeric-12.0	20517	17987	-
172	<a href="#">fline</a>	Father's line number	continuous	numeric-12.0	20517	17987	-
173	<a href="#">felevel</a>	Father's education	discrete	numeric-12.0	20517	17987	-
174	<a href="#">helevel</a>	Education of household head	discrete	numeric-12.0	38504	0	-
175	<a href="#">milieu</a>	Milieu	discrete	numeric-12.0	38504	0	-
176	<a href="#">langue</a>	Langue du chef de menage	discrete	numeric-12.0	38504	0	-
177	<a href="#">hh1_xl</a>	conversion_num_grappe	continuous	numeric-12.0	38504	0	-
178	<a href="#">wlthscor</a>	Score de bien Être economique	continuous	numeric-12.0	38504	0	-
179	<a href="#">wlthind5</a>	Quintiles de bien Être economique	discrete	numeric-12.0	38504	0	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">HH1</a>	Numero de la grappe	continuous	numeric-12.0	8159	0	-
2	<a href="#">HH2</a>	Numero du menage	continuous	numeric-12.0	8159	0	-
3	<a href="#">LN</a>	Numero de ligne	continuous	numeric-12.0	8159	0	-
4	<a href="#">WMR</a>	Region	discrete	numeric-12.0	8159	0	-
5	<a href="#">FDHH</a>	Heure	discrete	numeric-12.0	8159	0	-
6	<a href="#">FDHM</a>	Minuite	discrete	numeric-12.0	8159	0	-
7	<a href="#">WM1</a>	Numero de grappe	continuous	numeric-12.0	8159	0	-
8	<a href="#">WM2</a>	Numero du menage	continuous	numeric-12.0	8159	0	-
9	<a href="#">WM4</a>	Numero de ligne de la femme	continuous	numeric-12.0	8159	0	-
10	<a href="#">WM6D</a>	Jour de l'interview	continuous	numeric-12.0	8159	0	-
11	<a href="#">WM6M</a>	Mois de l'interview	discrete	numeric-12.0	8159	0	-
12	<a href="#">WM6Y</a>	Annee de l'interview	discrete	numeric-12.0	8159	0	-
13	<a href="#">WMV</a>	Nombre de visite	discrete	numeric-12.0	8159	0	-
14	<a href="#">WM7</a>	Resultat de l'interview de la femme	discrete	numeric-12.0	8159	0	-
15	<a href="#">WML</a>	Langue de l'interview	discrete	numeric-12.0	7316	843	-
16	<a href="#">WMI</a>	Recours a un interprete	discrete	numeric-12.0	7316	843	-
17	<a href="#">WMCB</a>	Numero du Controleur Bureau	discrete	numeric-12.0	7316	843	-
18	<a href="#">WMAS</a>	Numero de l'agent de saisie	discrete	numeric-12.0	8159	0	-
19	<a href="#">WM8D</a>	Jour de naissance de la femme	discrete	numeric-12.0	7316	843	-

File wm_base_femme							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	<a href="#">WM8M</a>	Mois de naissance de la femme	discrete	numeric-12.0	7316	843	-
21	<a href="#">WM8Y</a>	Annee de naissance de la femme	discrete	numeric-12.0	7316	843	-
22	<a href="#">WM9</a>	Age de la femme	continuous	numeric-12.0	7316	843	-
23	<a href="#">WM10</a>	Avez-vous frequente l'ecole	discrete	numeric-12.0	7316	843	-
24	<a href="#">WM11</a>	Quel est le plus haut niveau atteint	discrete	numeric-12.0	1514	6645	-
25	<a href="#">WM12</a>	Quelle est la derniere annee/ classe achevee	discrete	numeric-12.0	1514	6645	-
26	<a href="#">WM14</a>	Pouvez vous me lire certaines parties de la phrase	discrete	numeric-12.0	846	7313	-
27	<a href="#">CM1</a>	Avez-vous donnee naissance a des enfants	discrete	numeric-12.0	7316	843	-
28	<a href="#">CM2AD</a>	Jour de naissance de votre premier enfant	discrete	numeric-12.0	5637	2522	-
29	<a href="#">CM2AM</a>	Mois de naissance de votre premier enfant	discrete	numeric-12.0	5637	2522	-
30	<a href="#">CM2AY</a>	Annee de naissance de votre premier enfant	discrete	numeric-12.0	5637	2522	-
31	<a href="#">CM2B</a>	Nombre d'annees depuis votre premier enfant	discrete	numeric-12.0	2146	6013	-
32	<a href="#">CM3</a>	Avez-vous des files ou filles vivants actuellement avec vous	discrete	numeric-12.0	5637	2522	-
33	<a href="#">CM4A</a>	Nombre de fils qui vivent avec vous	discrete	numeric-12.0	5355	2804	-
34	<a href="#">CM4B</a>	Nombre de filles qui vivent avec vous	discrete	numeric-12.0	5355	2804	-
35	<a href="#">CM5</a>	Avez-vous des files ou des filles qui ne vivent pas avec vous	discrete	numeric-12.0	5637	2522	-
36	<a href="#">CM6A</a>	Nombre de files qui ne vivent pas avec vous	discrete	numeric-12.0	2259	5900	-
37	<a href="#">CM6B</a>	Nombre de filles qui ne vivent pas avec vous	discrete	numeric-12.0	2259	5900	-
38	<a href="#">CM7</a>	Avez-vous des files ou filles decedes	discrete	numeric-12.0	5637	2522	-
39	<a href="#">CM8A</a>	Nombre de fils decedes	discrete	numeric-12.0	2812	5347	-
40	<a href="#">CM8B</a>	Nombre de filles decedees	discrete	numeric-12.0	2812	5347	-
41	<a href="#">CM9</a>	Nombre total d'enfants	discrete	numeric-12.0	5637	2522	-
42	<a href="#">CM11D</a>	Jour de naissance de votre dernier enfant	discrete	numeric-12.0	5637	2522	-
43	<a href="#">CM11M</a>	Mois de naissance de votre dernier enfant	discrete	numeric-12.0	5637	2522	-
44	<a href="#">CM11Y</a>	Annee de naissance de votre dernier enfant	discrete	numeric-12.0	5637	2522	-
45	<a href="#">CM11A</a>	Nombre d'annees apres votre derniere naissance	continuous	numeric-12.0	5637	2522	-

File wm_base_femme							
#	Name	Label	Type	Format	Valid	Invalid	Question
46	<a href="#">CM12</a>	Avez-vous donnee naissance a un enfant durant les 24 dernier	discrete	character-1	5637	0	-
47	<a href="#">CM13</a>	Voulez-vous tomber enceinte a ce moment la ou attendre plut	discrete	numeric-12.0	2384	5775	-
48	<a href="#">TT1</a>	Avez-vous une carte de vaccination	discrete	numeric-12.0	2384	5775	-
49	<a href="#">TT2</a>	Durant votre dernier grossesse avez vous recu une piqure ant	discrete	numeric-12.0	2384	5775	-
50	<a href="#">TT3</a>	Combien de fois avez-vous eu cette injection anti-tetanos	discrete	numeric-12.0	1917	6242	-
51	<a href="#">TT5</a>	Avez vous-avant votre grossesse recu une injection contre le	discrete	numeric-12.0	831	7328	-
52	<a href="#">TT6</a>	Combien de fois avez-vous recu cette injection	discrete	numeric-12.0	300	7859	-
53	<a href="#">TT7M</a>	En quel mois avez-vous recu la derniere injection	discrete	numeric-12.0	300	7859	-
54	<a href="#">TT7Y</a>	En quelle annee avez-vous recu la derniere injection	discrete	numeric-12.0	300	7859	-
55	<a href="#">TT8</a>	Nombre d'annees depuis la derniere injection anti-tetanos	discrete	numeric-12.0	144	8015	-
56	<a href="#">MN1</a>	Avez-vous recu une dose de vitamine A apres la naissance de	discrete	numeric-12.0	2384	5775	-
57	<a href="#">MN2A</a>	Soin prenatal: Medecin	discrete	character-1	15	0	-
58	<a href="#">MN2B</a>	Soin prenatal: Sage-femme/ Maieuticien	discrete	character-1	467	0	-
59	<a href="#">MN2C</a>	Soin prenatal : Infirmier/ infirmiere	discrete	character-1	595	0	-
60	<a href="#">MN2D</a>	Soin prenatal: Accoucheuse auxiliaire	discrete	character-1	986	0	-
61	<a href="#">MN2F</a>	Soin prenatal: Accoucheuse traditionnelle	discrete	character-1	19	0	-
62	<a href="#">MN2G</a>	Soin prenatal: Agent de sante communautaire	discrete	character-1	9	0	-
63	<a href="#">MN2H</a>	Soin prenatal: Parente/Amie	discrete	character-1	0	0	-
64	<a href="#">MN2X</a>	Soin prenatal: Autre	discrete	character-1	1	0	-
65	<a href="#">MN2Y</a>	Soin prenatal: Personne	discrete	character-1	362	0	-
66	<a href="#">MN2Z</a>	Manquant	discrete	character-1	9	0	-
67	<a href="#">MN2AA</a>	Lieu de consultation	discrete	numeric-12.0	2022	6137	-
68	<a href="#">MN3A</a>	Poids	discrete	numeric-12.0	2022	6137	-
69	<a href="#">MN3B</a>	Tension	discrete	numeric-12.0	2022	6137	-
70	<a href="#">MN3C</a>	Urine	discrete	numeric-12.0	2022	6137	-
71	<a href="#">MN3D</a>	Sang	discrete	numeric-12.0	2022	6137	-

File wm_base_femme							
#	Name	Label	Type	Format	Valid	Invalid	Question
72	<a href="#">MN3AA</a>	Informations ou conseils recu sur la planification familiale	discrete	numeric-12.0	2022	6137	-
73	<a href="#">MN3BB</a>	Soins prénataux : avez vous recu du fer/folate	discrete	numeric-12.0	2022	6137	-
74	<a href="#">MN4</a>	Avez-vous recu des conseils sur le sida ou le virus du sida	discrete	numeric-12.0	2022	6137	-
75	<a href="#">MN5</a>	Avez-vous effectué un test du VIH/SIDA	discrete	numeric-12.0	2022	6137	-
76	<a href="#">MN6</a>	Avez-vous obtenu les résultats du test	discrete	numeric-12.0	173	7986	-
77	<a href="#">MN6A</a>	Avez vous pris des médicaments contre le paludisme pendant vo	discrete	numeric-12.0	2022	6137	-
78	<a href="#">MN6BA</a>	SP/Fansidar/Maloxine	discrete	character-1	34	0	-
79	<a href="#">MN6BB</a>	Chloroquine/Nivaquine/Camoquine	discrete	character-1	1741	0	-
80	<a href="#">MN6BC</a>	Amodiaquine	discrete	character-1	5	0	-
81	<a href="#">MN6BD</a>	Quinine/Quinimax	discrete	character-1	9	0	-
82	<a href="#">MN6BE</a>	Combinaison basÃ©e sur l'ArtÃ©misinine	discrete	character-1	0	0	-
83	<a href="#">MN6BF</a>	Autre Antipaludeen	discrete	character-1	50	0	-
84	<a href="#">MN6BG</a>	Paracetamol/Panadol/Acetaminophen	discrete	character-1	144	0	-
85	<a href="#">MN6BH</a>	Aspirine	discrete	character-1	3	0	-
86	<a href="#">MN6BI</a>	Ibuprofen	discrete	character-1	7	0	-
87	<a href="#">MN6BX</a>	Autre	discrete	character-1	2	0	-
88	<a href="#">MN6BY</a>	NSP	discrete	character-1	26	0	-
89	<a href="#">MN6BZ</a>	Manquant	discrete	character-1	3	0	-
90	<a href="#">MN6D</a>	Nombre de fois médicament Sp/Fansidar Pris pendant la grossesse	discrete	numeric-12.0	34	8125	-
91	<a href="#">MN6E</a>	Durant la grossesse avez vous dormi sous une moustiquaire	discrete	numeric-12.0	2022	6137	-
92	<a href="#">MN7A</a>	Assistance a l'accouchement: Medecin	discrete	character-1	11	0	-
93	<a href="#">MN7B</a>	Assistance a l'accouchement: sage-femme/Maieuticien	discrete	character-1	380	0	-
94	<a href="#">MN7C</a>	Assistance e l'accouchement : infirmier/infirmiere	discrete	character-1	156	0	-
95	<a href="#">MN7F</a>	Assistance a l'accouchement: Accoucheuse traditionnelle	discrete	character-1	611	0	-
96	<a href="#">MN7D</a>	Assistance a l'accouchement: Accoucheuse auxiliaire	discrete	character-1	662	0	-
97	<a href="#">MN7G</a>	Assistance a l'accouchement: Agent de sante communautaire	discrete	character-1	56	0	-

File wm_base_femme							
#	Name	Label	Type	Format	Valid	Invalid	Question
98	<a href="#">MN7H</a>	Assistance a l'accouchement: Parente/Amie	discrete	character-1	475	0	-
99	<a href="#">MN7X</a>	Assistance a l'accouchement: Autre	discrete	character-1	25	0	-
100	<a href="#">MN7Y</a>	Assistance a l'accouchement: Personne	discrete	character-1	117	0	-
101	<a href="#">MN7Z</a>	Manquant	discrete	character-1	38	0	-
102	<a href="#">MN8</a>	Ou avez-vous accouche	discrete	numeric-12.0	2384	5775	-
103	<a href="#">MN8A</a>	Qui a choisit le lieu pour l'accouchement	discrete	numeric-12.0	2384	5775	-
104	<a href="#">MN9</a>	Taille de votre dernier enfant	discrete	numeric-12.0	2384	5775	-
105	<a href="#">MN10</a>	L'enfant a-t-il ete pese a sa naissance	discrete	numeric-12.0	2384	5775	-
106	<a href="#">MN11A</a>	Poids du carnet ou memoire	discrete	numeric-12.0	1006	7153	-
107	<a href="#">MN11</a>	Poids a la naissance en (Kilogramme)	continuous	numeric-12.0	1006	7153	-
108	<a href="#">MN12</a>	Avez-vous allaite	discrete	numeric-12.0	2384	5775	-
109	<a href="#">MN13U</a>	Unite	discrete	numeric-12.0	2347	5812	-
110	<a href="#">MN13N</a>	Nombre	discrete	numeric-12.0	2347	5812	-
111	<a href="#">MA1</a>	Etes-vous actuellement mariee ou vivez-vous avec un homme	discrete	numeric-12.0	7316	843	-
112	<a href="#">MA2</a>	Age de votre Mari/partenaire	discrete	numeric-12.0	5619	2540	-
113	<a href="#">MA2A</a>	Votre Mari/Partenaire a d'autres Acpouses/femmes en plus de v	discrete	numeric-12.0	5619	2540	-
114	<a href="#">MA2B</a>	Nombre d'autres femmes	discrete	numeric-12.0	2858	5301	-
115	<a href="#">MA3</a>	Avez-vous deja ete marie ou avez-vous deja vecu avec un homm	discrete	numeric-12.0	1697	6462	-
116	<a href="#">MA4</a>	Situation matrimoniale	discrete	numeric-12.0	275	7884	-
117	<a href="#">MA5</a>	Avez-vous ete mariee ou vecu avec un homme une fois ou plus	discrete	numeric-12.0	5894	2265	-
118	<a href="#">MA6M</a>	Mois de votre premiere union	discrete	numeric-12.0	5894	2265	-
119	<a href="#">MA6Y</a>	Annee de votre premire union	discrete	numeric-12.0	5894	2265	-
120	<a href="#">MA8</a>	Age a votre premiere union	discrete	numeric-12.0	5155	3004	-
121	<a href="#">CP1</a>	Etes-vous actuellement enceinte	discrete	numeric-12.0	7316	843	-
122	<a href="#">CP1A</a>	Voulez-vous tomber enceinte ou voulez-vous attendre plutar	discrete	numeric-12.0	667	7492	-
123	<a href="#">CP2</a>	utilisez-vous une methode pour retarder ou eviter une grosse	discrete	numeric-12.0	6649	1510	-
124	<a href="#">CP3A</a>	Methode actuelle: Sterilisation feminine	discrete	character-1	5	0	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
125	<a href="#">CP3B</a>	Methode actuelle: Sterilisation masculine	discrete	character-1	0	0	-
126	<a href="#">CP3C</a>	Methode actuelle: Pilule	discrete	character-1	256	0	-
127	<a href="#">CP3D</a>	Methode actuelle: DIU	discrete	character-1	14	0	-
128	<a href="#">CP3E</a>	Methode actuelle: Injections	discrete	character-1	262	0	-
129	<a href="#">CP3F</a>	Methode actuelle: Implants	discrete	character-1	94	0	-
130	<a href="#">CP3G</a>	Methode actuelle: Condom	discrete	character-1	171	0	-
131	<a href="#">CP3H</a>	Methode actuelle: Condom feminin	discrete	character-1	1	0	-
132	<a href="#">CP3I</a>	methode actuelle: Diaphragme	discrete	character-1	2	0	-
133	<a href="#">CP3J</a>	Methode actuelle: Mousse/gelee	discrete	character-1	0	0	-
134	<a href="#">CP3K</a>	methode actuelle: Methode de l'allaitement maternel et de l'	discrete	character-1	68	0	-
135	<a href="#">CP3L</a>	Methode actuelle: Abstinence periodique	discrete	character-1	184	0	-
136	<a href="#">CP3M</a>	Methode actuelle: Retrait	discrete	character-1	4	0	-
137	<a href="#">CP3X</a>	Methode actuelle: Autre	discrete	character-1	2	0	-
138	<a href="#">CP3Z</a>	Manquant	discrete	character-1	2	0	-
139	<a href="#">CP3AA</a>	Variable de controle	discrete	numeric-12.0	0	8159	-
140	<a href="#">CP4A</a>	Voudriez-vous avoir un autre enfant ou ne pas en avoir	discrete	numeric-12.0	5075	3084	-
141	<a href="#">CP4A1</a>	Voudriez vous avoir un autre enfant ou pas du tout	discrete	numeric-12.0	1574	6585	-
142	<a href="#">CP4B</a>	Après l'enfant que vous attendez voudriez vous avoir un autre	discrete	numeric-12.0	667	7492	-
143	<a href="#">CP4CU</a>	Temps d'attente en (unites)	discrete	numeric-12.0	5283	2876	-
144	<a href="#">CP4CN</a>	Temps d'attente en (nombre)	discrete	numeric-12.0	5283	2876	-
145	<a href="#">CP4E</a>	Pensez-vous que vous etes physiquement apte a etre en etat d	discrete	numeric-12.0	6425	1734	-
146	<a href="#">FG1</a>	Avez-vous entendu parle de l'excision	discrete	numeric-12.0	7316	843	-
147	<a href="#">FG2</a>	Avez-vous deja entendu parler de cette pratique qui consiste	discrete	numeric-12.0	305	7854	-
148	<a href="#">FG3</a>	Avez-vous ete excise	discrete	numeric-12.0	7027	1132	-
149	<a href="#">FG4</a>	Vous-a-t-on couper quelque chose dans la zone genitale	discrete	numeric-12.0	5179	2980	-
150	<a href="#">FG5</a>	Vous-a-t-on entailler les parties genitales sans rien couper	discrete	numeric-12.0	387	7772	-
151	<a href="#">FG6</a>	Vous -a-ton ferme la zone du vacin par une couture	discrete	numeric-12.0	5179	2980	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
152	<a href="#">FG7</a>	Qui a procede a votre excision	discrete	numeric-12.0	5179	2980	-
153	<a href="#">FG9</a>	Combien de vos filles ont ete excisees	discrete	numeric-12.0	4389	3770	-
154	<a href="#">FG11</a>	A-t-on enleve quelque chose de ses parties genitales	discrete	numeric-12.0	1145	7014	-
155	<a href="#">FG12</a>	Lui a-t-on seulement entailler ses parties sans rien couper	discrete	numeric-12.0	73	8086	-
156	<a href="#">FG13</a>	Lui a-t-on fermer totalement la zone du vacin par une coutur	discrete	numeric-12.0	1145	7014	-
157	<a href="#">FG14</a>	Quel age avait votre fille au moment de l'excision	discrete	numeric-12.0	1145	7014	-
158	<a href="#">FG15</a>	Qui a procede a l'excision	discrete	numeric-12.0	1145	7014	-
159	<a href="#">FG15A</a>	pensez vous quz l'excision a des effets nefastes	discrete	numeric-12.0	7027	1132	-
160	<a href="#">FG15BA</a>	Dimunition du plaisir	discrete	character-1	333	0	-
161	<a href="#">FG15BB</a>	Problemes a l'accouchement	discrete	character-1	3049	0	-
162	<a href="#">FG15BC</a>	Provoque des maladies	discrete	character-1	2066	0	-
163	<a href="#">FG15BD</a>	Fistules	discrete	character-1	37	0	-
164	<a href="#">FG15BE</a>	Incontinence urinaire	discrete	character-1	53	0	-
165	<a href="#">FG15BF</a>	Retention des regles	discrete	character-1	58	0	-
166	<a href="#">FG15BG</a>	Frigidite	discrete	character-1	80	0	-
167	<a href="#">FG15BH</a>	Infection a VIH/Sida	discrete	character-1	572	0	-
168	<a href="#">FG15BI</a>	Mort	discrete	character-1	1939	0	-
169	<a href="#">FG15BJ</a>	Hemorragie / Saignement	discrete	character-1	230	0	-
170	<a href="#">FG15BK</a>	Perte de connaissance / Evanouissement	discrete	character-1	9	0	-
171	<a href="#">FG15BL</a>	StÃ©rilite	discrete	character-1	168	0	-
172	<a href="#">FG15BM</a>	Douleur pendant les rapports/ peur des rapports sexuels	discrete	character-1	29	0	-
173	<a href="#">FG15BO</a>	Rend Handicape	discrete	character-1	0	0	-
174	<a href="#">FG15BX</a>	Autre	discrete	character-1	74	0	-
175	<a href="#">FG15BY</a>	NSP	discrete	character-1	40	0	-
176	<a href="#">FG15BZ</a>	Manquant	discrete	character-1	19	0	-
177	<a href="#">FG16</a>	Pensez-vous que cette pratique doit continuer ou disparaitre	discrete	numeric-12.0	7027	1132	-
178	<a href="#">FG16A</a>	Saviez vous la loi interdisant la pratique de l'excision au	discrete	numeric-12.0	7027	1132	-
179	<a href="#">DV1A</a>	Sort sans lui dire	discrete	numeric-12.0	7316	843	-
180	<a href="#">DV1B</a>	Neglige les enfants	discrete	numeric-12.0	7316	843	-
181	<a href="#">DV1C</a>	Argumente avec lui	discrete	numeric-12.0	7316	843	-
182	<a href="#">DV1D</a>	Refuse sexe	discrete	numeric-12.0	7316	843	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
183	<a href="#">DV1E</a>	Brule la nourriture	discrete	numeric-12.0	7316	843	-
184	<a href="#">SB1</a>	Age lors de vos premiers rapports sexuels	discrete	numeric-12.0	2645	5514	-
185	<a href="#">SB2U</a>	Unite depuis vos derniers rapports sexuels	discrete	numeric-12.0	1731	6428	-
186	<a href="#">SB2N</a>	Nombre depuis vos derniers rapports sexuels	discrete	numeric-12.0	1731	6428	-
187	<a href="#">SB3</a>	Est-ce-qu'un condom a ete utilise lors de vos derniers rappo	discrete	numeric-12.0	1513	6646	-
188	<a href="#">SB4</a>	Lien de parente avec l'homme avec qui vous avez eu vos derni	discrete	numeric-12.0	1513	6646	-
189	<a href="#">SB5</a>	Quel est l'age de cette personne	discrete	numeric-12.0	417	7742	-
190	<a href="#">SB6</a>	Avez-vous eu d'autres rapports sexuels durant les 12 dernier	discrete	numeric-12.0	1513	6646	-
191	<a href="#">SB7</a>	Un condom a t-il ete utilise lors de vos rapports sexuels av	discrete	numeric-12.0	33	8126	-
192	<a href="#">SB8</a>	Lien de parente avec cet autre homme	discrete	numeric-12.0	33	8126	-
193	<a href="#">SB9</a>	Quel age avait cette personne	discrete	numeric-12.0	29	8130	-
194	<a href="#">SB10</a>	Mis a part ces deux hommes avez-vous eu d'autres rapports se	discrete	numeric-12.0	33	8126	-
195	<a href="#">SB11</a>	Nombre de rapports sexuels durant les 12 derniers mois	discrete	numeric-12.0	4	8155	-
196	<a href="#">HA1</a>	Avez-vous entendu parler du VIH/Sida	discrete	numeric-12.0	7316	843	-
197	<a href="#">HA2</a>	Reduire le risque d'avoir le sida en ayant seulement un part	discrete	numeric-12.0	6862	1297	-
198	<a href="#">HA3</a>	Est-ce-que'on peut contracter le sida par des moyens surnatu	discrete	numeric-12.0	6862	1297	-
199	<a href="#">HA4</a>	Reduire le risque d'avoir le sida en utilisant un condom	discrete	numeric-12.0	6862	1297	-
200	<a href="#">HA5</a>	Est-ce-qu'on peut contracter le sida en se faisant piquer pa	discrete	numeric-12.0	6862	1297	-
201	<a href="#">HA6</a>	Reduire le risque de contracter le sida en s'abstenant de ra	discrete	numeric-12.0	6862	1297	-
202	<a href="#">HA7</a>	Avoir le sida en mangeant avec quelqu'un qui a le sida	discrete	numeric-12.0	6862	1297	-
203	<a href="#">HA7A</a>	Peut on avoir le sida en recevant une injection d'une aiguil	discrete	numeric-12.0	6862	1297	-

File wm_base_femme							
#	Name	Label	Type	Format	Valid	Invalid	Question
204	<a href="#">HA8</a>	Est-ce-qu'une personne paraissant en bonne santte peut avoir	discrete	numeric-12.0	6862	1297	-
205	<a href="#">HA9A</a>	Est-ce-que le sida peut etre transmis durant la grossesse	discrete	numeric-12.0	6862	1297	-
206	<a href="#">HA9B</a>	Est-ce-que le sida peut etre transmis pendant l'accouchement	discrete	numeric-12.0	6862	1297	-
207	<a href="#">HA9C</a>	Est-ce-que le sida peut etre transmis pendant l'allaitement	discrete	numeric-12.0	6862	1297	-
208	<a href="#">HA10</a>	Une enseignante qui a le sida devrait-elle etre autorisee a	discrete	numeric-12.0	6862	1297	-
209	<a href="#">HA11</a>	Est-ce-que vous acheteriez des legumes frais ches une person	discrete	numeric-12.0	6862	1297	-
210	<a href="#">HA12</a>	Voudriez- vous garder secret l'etat d'une personne de votre	discrete	numeric-12.0	6862	1297	-
211	<a href="#">HA13</a>	Seriez-vous pret a prendre soin d'une personne de votre mena	discrete	numeric-12.0	6862	1297	-
212	<a href="#">HA15</a>	Avez-vous deja effectue le test du sida	discrete	numeric-12.0	6691	1468	-
213	<a href="#">HA16</a>	Avez-vous recu les resultats du test	discrete	numeric-12.0	549	7610	-
214	<a href="#">HA17</a>	Aviez-vous demande a le faire ou vous l-at-on propose	discrete	numeric-12.0	549	7610	-
215	<a href="#">HA18</a>	Connaissez-vous un endroit ou on peut effectuer le test du s	discrete	numeric-12.0	6142	2017	-
216	<a href="#">HA18A</a>	Connaissez vous autre endroit pour effectuer le test de Sida	discrete	numeric-12.0	171	7988	-
217	<a href="#">FFHH</a>	Heure	discrete	numeric-12.0	7316	843	-
218	<a href="#">FFHM</a>	Minutes	discrete	numeric-12.0	7316	843	-
219	<a href="#">MDHH</a>	Heure	discrete	numeric-12.0	8159	0	-
220	<a href="#">MDHM</a>	Minuite	discrete	numeric-12.0	8159	0	-
221	<a href="#">HH3</a>	Numero de l'enqueteur	continuous	numeric-12.0	8159	0	-
222	<a href="#">HH4</a>	Numero du Controleur	continuous	numeric-12.0	8159	0	-
223	<a href="#">HH4A</a>	Chef d'Equipe	continuous	numeric-12.0	8159	0	-
224	<a href="#">HH5D</a>	Jour de l'enquete	continuous	numeric-12.0	8159	0	-
225	<a href="#">HH5M</a>	Mois de l'enquete	discrete	numeric-12.0	8159	0	-
226	<a href="#">HH5Y</a>	Annee de l'enquete	discrete	numeric-12.0	8159	0	-
227	<a href="#">HHV</a>	Nombre de Visite	discrete	numeric-12.0	8159	0	-
228	<a href="#">HH6</a>	Milieu	discrete	numeric-12.0	8159	0	-
229	<a href="#">HH7</a>	Region	discrete	numeric-12.0	8159	0	-
230	<a href="#">HH9</a>	Resultat de l' interview	discrete	numeric-12.0	8159	0	-
231	<a href="#">HH10</a>	Repondant HH questionnaire	discrete	numeric-12.0	8159	0	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
232	<a href="#">HH11</a>	Nombre total des membres du menage	continuous	numeric-12.0	8159	0	-
233	<a href="#">HH12</a>	Total femmes eligibles	discrete	numeric-12.0	8159	0	-
234	<a href="#">HH13</a>	Nombre de questionnaire femme remplis	discrete	numeric-12.0	8159	0	-
235	<a href="#">HH14</a>	Total Enfant de moins de 5 ans	discrete	numeric-12.0	8159	0	-
236	<a href="#">HH15</a>	Nombre de questionnaires enfants de moins de 5 ans remplis	discrete	numeric-12.0	8159	0	-
237	<a href="#">HHL</a>	Langue de l'Interview	discrete	numeric-12.0	8159	0	-
238	<a href="#">HHI</a>	Recours À Interprete	discrete	numeric-12.0	8159	0	-
239	<a href="#">HH16</a>	Numero de l'agent de saisie	discrete	numeric-12.0	8159	0	-
240	<a href="#">HH16A</a>	Numero du Controleur Bureau	discrete	numeric-12.0	8159	0	-
241	<a href="#">WS1</a>	Principale source d'eau que boivent les membre du menage	discrete	numeric-12.0	8159	0	-
242	<a href="#">WS2</a>	Principale source d'eau utilisee pour autres choses	discrete	numeric-12.0	9	8150	-
243	<a href="#">WS3</a>	Temps pour aller chercher de leau et revenir	discrete	numeric-12.0	7564	595	-
244	<a href="#">WS4</a>	Qui se rend habituellement a la source d'eau	discrete	numeric-12.0	7206	953	-
245	<a href="#">WS5</a>	Traitez vous l'eau avant de la boire	discrete	numeric-12.0	8159	0	-
246	<a href="#">WS6A</a>	La faire bouillir	discrete	character-1	14	0	-
247	<a href="#">WS6B</a>	Y ajouter de l'eau de javel/ chlore	discrete	character-1	73	0	-
248	<a href="#">WS6C</a>	La filtrer a travers un linge	discrete	character-1	978	0	-
249	<a href="#">WS6D</a>	Utiliser un filtre (ceramique, sable, composite)	discrete	character-1	230	0	-
250	<a href="#">WS6E</a>	Desinfection solaire	discrete	character-1	0	0	-
251	<a href="#">WS6F</a>	Laisser reposer	discrete	character-1	80	0	-
252	<a href="#">WS6X</a>	Autres	discrete	character-1	6	0	-
253	<a href="#">WS6Z</a>	NSP	discrete	character-1	9	0	-
254	<a href="#">WS7</a>	Type de toilettes	discrete	numeric-12.0	8159	0	-
255	<a href="#">WS8</a>	Partagez-vous ces toilettes avec d'autres menages	discrete	numeric-12.0	2838	5321	-
256	<a href="#">WS9</a>	Au total , combien de menages utilisent ces toilettes	discrete	numeric-12.0	1077	7082	-
257	<a href="#">HC1A</a>	Religion du chef de menage	discrete	numeric-12.0	8159	0	-
258	<a href="#">HC1B</a>	Langue maternelle du chef de menage	discrete	numeric-12.0	8159	0	-
259	<a href="#">HC1C</a>	Ethnie du chef de menage	discrete	numeric-12.0	8159	0	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
260	<a href="#">HC2</a>	Nombre de pieces utilisees pour dormir	discrete	numeric-12.0	8159	0	-
261	<a href="#">HC3</a>	Principal material du sol	discrete	numeric-12.0	8159	0	-
262	<a href="#">HC4</a>	Principal material du toit	discrete	numeric-12.0	8159	0	-
263	<a href="#">HC5</a>	Principal materiel des murs	discrete	numeric-12.0	8159	0	-
264	<a href="#">HC6</a>	Type de combustible utilise pour la cuisine	discrete	numeric-12.0	8159	0	-
265	<a href="#">HC7</a>	Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un	discrete	numeric-12.0	7930	229	-
266	<a href="#">HC7A</a>	Est-ce-que le feu/four a une cheminee ou une hotte	discrete	numeric-12.0	52	8107	-
267	<a href="#">HC8</a>	Lieu ou vous faites la cuisine	discrete	numeric-12.0	8159	0	-
268	<a href="#">HC9A</a>	Electricite	discrete	numeric-12.0	8159	0	-
269	<a href="#">HC9B</a>	Radio	discrete	numeric-12.0	8159	0	-
270	<a href="#">HC9C</a>	Television	discrete	numeric-12.0	8159	0	-
271	<a href="#">HC9D</a>	Telephone mobile	discrete	numeric-12.0	8159	0	-
272	<a href="#">HC9E</a>	Telephone non-mobile (fixe)	discrete	numeric-12.0	8159	0	-
273	<a href="#">HC9F</a>	Refrigerateur	discrete	numeric-12.0	8159	0	-
274	<a href="#">HC10A</a>	Montre	discrete	numeric-12.0	8159	0	-
275	<a href="#">HC10B</a>	Bicyclette	discrete	numeric-12.0	8159	0	-
276	<a href="#">HC10C</a>	Motocyclette/scooter	discrete	numeric-12.0	8159	0	-
277	<a href="#">HC10D</a>	Charrette avec animal	discrete	numeric-12.0	8159	0	-
278	<a href="#">HC10E</a>	Voiture/Camion	discrete	numeric-12.0	8159	0	-
279	<a href="#">HC11</a>	Est-ce qu'un membre de votre menage possede une terre qui pe	discrete	numeric-12.0	8159	0	-
280	<a href="#">HC12</a>	Combien d'hectares de terres agricoles	discrete	numeric-12.0	6785	1374	-
281	<a href="#">HC12A</a>	Les recoltes de cette terre suffisent pour les besoins du me	discrete	numeric-12.0	6785	1374	-
282	<a href="#">HC12B</a>	Nombre de mois couvert par les recoltes	discrete	numeric-12.0	3167	4992	-
283	<a href="#">HC13</a>	Est-ce que votre menage possede du betail, troupeau ou des a	discrete	numeric-12.0	8159	0	-
284	<a href="#">HC14A</a>	Nombre de Vaches laitieres ou de taureaux	discrete	numeric-12.0	6615	1544	-
285	<a href="#">HC14B</a>	Nombre de Chevaux	discrete	numeric-12.0	6615	1544	-
286	<a href="#">HC14C</a>	Nombre d'Anes ou de mules	discrete	numeric-12.0	6615	1544	-
287	<a href="#">HC14D</a>	Nombre de chevres	discrete	numeric-12.0	6615	1544	-
288	<a href="#">HC14E</a>	Nombre de moutons	discrete	numeric-12.0	6615	1544	-
289	<a href="#">HC14F</a>	Nombre de Pors/ Cochons	discrete	numeric-12.0	6615	1544	-
290	<a href="#">HC14G</a>	Nombre de poulets	discrete	numeric-12.0	6615	1544	-

File wm_base_femme							
#	Name	Label	Type	Format	Valid	Invalid	Question
291	<a href="#">HC14H</a>	Nombre de pindades	discrete	numeric-12.0	6615	1544	-
292	<a href="#">HC14I</a>	Nombre de Dindon	discrete	numeric-12.0	6615	1544	-
293	<a href="#">HC14J</a>	Nombre de Canard	discrete	numeric-12.0	6615	1544	-
294	<a href="#">HC14K</a>	Nombre de Pigeon	discrete	numeric-12.0	6615	1544	-
295	<a href="#">HC14L</a>	Autres	discrete	numeric-12.0	6615	1544	-
296	<a href="#">HC15A</a>	Est-ce que vous ou quelqu'un dans votre menage est proprieta	discrete	numeric-12.0	8159	0	-
297	<a href="#">HC15B</a>	Est-ce que vous ou quelqu'un dans ce menage a un titre / acte	discrete	numeric-12.0	7307	852	-
298	<a href="#">HC15CA</a>	Permis Urbain d'Habiter (PUH)	discrete	character-1	861	0	-
299	<a href="#">HC15CB</a>	Certification d'impot foncier	discrete	character-1	118	0	-
300	<a href="#">HC15CC</a>	Facture d'electricite/ eau/telephone etc	discrete	character-1	204	0	-
301	<a href="#">HC15CE</a>	Attestation d'attribution	discrete	character-1	0	0	-
302	<a href="#">HC15CX</a>	Autres	discrete	character-1	395	0	-
303	<a href="#">HC15CY</a>	Aucun/pas de document	discrete	character-1	37	0	-
304	<a href="#">HC15CZ</a>	Manquant	discrete	character-1	23	0	-
305	<a href="#">HC15D</a>	Est-ce que vous avez un contrat ecrit pour la location	discrete	numeric-12.0	852	7307	-
306	<a href="#">HC15EA</a>	Agrement informel (par ecrit)	discrete	character-1	2	0	-
307	<a href="#">HC15EB</a>	Oral agrement (Non-document)	discrete	character-1	257	0	-
308	<a href="#">HC15EC</a>	Occupation avec accord du proprietaire	discrete	character-1	288	0	-
309	<a href="#">HC15ED</a>	Occupation sans accord du proprietaire	discrete	character-1	4	0	-
310	<a href="#">HC15EX</a>	Autres	discrete	character-1	2	0	-
311	<a href="#">HC15EY</a>	Aucun/pas de document	discrete	character-1	215	0	-
312	<a href="#">HC15EZ</a>	Manquant	discrete	character-1	13	0	-
313	<a href="#">HC15F</a>	Vous sentez vous en securite de ne pas etre exulse(e) de cet	discrete	numeric-12.0	8159	0	-
314	<a href="#">HC15G</a>	Avez vous ete expluse de votre maison durant ces 5 dernieres	discrete	numeric-12.0	8159	0	-
315	<a href="#">HC15HA</a>	Region d'eboulement	discrete	character-1	69	0	-
316	<a href="#">HC15HB</a>	Region predisposee a linondation	discrete	character-1	119	0	-
317	<a href="#">HC15HC</a>	Bord de riviere	discrete	character-1	361	0	-
318	<a href="#">HC15HD</a>	Colline raide	discrete	character-1	450	0	-
319	<a href="#">HC15HE</a>	Montagne/tas d'ordures	discrete	character-1	385	0	-
320	<a href="#">HC15HF</a>	Region de pollution industrielle	discrete	character-1	3	0	-

<b>File wm_base_femme</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
321	<a href="#">HC15HG</a>	Chemin de fer	discrete	character-1	36	0	-
322	<a href="#">HC15HH</a>	Centrale électrique	discrete	character-1	0	0	-
323	<a href="#">HC15HI</a>	Pont aérien	discrete	character-1	8	0	-
324	<a href="#">HC15HY</a>	Aucun des codes ci-dessus	discrete	character-1	6834	0	-
325	<a href="#">HC15HZ</a>	Manquant	discrete	character-1	15	0	-
326	<a href="#">HC15IA</a>	Craquements/ouverture dans les murs	discrete	character-1	751	0	-
327	<a href="#">HC15IB</a>	Pas de fenêtre	discrete	character-1	1636	0	-
328	<a href="#">HC15IC</a>	Fenêtre avec vitres cassées/pas de vitre	discrete	character-1	22	0	-
329	<a href="#">HC15ID</a>	trous visibles dans le toit	discrete	character-1	142	0	-
330	<a href="#">HC15IE</a>	Toit incomplet	discrete	character-1	56	0	-
331	<a href="#">HC15IF</a>	Porte peu solide	discrete	character-1	3240	0	-
332	<a href="#">HC15IY</a>	Aucun des codes ci-dessus	discrete	character-1	4205	0	-
333	<a href="#">HC15IZ</a>	Manquant	discrete	character-1	10	0	-
334	<a href="#">HC15JA</a>	Passage très étroit entre les maisons au lieu de route	discrete	character-1	974	0	-
335	<a href="#">HC15JB</a>	Trop de câbles électriques connectant voisinage & poste d'al	discrete	character-1	12	0	-
336	<a href="#">HC15JY</a>	Aucun des codes ci-dessus	discrete	character-1	7165	0	-
337	<a href="#">HC15JZ</a>	Manquant	discrete	character-1	12	0	-
338	<a href="#">wmweight</a>	Women Weight	continuous	numeric-12.0	8159	0	-
339	<a href="#">langue</a>	Langue du chef de ménage	discrete	numeric-12.0	7316	843	-
340	<a href="#">cmcdoiw</a>	Date of interview women (CMC)	discrete	numeric-12.0	8159	0	-
341	<a href="#">wdob</a>	Date of birth (CMC)	continuous	numeric-12.0	7316	843	-
342	<a href="#">wage</a>	Age	discrete	numeric-12.0	7316	843	-
343	<a href="#">agem</a>	Age au premier mariage/union	continuous	numeric-12.0	5879	2280	-
344	<a href="#">mstatus</a>	Statut matrimonial/Union	discrete	numeric-12.0	7316	843	-
345	<a href="#">melevel</a>	Education	discrete	numeric-12.0	7316	843	-
346	<a href="#">ceb</a>	Children ever born	discrete	numeric-12.0	7316	843	-
347	<a href="#">deadkids</a>	Dead children	discrete	numeric-12.0	7316	843	-
348	<a href="#">surviv</a>	Number of children surviving	discrete	numeric-12.0	7316	843	-
349	<a href="#">milieu</a>	Milieu	discrete	numeric-12.0	8159	0	-
350	<a href="#">hh1_xl</a>	conversion_num_grappe	continuous	numeric-12.0	8159	0	-
351	<a href="#">wlthscor</a>	Score de bien-être économique	continuous	numeric-12.0	8159	0	-
352	<a href="#">wlthind5</a>	Quintiles de bien-être économique	discrete	numeric-12.0	8159	0	-

<b>File who_h_données_anthropométriques</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">HH1</a>	Cluster number	continuous	numeric-12.0	5677	0	-
2	<a href="#">HH2</a>	Household number	continuous	numeric-12.0	5677	0	-
3	<a href="#">LN</a>	Line number	continuous	numeric-12.0	5677	0	-
4	<a href="#">BMI</a>	Body Mass Index WHO	continuous	numeric-12.0	5282	395	-
5	<a href="#">zBMI</a>	Body Mass Index z-score WHO	continuous	numeric-12.0	5283	394	-
6	<a href="#">HAZ2</a>	Height for age z-score WHO	continuous	numeric-12.0	5283	394	-
7	<a href="#">WAZ2</a>	Weight for age z-score WHO	continuous	numeric-12.0	5283	394	-
8	<a href="#">WHZ2</a>	Weight for height z-score WHO	continuous	numeric-12.0	5283	394	-
9	<a href="#">whzflag</a>	Weight for height flag WHO	discrete	numeric-12.0	5283	394	-
10	<a href="#">wazflag</a>	Weight for age flag WHO	discrete	numeric-12.0	5283	394	-
11	<a href="#">hazflag</a>	Height for age flag WHO	discrete	numeric-12.0	5283	394	-
12	<a href="#">bmiflag</a>	BMI flag WHO	discrete	numeric-12.0	5283	394	-
13	<a href="#">whznoage</a>	Weight for height - Age flag WHO	discrete	numeric-12.0	5283	394	-

# Variables Description

Dataset contains 1094 variable(s)

## File : ch\_enfants\_moins\_de\_05\_ans

### # HH1: Numero de la grappe

**Information** [Type= continuous] [Format=numeric] [Range= 1-197] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=101.232 /-] [StdDev=57.129 /-]

### # HH2: Numero du menage

**Information** [Type= continuous] [Format=numeric] [Range= 1-524] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=72.092 /-] [StdDev=63.02 /-]

### # LN: Numero de ligne

**Information** [Type= continuous] [Format=numeric] [Range= 2-46] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=7.801 /-] [StdDev=4.469 /-]

### # UFR: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Boucle du Mouhoun	415	7.3%
2	Cascade	627	11.0%
3	Centre	519	9.1%
4	Centre-Sud	366	6.4%
5	Centre-Est	333	5.9%
6	Centre-Nord	432	7.6%
7	Centre-Ouest	531	9.4%
8	Est	481	8.5%
9	Hauts-Bassins	336	5.9%
10	Nord	484	8.5%
11	Plateau-Central	456	8.0%
12	Sahel	381	6.7%
13	Sud-Ouest	316	5.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF6AH: Heure

**Information** [Type= discrete] [Format=numeric] [Range= 3-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		2	0.0%
4		2	0.0%
5		3	0.1%
6		28	0.5%
7		168	3.0%
8		332	5.8%
9		414	7.3%
10		436	7.7%
11		397	7.0%
12		370	6.5%
13		341	6.0%

## File : ch\_enfants\_moins\_de\_05\_ans

### # UF6AH: Heure

Value	Label	Cases	Percentage
14		329	5.8%
15		313	5.5%
16		327	5.8%
17		343	6.0%
18		334	5.9%
19		209	3.7%
20		101	1.8%
21		40	0.7%
22		4	0.1%
99	Manquant	1184	20.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF6AM: Minuite

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		186	3.3%
1		68	1.2%
2		76	1.3%
3		67	1.2%
4		45	0.8%
5		111	2.0%
6		72	1.3%
7		51	0.9%
8		57	1.0%
9		39	0.7%
10		141	2.5%
11		65	1.1%
12		77	1.4%
13		46	0.8%
14		37	0.7%
15		146	2.6%
16		83	1.5%
17		63	1.1%
18		45	0.8%
19		38	0.7%
20		167	2.9%
21		69	1.2%
22		71	1.3%
23		56	1.0%
24		46	0.8%
25		129	2.3%
26		47	0.8%
27		49	0.9%

## File : ch\_enfants\_moins\_de\_05\_ans

### # UF6AM: Minuite

Value	Label	Cases	Percentage
28		64	1.1%
29		29	0.5%
30		246	4.3%
31		73	1.3%
32		86	1.5%
33		48	0.8%
34		41	0.7%
35		108	1.9%
36		63	1.1%
37		57	1.0%
38		51	0.9%
39		35	0.6%
40		169	3.0%
41		60	1.1%
42		70	1.2%
43		57	1.0%
44		37	0.7%
45		154	2.7%
46		66	1.2%
47		59	1.0%
48		45	0.8%
49		59	1.0%
50		154	2.7%
51		52	0.9%
52		67	1.2%
53		48	0.8%
54		37	0.7%
55		106	1.9%
56		49	0.9%
57		49	0.9%
58		64	1.1%
59		42	0.7%
99	Manquant	1185	20.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF1: Numero de la grappe

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-197] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=101.232 /-] [StdDev=57.129 /-]

### # UF2: Numero du menage

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-524] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=72.092 /-] [StdDev=63.02 /-]

### # UF4: Numero de ligne de l'enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]
--------------------	---

# File : ch\_enfants\_moins\_de\_05\_ans

## # UF4: Numero de ligne de l'enfant

Statistics [NW/ W] [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2		23	0.4%
3		532	9.4%
4		641	11.3%
5		762	13.4%
6		805	14.2%
7		613	10.8%
8		471	8.3%
9		385	6.8%
10		286	5.0%
11		248	4.4%
12		203	3.6%
13		160	2.8%
14		108	1.9%
15		107	1.9%
16		89	1.6%
17		48	0.8%
18		39	0.7%
19		30	0.5%
20		28	0.5%
21		14	0.2%
22		14	0.2%
23		11	0.2%
24		12	0.2%
25		7	0.1%
26		8	0.1%
27		3	0.1%
28		4	0.1%
29		3	0.1%
30		2	0.0%
31		3	0.1%
32		1	0.0%
33		2	0.0%
34		3	0.1%
35		4	0.1%
37		2	0.0%
39		2	0.0%
40		1	0.0%
42		1	0.0%
45		1	0.0%
46		1	0.0%
99	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : ch\_enfants\_moins\_de\_05\_ans

### # UF6: Numero de ligne de la mere/gardienne

**Information** [Type= continuous] [Format=numeric] [Range= 1-44] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=4.546 /-] [StdDev=4.235 /-]

### # UF8D: Jour de l'interview

**Information** [Type= continuous] [Format=numeric] [Range= 1-31] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=15.219 /-] [StdDev=8.746 /-]

### # UF8M: Mois de l'interview

**Information** [Type= discrete] [Format=numeric] [Range= 3-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		95	1.7%
4		3088	54.4%
5		2238	39.4%
6		256	4.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # UF8Y: Annee de l'interview

**Information** [Type= discrete] [Format=numeric] [Range= 2006-2006] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2006		5677	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # UFV: Nombre de visite

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		5330	93.9%
2		266	4.7%
3		74	1.3%
6		4	0.1%
9		3	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # UF9: Resultat de l'enquete des enfants de moins de 5 ans

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rempli	5283	93.1%
2	Pas a la maison	187	3.3%
3	Refuse	14	0.2%
4	Partiellement rempli	2	0.0%
5	Incapacite	17	0.3%
6	Autre	174	3.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : ch\_enfants\_moins\_de\_05\_ans

### # UFL: Langue de l'interview

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1	Francais	265	5.0%
2	Moore	2776	52.5%
3	Dioula	1213	23.0%
4	Fulfulde	207	3.9%
5	Autre	822	15.6%
9	Manquant	0	
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # UFI: Recours a interpreter

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1	Oui	831	15.7%
2	Non	4452	84.3%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # UFCB: Numero controleur bureau

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1		1184	22.4%
2		684	12.9%
3		967	18.3%
4		449	8.5%
5		952	18.0%
6		1047	19.8%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # UFAS: Numero Agent de saisie

**Information** [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		441	7.8%
2		377	6.6%
3		428	7.5%
4		353	6.2%
5		271	4.8%
6		283	5.0%
7		302	5.3%

## File : ch\_enfants\_moins\_de\_05\_ans

### # UFAS: Numero Agent de saisie

Value	Label	Cases	Percentage
8		340	6.0%
9		477	8.4%
10		491	8.6%
11		364	6.4%
12		268	4.7%
13		273	4.8%
14		344	6.1%
15		391	6.9%
16		274	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF10D: Jour de naissance de l'enfant

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1		130	2.5%
2		147	2.8%
3		111	2.1%
4		104	2.0%
5		117	2.2%
6		103	1.9%
7		122	2.3%
8		108	2.0%
9		112	2.1%
10		132	2.5%
11		103	1.9%
12		124	2.3%
13		90	1.7%
14		86	1.6%
15		159	3.0%
16		94	1.8%
17		103	1.9%
18		108	2.0%
19		108	2.0%
20		132	2.5%
21		115	2.2%
22		105	2.0%
23		102	1.9%
24		117	2.2%
25		115	2.2%
26		104	2.0%
27		89	1.7%
28		129	2.4%
29		82	1.6%

## File : ch\_enfants\_moins\_de\_05\_ans

### # UF10D: Jour de naissance de l'enfant

Value	Label	Cases	Percentage
30		88	1.7%
31		45	0.9%
97	Inconsistant	0	
98	NSP	1899	35.9%
99	Manquant	0	
Sysmiss		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF10M: Mois de naissance de l'enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1		412	7.8%
2		410	7.8%
3		468	8.9%
4		416	7.9%
5		367	6.9%
6		334	6.3%
7		305	5.8%
8		363	6.9%
9		352	6.7%
10		373	7.1%
11		347	6.6%
12		340	6.4%
97	Inconsistant	0	
98	NSP	796	15.1%
99	Manquant	0	
Sysmiss		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF10Y: Annee de naissance de l'enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
2001		263	5.0%
2002		850	16.1%
2003		1051	19.9%
2004		1073	20.3%
2005		1253	23.7%
2006		415	7.9%
9997	Inconsistant	0	
9998	NSP	378	7.2%
9999	Manquant	0	
Sysmiss		394	

## File : ch\_enfants\_moins\_de\_05\_ans

### # UF10Y: Annee de naissance de l'enfant

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # UF11: Age de l'enfant

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=\*]

Statistics [NW/ W] [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		1209	22.9%
1		1069	20.2%
2		1149	21.7%
3		1060	20.1%
4		796	15.1%
Sysmiss		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR1: A-t-il un certificat/acte de naissance

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1	Oui, vu	1348	25.5%
2	oui, pas vu	1461	27.7%
3	Non	2388	45.2%
8	NSP	86	1.6%
9	Manquant	0	
Sysmiss		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR2: Sa naissance a t-elle etait declaree

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=3935 /-] [Invalid=1742 /-]

Value	Label	Cases	Percentage
1	Oui	1874	47.6%
2	Non	1889	48.0%
8	NSP	146	3.7%
9	Manquant	26	0.7%
Sysmiss		1742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR3: Pourquoi sa naissance n'est pas enregistree

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=\*]

Statistics [NW/ W] [Valid=1889 /-] [Invalid=3788 /-]

Value	Label	Cases	Percentage
0	Manquant	0	
1	ca coute tres cher	164	8.7%
2	C'est trop loin	132	7.0%
3	Ne savait pas qu'elle devrait etre enregistree	132	7.0%
4	Ne voulait pas payer d'amende	5	0.3%

## File : ch\_enfants\_moins\_de\_05\_ans

### # BR3: Pourquoi sa naissance n'est pas enregistrée

Value	Label	Cases	Percentage
5	Ne sait pas ou l'enregistrer / comment sy rendre	60	3.2%
6	Ne sy est pas interesse / par negligence	758	40.1%
7	Autre : etre entrain den faire, compte y aller,date d'enregi	114	6.0%
8	NSP	197	10.4%
9	Rien	264	14.0%
10	Pere absent, voyage	19	1.0%
11	Manque de temps	13	0.7%
12	Manque de moyens	10	0.5%
13	Manque de temps et de moyens	0	
14	Maladie : Mere malade	7	0.4%
15	Pas dacte de Naissance	14	0.7%
Sysmiss		3788	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR4: Savez-vous comment faire enregistrer une naissance

Value	Label	Cases	Percentage
1	Oui	709	34.4%
2	Non	1062	51.5%
9	Manquant	290	14.1%
Sysmiss		3616	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR6: Frequente-t-il une education prescolaire

Value	Label	Cases	Percentage
1	Oui	41	2.2%
2	Non	1763	95.0%
8	NSP	21	1.1%
9	Manquant	31	1.7%
Sysmiss		3821	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR7: Combien d'heures a t-il frequente cet endroit au cours des 7

Value	Label	Cases	Percentage
0		3	7.3%
2		1	2.4%
3		1	2.4%
4		3	7.3%
5		2	4.9%

## File : ch\_enfants\_moins\_de\_05\_ans

### # BR7: Combien d'heures a t-il frequente cet endroit au cours des 7

Value	Label	Cases	Percentage
12		2	4.9%
16		2	4.9%
17		3	7.3%
20		9	22.0%
21		1	2.4%
22		2	4.9%
24		4	9.8%
28		2	4.9%
30		1	2.4%
35		1	2.4%
40		1	2.4%
98	NSP	0	
99	Manquant	3	7.3%
Sysmiss		5636	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8AM: Livres-Mere

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		39	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8AF: Livres-Pere

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=17 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		17	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8AO: Livres-Autre

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=89 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
X		89	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8AN: Livres-Personne

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5151 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Y		5151	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : ch\_enfants\_moins\_de\_05\_ans

### # BR8BM: Contes-Mere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=131 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		131	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8BF: Contes-Pere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=45 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		45	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8BO: Contes-Autre

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=190 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
X		190	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8BN: Contes-Personne

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=4964 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Y		4964	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8CM: Chansons-Mere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=961 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		961	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8CF: Chason-Pere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=134 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		134	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8CO: Chanson-Autre

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=616 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
X		616	100.0%

## File : ch\_enfants\_moins\_de\_05\_ans

### # BR8CO: Chanson-Autre

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8CN: Chanson-personne

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=3858 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Y		3858	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8DM: Sortir en dehors-Mere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=3009 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		3009	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8DF: Sortir en dehors-Pere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=484 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		484	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8DO: Sortir en dehors-Autre

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=1278 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
X		1278	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8DN: Sortir en dehors-Personne

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=1710 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Y		1710	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8EM: Jouer avec-Mere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=2160 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		2160	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8EF: Jouer avec-Pere

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=603 /-] [Invalid=0 /-]

## File : ch\_enfants\_moins\_de\_05\_ans

### # BR8EF: Jouer avec-Pere

Value	Label	Cases	Percentage
B		603	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8EO: Jouer avec-Autre

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=1933 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
X		1933	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8EN: Jouer avec -Personne

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=1937 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Y		1937	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BR8FM: Passer du temps-Mere

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=977 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		977	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># BR8FF: Passer du temps-Pere</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=319 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		319	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BR8FO: Passer du temps-Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=508 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		508	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BR8FN: Passer du temps-Personne</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4044 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		4044	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># VA1: L'enfant a-t-il deja reçu une capsule de vitamine A</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4051	76.7%
2	Non	1170	22.1%
8	NSP	62	1.2%
9	Manquant	0	
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># VA2: Nombre de mois depuis la derniere dose</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4051 /-] [Invalid=1626 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		120	3.0%
1		497	12.3%
2		704	17.4%
3		695	17.2%
4		624	15.4%
5		642	15.8%
6		141	3.5%
7		21	0.5%
8		13	0.3%
9		8	0.2%
10		11	0.3%
11		2	0.0%

### # VA2: Nombre de mois depuis la dernière dose

Value	Label	Cases	Percentage
12		42	1.0%
13		1	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
24		6	0.1%
36		1	0.0%
97	Inconsistant	1	0.0%
98	NSP	517	12.8%
99	Manquant	2	0.0%
Sysmiss		1626	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # VA3: Ou avait t-il reçu cette dernière dose

Value	Label	Cases	Percentage
1	Au centre de sante lors d'une visite de routine, SMI, pesee	612	15.1%
2	Au centre de sante quand l'enfant etait malade	98	2.4%
3	Journee National de Vaccination	3287	81.1%
5	Autre	0	
6	Niangoloko, a la naissance, maternite	21	0.5%
8	NSP	18	0.4%
9	Manquant	15	0.4%
Sysmiss		1626	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BF1: Avez-vous allaite l'enfant

Value	Label	Cases	Percentage
1	Oui	5243	99.2%
2	Non	37	0.7%
8	NSP	1	0.0%
9	Manquant	2	0.0%
Sysmiss		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BF2: Allaitiez-vous encore l'enfant

Value	Label	Cases	Percentage
1	Oui	2607	49.7%
2	Non	2610	49.8%
8	NSP	1	0.0%
9	Manquant	25	0.5%

<b># BF2: Allaitiez-vous encore l'enfant</b>			
Value	Label	Cases	Percentage
Sysmiss		434	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3A: L'enfant a-t-il reçu des suppléments de vitamines</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	248	4.7%
2	Non	5022	95.1%
8	NSP	8	0.2%
9	Manquant	5	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3B: L'enfant a-t-il reçu de l'eau</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	5127	97.0%
2	Non	152	2.9%
8	NSP	4	0.1%
9	Manquant	0	
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3C: L'enfant a-t-il reçu de l'eau sucrée ou jus</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	825	15.6%
2	Non	4452	84.3%
8	NSP	5	0.1%
9	Manquant	1	0.0%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3D: L'enfant a-t-il reçu une solution de réhydratation orale</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	22	0.4%
2	Non	5252	99.4%
8	NSP	3	0.1%
9	Manquant	6	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># BF3E: L'enfant a-t-il recu une preparation pour bebe vendue commer</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	23	0.4%
2	Non	5251	99.4%
8	NSP	5	0.1%
9	Manquant	4	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3F: L'enfant a-t-il recu du lait en boite , en poudre ou du lait</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	885	16.8%
2	Non	4384	83.0%
8	NSP	11	0.2%
9	Manquant	3	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3G: L'enfant a-t-il recu d'autres liquides</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	231	4.4%
2	Non	5028	95.2%
8	NSP	13	0.2%
9	Manquant	11	0.2%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3H: L'enfant a-t-il recu un aliment solide ou semi-solide</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4239	80.2%
2	Non	1038	19.6%
8	NSP	5	0.1%
9	Manquant	1	0.0%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># BF3I: L'enfant a-t-il reu une decoction de feuille ou de racines</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		

**# BF3I: L'enfant a-t-il reu une decoction de feuille ou de racines**

Value	Label	Cases	Percentage
1	Oui	628	11.9%
2	Non	4637	87.8%
8	NSP	5	0.1%
9	Manquant	13	0.2%
System		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# BF5: Combien de fois a-t-il mange des aliments solides, semi-soli**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4239 /-] [Invalid=1438 /-]

Value	Label	Cases	Percentage
1		156	3.7%
2		607	14.3%
3		1119	26.4%
4		1078	25.4%
5		611	14.4%
6		237	5.6%
7	7+	137	3.2%
8	NSP	279	6.6%
9	Manquant	15	0.4%
System		1438	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# CA1: A-t-il eu la diarrhee au cours des deux dernieres semaines**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1	Oui	1050	19.9%
2	Non	4232	80.1%
8	NSP	1	0.0%
9	Manquant	0	
System		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# CA2A: Lui a-t-on donne un liquide prepare a partir d'un sachet app**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1050 /-] [Invalid=4627 /-]

Value	Label	Cases	Percentage
1	Oui	137	13.0%
2	Non	904	86.1%
8	NSP	9	0.9%
9	Manquant	0	
System		4627	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># CA2B: Lui a-t-on donne un liquide maison recommande par le Gouverne</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1050 /-] [Invalid=4627 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	79	7.5%
2	Non	960	91.4%
8	NSP	11	1.0%
9	Manquant	0	
Sysmiss		4627	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA2C: Lui a-il-on donne un liquide SRO preemballe</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1050 /-] [Invalid=4627 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	11	1.0%
2	Non	1027	97.8%
8	NSP	12	1.1%
9	Manquant	0	
Sysmiss		4627	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA3: Durant la diarrhee, lui a-t-on donne a boire moins, la meme</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1050 /-] [Invalid=4627 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	beaucoup moins ou rien	71	6.8%
2	Environ la meme quantite (ou un peu moins)	442	42.1%
3	Plus	518	49.3%
8	NSP	14	1.3%
9	Manquant	5	0.5%
Sysmiss		4627	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA4: Durant la diarrhee, lui a-t-on donne a manger moins , la mem</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1050 /-] [Invalid=4627 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Rien	96	9.1%
2	Beaucoup moins	157	15.0%
3	Un peu moins	308	29.3%
4	Environ la meme quantite	400	38.1%
5	Plus	82	7.8%
8	NSP	6	0.6%
9	Manquant	1	0.1%
Sysmiss		4627	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># CA4B: Ou avez-vous obtenu le sachet SRO</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=148 /-] [Invalid=5529 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Hopital gouvernemental	0	
12	Centre de sante gouvernemental	7	4.7%
13	Poste de sante gouvernementale	71	48.0%
14	Agent de sante communautaire	5	3.4%
15	Clinique mobile/communautaire	35	23.6%
16	Autre public	1	0.7%
21	Clinique/hopital prive	0	
22	medecin prive	0	
23	Pharmacie privee	18	12.2%
24	Clinique mobile	0	
26	Autre medical prive	0	
31	Parent/Ami	2	1.4%
32	Magasin	9	6.1%
33	Guerisseur traditionnel	0	
96	Autre	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		5529	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA4C: Combien avez-vous paye pour le sachet SRO</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 50-9999] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=148 /-] [Invalid=5529 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
50		1	0.7%
75		1	0.7%
100		63	42.6%
150		3	2.0%
200		14	9.5%
250		1	0.7%
300		4	2.7%
350		1	0.7%
400		1	0.7%
500		2	1.4%
530		1	0.7%
600		1	0.7%
640		1	0.7%
750		1	0.7%
800		1	0.7%
1000		3	2.0%
1160		1	0.7%
1500		2	1.4%
1650		1	0.7%

<b># CA4C: Combien avez-vous paye pour le sachet SRO</b>			
Value	Label	Cases	Percentage
1750		1	0.7%
2300		1	0.7%
2500		1	0.7%
9996	Gratuit	6	4.1%
9998	NSP	36	24.3%
9999	Manquant	0	
Sysmiss		5529	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA5: A-t-il souffert de la toux durant les deux dernieres semaine</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	1199	22.7%
2	Non	4082	77.3%
8	NSP	1	0.0%
9	Manquant	1	0.0%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA6: Durant la toux est-ce-qu'il respirait plus vite que d'habitu</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1199 /-] [Invalid=4478 /-]		
Value	Label	Cases	Percentage
1	Oui	541	45.1%
2	Non	654	54.5%
8	NSP	4	0.3%
9	Manquant	0	
Sysmiss		4478	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA7: Symptomes dus a un probleme dans la poitrine, ou au nez bouc</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=541 /-] [Invalid=5136 /-]		
Value	Label	Cases	Percentage
1	Probleme dans la poitrine / douleur aux cotes	167	30.9%
2	Nez bouche	311	57.5%
3	Tous les deux	51	9.4%
6	Autre	5	0.9%
8	NSP	7	1.3%
9	Manquant	0	
Sysmiss		5136	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA8: Avez-vous recherche conseils ou un traitement pour la maladi</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=225 /-] [Invalid=5452 /-]		

**# CA8: Avez-vous recherche conseils ou un traitement pour la maladie**

Value	Label	Cases	Percentage
1	Oui	108	48.0%
2	Non	117	52.0%
8	NSP	0	
9	Manquant	0	
Sysmiss		5452	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# CA9: Ou avez vous demander conseils ou rechercher un traitement**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=108 /-] [Invalid=5569 /-]

Value	Label	Cases	Percentage
11	Hopital	0	
12	Centre Medical CMA	2	1.9%
13	CSPS	76	70.4%
14	Dispensaire/Maternite seul	10	9.3%
15	Depot pharmaceutique	3	2.8%
16	Autre public	1	0.9%
22	Cabinet de medecin prive	0	
23	Pharmacie	0	
24	Cabinet infirmier	0	
26	Autre prive	0	
31	Parent ou ami	10	9.3%
32	Boutique/Marche	3	2.8%
33	Kiosque	0	
34		2	1.9%
96	Circuit commercial informel/Vendeur ambulant	1	0.9%
98	NSP	0	
Sysmiss		5569	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# CA11A: Traitement antibiotique : Amoxicilline sirop**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		30	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# CA11B: Traitement antibiotique : Amoxicilline comprime**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		12	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# CA11C: Traitement antibiotique : Ampicilline sirop**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

<b># CA11C: Traitement antibiotique : Ampiciline sirop</b>			
<b>Statistics [NW/ W]</b>		[Valid=5 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		5	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11D: Traitement antibiotique : Ampiciline comprime</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11E: Traitement antibiotique : Cotrimoxazole sirop</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=24 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
E		24	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11F: Traitement antibiotique : Cotrimoxazole comprime</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11G: Autres traitement antibiotique</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		8	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11P: ParacetamolParacetamol/Panadol/Acetaminophen</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=24 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
P		24	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11Q: Aspirine</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Q		6	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># CA11R: Ibuprofen</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
R		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11X: Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=39 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		39	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11Z: NSP</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=44 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		44	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA10: Est-ce-que l'enfant a pris des médicaments pour traiter la m</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=225 /-] [Invalid=5452 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	161	71.6%
2	Non	64	28.4%
8	NSP	0	
9	Manquant	0	
Sysmiss		5452	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11BB: Ou avez-vous reçu les antibiotiques</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=69 /-] [Invalid=5608 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Hopital gouvernemental	0	
12	Centre de sante gouvernemental	2	2.9%
13	Poste de sante gouvernementale	24	34.8%
14	Agent de sante communautaire	0	
15	Clinique mobile/communautaire	25	36.2%
16	Autre public	0	
21	Clinique/hopital prive	1	1.4%
22	medecin prive	0	
23	Pharmacie privée	11	15.9%
24	Clinique mobile	0	
26	Autre medical prive	0	
31	Parent/Ami	1	1.4%

<b># CA11BB: Ou avez-vous reçu les antibiotiques</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
32	Magasin	2	2.9%
33	Guerisseur traditionnel	0	
34	Circuit commercial informel/Vendeur ambulant	3	4.3%
96	Autre	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		5608	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA11CC: Combien avez-vous payé pour les antibiotiques</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 100-9999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=69 /-] [Invalid=5608 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
100		3	4.3%
200		1	1.4%
300		1	1.4%
450		1	1.4%
500		1	1.4%
600		1	1.4%
650		2	2.9%
700		1	1.4%
750		3	4.3%
800		4	5.8%
900		1	1.4%
950		1	1.4%
1000		4	5.8%
1050		1	1.4%
1055		1	1.4%
1100		3	4.3%
1200		3	4.3%
1250		2	2.9%
1265		1	1.4%
1300		1	1.4%
1500		1	1.4%
1750		3	4.3%
1775		1	1.4%
1800		1	1.4%
1895		1	1.4%
2000		3	4.3%
2265		1	1.4%
2360		1	1.4%
2370		1	1.4%
2550		1	1.4%
2820		1	1.4%
2850		1	1.4%

<b># CA11CC: Combien avez-vous paye pour les antibiotiques</b>			
Value	Label	Cases	Percentage
3025		1	1.4%
3325		1	1.4%
3500		1	1.4%
3600		1	1.4%
4500		1	1.4%
9996	Gratuit	2	2.9%
9998	NSP	10	14.5%
9999	Manquant	0	
Sysmiss		5608	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA13: Q'avez-vous fait pour vous debarrasser des excrements</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3427 /-] [Invalid=2250 /-]		
Value	Label	Cases	Percentage
1	L' enfant a utilise les toilettes/latrines	13	0.4%
2	Jete dans les toilettes/latrines	436	12.7%
3	Jete dans les edouts ou le fosse	462	13.5%
4	Jete avec les ordures menageres	1360	39.7%
5	Enterre	94	2.7%
6	Laisse a l'air libre / les champs, mur, dehors, sous le gren	980	28.6%
96	Autre	27	0.8%
98	NSP	13	0.4%
99	Manquant	42	1.2%
Sysmiss		2250	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14A: Symptome: L'enfant ne peut pas boire ou teter</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=757 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		757	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14B: Symptome: L'enfant devient de plus en plus malade</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1873 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		1873	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14C: Symptome: L'enfant developpe une fièvre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4196 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		4196	100.0%

**# CA14C: Symptome: L'enfant developpe une fièvre**

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># CA14D: Symptome: L'enfant a une respiration rapide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=304 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		304	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14E: Symptome: L'enfant a des difficultes a respirer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=682 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
E		682	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14F: Symptome: L'enfant a du sang dans les selles</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=315 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		315	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14G: Symptome: L'enfant boit difficilement</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=166 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		166	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14H: Symptome : L'enfant vomit difficilement</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1513 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
H		1513	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14I: Diarrhee</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1884 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		1884	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14J: N arrive pas a dormir , agitee</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=517 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
J		517	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># CA14K: L'enfant a un catarrhe Ecoulement nasal, conjonctive,larmoie</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=192 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
K		192	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14L: Toux , rhume</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=362 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
L		362	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14M: Pleure beaucoup, pleure sans cess</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=142 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
M		142	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14N: Amaigrissement, perte de poids</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=18 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
N		18	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14O: Mal de ventre, ballonnement, ventre chaud, bruit du ventre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=85 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
O		85	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14P: Plaies / bouton sur le corps</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=39 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
P		39	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14Q: perte de connaissance , evanouissement</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=14 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Q		14	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># CA14R: Meningite</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=42 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
R		42	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14S: Fatigue, se couche beaucoup</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=35 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
S		35	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14X: Symptome: Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=291 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		291	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14Y: NSP</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=25 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		25	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CA14Z: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=103 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		103	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML1: Est-ce-qu'il/elle a souffert de fièvre pendant les deux dern</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1051	19.9%
2	Non	4228	80.0%
8	NSP	3	0.1%
9	Manquant	1	0.0%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML2: Est-ce-qu'il/elle a été vu par les services d'un établisseme</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1051 /-] [Invalid=4626 /-]		

<b># ML2: Est-ce-qu'il/elle a ete vu par les services d'un etablisseme</b>			
Value	Label	Cases	Percentage
1	Oui	293	27.9%
2	Non	758	72.1%
8	NSP	0	
9	Manquant	0	
System		4626	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML3: A-t-il pris des medicaments contre la fievre</b>			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=293 /-] [Invalid=5384 /-]		
Value	Label	Cases	Percentage
1	Oui	282	96.2%
2	Non	11	3.8%
8	NSP	0	
9	Manquant	0	
System		5384	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4A: Medicement fourni/prescrit: SP/Fansidar</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4B: Medicament fourni/prescrit: Chloroquine</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=202 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		202	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4C: Medicament fourni/prescrit: Amodiaquine</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		13	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4D: Medicament fourni/prescrit: Quinine</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
<b># ML4E: Medicament fourni/prescrit: bactrim</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		

<b># ML4E: Medicament fourni/prescrit: bactrim</b>			
Value	Label	Cases	Percentage
E		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4F: Medicament fourni/Theralene</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
F		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4G: Medicament fourni / Amoxicilline</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
G		4	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4H: Medicament fourni/prescrit: Other anti-malaria</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=9 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
H		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4I: Medicament fourni /Cotrimoxazole</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
I		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4J: Medicament fourni/Nistatine</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
J		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4K: Medicament fourni/ Flax</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># ML4P: Medicament fourni/prescrit: Paracetamol/Panadol/Acetaminophe</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=154 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
P		154	100.0%

<b># ML4P: Medicament fourni/prescrit: Paracetamol/Panadol/Acetaminophe</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4Q: Medicament fourni/prescrit: Aspirine</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=14 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Q		14	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4R: Medicament fourni/prescrit: Ibuprofen</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
R		4	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4X: Medicament fourni/prescrit: Other</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=26 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		26	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML4Z: NSP</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=25 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		25	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML5: A-t-il pris des médicaments avant d'aller dans un etablissem</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=293 /-] [Invalid=5384 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	80	27.3%
2	Non	211	72.0%
8	NSP	1	0.3%
9	Manquant	1	0.3%
Sysmiss		5384	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML6: A-t-il pris des médicaments contre la fièvre ou le paludisme</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=758 /-] [Invalid=4919 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	495	65.3%
2	Non	258	34.0%
8	NSP	2	0.3%

<b># ML6: A-t-il pris des médicaments contre la fièvre ou le paludisme</b>			
Value	Label	Cases	Percentage
9	Manquant	3	0.4%
Sysmiss		4919	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7A: Médicament donné: SP/Fansidar</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7B: Médicament donné: Chloroquine</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=265 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		265	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7C: Médicament donné: Amodiaquine</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		11	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7D: Médicament donné: Quinine</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
<b># ML7E: Médicament donné: Efferalgan</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
<b># ML7F: Médicament donné : Nistaline</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
<b># ML7G: Médicament donné : AspÃ©gic</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
G		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7H: Médicament donné: Autre Antipaludeen</b>			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=0 /-]		

<b># ML7H: Medicament donne: Autre Antipaludeen</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
H		8	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7I: Medicament donne : Bactrim</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7J: Decoctions de feuilles, racine</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
J		20	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># ML7K: Medicaments traditionnels</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=18 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
K		18	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7P: Medicament donne: Paracetamol/Panadol/Acetaminophen</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=329 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
P		329	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7Q: Medicament donne: Aspirine</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=30 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Q		30	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7R: Medicament donne: Ibuprofen</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
R		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7X: Medicament donne: Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=45 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		45	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML7Z: NSP</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=19 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		19	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML9: Nombre de jours mis pour commencer a prendre l'antipaludeen</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=465 /-] [Invalid=5212 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	Meme jour	276	59.4%
1	Le jour suivant	118	25.4%

### # ML9: Nombre de jours mis pour commencer a prendre l'antipaludeen

Value	Label	Cases	Percentage
2	2 jours apres la fievre	36	7.7%
3	3 jours apres la fievre	10	2.2%
4	4 jours pour plus apres la fievre	9	1.9%
8	NSP	2	0.4%
9	Manquant	14	3.0%
Sysmiss		5212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ML9A: Ou avez-vous recu l' Antipaludeen

**Information** [Type= discrete] [Format=numeric] [Range= 11-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=465 /-] [Invalid=5212 /-]

Value	Label	Cases	Percentage
11	Hopital gouvernemental	5	1.1%
12	Centre de sante gouvernemental	6	1.3%
13	Poste de sante gouvernementale	122	26.2%
14	Agent de sante communautaire	19	4.1%
15	Clinique mobile/communautaire	131	28.2%
16	Autre public	1	0.2%
21	Clinique/hopital prive	1	0.2%
22	medecin prive	3	0.6%
23	Pharmacie privee	72	15.5%
24	Clinique mobile	0	
26	Autre medical prive	1	0.2%
31	Parent/Ami	25	5.4%
32	Magasin	18	3.9%
33	Guerisseur traditionnel	3	0.6%
34	Circuit commercial informel/Vendeur ambulant	37	8.0%
96	A la maison	4	0.9%
97	Autre	0	
98	NSP	6	1.3%
99	Manquant	11	2.4%
Sysmiss		5212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ML9B: Combien avez-vous paye pour l'Antipaludeen

**Information** [Type= discrete] [Format=numeric] [Range= 25-9999] [Missing=\*]

**Statistics [NW/ W]** [Valid=465 /-] [Invalid=5212 /-]

Value	Label	Cases	Percentage
25		5	1.1%
50		17	3.7%
70		1	0.2%
75		2	0.4%
100		44	9.5%
125		3	0.6%
130		1	0.2%
150		15	3.2%

# ML9B: Combien avez-vous paye pour l'Antipaludeen

Value	Label	Cases	Percentage
175		1	0.2%
200		39	8.4%
225		2	0.4%
250		5	1.1%
275		1	0.2%
300		20	4.3%
325		1	0.2%
350		6	1.3%
375		4	0.9%
400		16	3.4%
450		7	1.5%
500		22	4.7%
525		1	0.2%
550		3	0.6%
563		1	0.2%
600		9	1.9%
700		3	0.6%
750		11	2.4%
800		10	2.2%
850		1	0.2%
875		1	0.2%
900		4	0.9%
915		1	0.2%
1000		13	2.8%
1050		1	0.2%
1175		1	0.2%
1200		9	1.9%
1220		1	0.2%
1250		2	0.4%
1275		1	0.2%
1300		1	0.2%
1330		2	0.4%
1350		3	0.6%
1400		2	0.4%
1500		5	1.1%
1600		1	0.2%
1700		3	0.6%
1715		1	0.2%
1750		7	1.5%
1800		1	0.2%
1850		1	0.2%
1877		1	0.2%
1880		1	0.2%
1900		1	0.2%
1950		1	0.2%

### # ML9B: Combien avez-vous paye pour l'Antipaludeen

Value	Label	Cases	Percentage
1995		1	0.2%
2000		5	1.1%
2015		1	0.2%
2150		1	0.2%
2200		1	0.2%
2250		2	0.4%
2300		1	0.2%
2350		1	0.2%
2400		2	0.4%
2500		4	0.9%
2600		1	0.2%
2750		1	0.2%
2800		1	0.2%
2900		1	0.2%
3000		1	0.2%
3010		2	0.4%
3150		1	0.2%
3325		1	0.2%
3750		1	0.2%
3950		1	0.2%
4000		1	0.2%
4500		2	0.4%
5000		1	0.2%
9900		1	0.2%
9996	Gratuit	35	7.5%
9998	NSP	72	15.5%
9999	Manquant	7	1.5%
Sysmiss		5212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ML9C: Temps mis pour traiter avec ces medicaments (Nombre jours)

Value	Label	Cases	Percentage
1		34	7.3%
2		81	17.4%
3		137	29.5%
4		71	15.3%
5		28	6.0%
6		20	4.3%
7		34	7.3%
8		3	0.6%
9		1	0.2%
10		7	1.5%
11		1	0.2%

<b># ML9C: Temps mis pour traiter avec ces médicaments (Nombre jours)</b>			
Value	Label	Cases	Percentage
12		1	0.2%
14		2	0.4%
17		1	0.2%
20		1	0.2%
21		1	0.2%
30		1	0.2%
98	NSP	23	4.9%
99	Manquant	18	3.9%
Systemmiss		5212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML10: Est-ce-qu'il/elle a dormi sous une moustiquaire la nuit dern</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	862	16.3%
2	Non	4415	83.6%
8	NSP	4	0.1%
9	Manquant	2	0.0%
Systemmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML11: Depuis combien de temps votre menage possede-t-il la moustiq</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=862 /-] [Invalid=4815 /-]		
Value	Label	Cases	Percentage
0		7	0.8%
1		12	1.4%
2		23	2.7%
3		26	3.0%
4		25	2.9%
5		21	2.4%
6		37	4.3%
7		8	0.9%
8		25	2.9%
9		13	1.5%
10		16	1.9%
11		17	2.0%
12		105	12.2%
13		13	1.5%
14		11	1.3%
15		10	1.2%
16		3	0.3%
17		1	0.1%
18		9	1.0%
20		1	0.1%

<b># ML11: Depuis combien de temps votre menage possede-t-il la moustiq</b>			
Value	Label	Cases	Percentage
22		1	0.1%
24		22	2.6%
95	Plus de 24 mois	440	51.0%
98	Pas sure	12	1.4%
99	Manquant	4	0.5%
Sysmiss		4815	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML12: Quelle est la marque de cette moustiquaire</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=862 /-] [Invalid=4815 /-]		
Value	Label	Cases	Percentage
11	PERMANET/SERENA	374	43.4%
12	OYSET	1	0.1%
31	Moustiquaires Ã re-imprÃ©gner	27	3.1%
32	Moustiquaires ordinaires	408	47.3%
36	Autres marques	15	1.7%
98	NSP	37	4.3%
99	Manquant	0	
Sysmiss		4815	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML13: Quand vous avez obtenu cette moustiquaire etait-elle traitee</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=487 /-] [Invalid=5190 /-]		
Value	Label	Cases	Percentage
1	Oui	41	8.4%
2	Non	435	89.3%
8	NSP	8	1.6%
9	Manquant	3	0.6%
Sysmiss		5190	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML14: L' avez vous depuis lors trempee dans un liquide pour tuer l</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=487 /-] [Invalid=5190 /-]		
Value	Label	Cases	Percentage
1	Oui	47	9.7%
2	Non	435	89.3%
8	NSP	2	0.4%
9	Manquant	3	0.6%
Sysmiss		5190	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># ML15: Temps ecoule depuis que vous l'avez trempe dans un liquide</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=47 /-] [Invalid=5630 /-]		

### # ML15: Temps ecoule depuis que vous l'avez trempe dans un liquide

Value	Label	Cases	Percentage
0		1	2.1%
1		1	2.1%
2		6	12.8%
3		6	12.8%
4		2	4.3%
5		1	2.1%
6		2	4.3%
7		2	4.3%
10		6	12.8%
11		1	2.1%
12		6	12.8%
13		1	2.1%
24		2	4.3%
95	Plus de 24 mois	6	12.8%
98	NSP	4	8.5%
99	Manquant	0	
Sysmiss		5630	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM1: L'enfant a-t-il une carte de vaccination

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
1	Oui, vue	3326	63.0%
2	Oui, pas vue	936	17.7%
3	Non	1020	19.3%
9	Manquant	1	0.0%
Sysmiss		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM2D: Jour de vaccination du BCG

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	108	3.2%
1		60	1.8%
2		68	2.0%
3		66	2.0%
4		77	2.3%
5		70	2.1%
6		87	2.6%
7		80	2.4%
8		61	1.8%
9		63	1.9%
10		117	3.5%

### # IM2D: Jour de vaccination du BCG

Value	Label	Cases	Percentage
11		85	2.6%
12		91	2.7%
13		94	2.8%
14		101	3.0%
15		103	3.1%
16		108	3.2%
17		102	3.1%
18		106	3.2%
19		136	4.1%
20		153	4.6%
21		166	5.0%
22		139	4.2%
23		172	5.2%
24		156	4.7%
25		130	3.9%
26		105	3.2%
27		111	3.3%
28		101	3.0%
29		86	2.6%
30		76	2.3%
31		49	1.5%
44	Marquee sur la carte - Date non reportee	57	1.7%
66	Reportee par la mere	42	1.3%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM2M: Mois de vaccination du BCG

Value	Label	Cases	Percentage
1		268	8.6%
2		286	9.2%
3		296	9.5%
4		264	8.5%
5		266	8.5%
6		244	7.8%
7		191	6.1%
8		235	7.5%
9		290	9.3%
10		267	8.6%
11		292	9.4%
12		220	7.1%
99	Manquant	0	
Sysmiss		2558	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# IM2Y: Annee de vaccination du BCG			
Information	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]		
Statistics [NW/ W]	[Valid=3119 /-] [Invalid=2558 /-]		
Value	Label	Cases	Percentage
2001		117	3.8%
2002		426	13.7%
2003		568	18.2%
2004		726	23.3%
2005		977	31.3%
2006		305	9.8%
9999	Manquant	0	
Sysmiss		2558	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# IM3AD: Jour de vaccination VPO0			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=3326 /-] [Invalid=2351 /-]		
Value	Label	Cases	Percentage
0	Pas recue	196	5.9%
1		54	1.6%
2		61	1.8%
3		69	2.1%
4		78	2.3%
5		74	2.2%
6		86	2.6%
7		80	2.4%
8		60	1.8%
9		68	2.0%
10		116	3.5%
11		83	2.5%
12		91	2.7%
13		92	2.8%
14		102	3.1%
15		103	3.1%
16		109	3.3%
17		97	2.9%
18		99	3.0%
19		137	4.1%
20		143	4.3%
21		157	4.7%
22		127	3.8%
23		163	4.9%
24		135	4.1%
25		119	3.6%
26		103	3.1%
27		101	3.0%
28		93	2.8%

**# IM3AD: Jour de vaccination VPO0**

Value	Label	Cases	Percentage
29		85	2.6%
30		68	2.0%
31		46	1.4%
44	Marquee sur la carte - Date non reportee	82	2.5%
66	Reportee par la mere	49	1.5%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM3AM: Mois de vaccination VPO0**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2999 /-] [Invalid=2678 /-]

Value	Label	Cases	Percentage
1		258	8.6%
2		268	8.9%
3		289	9.6%
4		265	8.8%
5		256	8.5%
6		235	7.8%
7		188	6.3%
8		221	7.4%
9		274	9.1%
10		249	8.3%
11		285	9.5%
12		211	7.0%
99	Manquant	0	
Sysmiss		2678	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM3AY: Annee de vaccination VPO0**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2999 /-] [Invalid=2678 /-]

Value	Label	Cases	Percentage
2001		113	3.8%
2002		410	13.7%
2003		549	18.3%
2004		701	23.4%
2005		941	31.4%
2006		285	9.5%
9999	Manquant	0	
Sysmiss		2678	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM3BD: Jour de vaccination VPO1**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]

### # IM3BD: Jour de vaccination VPO1

Value	Label	Cases	Percentage
0	Pas recue	240	7.2%
1		46	1.4%
2		57	1.7%
3		70	2.1%
4		77	2.3%
5		88	2.6%
6		85	2.6%
7		91	2.7%
8		91	2.7%
9		79	2.4%
10		96	2.9%
11		87	2.6%
12		86	2.6%
13		92	2.8%
14		99	3.0%
15		122	3.7%
16		115	3.5%
17		94	2.8%
18		115	3.5%
19		131	3.9%
20		141	4.2%
21		136	4.1%
22		132	4.0%
23		136	4.1%
24		158	4.8%
25		120	3.6%
26		86	2.6%
27		115	3.5%
28		92	2.8%
29		74	2.2%
30		80	2.4%
31		40	1.2%
44	Marquee sur la carte - Date non reportee	18	0.5%
66	Reportee par la mere	37	1.1%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM3BM: Mois de vaccination VPO1

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3031 /-] [Invalid=2646 /-]		
Value	Label	Cases	Percentage
1		284	9.4%
2		257	8.5%
3		291	9.6%

### # IM3BM: Mois de vaccination VPO1

Value	Label	Cases	Percentage
4		271	8.9%
5		248	8.2%
6		211	7.0%
7		234	7.7%
8		209	6.9%
9		245	8.1%
10		238	7.9%
11		294	9.7%
12		249	8.2%
99	Manquant	0	
Sysmiss		2646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM3BY: Annee de vaccination VPO1

Value	Label	Cases	Percentage
2001		81	2.7%
2002		374	12.3%
2003		563	18.6%
2004		731	24.1%
2005		971	32.0%
2006		311	10.3%
9999	Manquant	0	
Sysmiss		2646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM3CD: Jour de vaccination VPO2

Value	Label	Cases	Percentage
0	Pas recue	453	13.6%
1		56	1.7%
2		79	2.4%
3		59	1.8%
4		52	1.6%
5		62	1.9%
6		84	2.5%
7		71	2.1%
8		83	2.5%
9		84	2.5%
10		77	2.3%
11		81	2.4%
12		79	2.4%
13		112	3.4%
14		86	2.6%

### # IM3CD: Jour de vaccination VPO2

Value	Label	Cases	Percentage
15		81	2.4%
16		101	3.0%
17		100	3.0%
18		118	3.5%
19		120	3.6%
20		151	4.5%
21		129	3.9%
22		114	3.4%
23		155	4.7%
24		142	4.3%
25		104	3.1%
26		76	2.3%
27		103	3.1%
28		87	2.6%
29		66	2.0%
30		65	2.0%
31		41	1.2%
44	Marquee sur la carte - Date non reportee	20	0.6%
66	Reportee par la mere	35	1.1%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM3CM: Mois de vaccination VPO2

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2818 /-] [Invalid=2859 /-]

Value	Label	Cases	Percentage
1		265	9.4%
2		284	10.1%
3		268	9.5%
4		266	9.4%
5		225	8.0%
6		202	7.2%
7		203	7.2%
8		212	7.5%
9		225	8.0%
10		212	7.5%
11		225	8.0%
12		231	8.2%
99	Manquant	0	
Sysmiss		2859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM3CY: Annee de vaccination VPO2

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2818 /-] [Invalid=2859 /-]

### # IM3CY: Annee de vaccination VPO2

Value	Label	Cases	Percentage
2001		44	1.6%
2002		328	11.6%
2003		523	18.6%
2004		696	24.7%
2005		882	31.3%
2006		345	12.2%
9999	Manquant	0	
Sysmiss		2859	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM3DD: Jour de vaccination VPO3

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	733	22.0%
1		43	1.3%
2		51	1.5%
3		48	1.4%
4		60	1.8%
5		55	1.7%
6		76	2.3%
7		66	2.0%
8		69	2.1%
9		71	2.1%
10		76	2.3%
11		59	1.8%
12		55	1.7%
13		89	2.7%
14		99	3.0%
15		96	2.9%
16		95	2.9%
17		79	2.4%
18		103	3.1%
19		116	3.5%
20		136	4.1%
21		133	4.0%
22		118	3.5%
23		119	3.6%
24		124	3.7%
25		107	3.2%
26		76	2.3%
27		74	2.2%
28		84	2.5%
29		64	1.9%
30		63	1.9%

**# IM3DD: Jour de vaccination VPO3**

Value	Label	Cases	Percentage
31		37	1.1%
44	Marquee sur la carte - Date non reportee	18	0.5%
66	Reportee par la mere	34	1.0%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM3DM: Mois de vaccination VPO3**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=2541 /-] [Invalid=3136 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
1		204	8.0%
2		241	9.5%
3		294	11.6%
4		245	9.6%
5		188	7.4%
6		181	7.1%
7		182	7.2%
8		179	7.0%
9		204	8.0%
10		215	8.5%
11		206	8.1%
12		202	7.9%
99	Manquant	0	
Sysmiss		3136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM3DY: Annee de vaccination VPO3**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=2541 /-] [Invalid=3136 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
2001		30	1.2%
2002		270	10.6%
2003		446	17.6%
2004		632	24.9%
2005		823	32.4%
2006		340	13.4%
9999	Manquant	0	
Sysmiss		3136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4AD: Jour de vaccination DPT1**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0	Pas recue	248	7.5%

### # IM4AD: Jour de vaccination DPT1

Value	Label	Cases	Percentage
1		46	1.4%
2		55	1.7%
3		70	2.1%
4		77	2.3%
5		88	2.6%
6		85	2.6%
7		91	2.7%
8		92	2.8%
9		79	2.4%
10		94	2.8%
11		86	2.6%
12		86	2.6%
13		90	2.7%
14		99	3.0%
15		122	3.7%
16		114	3.4%
17		94	2.8%
18		116	3.5%
19		131	3.9%
20		141	4.2%
21		136	4.1%
22		130	3.9%
23		135	4.1%
24		158	4.8%
25		119	3.6%
26		86	2.6%
27		115	3.5%
28		93	2.8%
29		74	2.2%
30		81	2.4%
31		40	1.2%
44	Marquee sur la carte - Date non reportee	18	0.5%
66	Reportee par la mere	37	1.1%
99	Manquant	0	
Sysmiss		2351	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # IM4AM: Mois de vaccination DPT1

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3023 /-] [Invalid=2654 /-]		
Value	Label	Cases	Percentage
1		283	9.4%
2		257	8.5%
3		290	9.6%
4		272	9.0%

### # IM4AM: Mois de vaccination DPT1

Value	Label	Cases	Percentage
5		246	8.1%
6		211	7.0%
7		233	7.7%
8		210	6.9%
9		244	8.1%
10		237	7.8%
11		291	9.6%
12		249	8.2%
99	Manquant	0	
Sysmiss		2654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4AY: Annee de vaccination DPT1

**Information** [Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=\*]

**Statistics [NW/ W]** [Valid=3023 /-] [Invalid=2654 /-]

Value	Label	Cases	Percentage
2001		81	2.7%
2002		372	12.3%
2003		564	18.7%
2004		728	24.1%
2005		971	32.1%
2006		307	10.2%
9999	Manquant	0	
Sysmiss		2654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4BD: Jour de vaccination DPT2

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	458	13.8%
1		56	1.7%
2		78	2.3%
3		59	1.8%
4		52	1.6%
5		63	1.9%
6		84	2.5%
7		71	2.1%
8		81	2.4%
9		83	2.5%
10		76	2.3%
11		81	2.4%
12		78	2.3%
13		110	3.3%
14		86	2.6%
15		80	2.4%

### # IM4BD: Jour de vaccination DPT2

Value	Label	Cases	Percentage
16		102	3.1%
17		100	3.0%
18		118	3.5%
19		122	3.7%
20		147	4.4%
21		129	3.9%
22		113	3.4%
23		153	4.6%
24		144	4.3%
25		107	3.2%
26		76	2.3%
27		102	3.1%
28		88	2.6%
29		68	2.0%
30		65	2.0%
31		41	1.2%
44	Marquee sur la carte - Date non reportee	20	0.6%
66	Reportee par la mere	35	1.1%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4BM: Mois de vaccination DPT2

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2813 /-] [Invalid=2864 /-]

Value	Label	Cases	Percentage
1		266	9.5%
2		281	10.0%
3		267	9.5%
4		265	9.4%
5		227	8.1%
6		200	7.1%
7		203	7.2%
8		211	7.5%
9		225	8.0%
10		214	7.6%
11		226	8.0%
12		228	8.1%
99	Manquant	0	
Sysmiss		2864	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4BY: Annee de vaccination DPT2

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2813 /-] [Invalid=2864 /-]

### # IM4BY: Annee de vaccination DPT2

Value	Label	Cases	Percentage
2001		44	1.6%
2002		328	11.7%
2003		523	18.6%
2004		693	24.6%
2005		885	31.5%
2006		340	12.1%
9999	Manquant	0	
Sysmiss		2864	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4CD: Jour de vaccination DPT3

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	736	22.1%
1		42	1.3%
2		52	1.6%
3		48	1.4%
4		61	1.8%
5		53	1.6%
6		75	2.3%
7		65	2.0%
8		68	2.0%
9		71	2.1%
10		76	2.3%
11		59	1.8%
12		56	1.7%
13		90	2.7%
14		97	2.9%
15		95	2.9%
16		95	2.9%
17		79	2.4%
18		105	3.2%
19		116	3.5%
20		136	4.1%
21		134	4.0%
22		118	3.5%
23		120	3.6%
24		122	3.7%
25		108	3.2%
26		76	2.3%
27		74	2.2%
28		81	2.4%
29		65	2.0%
30		64	1.9%

**# IM4CD: Jour de vaccination DPT3**

Value	Label	Cases	Percentage
31		37	1.1%
44	Marquee sur la carte - Date non reportee	18	0.5%
66	Reportee par la mere	34	1.0%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4CM: Mois de vaccination DPT3**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=2538 /-] [Invalid=3139 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
1		205	8.1%
2		238	9.4%
3		293	11.5%
4		245	9.7%
5		188	7.4%
6		181	7.1%
7		183	7.2%
8		180	7.1%
9		204	8.0%
10		213	8.4%
11		206	8.1%
12		202	8.0%
99	Manquant	0	
Sysmiss		3139	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4CY: Annee de vaccination DPT3**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2001-9999] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=2538 /-] [Invalid=3139 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
2001		30	1.2%
2002		269	10.6%
2003		446	17.6%
2004		633	24.9%
2005		821	32.3%
2006		339	13.4%
9999	Manquant	0	
Sysmiss		3139	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4DD: Jour de vaccination IMOVAX1**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0	Pas recue	3304	99.3%

### # IM4DD: Jour de vaccination IMOVAX1

Value	Label	Cases	Percentage
3		1	0.0%
5		3	0.1%
7		2	0.1%
9		1	0.0%
13		1	0.0%
15		2	0.1%
17		1	0.0%
18		1	0.0%
19		1	0.0%
20		1	0.0%
21		1	0.0%
22		1	0.0%
26		1	0.0%
27		1	0.0%
30		1	0.0%
31		2	0.1%
44	Marquee sur la carte - Date non reportee	0	
66	Reportee par la mere	1	0.0%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4DM: Mois de vaccination IMOVAX1

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21 /-] [Invalid=5656 /-]

Value	Label	Cases	Percentage
1		7	33.3%
3		3	14.3%
4		1	4.8%
5		1	4.8%
6		1	4.8%
7		3	14.3%
8		1	4.8%
9		1	4.8%
11		1	4.8%
12		2	9.5%
99	Manquant	0	
Sysmiss		5656	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4DY: Annee de vaccination IMOVAX1

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2002-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21 /-] [Invalid=5656 /-]

Value	Label	Cases	Percentage
2002		2	9.5%
2003		3	14.3%

**# IM4DY: Annee de vaccination IMOVAX1**

Value	Label	Cases	Percentage
2004		2	9.5%
2005		5	23.8%
2006		9	42.9%
9999	Manquant	0	
Sysmiss		5656	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4ED: Jour de vaccination IMOVAX2**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0	Pas recue	3313	99.6%
6		3	0.1%
7		1	0.0%
12		1	0.0%
13		1	0.0%
14		1	0.0%
16		1	0.0%
18		1	0.0%
19		2	0.1%
22		1	0.0%
44	Marquee sur la carte - Date non reportee	0	
66	Reportee par la mere	1	0.0%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4EM: Mois de vaccination IMOVAX2**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=12 /-] [Invalid=5665 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1		2	16.7%
2		4	33.3%
3		2	16.7%
4		2	16.7%
10		1	8.3%
11		1	8.3%
99	Manquant	0	
Sysmiss		5665	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM4EY: Annee de vaccination IMOVAX2**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2003-9999] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=12 /-] [Invalid=5665 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
2003		3	25.0%

### # IM4EY: Annee de vaccination IMOVAX2

Value	Label	Cases	Percentage
2005		1	8.3%
2006		8	66.7%
9999	Manquant	0	
Sysmiss		5665	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4FD: Jour de vaccination INOVAX3/GENHEVAC

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	3311	99.5%
6		1	0.0%
7		1	0.0%
9		1	0.0%
13		1	0.0%
14		1	0.0%
16		2	0.1%
19		1	0.0%
21		1	0.0%
23		1	0.0%
24		1	0.0%
25		1	0.0%
29		1	0.0%
44	Marquee sur la carte - Date non reportee	0	
66	Reportee par la mere	2	0.1%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM4FM: Mois de vaccination INOVAX3/GENHEVAC

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=13 /-] [Invalid=5664 /-]

Value	Label	Cases	Percentage
2		2	15.4%
3		4	30.8%
4		1	7.7%
5		2	15.4%
8		1	7.7%
9		1	7.7%
10		1	7.7%
11		1	7.7%
99	Manquant	0	
Sysmiss		5664	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# IM4FY: Annee de vaccination INOVAX3/GENHEVAC			
Information		[Type= discrete] [Format=numeric] [Range= 2002-9999] [Missing=*]	
Statistics [NW/ W]		[Valid=13 /-] [Invalid=5664 /-]	
Value	Label	Cases	Percentage
2002		1	7.7%
2003		4	30.8%
2004		1	7.7%
2005		2	15.4%
2006		5	38.5%
9999	Manquant	0	
Sysmiss		5664	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># IM6D: Jour de vaccination Rougeole ou MMR</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=3326 /-] [Invalid=2351 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	Pas recue	1134	34.1%
1		30	0.9%
2		36	1.1%
3		34	1.0%
4		31	0.9%
5		50	1.5%
6		38	1.1%
7		43	1.3%
8		56	1.7%
9		47	1.4%
10		71	2.1%
11		58	1.7%
12		60	1.8%
13		67	2.0%
14		89	2.7%
15		105	3.2%
16		93	2.8%
17		73	2.2%
18		73	2.2%
19		97	2.9%
20		123	3.7%
21		92	2.8%
22		94	2.8%
23		110	3.3%
24		121	3.6%
25		109	3.3%
26		57	1.7%
27		72	2.2%
28		68	2.0%
29		54	1.6%
30		56	1.7%
31		37	1.1%
44	Marquee sur la carte - Date non reportee	22	0.7%
66	Reportee par la mere	26	0.8%
99	Manquant	0	
Sysmiss		2351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM6M: Mois de vaccination Rougeolenth ou MMR</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2144 /-] [Invalid=3533 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		197	9.2%

### # IM6M: Mois de vaccination Rougeolenth ou MMR

Value	Label	Cases	Percentage
2		209	9.7%
3		257	12.0%
4		203	9.5%
5		162	7.6%
6		136	6.3%
7		128	6.0%
8		144	6.7%
9		212	9.9%
10		151	7.0%
11		144	6.7%
12		200	9.3%
99	Manquant	1	0.0%
Sysmiss		3533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM6Y: Annee de vaccination Rougeole ou MMR

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2002-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2144 /-] [Invalid=3533 /-]

Value	Label	Cases	Percentage
2002		156	7.3%
2003		354	16.5%
2004		600	28.0%
2005		717	33.4%
2006		317	14.8%
9999	Manquant	0	
Sysmiss		3533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM7D: Jour de vaccination de la Fievre Jaune

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	1140	34.3%
1		31	0.9%
2		39	1.2%
3		35	1.1%
4		29	0.9%
5		52	1.6%
6		34	1.0%
7		44	1.3%
8		56	1.7%
9		47	1.4%
10		79	2.4%
11		57	1.7%
12		60	1.8%
13		65	2.0%

### # IM7D: Jour de vaccination de la Fievre Jaune

Value	Label	Cases	Percentage
14		81	2.4%
15		95	2.9%
16		84	2.5%
17		74	2.2%
18		74	2.2%
19		87	2.6%
20		118	3.5%
21		94	2.8%
22		104	3.1%
23		107	3.2%
24		120	3.6%
25		107	3.2%
26		62	1.9%
27		82	2.5%
28		74	2.2%
29		51	1.5%
30		60	1.8%
31		34	1.0%
44	Marquee sur la carte - Date non reportee	26	0.8%
66	Reportee par la mere	24	0.7%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM7M: Mois de vaccination de la Fievre Jaune

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2136 /-] [Invalid=3541 /-]

Value	Label	Cases	Percentage
1		194	9.1%
2		217	10.2%
3		256	12.0%
4		191	8.9%
5		166	7.8%
6		139	6.5%
7		136	6.4%
8		153	7.2%
9		231	10.8%
10		147	6.9%
11		145	6.8%
12		161	7.5%
99	Manquant	0	
Sysmiss		3541	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM7Y: Annee de vaccination de la Fievre Jaune

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2002-9999] [Missing=*]
--------------------	--

### # IM7Y: Annee de vaccination de la Fievre Jaune

Statistics [NW/ W] [Valid=2136 /-] [Invalid=3541 /-]

Value	Label	Cases	Percentage
2002		149	7.0%
2003		345	16.2%
2004		571	26.7%
2005		753	35.3%
2006		318	14.9%
9999	Manquant	0	
Sysmiss		3541	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM8AD: Jour Vitamine A (1)

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	2157	64.9%
1		1	0.0%
3		1	0.0%
7		2	0.1%
9		1	0.0%
11		1	0.0%
12		1	0.0%
14		4	0.1%
20		1	0.0%
21		2	0.1%
22		3	0.1%
24		2	0.1%
25		2	0.1%
26		1	0.0%
27		1	0.0%
28		1	0.0%
44	Marquee sur la carte - Date non reportee	32	1.0%
66	Reportee par la mere	1113	33.5%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # IM8AM: Mois Vitamine A (1)

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

Statistics [NW/ W] [Valid=24 /-] [Invalid=5653 /-]

Value	Label	Cases	Percentage
1		1	4.2%
2		4	16.7%
3		1	4.2%
4		2	8.3%
5		1	4.2%

**# IM8AM: Mois Vitamine A (1)**

Value	Label	Cases	Percentage
6		2	8.3%
7		2	8.3%
8		1	4.2%
9		4	16.7%
10		1	4.2%
11		1	4.2%
12		4	16.7%
99	Manquant	0	
Sysmiss		5653	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM8AY: Annee Vitamine A (1)**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2002-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=24 /-] [Invalid=5653 /-]

Value	Label	Cases	Percentage
2002		1	4.2%
2003		4	16.7%
2004		4	16.7%
2005		13	54.2%
2006		2	8.3%
9999	Manquant	0	
Sysmiss		5653	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM8BD: Jour Vitamine A (2)**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]

Value	Label	Cases	Percentage
0	Pas recue	2236	67.2%
4		1	0.0%
8		1	0.0%
14		1	0.0%
21		1	0.0%
44	Marquee sur la carte - Date non reportee	23	0.7%
66	Reportee par la mere	1063	32.0%
99	Manquant	0	
Sysmiss		2351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# IM8BM: Mois Vitamine A (2)**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4 /-] [Invalid=5673 /-]

Value	Label	Cases	Percentage
1		1	25.0%
3		1	25.0%
7		2	50.0%

<b># IM8BM: Mois Vitamine A (2)</b>			
Value	Label	Cases	Percentage
99	Manquant	0	
Sysmiss		5673	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM8BY: Annee Vitamine A (2)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2002-9999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4 /-] [Invalid=5673 /-]		
Value	Label	Cases	Percentage
2002		1	25.0%
2005		3	75.0%
9999	Manquant	0	
Sysmiss		5673	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM8CD: Jour Vitamine A (3)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]		
Value	Label	Cases	Percentage
0	Pas recue	2339	70.3%
27		1	0.0%
44	Marquee sur la carte - Date non reportee	12	0.4%
66	Reportee par la mere	974	29.3%
99	Manquant	0	
Sysmiss		2351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM8CM: Mois Vitamine A (3)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 5-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=5676 /-]		
Value	Label	Cases	Percentage
5		1	100.0%
99	Manquant	0	
Sysmiss		5676	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM8CY: Annee Vitamine A (3)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2005-9999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=5676 /-]		
Value	Label	Cases	Percentage
2005		1	100.0%
9999	Manquant	0	
Sysmiss		5676	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM9: En dehors des vaccinations sur la carte l' enfant a-t-il rec</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3326 /-] [Invalid=2351 /-]		

<b># IM9: En dehors des vaccinations sur la carte l' enfant a-t-il rec</b>			
Value	Label	Cases	Percentage
1	Oui	2143	64.4%
2	Non	1133	34.1%
8	NSP	45	1.4%
9	Manquant	5	0.2%
Sysmiss		2351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM10: Est-ce-que l'enfant a reçu des vaccinations y compris celle</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1957 /-] [Invalid=3720 /-]		
Value	Label	Cases	Percentage
1	Oui	1631	83.3%
2	Non	305	15.6%
8	NSP	13	0.7%
9	Manquant	8	0.4%
Sysmiss		3720	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM11: Est-ce-que l'enfant a reçu une vaccination du BCG</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1631 /-] [Invalid=4046 /-]		
Value	Label	Cases	Percentage
1	Oui	1387	85.0%
2	Non	202	12.4%
8	NSP	25	1.5%
9	Manquant	17	1.0%
Sysmiss		4046	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM12: Est-ce-que l'enfant a reçu une vaccination contre la POLIO</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1631 /-] [Invalid=4046 /-]		
Value	Label	Cases	Percentage
1	Oui	1570	96.3%
2	Non	38	2.3%
8	NSP	9	0.6%
9	Manquant	14	0.9%
Sysmiss		4046	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM13: Quand est-ce-que le premier vaccin contre la POLIO a-t-il et</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1570 /-] [Invalid=4107 /-]		
Value	Label	Cases	Percentage
1	Juste apres la naissance (dans les 2 semaines)	691	44.0%
2	Plus tard	868	55.3%

<b># IM13: Quand est-ce-que le premier vaccin contre la POLIO a-t-il et</b>			
Value	Label	Cases	Percentage
9	Manquant	11	0.7%
Sysmiss		4107	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM14: Combien de fois le vaccin contre la POLIO a-t-il ete donne</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1570 /-] [Invalid=4107 /-]		
Value	Label	Cases	Percentage
1		87	5.5%
2		241	15.4%
3		532	33.9%
4		696	44.3%
99	Manquant	14	0.9%
Sysmiss		4107	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM15: Est-ce-que l'enfant a recu une vaccination DTCoq</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1631 /-] [Invalid=4046 /-]		
Value	Label	Cases	Percentage
1	Oui	1173	71.9%
2	Non	355	21.8%
8	NSP	87	5.3%
9	Manquant	16	1.0%
Sysmiss		4046	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM16: Combien de fois le vaccin DTCoq a-t-il ete donne</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1173 /-] [Invalid=4504 /-]		
Value	Label	Cases	Percentage
1		155	13.2%
2		242	20.6%
3		771	65.7%
99	Manquant	5	0.4%
Sysmiss		4504	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM17: Est-ce-que l'enfant a recu une vaccination contre la Rougeol</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1631 /-] [Invalid=4046 /-]		
Value	Label	Cases	Percentage
1	Oui	1137	69.7%
2	Non	414	25.4%
8	NSP	47	2.9%
9	Manquant	33	2.0%

<b># IM17: Est-ce-que l'enfant a reçu une vaccination contre la Rougeole</b>			
Value	Label	Cases	Percentage
Sysmiss		4046	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM18: Est-ce-que l'enfant a reçu une vaccination contre la Fievre</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1631 /-] [Invalid=4046 /-]		
Value	Label	Cases	Percentage
1	Oui	1122	68.8%
2	Non	418	25.6%
8	NSP	54	3.3%
9	Manquant	37	2.3%
Sysmiss		4046	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM19A: L'enfant a-t-il participe a la JNV A</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	3516	66.6%
2	Non	1646	31.2%
8	NSP	111	2.1%
9	Manquant	10	0.2%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM19B: L'enfant a-t-il participe a la JNV B</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	4022	76.1%
2	Non	1167	22.1%
8	NSP	89	1.7%
9	Manquant	5	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># IM19C: L'enfant a-t-il participe a la JNV C</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Oui	4237	80.2%
2	Non	974	18.4%
8	NSP	67	1.3%
9	Manquant	5	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># AN1: Poids de l'enfant (kilogrammes)</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1.3-99.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=12.361 /-] [StdDev=14.66 /-]		
<b># AN2A: Position a la mesure de la taille</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Position debout	2927	55.4%
2	Position couchee	2247	42.5%
9	Manquant	109	2.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># AN2: Taille de l'enfant (centimetres)</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 36.4-999.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=111.055 /-] [StdDev=165.495 /-]		
<b># AN3: Numero de code du mesureur</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=56.772 /-] [StdDev=97.442 /-]		
<b># AN4: Resultat des mesures</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Mesure	5104	96.6%
2	Absent	67	1.3%
3	Refuse	59	1.1%
6	Autre	28	0.5%
7	Inconsistant	12	0.2%
9	Manquant	13	0.2%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># haz: HAZ</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -9.98-9.99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=0.596 /-] [StdDev=4.71 /-]		
<b># hap: HAP</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=36.766 /-] [StdDev=40.315 /-]		
<b># ham: HAM</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 46.5-999.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=256.351 /-] [StdDev=347.142 /-]		
<b># waz: WAZ</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -7.97-9.99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=0.375 /-] [StdDev=4.646 /-]		

<b># wap: WAP</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=32.857 /-] [StdDev=39.389 /-]		
<b># wam: WAM</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 20-999.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=240.934 /-] [StdDev=346.899 /-]		
<b># whz: WHZ</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -9.98-9.99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=1.04 /-] [StdDev=4.563 /-]		
<b># whp: WHP</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=44.159 /-] [StdDev=40.309 /-]		
<b># whm: WHM</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 23.9-999.9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-] [Mean=257.682 /-] [StdDev=351.09 /-]		
<b># flag: FLAG</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
0		3986	75.4%
1		52	1.0%
2		195	3.7%
3		104	2.0%
4		4	0.1%
5		2	0.0%
6		32	0.6%
7		908	17.2%
Systemmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># EFHH: Heure</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 3-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
3		2	0.0%
4		1	0.0%
5		3	0.1%
6		16	0.3%
7		136	2.6%
8		275	5.2%
9		417	7.9%
10		398	7.5%
11		413	7.8%
12		379	7.2%

# EFHH: Heure

Value	Label	Cases	Percentage
13		339	6.4%
14		329	6.2%
15		301	5.7%
16		314	5.9%
17		360	6.8%
18		350	6.6%
19		218	4.1%
20		137	2.6%
21		48	0.9%
22		9	0.2%
99	Manquant	838	15.9%
System		394	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# EFHM: Minutes

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		169	3.2%
1		47	0.9%
2		73	1.4%
3		40	0.8%
4		39	0.7%
5		136	2.6%
6		35	0.7%
7		49	0.9%
8		46	0.9%
9		49	0.9%
10		185	3.5%
11		47	0.9%
12		44	0.8%
13		44	0.8%
14		35	0.7%
15		190	3.6%
16		54	1.0%
17		65	1.2%
18		55	1.0%
19		49	0.9%
20		204	3.9%
21		33	0.6%
22		69	1.3%
23		51	1.0%
24		38	0.7%
25		135	2.6%
26		54	1.0%

# EFHM: Minutes			
Value	Label	Cases	Percentage
27		63	1.2%
28		54	1.0%
29		44	0.8%
30		199	3.8%
31		48	0.9%
32		83	1.6%
33		41	0.8%
34		43	0.8%
35		130	2.5%
36		48	0.9%
37		46	0.9%
38		58	1.1%
39		39	0.7%
40		209	4.0%
41		40	0.8%
42		78	1.5%
43		56	1.1%
44		38	0.7%
45		196	3.7%
46		50	0.9%
47		44	0.8%
48		49	0.9%
49		53	1.0%
50		176	3.3%
51		48	0.9%
52		59	1.1%
53		48	0.9%
54		44	0.8%
55		108	2.0%
56		37	0.7%
57		53	1.0%
58		75	1.4%
59		52	1.0%
99	Manquant	839	15.9%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HL4: Sexe			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Masculin	2880	50.7%
2	Feminin	2795	49.2%
9	Manquant	2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ED3A: Plus haut niveau d'etudes atteint			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=674 /-] [Invalid=5003 /-]	
Value	Label	Cases	Percentage
0	Ecole maternelle	0	
1	Primaire	476	70.6%
2	Secondaire 1er Cycle	152	22.6%
3	Secondaire 2nd Cycle	36	5.3%
4	Superieur	6	0.9%
6	Programme non-formel	0	
8	NSP	3	0.4%
9	Manquant	1	0.1%
Sysmiss		5003	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MDHH: Heure			
Information		[Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]	
Statistics [NW/ W]		[Valid=5677 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
2		3	0.1%
3		2	0.0%
4		2	0.0%
5		10	0.2%
6		107	1.9%
7		346	6.1%
8		449	7.9%
9		503	8.9%
10		414	7.3%
11		466	8.2%
12		349	6.1%
13		334	5.9%
14		341	6.0%
15		309	5.4%
16		387	6.8%
17		353	6.2%
18		253	4.5%
19		109	1.9%
20		63	1.1%
21		16	0.3%
22		5	0.1%
99	Manquant	856	15.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MDHM: Minuite			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=5677 /-] [Invalid=0 /-]	

# MDHM: Minuite

Value	Label	Cases	Percentage
0		461	8.1%
1		63	1.1%
2		108	1.9%
3		44	0.8%
4		45	0.8%
5		176	3.1%
6		37	0.7%
7		64	1.1%
8		42	0.7%
9		39	0.7%
10		262	4.6%
11		17	0.3%
12		43	0.8%
13		59	1.0%
14		21	0.4%
15		203	3.6%
16		45	0.8%
17		31	0.5%
18		33	0.6%
19		43	0.8%
20		240	4.2%
21		24	0.4%
22		36	0.6%
23		30	0.5%
24		24	0.4%
25		171	3.0%
26		39	0.7%
27		30	0.5%
28		34	0.6%
29		29	0.5%
30		395	7.0%
31		23	0.4%
32		67	1.2%
33		37	0.7%
34		48	0.8%
35		123	2.2%
36		46	0.8%
37		37	0.7%
38		57	1.0%
39		41	0.7%
40		304	5.4%
41		38	0.7%
42		40	0.7%
43		55	1.0%
44		23	0.4%

### # MDHM: Minuite

Value	Label	Cases	Percentage
45		189	3.3%
46		31	0.5%
47		36	0.6%
48		45	0.8%
49		38	0.7%
50		196	3.5%
51		54	1.0%
52		42	0.7%
53		26	0.5%
54		37	0.7%
55		114	2.0%
56		50	0.9%
57		30	0.5%
58		63	1.1%
59		39	0.7%
99	Manquant	860	15.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH3: Numero de l'enqueteur

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=47.396 /-] [StdDev=22.377 /-]

<b># HH4: Numero du Controleur</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=45.452 /-] [StdDev=22.464 /-]		
<b># HH4A: Chef d'Equipe</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=5.244 /-] [StdDev=8.019 /-]		
<b># HH5D: Jour de l'enquete</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=15.361 /-] [StdDev=8.774 /-]		
<b># HH5M: Mois de l'enquete</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
3		138	2.4%
4		3092	54.5%
5		2212	39.0%
6		235	4.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH5Y: Annee de l'enquete</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2006-2006] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
2006		5677	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HHV: Nombre de Visite</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		5411	95.3%
2		208	3.7%
3		51	0.9%
6		7	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH6: Milieu</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Ouagadougou	260	4.6%
2	Autres villes	342	6.0%
3	Rural	5075	89.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HH7: Region</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Boucle du Mouhoun	415	7.3%
2	Cascade	627	11.0%
3	Centre	519	9.1%
4	Centre-Sud	366	6.4%
5	Centre-Est	333	5.9%
6	Centre-Nord	432	7.6%
7	Centre-Ouest	531	9.4%
8	Est	481	8.5%
9	Hauts-Bassins	336	5.9%
10	Nord	484	8.5%
11	Plateau-Central	456	8.0%
12	Sahel	381	6.7%
13	Sud-Ouest	316	5.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH9: Resultat de l' interview</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Rempli	5677	100.0%
2	Pas a la maison	0	
3	Refuse	0	
4	Logement non trouve/detrui	0	
6	Autre	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH10: Repondant HH questionnaire</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		3884	68.4%
2		1351	23.8%
3		87	1.5%
4		41	0.7%
5		79	1.4%
6		48	0.8%
7		44	0.8%
8		35	0.6%
9		39	0.7%
10		19	0.3%
11		9	0.2%
12		10	0.2%
14		7	0.1%

<b># HH10: Repondant HH questionnaire</b>			
Value	Label	Cases	Percentage
15		3	0.1%
16		7	0.1%
18		3	0.1%
19		2	0.0%
99	Missing	9	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH11: Nombre total des membres du menage</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2-50] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=10.061 /-] [StdDev=6.006 /-]		
<b># HH12: Total femmes eligibles</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		33	0.6%
1		2143	37.7%
2		1763	31.1%
3		907	16.0%
4		407	7.2%
5		195	3.4%
6		109	1.9%
7		68	1.2%
8		12	0.2%
9		13	0.2%
11		2	0.0%
12		25	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH13: Nombre de questionnaire femme remplis</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		201	3.5%
1		2357	41.5%
2		1662	29.3%
3		778	13.7%
4		353	6.2%
5		165	2.9%
6		63	1.1%
7		65	1.1%
8		3	0.1%
9		10	0.2%
10		2	0.0%
12		18	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HH14: Total Enfant de moins de 5 ans</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		1867	32.9%
2		2008	35.4%
3		999	17.6%
4		440	7.8%
5		140	2.5%
6		102	1.8%
7		77	1.4%
8		16	0.3%
10		10	0.2%
18		18	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH15: Nombre de questionnaires enfants de moins de 5 ans remplis</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		197	3.5%
1		1969	34.7%
2		1889	33.3%
3		916	16.1%
4		420	7.4%
5		118	2.1%
6		75	1.3%
7		49	0.9%
8		16	0.3%
10		10	0.2%
18		18	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HHL: Langue de l'Interview</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Francais	359	6.3%
2	Moore	2981	52.5%
3	Dioula	1356	23.9%
4	Fululde/Peul	220	3.9%
5	Autre	761	13.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HHI: Recours À Interprete</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		

**# HHI: Recours Ã Interprete**

Value	Label	Cases	Percentage
1	Oui	762	13.4%
2	Non	4915	86.6%
9	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HH16: Numero de l'agent de saisie**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		441	7.8%
2		377	6.6%
3		428	7.5%
4		353	6.2%
5		271	4.8%
6		283	5.0%
7		302	5.3%
8		340	6.0%
9		477	8.4%
10		491	8.6%
11		364	6.4%
12		268	4.7%
13		273	4.8%
14		344	6.1%
15		391	6.9%
16		274	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HH16A: Numero du Controleur Bureau**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1262	22.2%
2		725	12.8%
3		1043	18.4%
4		477	8.4%
5		1024	18.0%
6		1146	20.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# WS1: Principale source d'eau que boivent les membre du menage**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	39	0.7%
12	Dans la cour/parcelle	105	1.8%
13	Robinet public/borne fontaine	771	13.6%

### # WS1: Principale source d'eau que boivent les membre du menage

Value	Label	Cases	Percentage
21	Puits a pompe/forage	2690	47.4%
31	Puits protege	595	10.5%
32	Puits non protege	1199	21.1%
41	Source protegee	6	0.1%
42	Source non protegee	42	0.7%
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	55	1.0%
81	Eau de surface	173	3.0%
91	Eau en bouteille	1	0.0%
96	Autre	1	0.0%
99	Manquant	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS2: Principale source d'eau utilisee pour autres choses

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=5676 /-]

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	0	
12	Dans la cour/parcelle	0	
13	Robinet public/borne fontaine	1	100.0%
21	Puits a pompe/forage	0	
31	Puits protege	0	
32	Puits non protege	0	
41	Source protegee	0	
42	Source non protegee	0	
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	0	
81	Eau de surface	0	
91	Eau en bouteille	0	
96	Autre	0	
99	Manquant	0	
Sysmiss		5676	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS3: Temps pour aller chercher de leau et revenir

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5533 /-] [Invalid=144 /-]

Value	Label	Cases	Percentage
1		22	0.4%
2		30	0.5%
3		46	0.8%
4		40	0.7%
5		319	5.8%
6		9	0.2%

### # WS3: Temps pour aller chercher de leau et revenir

Value	Label	Cases	Percentage
7		33	0.6%
8		35	0.6%
9		8	0.1%
10		622	11.2%
12		13	0.2%
13		5	0.1%
14		5	0.1%
15		469	8.5%
16		5	0.1%
17		10	0.2%
18		1	0.0%
20		654	11.8%
22		1	0.0%
25		89	1.6%
28		1	0.0%
30		978	17.7%
35		44	0.8%
36		4	0.1%
40		223	4.0%
42		2	0.0%
45		136	2.5%
50		52	0.9%
52		1	0.0%
55		1	0.0%
60		755	13.6%
65		2	0.0%
70		9	0.2%
75		8	0.1%
80		18	0.3%
90		95	1.7%
100		3	0.1%
105		1	0.0%
120		284	5.1%
130		4	0.1%
145		1	0.0%
150		6	0.1%
160		10	0.2%
180		79	1.4%
190		2	0.0%
240		23	0.4%
300		25	0.5%
360		3	0.1%
720		3	0.1%
995	Eau sur place	221	4.0%
998	NSP	107	1.9%

<b># WS3: Temps pour aller chercher de leau et revenir</b>			
Value	Label	Cases	Percentage
999	Manquant	16	0.3%
Sysmiss		144	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS4: Qui se rend habituellement a la source d'eau</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5312 /-] [Invalid=365 /-]		
Value	Label	Cases	Percentage
1	Une femme adulte	4969	93.5%
2	Un homme adulte	100	1.9%
3	Une jeune fille de moins de 15 ans	155	2.9%
4	Un jeune garcon de moins de 15 ans	25	0.5%
8	NSP	4	0.1%
9	Manquant	59	1.1%
Sysmiss		365	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS5: Traitez vous l'eau avant de la boire</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	968	17.1%
2	Non	4705	82.9%
8	NSP	1	0.0%
9	Manquant	3	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6A: La faire bouillir</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=13 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		13	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6B: Y ajouter de l'eau de javel/chlore</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=57 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		57	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6C: La filtrer a travers un linge</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=712 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		712	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># WS6D: Utiliser un filtre (ceramique, sable, composite)</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=122 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		122	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6E: Desinfection solaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># WS6F: Laisser reposer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=67 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		67	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6X: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6Z: NSP</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=9 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS7: Type de toilettes</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 12-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
12	Chasse branchee a fosse septique	8	0.1%
13	Chasse branchee a latrines	9	0.2%
21	Latrines ameliorees auto aerees (LAA)	12	0.2%
22	Latrines couvertes	29	0.5%
23	Latrines a fosses/trou ouvert	1460	25.7%
95	Pas de toilettes ou brousse ou champ	4135	72.8%
96	Autres	7	0.1%
99	Manquant	17	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS8: Partagez-vous ces toilettes avec d'autres menages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1542 /-] [Invalid=4135 /-]		

### # WS8: Partagez-vous ces toilettes avec d'autres menages

Value	Label	Cases	Percentage
1	Oui	648	42.0%
2	Non	873	56.6%
9	Manquant	21	1.4%
Sysmiss		4135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS9: Au total , combien de menages utilisent ces toilettes

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=648 /-] [Invalid=5029 /-]

Value	Label	Cases	Percentage
1		69	10.6%
2		164	25.3%
3		119	18.4%
4		80	12.3%
5		62	9.6%
6		26	4.0%
7		15	2.3%
8		11	1.7%
9		5	0.8%
10	Dix menages ou plus	75	11.6%
98	NSP	22	3.4%
99	Manquant	0	
Sysmiss		5029	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1A: Religion du chef de menage

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Catholique	985	17.4%
2	Protestante	188	3.3%
3	Musulmane	3478	61.3%
4	Traditionnelle/Animiste	1019	17.9%
6	Autre religion	7	0.1%
9	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1B: Langue maternelle du chef de menage

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Bobo/Bwaba/Bwamu	83	1.5%
2	Dagara	151	2.7%
3	Dioula/Bambara	65	1.1%
4	Fulfulde	309	5.4%
5	Gourmantchema	456	8.0%

### # HC1B: Langue maternelle du chef de menage

Value	Label	Cases	Percentage
6	Gourounsi	229	4.0%
7	Lobiri/Birifor	210	3.7%
8	Moore	3031	53.4%
9	Senoufo	133	2.3%
10	Touareg/Bella	59	1.0%
11	Bissa	193	3.4%
12	Djerma	1	0.0%
13	Goin	92	1.6%
14	Marka/dafing	161	2.8%
15	Sambla	9	0.2%
16	Samo	125	2.2%
17	Tamatchek	1	0.0%
18	Toussian	23	0.4%
19	Vigue	9	0.2%
20	Autres africains	21	0.4%
96	Autre Langue	311	5.5%
99	Manquant	5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1C: Ethnie du chef de menage

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Bobo/Bwaba/Bwamu	83	1.5%
2	Dagari	154	2.7%
3	Dioula	61	1.1%
4	Fulfulde/Peul	314	5.5%
5	Gourmantche	457	8.1%
6	Gourounsi	243	4.3%
7	Lobi/Birifor	211	3.7%
8	Mossi	3024	53.3%
9	Senoufo	136	2.4%
10	Touareg/Bella	63	1.1%
11	Bissa	193	3.4%
12	Djerma	1	0.0%
13	Goin	92	1.6%
14	Marka/dafing	161	2.8%
15	Sambla	9	0.2%
16	Samo	125	2.2%
17	Tamatchek	1	0.0%
18	Toussian	23	0.4%
19	Vigue	9	0.2%
20	Autres africains	21	0.4%
96	Autre Langue	291	5.1%
99	Manquant	5	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC2: Nombre de pieces utilisees pour dormir</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		524	9.2%
2		1339	23.6%
3		1272	22.4%
4		928	16.3%
5		580	10.2%
6		376	6.6%
7		213	3.8%
8		109	1.9%
9		87	1.5%
10		69	1.2%
11		55	1.0%
12		8	0.1%
13		8	0.1%
15		12	0.2%
16		4	0.1%
17		10	0.2%
20		7	0.1%
25		18	0.3%
32		7	0.1%
99	Manquant	51	0.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC3: Principal material du sol</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Terre/sable	3613	63.6%
12	Bouse	123	2.2%
21	Planche a bois	2	0.0%
22	Palmes/bambou	14	0.2%
31	Parquet or bois cire	1	0.0%
32	Vinyle ou asphalte	0	
33	Carrelage	30	0.5%
34	Ciment	1870	32.9%
35	Moquette	8	0.1%
96	Autres	12	0.2%
99	Manquant	4	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC4: Principal material du toit</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	

#### # HC4: Principal material du toit

Value	Label	Cases	Percentage
11	Pas de toit	12	0.2%
12	Chaume/feuille de palmier	2009	35.4%
21	Terre battue	1216	21.4%
22	Palmes/bambou	7	0.1%
31	Metal (Toles)	2280	40.2%
32	Bois	128	2.3%
33	Zinc/fibre de ciment	0	
34	Tuiles	7	0.1%
35	Ciment	14	0.2%
36	Shingles	0	
96	Autres	0	
99	Manquant	4	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HC5: Principal materiel des murs

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11	Pas de mur	35	0.6%
13	Mottes de terre	491	8.6%
14	Brique en banco	3261	57.4%
15	Paille	128	2.3%
21	Pierre avec boue	15	0.3%
22	Contre-plaque	0	
23	Carton	0	
24	Brique en banco avec boue	912	16.1%
25	Brique en banco avec ciment	396	7.0%
31	Ciment	380	6.7%
32	Pierre avec chaux/ciment	11	0.2%
33	Briques	37	0.7%
34	Blocs de ciment	3	0.1%
96	Autres	2	0.0%
99	Manquant	6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HC6: Type de combustible utilise pour la cuisine

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Electricite	0	
2	Gaz propane liquifie (GPL) (gaz bouteille)	55	1.0%
3	Gaz naturel	1	0.0%
4	Bio-gaz	2	0.0%
5	kerosene	0	
6	Charbon/lignite	4	0.1%

### # HC6: Type de combustible utilise pour la cuisine

Value	Label	Cases	Percentage
7	Charbon de bois	122	2.1%
8	Bois	5189	91.4%
9	Paille/banchages/herbes	250	4.4%
10	Bouse	25	0.4%
11	residus agricoles	28	0.5%
12	Petrole	0	
13	Ne prÃ©pare pas / Ne fais pas la cuisine	0	
96	Autres	1	0.0%
99	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC7: Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5619 /-] [Invalid=58 /-]

Value	Label	Cases	Percentage
1	feu a ciel ouvert	5137	91.4%
2	Foyer/Four ouvert	460	8.2%
3	Foyer/Four ferme	12	0.2%
4	Ne prÃ©pare pas	0	
6	Autre	0	
9	Manquant	10	0.2%
Sysmiss		58	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC7A: Est-ce-que le feu/four a une cheminee ou une hotte

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=22 /-] [Invalid=5655 /-]

Value	Label	Cases	Percentage
1	Oui	4	18.2%
2	Non	13	59.1%
9	Manquant	5	22.7%
Sysmiss		5655	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC8: Lieu ou vous faites la cuisine

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	A la maison	630	11.1%
2	Dans un autre batiment	1347	23.7%
3	A l'exterieur	3696	65.1%
4	Ne prÃ©pare pas	0	
6	Autre	1	0.0%
9	Manquant	3	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC9A: Electricite</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	411	7.2%
2	Non	5256	92.6%
9	Manquant	10	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9B: Radio</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4210	74.2%
2	Non	1463	25.8%
9	Manquant	4	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9C: Television</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	619	10.9%
2	Non	5055	89.0%
9	Manquant	3	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9D: Telephone mobile</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	570	10.0%
2	Non	5103	89.9%
9	Manquant	4	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC9E: Telephone non-mobile (fixe)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	102	1.8%
2	Non	5573	98.2%
9	Manquant	2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9F: Refrigerateur</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	162	2.9%
2	Non	5512	97.1%
9	Manquant	3	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10A: Montre</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4153	73.2%
2	Non	1524	26.8%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10B: Bicyclette</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	5214	91.8%
2	Non	463	8.2%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10C: Motocyclette/scooter</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1968	34.7%
2	Non	3707	65.3%
9	Manquant	2	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10D: Charrette avec animal</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		

### # HC10D: Charrette avec animal

Value	Label	Cases	Percentage
1	Oui	2229	39.3%
2	Non	3447	60.7%
9	Manquant	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC10E: Voiture/Camion

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	94	1.7%
2	Non	5581	98.3%
9	Manquant	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC11: Est-ce qu'un membre de votre menage possede une terre qui pe

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	5124	90.3%
2	Non	553	9.7%
9	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC12: Combien d'hectares de terres agricoles

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5124 /-] [Invalid=553 /-]

Value	Label	Cases	Percentage
0		75	1.5%
1		492	9.6%
2		1017	19.8%
3		891	17.4%
4		690	13.5%
5		459	9.0%
6		244	4.8%
7		114	2.2%
8		99	1.9%
9		30	0.6%
10		180	3.5%
11		11	0.2%
12		73	1.4%
13		19	0.4%
14		3	0.1%
15		60	1.2%
16		3	0.1%
17		2	0.0%
18		16	0.3%

### # HC12: Combien d'hectares de terres agricoles

Value	Label	Cases	Percentage
20		16	0.3%
24		5	0.1%
25		1	0.0%
29		6	0.1%
30		9	0.2%
35		5	0.1%
44		1	0.0%
45		3	0.1%
97	Plus de 97	2	0.0%
98	NSP	596	11.6%
99	Manquant	2	0.0%
Sysmiss		553	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC12A: Les récoltes de cette terre suffisent pour les besoins du me

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5124 /-] [Invalid=553 /-]		
Value	Label	Cases	Percentage
1	Oui	2767	54.0%
2	Non	2325	45.4%
3	Recoltes non consommées par le ménage	14	0.3%
8	NSP	18	0.4%
Sysmiss		553	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC12B: Nombre de mois couvert par les récoltes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2325 /-] [Invalid=3352 /-]		
Value	Label	Cases	Percentage
1		7	0.3%
2		75	3.2%
3		117	5.0%
4		216	9.3%
5		271	11.7%
6		505	21.7%
7		303	13.0%
8		349	15.0%
9		235	10.1%
10		187	8.0%
11		18	0.8%
98	NSP	42	1.8%
Sysmiss		3352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC13: Est-ce que votre ménage possède du bétail, troupeau ou des a

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	--

### # HC13: Est-ce que votre menage possede du betail, troupeau ou des a

Statistics [NW/ W] [Valid=5677 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	4867	85.7%
2	Non	802	14.1%
9	Manquant	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14A: Nombre de Vaches laitieres ou de taureaux

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		1891	38.8%
1		406	8.3%
2		813	16.7%
3		293	6.0%
4		306	6.3%
5		203	4.2%
6		127	2.6%
7		80	1.6%
8		62	1.3%
9		24	0.5%
10		147	3.0%
11		13	0.3%
12		27	0.6%
13		14	0.3%
15		35	0.7%
16		7	0.1%
17		28	0.6%
18		4	0.1%
19		1	0.0%
20		138	2.8%
21		5	0.1%
23		8	0.2%
24		2	0.0%
25		21	0.4%
26		7	0.1%
27		7	0.1%
29		2	0.0%
30		39	0.8%
32		1	0.0%
35		4	0.1%
37		3	0.1%
40		34	0.7%
42		1	0.0%
43		1	0.0%
45		6	0.1%

### # HC14A: Nombre de Vaches laitieres ou de taureaux

Value	Label	Cases	Percentage
50		32	0.7%
60		15	0.3%
65		4	0.1%
70		2	0.0%
72		2	0.0%
80		2	0.0%
97	Plus de 97	20	0.4%
98	NSP	36	0.7%
99	Manquant	2	0.0%
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14B: Nombre de Chevaux

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		4791	98.3%
1		70	1.4%
2		11	0.2%
4		1	0.0%
10		1	0.0%
60		1	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14C: Nombre d'Anes ou de mules

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		2242	46.0%
1		1551	31.8%
2		585	12.0%
3		295	6.1%
4		124	2.5%
5		48	1.0%
6		13	0.3%
7		8	0.2%
8		3	0.1%
9		1	0.0%
10		2	0.0%
15		1	0.0%
97	Plus de 97	0	
98	NSP	0	

<b># HC14C: Nombre d'Anes ou de mules</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
99	Manquant	2	0.0%
Sysmiss		802	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14D: Nombre de chevres</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1409	28.9%
1		246	5.0%
2		489	10.0%
3		403	8.3%
4		361	7.4%
5		412	8.5%
6		224	4.6%
7		181	3.7%
8		64	1.3%
9		44	0.9%
10		416	8.5%
11		20	0.4%
12		53	1.1%
13		22	0.5%
14		17	0.3%
15		138	2.8%
16		17	0.3%
17		26	0.5%
18		9	0.2%
19		3	0.1%
20		170	3.5%
21		6	0.1%
22		3	0.1%
23		2	0.0%
24		2	0.0%
25		14	0.3%
27		2	0.0%
30		39	0.8%
32		1	0.0%
35		7	0.1%
38		1	0.0%
40		13	0.3%
42		1	0.0%
43		3	0.1%
45		1	0.0%
50		7	0.1%
60		5	0.1%

# HC14D: Nombre de chevres

Value	Label	Cases	Percentage
65		1	0.0%
70		2	0.0%
97	Plus de 97	6	0.1%
98	NSP	35	0.7%
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# HC14E: Nombre de moutons

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		2145	44.0%
1		181	3.7%
2		399	8.2%
3		278	5.7%
4		279	5.7%
5		251	5.1%
6		179	3.7%
7		146	3.0%
8		69	1.4%
9		41	0.8%
10		361	7.4%
11		12	0.2%
12		44	0.9%
13		27	0.6%
14		14	0.3%
15		96	2.0%
16		9	0.2%
17		21	0.4%
18		22	0.5%
19		1	0.0%
20		121	2.5%
21		8	0.2%
22		14	0.3%
24		6	0.1%
25		20	0.4%
26		7	0.1%
27		3	0.1%
29		1	0.0%
30		39	0.8%
32		4	0.1%
34		4	0.1%
35		13	0.3%
38		4	0.1%

### # HC14E: Nombre de moutons

Value	Label	Cases	Percentage
40		18	0.4%
45		2	0.0%
48		3	0.1%
50		4	0.1%
56		2	0.0%
80		5	0.1%
97	Plus de 97	4	0.1%
98	NSP	18	0.4%
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14F: Nombre de Porcs/ Cochons

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		3938	80.8%
1		209	4.3%
2		178	3.7%
3		98	2.0%
4		76	1.6%
5		83	1.7%
6		75	1.5%
7		65	1.3%
8		29	0.6%
9		12	0.2%
10		35	0.7%
11		11	0.2%
12		18	0.4%
13		3	0.1%
14		2	0.0%
15		9	0.2%
16		6	0.1%
18		1	0.0%
20		14	0.3%
21		4	0.1%
24		2	0.0%
25		2	0.0%
97	Plus de 97	0	
98	NSP	5	0.1%
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14G: Nombre de poulets

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

## # HC14G: Nombre de poulets

Statistics [NW/ W]

[Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		760	15.6%
1		120	2.5%
2		255	5.2%
3		251	5.1%
4		245	5.0%
5		387	7.9%
6		190	3.9%
7		194	4.0%
8		69	1.4%
9		73	1.5%
10		781	16.0%
11		31	0.6%
12		80	1.6%
13		27	0.6%
14		9	0.2%
15		249	5.1%
16		22	0.5%
17		23	0.5%
18		17	0.3%
19		4	0.1%
20		432	8.9%
21		9	0.2%
22		5	0.1%
23		8	0.2%
24		3	0.1%
25		63	1.3%
26		10	0.2%
27		5	0.1%
28		1	0.0%
30		169	3.5%
32		4	0.1%
35		11	0.2%
36		1	0.0%
40		69	1.4%
43		1	0.0%
45		4	0.1%
46		3	0.1%
48		2	0.0%
50		58	1.2%
53		2	0.0%
60		23	0.5%
65		1	0.0%
70		8	0.2%
71		2	0.0%

### # HC14G: Nombre de poulets

Value	Label	Cases	Percentage
80		6	0.1%
93		3	0.1%
97	Plus de 97	47	1.0%
98	NSP	138	2.8%
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14H: Nombre de pindades

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]
---------------------------	----------------------------------

Value	Label	Cases	Percentage
0		3286	67.4%
1		36	0.7%
2		98	2.0%
3		120	2.5%
4		116	2.4%
5		172	3.5%
6		130	2.7%
7		113	2.3%
8		37	0.8%
9		39	0.8%
10		253	5.2%
11		14	0.3%
12		47	1.0%
13		39	0.8%
14		26	0.5%
15		61	1.3%
16		10	0.2%
17		6	0.1%
18		13	0.3%
19		2	0.0%
20		102	2.1%
21		9	0.2%
22		2	0.0%
23		1	0.0%
24		7	0.1%
25		19	0.4%
26		3	0.1%
30		42	0.9%
31		3	0.1%
33		4	0.1%
35		11	0.2%
36		3	0.1%
40		7	0.1%

**# HC14H: Nombre de pindades**

Value	Label	Cases	Percentage
42		3	0.1%
45		1	0.0%
46		1	0.0%
50		7	0.1%
70		1	0.0%
97	Plus de 97	9	0.2%
98	NSP	22	0.5%
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC14I: Nombre de Dindon**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		4826	99.0%
1		6	0.1%
2		15	0.3%
3		7	0.1%
4		2	0.0%
5		3	0.1%
6		6	0.1%
8		2	0.0%
10		2	0.0%
14		4	0.1%
15		2	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC14J: Nombre de Canard**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]

Value	Label	Cases	Percentage
0		4843	99.3%
1		2	0.0%
2		11	0.2%
3		6	0.1%
4		1	0.0%
5		1	0.0%
6		3	0.1%
7		4	0.1%
10		4	0.1%
97	Plus de 97	0	

<b># HC14J: Nombre de Canard</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
98	NSP	0	
99	Manquant	0	
Sysmiss		802	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14K: Nombre de Pigeon</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4822	98.9%
2		1	0.0%
3		1	0.0%
4		4	0.1%
5		7	0.1%
6		2	0.0%
8		2	0.0%
10		9	0.2%
12		3	0.1%
15		1	0.0%
16		3	0.1%
20		7	0.1%
30		8	0.2%
37		1	0.0%
40		1	0.0%
50		2	0.0%
97	Plus de 97	0	
98	NSP	1	0.0%
99	Manquant	0	
Sysmiss		802	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14L: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4875 /-] [Invalid=802 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4844	99.4%
1		2	0.0%
2		4	0.1%
3		1	0.0%
4		1	0.0%
6		4	0.1%
7		1	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	18	0.4%
Sysmiss		802	

<b># HC14L: Autres</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15A: Est-ce que vous ou quelqu'un dans votre menage est proprieta</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Proprietaire	5192	91.5%
2	Locataire	193	3.4%
3	Location gratuite/occupant illegal/autre	292	5.1%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15B: Est-ce que vous ou quelqu'un dans ce menage a un titre /acte</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5192 /-] [Invalid=485 /-]	
Value	Label	Cases	Percentage
1	Oui	622	12.0%
2	Non	4562	87.9%
9	Manquant	8	0.2%
Sysmiss		485	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CA: Permis Urbain d'Habiter (PUH)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=355 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
A		355	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CB: Certification d'impot foncier</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=45 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
B		45	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CC: Facture d'electricite/eau'telephone etc</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=61 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
C		61	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CE: Attestation d'attribution</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># HC15CX: Autres</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	

<b># HC15CX: Autres</b>			
<b>Statistics [NW/ W]</b>		[Valid=228 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
*		228	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CY: Aucun/pas de document</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=13 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		13	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=13 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		13	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15D: Est-ce que vous avez un contrat écrit pour la location</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=485 /-] [Invalid=5192 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	30	6.2%
2	Non	454	93.6%
9	Manquant	1	0.2%
Sysmiss		5192	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EA: Agreement informel (par écrit)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EB: Oral agreement (Non-document)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=118 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		118	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EC: Occupation avec accord du propriétaire</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=209 /-] [Invalid=0 /-]	

<b># HC15EC: Occupation avec accord du proprietaire</b>			
Value	Label	Cases	Percentage
C		209	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ED: Occupation sans accord du proprietaire</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=3 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
D		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EX: Autres</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># HC15EY: Aucun/pas de document</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=128 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Y		128	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Z		8	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15F: Vous sentez vous en securite de ne pas etre exulse(e) de cet</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	3894	68.6%
2	Non	1486	26.2%
8	NSP	293	5.2%
9	Manquant	4	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15G: Avez vous ete expluse de votre maison durant ces 5 dernieres</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	74	1.3%
2	Non	5589	98.4%
9	Manquant	14	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15HA: Region d'eboulement</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=50 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		50	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HB: Region predisposee a linondation</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=92 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		92	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HC: Bord de riviere</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=270 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		270	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HD: Colline raide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=322 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		322	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HE: Montagne/tas d'ordures</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=286 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
E		286	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HF: Region de pollution industrielle</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HG: Chemin de fer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=19 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		19	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15HH: Centrale électrique</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># HC15HI: Pont aerien</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4706 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		4706	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=14 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		14	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IA: Craquements/ouverture dans les murs</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=542 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		542	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IB: Pas de fenetre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1248 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		1248	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IC: Fenetre avec vitres casses/pas de vitre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=11 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		11	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ID: trous visibles dans le toit</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=111 /-] [Invalid=0 /-]		

<b># HC15ID: trous visibles dans le toit</b>			
Value	Label	Cases	Percentage
D		111	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IE: Toit incomplet</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=42 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
E		42	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IF: Porte peu solide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2535 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		2535	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2635 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Y		2635	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Z		10	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JA: Passage tres etroit entre les maisons au lieu de route</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=721 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		721	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JB: Trop de cables electriques connectant voisinage &amp; poste d'al</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=9 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

<b># HC15JY: Aucun des codes ci-dessus</b>			
<b>Statistics [NW/ W]</b>		[Valid=4941 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Y		4941	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=11 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Z		11	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># cmcdoic: Date of interview child (CMC)</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1275-1278] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5677 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1275		95	1.7%
1276		3088	54.4%
1277		2238	39.4%
1278		256	4.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># cdob: Date of birth (CMC)</b>			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 1216-1278] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5283 /-] [Invalid=394 /-] [Mean=1249.114 /-] [StdDev=16.559 /-]	
<b># cage: Age (months)</b>			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5283 /-] [Invalid=394 /-] [Mean=27.349 /-] [StdDev=16.564 /-]	
<b># cage_6: Age</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5283 /-] [Invalid=394 /-]	
Value	Label	Cases	Percentage
1	< 6 mois	543	10.3%
2	6-11 mois	630	11.9%
3	12-23 mois	1078	20.4%
4	24-35 mois	1152	21.8%
5	36-47 mois	1072	20.3%
6	48-59 mois	808	15.3%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># cage_11: Age</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5283 /-] [Invalid=394 /-]	
Value	Label	Cases	Percentage
1	0-11 mois	1173	22.2%

<b># cage_11: Age</b>			
Value	Label	Cases	Percentage
2	12-23 mois	1078	20.4%
3	24-35 mois	1152	21.8%
4	36-47 mois	1072	20.3%
5	48-59 mois	808	15.3%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># chweight: Children Weight</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-10.5269369941856] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=0.931 /-] [StdDev=0.816 /-]		
<b># melevel: Mother's education</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	5003	88.1%
2	Primary	476	8.4%
3	Secondary	194	3.4%
4	Non-standard curriculum	0	
9	Missing/DK	4	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># milieu: Milieu</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Urbain	602	10.6%
2	Rural	5075	89.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># langue: Langue du chef de menage</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5283 /-] [Invalid=394 /-]		
Value	Label	Cases	Percentage
1	Dioula	140	2.7%
2	Dagara	347	6.6%
3	Peuls	349	6.6%
4	Senoufo	251	4.8%
5	Gourmantche	403	7.6%
6	Gourounsi	216	4.1%
8	Mossi	2794	52.9%
11	Bissa	192	3.6%
12	Autres langues	587	11.1%
13	Manquant	4	0.1%
Sysmiss		394	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># hh1_xl: conversion_num_grappe</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-197] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=104.135 /-] [StdDev=53.206 /-]		
<b># wlthscor: Score de bien Ãatre economique</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -0.860454009894442-5.0488452077677] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-] [Mean=-0.122 /-] [StdDev=0.749 /-]		
<b># wlthind5: Quintiles de bien Ãatre economique</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5677 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		394	6.9%
1	Le plus pauvre	1255	22.1%
2	Second	1100	19.4%
3	Moyen	1306	23.0%
4	QuatriÃme	1091	19.2%
5	Le plus riche	531	9.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

## File : hh\_base\_ménage

### # HH1: Numero de la grappe

**Information** [Type= continuous] [Format=numeric] [Range= 1-197] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-] [Mean=98.586 /-] [StdDev=56.705 /-]

### # HH2: Numero du menage

**Information** [Type= continuous] [Format=numeric] [Range= 1-538] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-] [Mean=77.61 /-] [StdDev=68.354 /-]

### # MDHH: Heure

**Information** [Type= discrete] [Format=numeric] [Range= 2-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2		3	0.0%
3		1	0.0%
4		1	0.0%
5		7	0.1%
6		116	1.9%
7		336	5.6%
8		469	7.8%
9		481	8.0%
10		411	6.8%
11		456	7.6%
12		384	6.4%
13		350	5.8%
14		338	5.6%
15		323	5.4%
16		383	6.3%
17		376	6.2%
18		265	4.4%
19		132	2.2%
20		53	0.9%
21		19	0.3%
22		2	0.0%
99	Manquant	1128	18.7%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # MDHM: Minuite

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		504	8.4%
1		74	1.2%
2		127	2.1%
3		48	0.8%
4		44	0.7%
5		179	3.0%

# File : hh\_base\_ménage

## # MDHM: Minuite

Value	Label	Cases	Percentage
6		42	0.7%
7		51	0.8%
8		45	0.7%
9		37	0.6%
10		291	4.8%
11		29	0.5%
12		41	0.7%
13		50	0.8%
14		22	0.4%
15		216	3.6%
16		44	0.7%
17		46	0.8%
18		34	0.6%
19		37	0.6%
20		258	4.3%
21		20	0.3%
22		43	0.7%
23		28	0.5%
24		28	0.5%
25		140	2.3%
26		31	0.5%
27		46	0.8%
28		37	0.6%
29		27	0.4%
30		398	6.6%
31		23	0.4%
32		67	1.1%
33		30	0.5%
34		45	0.7%
35		139	2.3%
36		32	0.5%
37		40	0.7%
38		55	0.9%
39		35	0.6%
40		277	4.6%
41		31	0.5%
42		56	0.9%
43		45	0.7%
44		22	0.4%
45		223	3.7%
46		39	0.6%
47		36	0.6%
48		50	0.8%

## File : hh\_base\_ménage

### # MDHM: Minuite

Value	Label	Cases	Percentage
49		36	0.6%
50		178	2.9%
51		40	0.7%
52		54	0.9%
53		29	0.5%
54		37	0.6%
55		103	1.7%
56		36	0.6%
57		34	0.6%
58		61	1.0%
59		33	0.5%
99	Manquant	1131	18.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH3: Numero de l'enqueteur

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6034 /-] [Invalid=0 /-] [Mean=49.364 /-] [StdDev=22.679 /-]

### # HH4: Numero du Controleur

Information	[Type= continuous] [Format=numeric] [Range= 6-99] [Missing=*]
Statistics [NW/ W]	[Valid=6034 /-] [Invalid=0 /-] [Mean=47.374 /-] [StdDev=22.717 /-]

### # HH4A: Chef d'Equipe

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=6034 /-] [Invalid=0 /-] [Mean=5.538 /-] [StdDev=8.323 /-]

### # HH5D: Jour de l'enquete

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=6034 /-] [Invalid=0 /-] [Mean=15.541 /-] [StdDev=8.529 /-]

### # HH5M: Mois de l'enquete

Information	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]
Statistics [NW/ W]	[Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		109	1.8%
4		3390	56.2%
5		2382	39.5%
6		153	2.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH5Y: Annee de l'enquete

Information	[Type= discrete] [Format=numeric] [Range= 2006-2006] [Missing=*]
Statistics [NW/ W]	[Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2006		6034	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : hh\_base\_ménage

### # HHV: Nombre de Visite

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		5713	94.7%
2		211	3.5%
3		83	1.4%
4		1	0.0%
6		8	0.1%
9		18	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH6: Milieu

**Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Ouagadougou	448	7.4%
2	Autres villes	576	9.5%
3	Rural	5010	83.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH7: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Boucle du Mouhoun	426	7.1%
2	Cascade	438	7.3%
3	Centre	628	10.4%
4	Centre-Sud	456	7.6%
5	Centre-Est	456	7.6%
6	Centre-Nord	456	7.6%
7	Centre-Ouest	432	7.2%
8	Est	480	8.0%
9	Hauts-Bassins	390	6.5%
10	Nord	492	8.2%
11	Plateau-Central	480	8.0%
12	Sahel	540	8.9%
13	Sud-Ouest	360	6.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH9: Resultat de l' interview

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rempli	5523	91.5%
2	Pas a la maison	83	1.4%

## File : hh\_base\_ménage

### # HH9: Resultat de l' interview

Value	Label	Cases	Percentage
3	Refuse	14	0.2%
4	Logement non trouve/détruit	80	1.3%
6	Autre	334	5.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH10: Repondant HH questionnaire

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1		3976	72.0%
2		1269	23.0%
3		80	1.4%
4		32	0.6%
5		44	0.8%
6		30	0.5%
7		22	0.4%
8		20	0.4%
9		14	0.3%
10		9	0.2%
11		6	0.1%
12		3	0.1%
13		1	0.0%
14		3	0.1%
15		1	0.0%
16		1	0.0%
18		1	0.0%
19		1	0.0%
99	Missing	10	0.2%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH11: Nombre total des membres du menage

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-] [Mean=6.972 /-] [StdDev=4.374 /-]

### # HH12: Total femmes eligibles

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		913	16.5%
1		2492	45.1%
2		1284	23.2%
3		498	9.0%
4		191	3.5%

## File : hh\_base\_ménage

### # HH12: Total femmes eligibles

Value	Label	Cases	Percentage
5		81	1.5%
6		38	0.7%
7		15	0.3%
8		4	0.1%
9		4	0.1%
11		1	0.0%
12		2	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH13: Nombre de questionnaire femme remplis

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		1132	20.5%
1		2559	46.3%
2		1170	21.2%
3		410	7.4%
4		146	2.6%
5		64	1.2%
6		24	0.4%
7		13	0.2%
8		1	0.0%
9		2	0.0%
10		1	0.0%
12		1	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH14: Total Enfant de moins de 5 ans

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		2149	38.9%
1		1867	33.8%
2		1004	18.2%
3		333	6.0%
4		110	2.0%
5		28	0.5%
6		17	0.3%
7		11	0.2%
8		2	0.0%
10		1	0.0%
18		1	0.0%

## File : hh\_base\_ménage

### # HH14: Total Enfant de moins de 5 ans

Value	Label	Cases	Percentage
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH15: Nombre de questionnaires enfants de moins de 5 ans remplis

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		2299	41.6%
1		1854	33.6%
2		924	16.7%
3		299	5.4%
4		101	1.8%
5		23	0.4%
6		12	0.2%
7		7	0.1%
8		2	0.0%
10		1	0.0%
18		1	0.0%
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HHL: Langue de l'Interview

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1	Francais	600	10.9%
2	Moore	2762	50.0%
3	Dioula	1125	20.4%
4	Fululde/Peul	283	5.1%
5	Autre	753	13.6%
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HHI: Recours À Interpreter

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1	Oui	737	13.3%
2	Non	4785	86.6%
9	Manquant	1	0.0%
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH16: Numero de l'agent de saisie

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
--------------------	---

## File : hh\_base\_ménage

### # HH16: Numero de l'agent de saisie

Statistics [NW/ W] [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		392	6.5%
2		372	6.2%
3		396	6.6%
4		425	7.0%
5		302	5.0%
6		272	4.5%
7		335	5.6%
8		424	7.0%
9		520	8.6%
10		487	8.1%
11		378	6.3%
12		314	5.2%
13		352	5.8%
14		337	5.6%
15		422	7.0%
16		306	5.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH16A: Numero du Controleur Bureau

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

Statistics [NW/ W] [Valid=6034 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1409	23.4%
2		1009	16.7%
3		1080	17.9%
4		352	5.8%
5		1050	17.4%
6		1134	18.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL6: Nombre total de femmes 15-49

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=\*]

Statistics [NW/ W] [Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		913	16.5%
1		2492	45.1%
2		1284	23.2%
3		498	9.0%
4		191	3.5%
5		81	1.5%
6		38	0.7%
7		15	0.3%
8		4	0.1%

## File : hh\_base\_ménage

### # TOHL6: Nombre total de femmes 15-49

Value	Label	Cases	Percentage
9		4	0.1%
11		1	0.0%
12		2	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL7A: Nombre d'enfant de 2 a 14 ans

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		948	17.2%
1		870	15.8%
2		947	17.1%
3		964	17.5%
4		717	13.0%
5		403	7.3%
6		274	5.0%
7		152	2.8%
8		112	2.0%
9		61	1.1%
10		23	0.4%
11		18	0.3%
12		12	0.2%
13		6	0.1%
14		6	0.1%
15		2	0.0%
16		2	0.0%
17		4	0.1%
20		2	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL8: Nombre total d'enfants de moins de 5 ans

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		2149	38.9%
1		1867	33.8%
2		1004	18.2%
3		333	6.0%
4		110	2.0%
5		28	0.5%
6		17	0.3%
7		11	0.2%

## File : hh\_base\_ménage

### # TOHL8: Nombre total d'enfants de moins de 5 ans

Value	Label	Cases	Percentage
8		2	0.0%
10		1	0.0%
18		1	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL8A: Nombre total de personnes tres malades

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		5227	94.6%
1		250	4.5%
2		41	0.7%
3		5	0.1%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL9: Nombre total de mere decedee

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		5213	94.4%
1		212	3.8%
2		58	1.1%
3		24	0.4%
4		8	0.1%
5		7	0.1%
6		1	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL10A: Nombre total de mere tres malade

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		5499	99.6%
1		22	0.4%
2		1	0.0%
4		1	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL11: Nombre total de pere decede

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

## File : hh\_base\_ménage

### # TOHL11: Nombre total de pere decede

Value	Label	Cases	Percentage
0		4959	89.8%
1		272	4.9%
2		138	2.5%
3		78	1.4%
4		35	0.6%
5		26	0.5%
6		3	0.1%
7		5	0.1%
8		2	0.0%
9		1	0.0%
10		3	0.1%
11		1	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL12A: Nombre total de pere tres malade

Value	Label	Cases	Percentage
0		5504	99.7%
1		11	0.2%
2		4	0.1%
3		2	0.0%
4		2	0.0%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS1: Principale source d'eau que boivent les membre du menage

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	79	1.4%
12	Dans la cour/parcelle	211	3.8%
13	Robinet public/borne fontaine	817	14.8%
21	Puits a pompe/forage	2574	46.6%
31	Puits protege	537	9.7%
32	Puits non protege	1056	19.1%
41	Source protegee	4	0.1%
42	Source non protegee	27	0.5%
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	68	1.2%
81	Eau de surface	134	2.4%
91	Eau en bouteille	12	0.2%

## File : hh\_base\_ménage

### # WS1: Principale source d'eau que boivent les membre du menage

Value	Label	Cases	Percentage
96	Autre	4	0.1%
99	Manquant	0	
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS2: Principale source d'eau utilisee pour autres choses

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12 /-] [Invalid=6022 /-]

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	3	25.0%
12	Dans la cour/parcelle	8	66.7%
13	Robinet public/borne fontaine	1	8.3%
21	Puits a pompe/forage	0	
31	Puits protege	0	
32	Puits non protege	0	
41	Source protegee	0	
42	Source non protegee	0	
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	0	
81	Eau de surface	0	
91	Eau en bouteille	0	
96	Autre	0	
99	Manquant	0	
Sysmiss		6022	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS3: Temps pour aller chercher de leau et revenir

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5222 /-] [Invalid=812 /-]

Value	Label	Cases	Percentage
1		15	0.3%
2		31	0.6%
3		34	0.7%
4		21	0.4%
5		270	5.2%
6		12	0.2%
7		30	0.6%
8		30	0.6%
9		8	0.2%
10		557	10.7%
11		1	0.0%
12		11	0.2%
13		3	0.1%

## File : hh\_base\_ménage

### # WS3: Temps pour aller chercher de leau et revenir

Value	Label	Cases	Percentage
14		2	0.0%
15		534	10.2%
16		6	0.1%
17		10	0.2%
18		1	0.0%
20		594	11.4%
22		1	0.0%
25		107	2.0%
28		2	0.0%
30		975	18.7%
35		68	1.3%
36		3	0.1%
40		229	4.4%
42		1	0.0%
45		156	3.0%
46		1	0.0%
50		49	0.9%
52		1	0.0%
55		1	0.0%
60		647	12.4%
65		2	0.0%
66		1	0.0%
70		7	0.1%
75		4	0.1%
80		11	0.2%
90		72	1.4%
100		5	0.1%
105		1	0.0%
120		230	4.4%
130		3	0.1%
140		1	0.0%
145		1	0.0%
150		4	0.1%
160		8	0.2%
180		53	1.0%
190		1	0.0%
240		17	0.3%
300		16	0.3%
360		2	0.0%
720		1	0.0%
995	Eau sur place	253	4.8%
998	NSP	104	2.0%
999	Manquant	14	0.3%

## File : hh\_base\_ménage

### # WS3: Temps pour aller chercher de leau et revenir

Value	Label	Cases	Percentage
Sysmiss		812	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS4: Qui se rend habituellement a la source d'eau

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4969 /-] [Invalid=1065 /-]

Value	Label	Cases	Percentage
1	Une femme adulte	4327	87.1%
2	Un homme adulte	305	6.1%
3	Une jeune fille de moins de 15 ans	222	4.5%
4	Un jeune garcon de moins de 15 ans	52	1.0%
8	NSP	4	0.1%
9	Manquant	59	1.2%
Sysmiss		1065	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS5: Traitez vous l'eau avant de la boire

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1	Oui	874	15.8%
2	Non	4643	84.1%
8	NSP	4	0.1%
9	Manquant	2	0.0%
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS6A: La faire bouillir

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		12	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS6B: Y ajouter de l'eau de javel/chlore

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=56 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		56	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS6C: La filtrer a travers un linge

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=626 /-] [Invalid=0 /-]

## File : hh\_base\_ménage

### # WS6C: La filtrer a travers un linge

Value	Label	Cases	Percentage
C		626	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS6D: Utiliser un filtre (ceramique, sable, composite)

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
D		120	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS6E: Desinfection solaire

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]

### # WS6F: Laisser reposer

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=64 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		64	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS6X: Autres

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
X		7	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS6Z: NSP

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Z		6	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS7: Type de toilettes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 12-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
Value	Label	Cases	Percentage
12	Chasse branchee a fosse septique	38	0.7%
13	Chasse branchee a latrines	27	0.5%
21	Latrines amelierees auto aerees (LAA)	23	0.4%
22	Latrines couvertes	36	0.7%
23	Latrines a fosses/trou ouvert	1575	28.5%
95	Pas de toilettes ou brousse ou champ	3805	68.9%

## File : hh\_base\_ménage

### # WS7: Type de toilettes

Value	Label	Cases	Percentage
96	Autres	7	0.1%
99	Manquant	12	0.2%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS8: Partagez-vous ces toilettes avec d'autres menages

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1718 /-] [Invalid=4316 /-]

Value	Label	Cases	Percentage
1	Oui	821	47.8%
2	Non	879	51.2%
9	Manquant	18	1.0%
Sysmiss		4316	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS9: Au total , combien de menages utilisent ces toilettes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=821 /-] [Invalid=5213 /-]

Value	Label	Cases	Percentage
1		85	10.4%
2		183	22.3%
3		159	19.4%
4		111	13.5%
5		75	9.1%
6		46	5.6%
7		28	3.4%
8		10	1.2%
9		14	1.7%
10	Dix menages ou plus	89	10.8%
98	NSP	20	2.4%
99	Manquant	1	0.1%
Sysmiss		5213	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1A: Religion du chef de menage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1	Catholique	1167	21.1%
2	Protestante	234	4.2%
3	Musulmane	3191	57.8%
4	Traditionnelle/Animiste	925	16.7%
6	Autre religion	5	0.1%
9	Manquant	1	0.0%

## File : hh\_base\_ménage

### # HC1A: Religion du chef de ménage

Value	Label	Cases	Percentage
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HC1B: Langue maternelle du chef de ménage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1	Bobo/Bwaba/Bwamu	150	2.7%
2	Dagara	196	3.5%
3	Dioula/Bambara	76	1.4%
4	Fulfulde	375	6.8%
5	Gourmantchema	417	7.6%
6	Gourounsi	200	3.6%
7	Lobiri/Birifor	173	3.1%
8	Moore	2843	51.5%
9	Senoufo	95	1.7%
10	Touareg/Bella	77	1.4%
11	Bissa	256	4.6%
12	Djerma	2	0.0%
13	Goin	77	1.4%
14	Marka/dafing	183	3.3%
15	Sambla	4	0.1%
16	Samo	119	2.2%
17	Tamatchek	1	0.0%
18	Toussian	17	0.3%
19	Vigue	9	0.2%
20	Autres africains	39	0.7%
96	Autre Langue	211	3.8%
99	Manquant	3	0.1%
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># HC1C: Ethnie du chef de menage</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Bobo/Bwaba/Bwamu	148	2.7%
2	Dagari	199	3.6%
3	Dioula	73	1.3%
4	Fulfulde/Peul	376	6.8%
5	Gourmantche	419	7.6%
6	Gourounsi	219	4.0%
7	Lobi/Birifor	175	3.2%
8	Mossi	2837	51.4%
9	Senoufo	99	1.8%
10	Touareg/Bella	78	1.4%
11	Bissa	256	4.6%
12	Djerma	2	0.0%
13	Goin	77	1.4%
14	Marka/dafing	183	3.3%
15	Sambla	4	0.1%
16	Samo	119	2.2%
17	Tamatchek	1	0.0%
18	Toussian	17	0.3%
19	Vigue	9	0.2%
20	Autres africains	39	0.7%
96	Autre Langue	190	3.4%
99	Manquant	3	0.1%
Sysmiss		511	











*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># HC2: Nombre de pieces utilisees pour dormir</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		958	17.3%
2		1636	29.6%
3		1266	22.9%
4		737	13.3%
5		384	7.0%
6		244	4.4%
7		107	1.9%
8		61	1.1%
9		31	0.6%
10		28	0.5%
11		14	0.3%
12		5	0.1%
13		3	0.1%
15		4	0.1%

<b># HC2: Nombre de pieces utilisees pour dormir</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
16		1	0.0%
17		2	0.0%
20		1	0.0%
25		1	0.0%
32		1	0.0%
99	Manquant	39	0.7%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC3: Principal material du sol</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Terre/sable	3282	59.4%
12	Bouse	131	2.4%
21	Planche a bois	4	0.1%
22	Palmes/bambou	11	0.2%
31	Parquet or bois cire	1	0.0%
32	Vinyle ou asphalte	0	
33	Carrelage	76	1.4%
34	Ciment	2008	36.4%
35	Moquette	3	0.1%
96	Autres	3	0.1%
99	Manquant	4	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC4: Principal material du toit</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Pas de toit	0	
12	Chaume/feuille de palmier	1826	33.1%
21	Terre battue	1144	20.7%
22	Palmes/bambou	135	2.4%
31	Metal (Toles)	2395	43.4%
32	Bois	5	0.1%
33	Zinc/fibre de ciment	1	0.0%
34	Tuiles	1	0.0%
35	Ciment	12	0.2%
36	Shingles	0	
96	Autres	1	0.0%
99	Manquant	3	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC5: Principal materiel des murs</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Pas de mur	0	
13	Mottes de terre	530	9.6%
14	Brique en banco	3095	56.0%
15	Paille	117	2.1%
21	Pierre avec boue	15	0.3%
22	Contre-plaque	0	
23	Carton	0	
24	Brique en banco avec boue	650	11.8%
25	Brique en banco avec ciment	441	8.0%
31	Ciment	575	10.4%
32	Pierre avec chaux/ciment	6	0.1%
33	Briques (parpaing, cuites)	58	1.1%
34	Blocs de ciment	3	0.1%
96	Autres	27	0.5%
99	Manquant	6	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC6: Type de combustible utilise pour la cuisine</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Electricite	0	
2	Gaz propane liquifie (GPL) (gaz bouteille)	193	3.5%
3	Gaz naturel	11	0.2%
4	Bio-gaz	7	0.1%
5	kerosene	0	
6	Charbon/lignite	11	0.2%
7	Charbon de bois	163	3.0%
8	Bois	4756	86.1%
9	Paille/banchages/herbes	217	3.9%
10	Bouse	26	0.5%
11	residus agricoles	30	0.5%
12	Petrole	3	0.1%
13	Ne prÃ©pare pas / Ne fais pas la cuisine	0	
96	Autres	104	1.9%
99	Manquant	2	0.0%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC7: Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5325 /-] [Invalid=709 /-]	

<b># HC7: Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un</b>			
Value	Label	Cases	Percentage
1	feu a ciel ouvert	4660	87.5%
2	Foyer/Four ouvert	536	10.1%
3	Foyer/Four ferme	20	0.4%
4	Ne prÃ©pare pas	0	
6	Autre	101	1.9%
9	Manquant	8	0.2%
Sysmiss		709	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC7A: Est-ce-que le feu/four a une cheminée ou une hotte</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=129 /-] [Invalid=5905 /-]	
Value	Label	Cases	Percentage
1	Oui	11	8.5%
2	Non	64	49.6%
9	Manquant	54	41.9%
Sysmiss		5905	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC8: Lieu ou vous faites la cuisine</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
Value	Label	Cases	Percentage
1	A la maison	644	11.7%
2	Dans un autre batiment	1198	21.7%
3	A l'exterieur	3569	64.6%
4	Ne prÃ©pare pas	99	1.8%
6	Autre	4	0.1%
9	Manquant	9	0.2%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9A: Electricité</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
Value	Label	Cases	Percentage
1	Oui	621	11.2%
2	Non	4897	88.7%
9	Manquant	5	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9B: Radio</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	

<b># HC9B: Radio</b>			
Value	Label	Cases	Percentage
1	Oui	3784	 68.5%
2	Non	1735	 31.4%
9	Manquant	4	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9C: Television</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
Value	Label	Cases	Percentage
1	Oui	737	 13.3%
2	Non	4781	 86.6%
9	Manquant	5	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9D: Telephone mobile</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
Value	Label	Cases	Percentage
1	Oui	714	 12.9%
2	Non	4805	 87.0%
9	Manquant	4	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9E: Telephone non-mobile (fixe)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
Value	Label	Cases	Percentage
1	Oui	161	 2.9%
2	Non	5359	 97.0%
9	Manquant	3	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9F: Refrigerateur</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
Value	Label	Cases	Percentage
1	Oui	247	 4.5%
2	Non	5273	 95.5%
9	Manquant	3	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC10A: Montre</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	3679	66.6%
2	Non	1843	33.4%
9	Manquant	1	0.0%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10B: Bicyclette</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4648	84.2%
2	Non	874	15.8%
9	Manquant	1	0.0%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10C: Motocyclette/scooter</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1593	28.8%
2	Non	3926	71.1%
9	Manquant	4	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10D: Charrette avec animal</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1777	32.2%
2	Non	3743	67.8%
9	Manquant	3	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10E: Voiture/Camion</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	120	2.2%
2	Non	5397	97.7%
9	Manquant	6	0.1%
Sysmiss		511	

### # HC10E: Voiture/Camion

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC11: Est-ce qu'un membre de votre menage possede une terre qui pe

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
1	Oui	4599	83.3%
2	Non	924	16.7%
9	Manquant	0	
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC12: Combien d'hectares de terres agricoles

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=4599 /-] [Invalid=1435 /-]

Value	Label	Cases	Percentage
0		112	2.4%
1		581	12.6%
2		1060	23.0%
3		822	17.9%
4		524	11.4%
5		357	7.8%
6		169	3.7%
7		75	1.6%
8		68	1.5%
9		18	0.4%
10		120	2.6%
11		6	0.1%
12		35	0.8%
13		8	0.2%
14		3	0.1%
15		28	0.6%
16		2	0.0%
17		1	0.0%
18		3	0.1%
20		9	0.2%
21		1	0.0%
24		1	0.0%
25		2	0.0%
29		1	0.0%
30		6	0.1%
31		1	0.0%
35		3	0.1%
40		2	0.0%
44		1	0.0%
45		1	0.0%
97	Plus de 97	2	0.0%

<b># HC12: Combien d'hectares de terres agricoles</b>			
Value	Label	Cases	Percentage
98	NSP	574	12.5%
99	Manquant	3	0.1%
Sysmiss		1435	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC12A: Les récoltes de cette terre suffisent pour les besoins du me</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4599 /-] [Invalid=1435 /-]	
Value	Label	Cases	Percentage
1	Oui	2452	53.3%
2	Non	2112	45.9%
3	Recoltes non consommées par le ménage	11	0.2%
8	NSP	24	0.5%
Sysmiss		1435	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC12B: Nombre de mois couvert par les récoltes</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2112 /-] [Invalid=3922 /-]	
Value	Label	Cases	Percentage
1		15	0.7%
2		68	3.2%
3		131	6.2%
4		219	10.4%
5		258	12.2%
6		436	20.6%
7		290	13.7%
8		299	14.2%
9		193	9.1%
10		148	7.0%
11		19	0.9%
98	NSP	36	1.7%
Sysmiss		3922	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC13: Est-ce que votre ménage possède du bétail, troupeau ou des a</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
Value	Label	Cases	Percentage
1	Oui	4291	77.7%
2	Non	1225	22.2%
9	Manquant	7	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14A: Nombre de Vaches laitières ou de taureaux</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	

## # HC14A: Nombre de Vaches laitières ou de taureaux

Statistics [NW/ W]

[Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		1912	44.5%
1		354	8.2%
2		685	15.9%
3		251	5.8%
4		240	5.6%
5		166	3.9%
6		94	2.2%
7		53	1.2%
8		36	0.8%
9		24	0.6%
10		124	2.9%
11		11	0.3%
12		22	0.5%
13		8	0.2%
14		3	0.1%
15		33	0.8%
16		9	0.2%
17		14	0.3%
18		6	0.1%
19		3	0.1%
20		83	1.9%
21		2	0.0%
22		2	0.0%
23		2	0.0%
24		1	0.0%
25		17	0.4%
26		3	0.1%
27		3	0.1%
29		2	0.0%
30		37	0.9%
31		1	0.0%
32		1	0.0%
35		2	0.0%
36		1	0.0%
37		4	0.1%
40		22	0.5%
42		1	0.0%
43		1	0.0%
45		2	0.0%
46		1	0.0%
50		15	0.3%
60		9	0.2%
65		3	0.1%
70		3	0.1%

### # HC14A: Nombre de Vaches laitieres ou de taureaux

Value	Label	Cases	Percentage
72		1	0.0%
80		2	0.0%
97	Plus de 97	11	0.3%
98	NSP	17	0.4%
99	Manquant	1	0.0%
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14B: Nombre de Chevaux

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		4247	98.8%
1		39	0.9%
2		9	0.2%
4		1	0.0%
10		1	0.0%
60		1	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14C: Nombre d'Anes ou de mules

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		2084	48.5%
1		1382	32.2%
2		484	11.3%
3		198	4.6%
4		89	2.1%
5		30	0.7%
6		15	0.3%
7		7	0.2%
8		1	0.0%
9		1	0.0%
10		2	0.0%
15		2	0.0%
18		1	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	2	0.0%
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HC14D: Nombre de chevres

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		1391	32.4%
1		230	5.4%
2		456	10.6%
3		346	8.1%
4		315	7.3%
5		377	8.8%
6		197	4.6%
7		139	3.2%
8		50	1.2%
9		31	0.7%
10		339	7.9%
11		15	0.3%
12		40	0.9%
13		15	0.3%
14		9	0.2%
15		91	2.1%
16		10	0.2%
17		15	0.3%
18		4	0.1%
19		2	0.0%
20		112	2.6%
21		5	0.1%
22		5	0.1%
23		1	0.0%
24		1	0.0%
25		12	0.3%
26		1	0.0%
27		1	0.0%
30		27	0.6%
32		1	0.0%
33		1	0.0%
35		5	0.1%
38		1	0.0%
40		10	0.2%
42		1	0.0%
43		1	0.0%
45		1	0.0%
50		4	0.1%
60		4	0.1%
65		1	0.0%
70		1	0.0%
80		1	0.0%
97	Plus de 97	5	0.1%

<b># HC14D: Nombre de chevres</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
98	NSP	24	0.6%
99	Manquant	0	
Sysmiss		1736	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14E: Nombre de moutons</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4298 /-] [Invalid=1736 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2012	46.8%
1		192	4.5%
2		399	9.3%
3		248	5.8%
4		210	4.9%
5		233	5.4%
6		151	3.5%
7		118	2.7%
8		47	1.1%
9		31	0.7%
10		271	6.3%
11		16	0.4%
12		38	0.9%
13		12	0.3%
14		14	0.3%
15		68	1.6%
16		10	0.2%
17		13	0.3%
18		12	0.3%
19		4	0.1%
20		86	2.0%
21		8	0.2%
22		9	0.2%
23		2	0.0%
24		2	0.0%
25		9	0.2%
26		3	0.1%
27		2	0.0%
29		2	0.0%
30		28	0.7%
31		1	0.0%
32		4	0.1%
34		2	0.0%
35		3	0.1%
38		1	0.0%
40		10	0.2%

### # HC14E: Nombre de moutons

Value	Label	Cases	Percentage
41		1	0.0%
45		1	0.0%
48		1	0.0%
50		3	0.1%
56		1	0.0%
60		1	0.0%
80		2	0.0%
97	Plus de 97	5	0.1%
98	NSP	12	0.3%
99	Manquant	0	
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14F: Nombre de Porcs/ Cochons

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		3517	81.8%
1		207	4.8%
2		139	3.2%
3		84	2.0%
4		65	1.5%
5		69	1.6%
6		47	1.1%
7		38	0.9%
8		27	0.6%
9		10	0.2%
10		36	0.8%
11		7	0.2%
12		16	0.4%
13		4	0.1%
14		1	0.0%
15		4	0.1%
16		4	0.1%
18		2	0.0%
19		1	0.0%
20		8	0.2%
21		2	0.0%
23		1	0.0%
24		1	0.0%
25		1	0.0%
30		1	0.0%
40		1	0.0%
97	Plus de 97	0	
98	NSP	4	0.1%

### # HC14F: Nombre de Porcs/ Cochons

Value	Label	Cases	Percentage
99	Manquant	1	0.0%
Sysmiss		1736	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HC14G: Nombre de poulets

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		848	19.7%
1		143	3.3%
2		254	5.9%
3		237	5.5%
4		220	5.1%
5		362	8.4%
6		195	4.5%
7		160	3.7%
8		77	1.8%
9		57	1.3%
10		624	14.5%
11		33	0.8%
12		90	2.1%
13		20	0.5%
14		9	0.2%
15		198	4.6%
16		18	0.4%
17		19	0.4%
18		15	0.3%
19		3	0.1%
20		295	6.9%
21		8	0.2%
22		6	0.1%
23		7	0.2%
24		2	0.0%
25		42	1.0%
26		5	0.1%
27		3	0.1%
28		2	0.0%
29		1	0.0%
30		105	2.4%
32		2	0.0%
34		1	0.0%
35		9	0.2%
36		1	0.0%
40		48	1.1%
43		1	0.0%

### # HC14G: Nombre de poulets

Value	Label	Cases	Percentage
44		1	0.0%
45		2	0.0%
46		1	0.0%
48		2	0.0%
50		35	0.8%
53		1	0.0%
60		15	0.3%
65		1	0.0%
70		4	0.1%
71		1	0.0%
80		4	0.1%
93		1	0.0%
97	Plus de 97	24	0.6%
98	NSP	86	2.0%
99	Manquant	0	
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14H: Nombre de pindades

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		3109	72.3%
1		32	0.7%
2		93	2.2%
3		97	2.3%
4		96	2.2%
5		133	3.1%
6		90	2.1%
7		83	1.9%
8		42	1.0%
9		37	0.9%
10		178	4.1%
11		11	0.3%
12		35	0.8%
13		13	0.3%
14		15	0.3%
15		48	1.1%
16		8	0.2%
17		8	0.2%
18		7	0.2%
19		3	0.1%
20		64	1.5%
21		4	0.1%
22		1	0.0%

### # HC14H: Nombre de pindades

Value	Label	Cases	Percentage
23		1	0.0%
24		4	0.1%
25		9	0.2%
26		2	0.0%
30		23	0.5%
31		1	0.0%
33		1	0.0%
35		7	0.2%
36		2	0.0%
40		8	0.2%
42		2	0.0%
45		2	0.0%
46		1	0.0%
50		3	0.1%
60		1	0.0%
70		1	0.0%
97	Plus de 97 ans	4	0.1%
98	NSP	19	0.4%
99	Manquant	0	
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14I: Nombre de Dindon

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4298 /-] [Invalid=1736 /-]

Value	Label	Cases	Percentage
0		4275	99.5%
1		2	0.0%
2		7	0.2%
3		5	0.1%
4		1	0.0%
5		1	0.0%
6		2	0.0%
7		1	0.0%
8		1	0.0%
10		1	0.0%
14		1	0.0%
15		1	0.0%
97	Plus de 97 ans	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		1736	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14J: Nombre de Canard

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b># HC14J: Nombre de Canard</b>			
<b>Statistics [NW/ W]</b>		[Valid=4298 /-] [Invalid=1736 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4266	99.3%
1		1	0.0%
2		11	0.3%
3		6	0.1%
4		2	0.0%
5		2	0.0%
6		4	0.1%
7		2	0.0%
9		1	0.0%
10		2	0.0%
20		1	0.0%
97	Plus de 97 ans	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		1736	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14K: Nombre de Pigeon</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4298 /-] [Invalid=1736 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4255	99.0%
2		1	0.0%
3		2	0.0%
4		3	0.1%
5		1	0.0%
6		4	0.1%
8		3	0.1%
10		7	0.2%
12		1	0.0%
14		3	0.1%
15		4	0.1%
16		2	0.0%
20		4	0.1%
28		1	0.0%
30		2	0.0%
37		1	0.0%
40		1	0.0%
50		2	0.0%
97	Plus de 97 ans	0	
98	NSP	1	0.0%
99	Manquant	0	
Sysmiss		1736	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC14L: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4298 /-] [Invalid=1736 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4272	99.4%
1		2	0.0%
2		2	0.0%
3		1	0.0%
4		2	0.0%
6		4	0.1%
7		1	0.0%
97	Plus de 97 ans	0	
98	NSP	0	
99	Manquant	14	0.3%
Sysmiss		1736	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15A: Est-ce que vous ou quelqu'un dans votre menage est proprieta</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Proprietaire	4791	86.7%
2	Locataire	398	7.2%
3	Location gratuite/occupant illegal/autre	334	6.0%
9	Manquant	0	
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15B: Est-ce que vous ou quelqu'un dans ce menage a un titre /acte</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4791 /-] [Invalid=1243 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	692	14.4%
2	Non	4088	85.3%
9	Manquant	11	0.2%
Sysmiss		1243	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CA: Permis Urbain d'Habiter (PUH)</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=435 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		435	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CB: Certification d'impot foncier</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53 /-] [Invalid=0 /-]		

<b># HC15CB: Certification d'impot foncier</b>			
Value	Label	Cases	Percentage
B		53	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CC: Facture d'electricite/eau'telephone etc</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=75 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		75	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CE: Attestation d'attribution</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># HC15CX: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=208 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
*		208	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CY: Aucun/pas de document</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=17 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
X		17	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=16 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Y		16	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15D: Est-ce que vous avez un contrat ecrit pour la location</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=732 /-] [Invalid=5302 /-]		
Value	Label	Cases	Percentage
1	Oui	63	8.6%
2	Non	663	90.6%
9	Manquant	6	0.8%
Sysmiss		5302	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EA: Agreement informel (par ecrit)</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

<b># HC15EA: Agreement informel (par ecrit)</b>			
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EB: Oral agreement (Non-document)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=248 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		248	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EC: Occupation avec accord du proprietaire</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=244 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		244	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15ED: Occupation sans accord du proprietaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		6	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EX: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EY: Aucun/pas de document</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=173 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		173	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=11 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		11	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15F: Vous sentez vous en securite de ne pas etre exulse(e) de cet</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	3848	69.7%
2	Non	1432	25.9%
8	NSP	237	4.3%
9	Manquant	6	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15G: Avez vous ete expluse de votre maison durant ces 5 dernieres</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	84	1.5%
2	Non	5427	98.3%
9	Manquant	12	0.2%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15HA: Region d'eboulement</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=54 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		54	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HB: Region predisposee a linondation</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=83 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		83	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HC: Bord de riviere</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=270 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		270	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HD: Colline raide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=370 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		370	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HE: Montagne/tas d'ordures</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=265 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
E		265	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HF: Region de pollution industrielle</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HG: Chemin de fer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=19 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		19	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15HH: Centrale électrique</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># HC15HI: Pont aérien</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		7	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4541 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		4541	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		10	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IA: Craquements/ouverture dans les murs</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=496 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		496	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IB: Pas de fenêtre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1232 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		1232	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IC: Fenêtre avec vitres cassées/pas de vitre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=11 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		11	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ID: trous visibles dans le toit</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=120 /-] [Invalid=0 /-]		

<b># HC15ID: trous visibles dans le toit</b>			
Value	Label	Cases	Percentage
D		120	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IE: Toit incomplet</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=40 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
E		40	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IF: Porte peu solide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2309 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		2309	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2733 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Y		2733	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Z		6	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JA: Passage tres etroit entre les maisons au lieu de route</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=698 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		698	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JB: Trop de cables electriques connectant voisinage &amp; poste d'al</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		6	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

<b># HC15JY: Aucun des codes ci-dessus</b>			
<b>Statistics [NW/ W]</b>		[Valid=4815 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Y		4815	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Z		6	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN1: Avez vous dans votre menage des moustiquaires utilisees pour</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
Value	Label	Cases	Percentage
1	Oui	2728	49.4%
2	Non	2795	50.6%
9	Manquant	0	
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN2: Nombre de moustiquaires</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2728 /-] [Invalid=3306 /-]	
Value	Label	Cases	Percentage
1		1262	46.3%
2		779	28.6%
3		365	13.4%
4		179	6.6%
5		67	2.5%
6		32	1.2%
7	7 ou plus	33	1.2%
9	Manquant	11	0.4%
Sysmiss		3306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN3L1: Moustiquaires permanentes ( Permanet/SÃ©rÃ©na)</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2728 /-] [Invalid=3306 /-]	
Value	Label	Cases	Percentage
1	Oui	986	36.1%
2	Non	1599	58.6%
8	NSP	140	5.1%
9	Manquant	3	0.1%
Sysmiss		3306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># TN3L2: Moustiquaires permanentes ( Olyset)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	9	0.3%
2	Non	2558	93.8%
8	NSP	155	5.7%
9	Manquant	6	0.2%
Sysmiss		3306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN3O1: Moustiquaires a reimpregnes</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	85	3.1%
2	Non	2485	91.1%
8	NSP	154	5.6%
9	Manquant	4	0.1%
Sysmiss		3306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN3O2: Moustiquaires Ordinaires</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1402	51.4%
2	Non	1185	43.4%
8	NSP	141	5.2%
9	Manquant	0	
Sysmiss		3306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN3O3: Autre marque</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	5	0.2%
2	Non	2552	93.5%
8	NSP	155	5.7%
9	Manquant	16	0.6%
Sysmiss		3306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TN3O4: Marque inconnue</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]		

**# TN3O4: Marque inconnue**

Value	Label	Cases	Percentage
1	Oui	331	12.1%
2	Non	2332	85.5%
8	NSP	55	2.0%
9	Manquant	10	0.4%
Sysmiss		3306	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# TN3A: Ou avez vous reçu la moustiquaire**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]

Value	Label	Cases	Percentage
11	Hopital gouvernemental	36	1.3%
12	Centre de sante gouvernemental	80	2.9%
13	Poste de sante gouvernementale	402	14.7%
14	Agent de sante communautaire	55	2.0%
15	Clinique mobile/communautaire	40	1.5%
16	Depot pharmaceutique communautaire	26	1.0%
17	Autre public	0	
21	Clinique/hopital prive	3	0.1%
22	medecin prive	0	
23	Pharmacie privee	107	3.9%
24	Clinique mobile	1	0.0%
25	Centre Lami / Plan Burkina	31	1.1%
26	Autre medical prive	7	0.3%
31	Parent/Ami	72	2.6%
32	Boutique	1635	59.9%
33	Guerisseur traditionnel	4	0.1%
34	Vendeur ambulant	0	
35	Hotel/ chambre de passe	0	
36	Circuit commercial informel / vendeur ambulant	134	4.9%
96	Autre	9	0.3%
98	NSP	73	2.7%
99	Manquant	13	0.5%
Sysmiss		3306	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# TN3B: Combien avez vous paye pour la moustiquaire**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 100-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2728 /-] [Invalid=3306 /-]

Value	Label	Cases	Percentage
100		1	0.0%
300		5	0.2%
400		3	0.1%
435		1	0.0%
500		73	2.7%

### # TN3B: Combien avez vous paye pour la moustiquaire

Value	Label	Cases	Percentage
550		1	0.0%
600		6	0.2%
750		8	0.3%
800		1	0.0%
850		1	0.0%
1000		97	3.6%
1100		3	0.1%
1200		4	0.1%
1250		66	2.4%
1300		3	0.1%
1350		4	0.1%
1400		2	0.1%
1500		477	17.5%
1600		2	0.1%
1700		3	0.1%
1750		63	2.3%
1800		2	0.1%
2000		239	8.8%
2100		1	0.0%
2200		2	0.1%
2250		47	1.7%
2300		3	0.1%
2400		4	0.1%
2500		330	12.1%
2600		1	0.0%
2700		2	0.1%
2750		22	0.8%
2850		1	0.0%
2900		1	0.0%
3000		268	9.8%
3250		5	0.2%
3500		97	3.6%
3700		1	0.0%
3750		6	0.2%
4000		84	3.1%
4225		1	0.0%
4250		4	0.1%
4400		1	0.0%
4500		39	1.4%
4650		3	0.1%
4700		1	0.0%
4750		3	0.1%
4800		1	0.0%
4850		1	0.0%
4900		1	0.0%

### # TN3B: Combien avez vous paye pour la moustiquaire

Value	Label	Cases	Percentage
5000		72	2.6%
5500		7	0.3%
6000		36	1.3%
6200		1	0.0%
6500		5	0.2%
6650		1	0.0%
7000		5	0.2%
7500		14	0.5%
8000		3	0.1%
8050		1	0.0%
9000		2	0.1%
9900		1	0.0%
9996	Gratuit	227	8.3%
9998	NSP	328	12.0%
9999	Manquant	30	1.1%
Sysmiss		3306	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TN5: Etait-elle traitee avec un insecticide

Value	Label	Cases	Percentage
1	Oui	76	4.6%
2	Non	1526	91.8%
8	NSP	46	2.8%
9	Manquant	15	0.9%
Sysmiss		4371	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TN6: Depuis combien de temps possédez-vous la plus recente mousti

Value	Label	Cases	Percentage
0		6	0.3%
1		11	0.6%
2		27	1.6%
3		25	1.4%
4		15	0.9%
5		22	1.3%
6		43	2.5%
7		25	1.4%
8		33	1.9%
9		25	1.4%
10		30	1.7%
11		16	0.9%
12		166	9.6%

### # TN6: Depuis combien de temps possédez-vous la plus recente mousti

Value	Label	Cases	Percentage
13		35	2.0%
14		21	1.2%
15		9	0.5%
16		3	0.2%
17		1	0.1%
18		6	0.3%
19		1	0.1%
20		4	0.2%
21		1	0.1%
22		1	0.1%
24		66	3.8%
95	Plus de 24 mois	1090	62.8%
98	NSP/Pas sur	32	1.8%
99	Manquant	22	1.3%
Sysmiss		4298	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TN7: L'avez vous ou les avez vous trempee(s) dans un liquide pour

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1736 /-] [Invalid=4298 /-]

Value	Label	Cases	Percentage
1	Oui	90	5.2%
2	Non	1632	94.0%
8	NSP	8	0.5%
9	Manquant	6	0.3%
Sysmiss		4298	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TN8: Depuis combien de mois l'avez vous trempee dans un liquide

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=90 /-] [Invalid=5944 /-]

Value	Label	Cases	Percentage
0		5	5.6%
2		9	10.0%
3		11	12.2%
4		7	7.8%
5		4	4.4%
6		11	12.2%
7		5	5.6%
8		3	3.3%
9		1	1.1%
10		6	6.7%
11		1	1.1%
12		6	6.7%
13		2	2.2%
16		1	1.1%

**# TN8: Depuis combien de mois l'avez vous trempee dans un liquide**

Value	Label	Cases	Percentage
18		1	1.1%
24		1	1.1%
95	Plus de 24 mois	11	12.2%
98	NSP/Pas sur	5	5.6%
99	Manquant	0	
Sysmiss		5944	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# OV2: Est-ce qu'un membre de votre famille est decede au cours des**

Value	Label	Cases	Percentage
1	Oui	672	13.8%
2	Non	4196	85.9%
9	Manquant	15	0.3%
Sysmiss		1151	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# OV3: Parmi les decedes y'a-t-il des personnes ages de 18-59 ans**

Value	Label	Cases	Percentage
1	Oui	184	26.8%
2	Non	481	70.0%
9	Manquant	22	3.2%
Sysmiss		5347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# OV4: Parmi les decedes y'a-t-il quelqu'un de tres malade au moins**

Value	Label	Cases	Percentage
1	Oui	84	45.7%
2	Non	100	54.3%
9	Manquant	0	
Sysmiss		5850	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# CD7: Total enfants ages de 2-14 ans**

Value	Label	Cases	Percentage
1		870	19.0%
2		947	20.7%
3		963	21.0%
4		718	15.7%

### # CD7: Total enfants ages de 2-14 ans

Value	Label	Cases	Percentage
5		403	8.8%
6		274	6.0%
7		152	3.3%
8		112	2.4%
9		61	1.3%
10		23	0.5%
11		18	0.4%
12		12	0.3%
13		6	0.1%
14		6	0.1%
15		2	0.0%
16		2	0.0%
17		4	0.1%
20		2	0.0%
Sysmiss		1459	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CD9: Enregistrer le rang de l'enfant (a partir de la reponse du

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=3705 /-] [Invalid=2329 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
1		1140	30.8%
2		1142	30.8%
3		641	17.3%
4		389	10.5%
5		198	5.3%
6		118	3.2%
7		55	1.5%
8		22	0.6%
Sysmiss		2329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CD11: Numero de ligne de l'enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2-97] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
2		97	2.1%
3		1109	24.2%
4		926	20.2%
5		726	15.9%
6		518	11.3%
7		326	7.1%
8		242	5.3%
9		195	4.3%
10		131	2.9%
11		107	2.3%

**# CD11: Numero de ligne de l'enfant**

Value	Label	Cases	Percentage
12		62	1.4%
13		56	1.2%
14		17	0.4%
15		20	0.4%
16		15	0.3%
17		10	0.2%
18		6	0.1%
19		5	0.1%
20		1	0.0%
22		2	0.0%
23		1	0.0%
24		2	0.0%
37		1	0.0%
97	Inconsistant	0	
System		1459	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# CD12A: Retirer les privileges , lui interdire quelque chose qu'il a**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]

Value	Label	Cases	Percentage
1	Oui	1549	33.9%
2	Non	2770	60.5%
3	NSP	12	0.3%
9	Manquant	244	5.3%
System		1459	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># CD12B: Expliquer avec quelque chose pourquoi la conduite etait mauv</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	3392	74.1%
2	Non	922	20.2%
3	NSP	14	0.3%
9	Manquant	247	5.4%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12C: Le/la secouer</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1137	24.9%
2	Non	3172	69.3%
3	NSP	15	0.3%
9	Manquant	251	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12D: Crier, hurler sur lui/elle</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	3309	72.3%
2	Non	1004	21.9%
3	NSP	12	0.3%
9	Manquant	250	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12E: Lui donner quelque chose d'autre a faire</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	2008	43.9%
2	Non	2303	50.3%
3	NSP	12	0.3%
9	Manquant	252	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12F: Claquer, frapper ou gifler avec la main nue</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		

<b># CD12F: Claquer, frapper ou gifler avec la main nue</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1623	35.5%
2	Non	2678	58.5%
3	NSP	23	0.5%
9	Manquant	251	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12G: Le/la frapper sur les fesses avec une ceinture, une brosse a</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1195	26.1%
2	Non	3108	67.9%
3	NSP	21	0.5%
9	Manquant	251	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12H: L'appeler idiot, pareisseux ou quelque chose de ce genre</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	2760	60.3%
2	Non	1547	33.8%
3	NSP	17	0.4%
9	Manquant	251	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12I: Le/la frapper ou gifler sur le visage , la tete ou les oreil</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	776	17.0%
2	Non	3534	77.2%
3	NSP	18	0.4%
9	Manquant	247	5.4%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12J: Le/la frapper sur la main, le bras ou la jambe</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4575 /-] [Invalid=1459 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	886	19.4%
2	Non	3424	74.8%

<b># CD12J: Le/la frapper sur la main, le bras ou la jambe</b>			
Value	Label	Cases	Percentage
3	NSP	19	0.4%
9	Manquant	246	5.4%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD12K: Le/la taper avec un instrument aussi dur que possible</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4575 /-] [Invalid=1459 /-]	
Value	Label	Cases	Percentage
1	Oui	297	6.5%
2	Non	4014	87.7%
3	NSP	12	0.3%
9	Manquant	252	5.5%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CD13: Pensez vous que pour l'elever vous avez besoin de le punir p</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4575 /-] [Invalid=1459 /-]	
Value	Label	Cases	Percentage
1	Oui	1749	38.2%
2	Non	2491	54.4%
8	NSP/sans opinion	88	1.9%
9	Manquant	247	5.4%
Sysmiss		1459	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># SII: Resultat du test de l'echantillon du sel</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
Value	Label	Cases	Percentage
1	Pas iode 0 PPM	2456	44.5%
2	Moins de 25 PPM	1019	18.5%
3	15 PPM et plus	1671	30.3%
6	Pas de sel a la maison	272	4.9%
7	Sel non teste	68	1.2%
9	Manquant	37	0.7%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MFHH: Heure</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 4-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5523 /-] [Invalid=511 /-]	
Value	Label	Cases	Percentage
4		2	0.0%
5		2	0.0%

### # MFHH: Heure

Value	Label	Cases	Percentage
6		52	0.9%
7		252	4.6%
8		422	7.6%
9		458	8.3%
10		448	8.1%
11		442	8.0%
12		413	7.5%
13		354	6.4%
14		330	6.0%
15		335	6.1%
16		354	6.4%
17		355	6.4%
18		313	5.7%
19		179	3.2%
20		71	1.3%
21		32	0.6%
22		1	0.0%
23		1	0.0%
99	Manquant	707	12.8%
Sysmiss		511	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MFHM: Minutes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]

Value	Label	Cases	Percentage
0		208	3.8%
1		58	1.1%
2		100	1.8%
3		50	0.9%
4		35	0.6%
5		125	2.3%
6		30	0.5%
7		53	1.0%
8		38	0.7%
9		58	1.1%
10		187	3.4%
11		38	0.7%
12		62	1.1%
13		35	0.6%
14		43	0.8%
15		249	4.5%
16		38	0.7%
17		74	1.3%
18		54	1.0%

## # MFHM: Minutes

Value	Label	Cases	Percentage
19		41	0.7%
20		266	4.8%
21		39	0.7%
22		77	1.4%
23		53	1.0%
24		42	0.8%
25		172	3.1%
26		28	0.5%
27		53	1.0%
28		63	1.1%
29		61	1.1%
30		293	5.3%
31		60	1.1%
32		70	1.3%
33		55	1.0%
34		52	0.9%
35		174	3.2%
36		43	0.8%
37		65	1.2%
38		68	1.2%
39		64	1.2%
40		173	3.1%
41		41	0.7%
42		86	1.6%
43		59	1.1%
44		35	0.6%
45		198	3.6%
46		37	0.7%
47		41	0.7%
48		54	1.0%
49		57	1.0%
50		172	3.1%
51		37	0.7%
52		68	1.2%
53		38	0.7%
54		38	0.7%
55		115	2.1%
56		34	0.6%
57		52	0.9%
58		61	1.1%
59		45	0.8%
99	Manquant	708	12.8%
Sysmiss		511	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># hh1_xl: conversion_num_grappe</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-197] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6034 /-] [Invalid=0 /-] [Mean=97.358 /-] [StdDev=57.426 /-]		
<b># hhweight: Household Weight</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-10.2466641761264] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6034 /-] [Invalid=0 /-] [Mean=0.915 /-] [StdDev=0.917 /-]		
<b># helevel: Education of household head</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	None	4618	83.6%
2	Primary	522	9.5%
3	Secondary +	339	6.1%
4	Non-standard curriculum	0	
9	Missing/DK	44	0.8%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># hhsex: Sex of household head</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Masculin	5032	91.1%
2	Feminin	491	8.9%
9	Manquant	0	
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># langue: Langue du chef de menage</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5523 /-] [Invalid=511 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Dioula	226	4.1%
2	Dagara	369	6.7%
3	Peuls	453	8.2%
4	Senoufo	202	3.7%
5	Gourmantche	417	7.6%
6	Gourounsi	200	3.6%
8	Mossi	2843	51.5%
11	Bissa	256	4.6%
12	Autres langues	554	10.0%
13	Manquant	3	0.1%
Sysmiss		511	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># milieu: Milieu</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

<b># milieu: Milieu</b>			
<b>Statistics [NW/ W]</b>		[Valid=6034 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Urbain	1024	17.0%
2	Rural	5010	83.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># wlthscor: Score de bien Ãatre economique</b>			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= -0.860454009894442-5.18400792601981] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6034 /-] [Invalid=0 /-] [Mean=-2.26e-16 /-] [StdDev=0.957 /-]	
<b># wlthind5: Quintiles de bien Ãatre economique</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6034 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		511	8.5%
1	Le plus pauvre	1276	21.1%
2	Second	1276	21.1%
3	Moyen	1116	18.5%
4	QuatriÃme	1013	16.8%
5	Le plus riche	842	14.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

## File : hl\_membre\_du\_ménage

### # HH1: Numero de la grappe

**Information** [Type= continuous] [Format=numeric] [Range= 1-197] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-] [Mean=98.082 /-] [StdDev=56.226 /-]

### # HH2: Numero du menage

**Information** [Type= continuous] [Format=numeric] [Range= 1-538] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-] [Mean=74.078 /-] [StdDev=66.602 /-]

### # HL1: Numero de ligne

**Information** [Type= continuous] [Format=numeric] [Range= 1-50] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-] [Mean=5.357 /-] [StdDev=4.326 /-]

### # HL2A: Situation de Residence

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	RP (Residebt President)	36400	94.5%
2	RA (Resident Absent)	1653	4.3%
3	VI (Visiteur)	280	0.7%
9	Manquant	171	0.4%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HL3: Lien de parente avec le Chef de menage

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Chef de menage	5523	14.3%
2	Femme ou Mari	6885	17.9%
3	Fils ou Fille	19361	50.3%
4	Gendre ou belle-fille	565	1.5%
5	Petit-fils ou Petite-fille	1916	5.0%
6	Mere ou Pere	462	1.2%
7	Beau-pere ou belle-mere	23	0.1%
8	Frere ou soeur	716	1.9%
9	Beau-frere ou Belle-soeur	276	0.7%
10	Oncle/Tante	28	0.1%
11	Niece ou neveu	1187	3.1%
12	Niece ou neveu par mariage	190	0.5%
13	Autres parents	489	1.3%
14	Enfant adopte/ en garde/Enfant conjoint	351	0.9%
15	Sans lien de parente	531	1.4%
98	Ne sait pas	0	
99	Manquant	1	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HL4: Sexe

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

## File : hl\_membre\_du\_ménage

### # HL4: Sexe

Statistics [NW/ W] [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Masculin	18756	48.7%
2	Feminin	19743	51.3%
9	Manquant	5	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HL5: Age

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1285	3.3%
1		1143	3.0%
2		1239	3.2%
3		1148	3.0%
4		862	2.2%
5		1518	3.9%
6		1358	3.5%
7		1346	3.5%
8		1293	3.4%
9		1232	3.2%
10		1288	3.3%
11		910	2.4%
12		1237	3.2%
13		1099	2.9%
14		1066	2.8%
15		933	2.4%
16		813	2.1%
17		747	1.9%
18		803	2.1%
19		624	1.6%
20		810	2.1%
21		445	1.2%
22		564	1.5%
23		442	1.1%
24		424	1.1%
25		699	1.8%
26		457	1.2%
27		472	1.2%
28		446	1.2%
29		338	0.9%
30		631	1.6%
31		315	0.8%
32		392	1.0%

## File : hl\_membre\_du\_ménage

### # HL5: Age

Value	Label	Cases	Percentage
33		278	0.7%
34		338	0.9%
35		522	1.4%
36		299	0.8%
37		304	0.8%
38		338	0.9%
39		256	0.7%
40		514	1.3%
41		243	0.6%
42		331	0.9%
43		235	0.6%
44		237	0.6%
45		356	0.9%
46		249	0.6%
47		209	0.5%
48		218	0.6%
49		174	0.5%
50		440	1.1%
51		270	0.7%
52		307	0.8%
53		219	0.6%
54		210	0.5%
55		269	0.7%
56		248	0.6%
57		185	0.5%
58		222	0.6%
59		138	0.4%
60		345	0.9%
61		144	0.4%
62		158	0.4%
63		123	0.3%
64		114	0.3%
65		189	0.5%
66		124	0.3%
67		87	0.2%
68		127	0.3%
69		83	0.2%
70		193	0.5%
71		79	0.2%
72		65	0.2%
73		59	0.2%
74		46	0.1%
75		71	0.2%

## File : hl\_membre\_du\_ménage

### # HL5: Age

Value	Label	Cases	Percentage
76		73	0.2%
77		29	0.1%
78		42	0.1%
79		28	0.1%
80		86	0.2%
81		22	0.1%
82		21	0.1%
83		10	0.0%
84		20	0.1%
85		20	0.1%
86		19	0.0%
87		2	0.0%
88		6	0.0%
89		8	0.0%
90		25	0.1%
91		1	0.0%
92		1	0.0%
93		3	0.0%
94		2	0.0%
95		9	0.0%
96		4	0.0%
97	97+	4	0.0%
98	NSP	72	0.2%
99	Manquant	2	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HL6: Numero de ligne de la femme eligible

Value	Label	Cases	Percentage
0	Pas eligible	30345	78.8%
1		205	0.5%
2		3499	9.1%
3		783	2.0%
4		661	1.7%
5		537	1.4%
6		492	1.3%
7		447	1.2%
8		377	1.0%
9		265	0.7%
10		190	0.5%
11		152	0.4%
12		122	0.3%
13		95	0.2%

## File : hl\_membre\_du\_ménage

### # HL6: Numero de ligne de la femme eligible

Value	Label	Cases	Percentage
14		72	0.2%
15		60	0.2%
16		42	0.1%
17		34	0.1%
18		26	0.1%
19		14	0.0%
20		11	0.0%
21		12	0.0%
22		7	0.0%
23		8	0.0%
24		10	0.0%
25		7	0.0%
26		5	0.0%
27		3	0.0%
28		3	0.0%
29		3	0.0%
30		2	0.0%
32		2	0.0%
33		2	0.0%
34		2	0.0%
35		1	0.0%
36		2	0.0%
37		1	0.0%
40		1	0.0%
41		2	0.0%
44		1	0.0%
48		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HL7A: numÃ©ro de ligne de la mÃ©re /gardienne de l'enfant 2-14 ans

**Information** [Type= continuous] [Format=numeric] [Range= 0-44] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-] [Mean=1.483 /-] [StdDev=2.824 /-]

### # HL8: Numero de ligne de la mere/gardienne de l'enfant

**Information** [Type= discrete] [Format=numeric] [Range= 0-44] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Pas eligible	32827	85.3%
1		113	0.3%
2		3092	8.0%
3		262	0.7%
4		263	0.7%
5		269	0.7%
6		330	0.9%

## File : hl\_membre\_du\_ménage

### # HL8: Numero de ligne de la mere/gardienne de l'enfant

Value	Label	Cases	Percentage
7		302	0.8%
8		238	0.6%
9		188	0.5%
10		134	0.3%
11		108	0.3%
12		78	0.2%
13		71	0.2%
14		49	0.1%
15		40	0.1%
16		30	0.1%
17		18	0.0%
18		18	0.0%
19		9	0.0%
20		9	0.0%
21		8	0.0%
22		5	0.0%
23		6	0.0%
24		9	0.0%
25		1	0.0%
26		5	0.0%
27		4	0.0%
28		2	0.0%
29		3	0.0%
30		1	0.0%
32		1	0.0%
33		4	0.0%
34		1	0.0%
36		1	0.0%
37		2	0.0%
41		1	0.0%
44		2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HL8A: Membre malade 3 mois sur les 12 derniers mois

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=15471 /-] [Invalid=23033 /-]		
Value	Label	Cases	Percentage
1	Oui	347	2.2%
2	Non	14966	96.7%
8	NSP	6	0.0%
9	Manquant	152	1.0%
Sysmiss		23033	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : hl\_membre\_du\_ménage

### # HL9: La mere biologique est-elle en vie?

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=20517 /-] [Invalid=17987 /-]

Value	Label	Cases	Percentage
1	Oui	19972	97.3%
2	Non	473	2.3%
8	NSP	13	0.1%
9	Manquant	59	0.3%
Sysmiss		17987	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HL10: Numero de ligne de la mere dans le menage

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=19972 /-] [Invalid=18532 /-]

Value	Label	Cases	Percentage
0		2221	11.1%
1		555	2.8%
2		10762	53.9%
3		830	4.2%
4		791	4.0%
5		780	3.9%
6		855	4.3%
7		787	3.9%
8		610	3.1%
9		455	2.3%
10		316	1.6%
11		231	1.2%
12		186	0.9%
13		156	0.8%
14		95	0.5%
15		71	0.4%
16		68	0.3%
17		37	0.2%
18		37	0.2%
19		13	0.1%
20		17	0.1%
21		19	0.1%
22		9	0.0%
23		9	0.0%
24		13	0.1%
25		5	0.0%
26		7	0.0%
27		6	0.0%
28		7	0.0%
29		6	0.0%

## File : hl\_membre\_du\_ménage

### # HL10: Numero de ligne de la mere dans le menage

Value	Label	Cases	Percentage
30		2	0.0%
32		2	0.0%
33		4	0.0%
34		2	0.0%
36		2	0.0%
37		3	0.0%
41		1	0.0%
44		2	0.0%
97	Inconsistant	0	
99	Manquant	0	
Sysmiss		18532	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HL10A: Mere malade pendant au moins 3 mois au cours des 12 dernier

Value	Label	Cases	Percentage
1	Oui	28	1.3%
2	Non	1996	89.9%
8	NSP	145	6.5%
9	Manquant	52	2.3%
Sysmiss		36283	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HL11: Le pere biologique est-il en vie?

Value	Label	Cases	Percentage
1	Oui	19276	94.0%
2	Non	1171	5.7%
8	NSP	11	0.1%
9	Manquant	59	0.3%
Sysmiss		17987	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HL12: Numero de ligne du pere dans le menage

Value	Label	Cases	Percentage
0		2370	12.3%
1		15831	82.1%
2		127	0.7%
3		275	1.4%
4		95	0.5%

## File : hl\_membre\_du\_ménage

### # HL12: Numero de ligne du pere dans le menage

Value	Label	Cases	Percentage
5		76	0.4%
6		65	0.3%
7		56	0.3%
8		65	0.3%
9		50	0.3%
10		64	0.3%
11		21	0.1%
12		25	0.1%
13		19	0.1%
14		14	0.1%
15		32	0.2%
16		25	0.1%
17		14	0.1%
18		2	0.0%
19		8	0.0%
20		26	0.1%
21		2	0.0%
22		2	0.0%
23		2	0.0%
25		1	0.0%
27		2	0.0%
32		2	0.0%
33		1	0.0%
36		3	0.0%
41		1	0.0%
97	Inconsistant	0	
99	Manquant	0	
Sysmiss		19228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HL12A: Pere malade pendant au moins 3 mois au cours des 12 dernier

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2370 /-] [Invalid=36134 /-]		
Value	Label	Cases	Percentage
1	Oui	33	1.4%
2	Non	2153	90.8%
8	NSP	134	5.7%
9	Manquant	50	2.1%
Sysmiss		36134	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED1: Numero de ligne

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=5.357 /-] [StdDev=4.326 /-]

## File : hl\_membre\_du\_ménage

### # ED2: A-t-il/elle fréquente l'école

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=32827 /-] [Invalid=5677 /-]

Value	Label	Cases	Percentage
1	Oui	8903	27.1%
2	Non	23794	72.5%
9	Manquant	130	0.4%
Sysmiss		5677	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ED3A: Plus haut niveau d'études atteint

**Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=8903 /-] [Invalid=29601 /-]

Value	Label	Cases	Percentage
0	Ecole maternelle	39	0.4%
1	Primaire	6618	74.3%
2	Secondaire 1er Cycle	1532	17.2%
3	Secondaire 2nd Cycle	464	5.2%
4	Supérieur	172	1.9%
6	Programme non-formel	0	
8	NSP	65	0.7%
9	Manquant	13	0.1%
Sysmiss		29601	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ED3B: Dernière classe achevée à ce niveau

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=8903 /-] [Invalid=29601 /-]

Value	Label	Cases	Percentage
0		950	10.7%
1		1528	17.2%
2		1535	17.2%
3		1538	17.3%
4		1220	13.7%
5		943	10.6%
6		1083	12.2%
8		57	0.6%
97	Inconsistant	0	
98	NSP	4	0.0%
99	Manquant	45	0.5%
Sysmiss		29601	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ED4: A-t-il/elle fréquente l'école durant l'année scolaire (2004-

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=6834 /-] [Invalid=31670 /-]

## File : hl\_membre\_du\_ménage

### # ED4: At-il/elle frequente l'ecole durant l'annee scolaire (2004-

Value	Label	Cases	Percentage
1	Oui	4945	72.4%
2	Non	1866	27.3%
9	Manquant	23	0.3%
Sysmiss		31670	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED5: Depuis la semaine derniere combien de jours est-il alle a l'

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4945 /-] [Invalid=33559 /-]

Value	Label	Cases	Percentage
0		88	1.8%
1		68	1.4%
2		102	2.1%
3		241	4.9%
4		409	8.3%
5		2012	40.7%
6		1595	32.3%
7		358	7.2%
8	Enquete durant les vacances scolaires	10	0.2%
9	Manquant	62	1.3%
Sysmiss		33559	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED6A: Niveau d'education atteint durant cette annee scolaire

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4945 /-] [Invalid=33559 /-]

Value	Label	Cases	Percentage
0	Ecole maternelle	30	0.6%
1	Primaire	3936	79.6%
2	Secondaire 1er Cycle	744	15.0%
3	Secondaire 2nd Cycle	188	3.8%
4	Superieur	41	0.8%
6	Programme non-formel	1	0.0%
8	NSP	1	0.0%
9	Manquant	4	0.1%
Sysmiss		33559	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED6B: Classe frequentee durant cette annee scolaire

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4945 /-] [Invalid=33559 /-]

Value	Label	Cases	Percentage
1		1073	21.7%
2		1121	22.7%

## File : hl\_membre\_du\_ménage

### # ED6B: Classe frequentee durant cette annee scolaire

Value	Label	Cases	Percentage
3		953	19.3%
4		795	16.1%
5		479	9.7%
6		519	10.5%
8		2	0.0%
97	Inconsistant	0	
98	NSP	0	
99	Manquant	3	0.1%
Sysmiss		33559	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED7: A t-il/elle frequente l'ecole durant l'annee scolaire (2003-

Value	Label	Cases	Percentage
1	Oui	4422	64.7%
2	Non	2381	34.8%
8	NSP	0	
9	Manquant	31	0.5%
Sysmiss		31670	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED8A: Niveau d'education frequente l'annee scolaire passee

Value	Label	Cases	Percentage
0	Ecole maternelle	47	1.1%
1	Primaire	3526	79.7%
2	Secondaire 1er Cycle	649	14.7%
3	Secondaire 2nd Cycle	158	3.6%
4	Superieur	23	0.5%
6	Programme non-formel	0	
8	NSP	1	0.0%
9	Manquant	18	0.4%
Sysmiss		34082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ED8B: Classe frequentee l'annee passee

Value	Label	Cases	Percentage
0		12	0.3%
1		1173	26.5%
2		996	22.5%

## File : hl\_membre\_du\_ménage

### # ED8B: Classe frequentee l'annee passee

Value	Label	Cases	Percentage
3		812	18.4%
4		628	14.2%
5		446	10.1%
6		352	8.0%
8		2	0.0%
97	Inconsistant	0	
98	NSP	0	
99	Manquant	1	0.0%
Sysmiss		34082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV8A: Numero de ligne de l'enfant

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-40] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4879 /-] [Invalid=33625 /-] [Mean=7.704 /-] [StdDev=4.864 /-]

### # OV8B: Age de l'enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4879 /-] [Invalid=33625 /-]

Value	Label	Cases	Percentage
0		242	5.0%
1		246	5.0%
2		225	4.6%
3		242	5.0%
4		206	4.2%
5		282	5.8%
6		317	6.5%
7		308	6.3%
8		314	6.4%
9		295	6.0%
10		302	6.2%
11		227	4.7%
12		324	6.6%
13		307	6.3%
14		280	5.7%
15		273	5.6%
16		252	5.2%
17		237	4.9%
Sysmiss		33625	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV10: Avez -vous recu du support medical durant les 12 derniers mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4879 /-] [Invalid=33625 /-]

## File : hl\_membre\_du\_ménage

### # OV10: Avez -vous recu du support medical durant les 12 derniers mo

Value	Label	Cases	Percentage
1	Oui	149	3.1%
2	Non	4512	92.5%
8	NSP	0	
9	Manquant	218	4.5%
Sysmiss		33625	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV11: Avez-vous recu du support emotionnel ou psychologique durant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4879 /-] [Invalid=33625 /-]

Value	Label	Cases	Percentage
1	Oui	58	1.2%
2	Non	4602	94.3%
8	NSP	1	0.0%
9	Manquant	218	4.5%
Sysmiss		33625	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV12: Avez vous recu du support emotionnel ou psychologique durant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=58 /-] [Invalid=38446 /-]

Value	Label	Cases	Percentage
1	Oui	27	46.6%
2	Non	29	50.0%
8	NSP	2	3.4%
9	Manquant	0	
Sysmiss		38446	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV13: Avez-vous recu du support materiel durant les 12 derniers mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4879 /-] [Invalid=33625 /-]

Value	Label	Cases	Percentage
1	Oui	100	2.0%
2	Non	4552	93.3%
8	NSP	2	0.0%
9	Manquant	225	4.6%
Sysmiss		33625	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV14: Avez-vous recu du support materiel durant les 3 derniers mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=100 /-] [Invalid=38404 /-]

## File : hl\_membre\_du\_ménage

### # OV14: Avez-vous reçu du support matériel durant les 3 derniers mo

Value	Label	Cases	Percentage
1	Oui	42	42.0%
2	Non	49	49.0%
8	NSP	0	
9	Manquant	9	9.0%
Sysmiss		38404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV15: Avez-vous reçu du support social durant les 12 derniers mois

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4879 /-] [Invalid=33625 /-]

Value	Label	Cases	Percentage
1	Oui	21	0.4%
2	Non	4631	94.9%
8	NSP	2	0.0%
9	Manquant	225	4.6%
Sysmiss		33625	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV16: Avez vous reçu du support social durant les 3 derniers mois

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=21 /-] [Invalid=38483 /-]

Value	Label	Cases	Percentage
1	Oui	9	42.9%
2	Non	11	52.4%
8	NSP	0	
9	Manquant	1	4.8%
Sysmiss		38483	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # OV18: Avez-vous reçu du support pour la scolarité durant les 12 d

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3718 /-] [Invalid=34786 /-]

Value	Label	Cases	Percentage
1	Oui	134	3.6%
2	Non	3376	90.8%
8	NSP	5	0.1%
9	Manquant	203	5.5%
Sysmiss		34786	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MDHH: Heure

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

## File : hl\_membre\_du\_ménage

### # MDHH: Heure

Value	Label	Cases	Percentage
2		20	0.1%
3		17	0.0%
4		10	0.0%
5		50	0.1%
6		734	1.9%
7		2333	6.1%
8		3146	8.2%
9		3417	8.9%
10		2808	7.3%
11		3138	8.1%
12		2437	6.3%
13		2342	6.1%
14		2318	6.0%
15		2129	5.5%
16		2511	6.5%
17		2533	6.6%
18		1746	4.5%
19		719	1.9%
20		414	1.1%
21		103	0.3%
22		20	0.1%
99	Manquant	5559	14.4%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # MDHM: Minuite

Value	Label	Cases	Percentage
0		3182	8.3%
1		483	1.3%
2		811	2.1%
3		299	0.8%
4		364	0.9%
5		1161	3.0%
6		254	0.7%
7		393	1.0%
8		263	0.7%
9		231	0.6%
10		1880	4.9%
11		163	0.4%
12		246	0.6%
13		387	1.0%
14		141	0.4%

## File : hl\_membre\_du\_ménage

### # MDHM: Minuite

Value	Label	Cases	Percentage
15		1443	3.7%
16		330	0.9%
17		231	0.6%
18		252	0.7%
19		286	0.7%
20		1663	4.3%
21		135	0.4%
22		266	0.7%
23		205	0.5%
24		189	0.5%
25		1070	2.8%
26		184	0.5%
27		296	0.8%
28		226	0.6%
29		169	0.4%
30		2799	7.3%
31		138	0.4%
32		487	1.3%
33		218	0.6%
34		321	0.8%
35		874	2.3%
36		239	0.6%
37		240	0.6%
38		356	0.9%
39		258	0.7%
40		2003	5.2%
41		213	0.6%
42		325	0.8%
43		367	1.0%
44		146	0.4%
45		1379	3.6%
46		229	0.6%
47		256	0.7%
48		332	0.9%
49		225	0.6%
50		1317	3.4%
51		287	0.7%
52		328	0.9%
53		206	0.5%
54		245	0.6%
55		724	1.9%
56		286	0.7%
57		226	0.6%

## File : hl\_membre\_du\_ménage

### # MDHM: Minuite

Value	Label	Cases	Percentage
58		449	1.2%
59		250	0.6%
99	Manquant	5578	14.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH3: Numero de l'enqueteur

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=47.561 /-] [StdDev=22.373 /-]

### # HH4: Numero du Controleur

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 6-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=45.624 /-] [StdDev=22.476 /-]

### # HH4A: Chef d'Equipe

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=5.446 /-] [StdDev=8.633 /-]

### # HH5D: Jour de l'enquete

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=15.393 /-] [StdDev=8.597 /-]

### # HH5M: Mois de l'enquete

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		810	2.1%
4		20867	54.2%
5		15544	40.4%
6		1283	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH5Y: Annee de l'enquete

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 2006-2006] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2006		38504	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HHV: Nombre de Visite

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		36739	95.4%
2		1353	3.5%
3		389	1.0%
6		23	0.1%

## File : hl\_membre\_du\_ménage

### # HHV: Nombre de Visite

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH6: Milieu

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

Statistics [NW/ W] [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Ouagadougou	2598	6.7%
2	Autres villes	3093	8.0%
3	Rural	32813	85.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH7: Region

Information [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=\*]

Statistics [NW/ W] [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Boucle du Mouhoun	2955	7.7%
2	Cascade	3621	9.4%
3	Centre	4086	10.6%
4	Centre-Sud	2532	6.6%
5	Centre-Est	2559	6.6%
6	Centre-Nord	2716	7.1%
7	Centre-Ouest	3480	9.0%
8	Est	3031	7.9%
9	Hauts-Bassins	2525	6.6%
10	Nord	3032	7.9%
11	Plateau-Central	3182	8.3%
12	Sahel	2459	6.4%
13	Sud-Ouest	2326	6.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH9: Resultat de l' interview

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

Statistics [NW/ W] [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rempli	38504	100.0%
2	Pas a la maison	0	
3	Refuse	0	
4	Logement non trouve/détruit	0	
6	Autre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HH10: Repondant HH questionnaire</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		27209	70.7%
2		8258	21.4%
3		723	1.9%
4		357	0.9%
5		461	1.2%
6		311	0.8%
7		255	0.7%
8		224	0.6%
9		237	0.6%
10		121	0.3%
11		71	0.2%
12		52	0.1%
13		15	0.0%
14		51	0.1%
15		20	0.1%
16		25	0.1%
18		19	0.0%
19		29	0.1%
99	Missing	66	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH11: Nombre total des membres du menage</b>			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-] [Mean=9.715 /-] [StdDev=5.727 /-]	
<b># HH12: Total femmes eligibles</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		3073	8.0%
1		13513	35.1%
2		10846	28.2%
3		5685	14.8%
4		2626	6.8%
5		1321	3.4%
6		762	2.0%
7		336	0.9%
8		103	0.3%
9		109	0.3%
11		39	0.1%
12		91	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

### # HH13: Nombre de questionnaire femme remplis

**Information** [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		4318	11.2%
1		14748	38.3%
2		10285	26.7%
3		4967	12.9%
4		2136	5.5%
5		1082	2.8%
6		452	1.2%
7		335	0.9%
8		31	0.1%
9		61	0.2%
10		39	0.1%
12		50	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH14: Total Enfant de moins de 5 ans

**Information** [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		10218	26.5%
1		12534	32.6%
2		8781	22.8%
3		4074	10.6%
4		1568	4.1%
5		555	1.4%
6		350	0.9%
7		297	0.8%
8		48	0.1%
10		29	0.1%
18		50	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HH15: Nombre de questionnaires enfants de moins de 5 ans remplis

**Information** [Type= discrete] [Format=numeric] [Range= 0-18] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		11314	29.4%
1		12827	33.3%
2		8073	21.0%
3		3724	9.7%
4		1523	4.0%
5		465	1.2%
6		284	0.7%
7		167	0.4%

### # HH15: Nombre de questionnaires enfants de moins de 5 ans remplis

Value	Label	Cases	Percentage
8		48	0.1%
10		29	0.1%
18		50	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HHL: Langue de l'Interview

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Francais	3244	8.4%
2	Moore	19654	51.0%
3	Dioula	8906	23.1%
4	Fululde/Peul	1496	3.9%
5	Autre	5204	13.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HHI: Recours À l'Interprete

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	4970	12.9%
2	Non	33527	87.1%
9	Manquant	7	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH16: Numero de l'agent de saisie

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2756	7.2%
2		2476	6.4%
3		2664	6.9%
4		2667	6.9%
5		1863	4.8%
6		1778	4.6%
7		2156	5.6%
8		2374	6.2%
9		3301	8.6%
10		3124	8.1%
11		2385	6.2%
12		1960	5.1%
13		2102	5.5%
14		2425	6.3%
15		2555	6.6%
16		1918	5.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH16A: Numero du Controleur Bureau

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		9088	23.6%
2		5228	13.6%
3		6987	18.1%
4		2726	7.1%
5		6596	17.1%
6		7879	20.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS1: Principale source d'eau que boivent les membre du menage

**Information** [Type= discrete] [Format=numeric] [Range= 11-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	525	1.4%
12	Dans la cour/parcelle	1340	3.5%
13	Robinet public/borne fontaine	5634	14.6%
21	Puits a pompe/forage	17736	46.1%
31	Puits protege	3806	9.9%
32	Puits non protege	7692	20.0%
41	Source protegee	36	0.1%
42	Source non protegee	229	0.6%
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	364	0.9%
81	Eau de surface	1103	2.9%
91	Eau en bouteille	23	0.1%
96	Autre	16	0.0%
99	Manquant	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WS2: Principale source d'eau utilisee pour autres choses

**Information** [Type= discrete] [Format=numeric] [Range= 11-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=23 /-] [Invalid=38481 /-]

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	4	17.4%
12	Dans la cour/parcelle	17	73.9%
13	Robinet public/borne fontaine	2	8.7%
21	Puits a pompe/forage	0	
31	Puits protege	0	
32	Puits non protege	0	
41	Source protegee	0	
42	Source non protegee	0	
51	Eau de pluie	0	
61	Camion citerne	0	

### # WS2: Principale source d'eau utilisee pour autres choses

Value	Label	Cases	Percentage
71	Charrette avec petite citerne/tonneau	0	
81	Eau de surface	0	
91	Eau en bouteille	0	
96	Autre	0	
99	Manquant	0	
Sysmiss		38481	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS3: Temps pour aller chercher de leau et revenir

Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=36618 /-] [Invalid=1886 /-]
--------------------	------------------------------------

Value	Label	Cases	Percentage
1		123	0.3%
2		192	0.5%
3		253	0.7%
4		183	0.5%
5		1897	5.2%
6		74	0.2%
7		223	0.6%
8		202	0.6%
9		39	0.1%
10		4037	11.0%
11		1	0.0%
12		83	0.2%
13		17	0.0%
14		15	0.0%
15		3544	9.7%
16		35	0.1%
17		71	0.2%
18		5	0.0%
20		4203	11.5%
22		3	0.0%
25		688	1.9%
28		9	0.0%
30		6653	18.2%
35		371	1.0%
36		21	0.1%
40		1542	4.2%
42		8	0.0%
45		975	2.7%
46		5	0.0%
50		339	0.9%
52		2	0.0%
55		3	0.0%
60		4806	13.1%

### # WS3: Temps pour aller chercher de leau et revenir

Value	Label	Cases	Percentage
65		9	0.0%
66		3	0.0%
70		67	0.2%
75		32	0.1%
80		98	0.3%
90		569	1.6%
100		26	0.1%
105		16	0.0%
120		1833	5.0%
130		22	0.1%
140		5	0.0%
145		9	0.0%
150		33	0.1%
160		62	0.2%
180		424	1.2%
190		9	0.0%
240		159	0.4%
300		149	0.4%
360		10	0.0%
720		19	0.1%
995	Eau sur place	1592	4.3%
998	NSP	756	2.1%
999	Manquant	94	0.3%
Sysmiss		1886	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS4: Qui se rend habituellement a la source d'eau

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=35026 /-] [Invalid=3478 /-]

Value	Label	Cases	Percentage
1	Une femme adulte	31614	90.3%
2	Un homme adulte	1161	3.3%
3	Une jeune fille de moins de 15 ans	1521	4.3%
4	Un jeune garcon de moins de 15 ans	307	0.9%
8	NSP	27	0.1%
9	Manquant	396	1.1%
Sysmiss		3478	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS5: Traitez vous l'eau avant de la boire

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	6429	16.7%
2	Non	32029	83.2%
8	NSP	24	0.1%

<b># WS5: Traitez vous l'eau avant de la boire</b>			
Value	Label	Cases	Percentage
9	Manquant	22	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6A: La faire bouillir</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=70 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
A		70	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6B: Y ajouter de l'eau de javel/chlore</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=360 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
B		360	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6C: La filtrer a travers un linge</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4639 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
C		4639	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6D: Utiliser un filtre (ceramique, sable, composite)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=960 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
D		960	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6E: Desinfection solaire</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># WS6F: Laisser reposer</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=424 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
F		424	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6X: Autres</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=35 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
X		35	100.0%

<b># WS6X: Autres</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6Z: NSP</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=51 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		51	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS7: Type de toilettes</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 12-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
12	Chasse branchee a fosse septique	202	0.5%
13	Chasse branchee a latrines	129	0.3%
21	Latrines ameliorees auto aerees (LAA)	125	0.3%
22	Latrines couvertes	280	0.7%
23	Latrines a fosses/trou ouvert	11048	28.7%
95	Pas de toilettes ou brousse ou champ	26537	68.9%
96	Autres	60	0.2%
99	Manquant	123	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS8: Partagez-vous ces toilettes avec d'autres menages</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=11967 /-] [Invalid=26537 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4655	38.9%
2	Non	7147	59.7%
9	Manquant	165	1.4%
System		26537	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS9: Au total , combien de menages utilisent ces toilettes</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4655 /-] [Invalid=33849 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		535	11.5%
2		1206	25.9%
3		857	18.4%
4		598	12.8%
5		424	9.1%
6		188	4.0%
7		118	2.5%
8		49	1.1%
9		53	1.1%
10	Dix menages ou plus	480	10.3%

### # WS9: Au total , combien de menages utilisent ces toilettes

Value	Label	Cases	Percentage
98	NSP	144	3.1%
99	Manquant	3	0.1%
Sysmiss		33849	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1A: Religion du chef de menage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Catholique	7166	18.6%
2	Protestante	1337	3.5%
3	Musulmane	22737	59.1%
4	Traditionnelle/Animiste	7210	18.7%
6	Autre religion	43	0.1%
9	Manquant	11	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1B: Langue maternelle du chef de menage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Bobo/Bwaba/Bwamu	789	2.0%
2	Dagara	1242	3.2%
3	Dioula/Bambara	526	1.4%
4	Fulfulde	2009	5.2%
5	Gourmantchema	2955	7.7%
6	Gourounsi	1513	3.9%
7	Lobiri/Birifor	1354	3.5%
8	Moore	20234	52.6%
9	Senoufo	768	2.0%
10	Touareg/Bella	439	1.1%
11	Bissa	1531	4.0%
12	Djerma	13	0.0%
13	Goin	625	1.6%
14	Marka/dafing	1243	3.2%
15	Sambla	52	0.1%
16	Samo	919	2.4%
17	Tamatchek	10	0.0%
18	Toussian	165	0.4%
19	Vigue	52	0.1%
20	Autres africains	187	0.5%
96	Autre Langue	1836	4.8%
99	Manquant	42	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC1C: Ethnie du chef de menage</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Bobo/Bwaba/Bwamu	782	2.0%
2	Dagari	1259	3.3%
3	Dioula	506	1.3%
4	Fulfulde/Peul	2022	5.3%
5	Gourmantche	2972	7.7%
6	Gourounsi	1629	4.2%
7	Lobi/Birifor	1368	3.6%
8	Mossi	20200	52.5%
9	Senoufo	789	2.0%
10	Touareg/Bella	455	1.2%
11	Bissa	1531	4.0%
12	Djerma	13	0.0%
13	Goin	625	1.6%
14	Marka/dafing	1243	3.2%
15	Sambla	52	0.1%
16	Samo	919	2.4%
17	Tamatchek	10	0.0%
18	Toussian	165	0.4%
19	Vigue	52	0.1%
20	Autres africains	187	0.5%
96	Autre Langue	1686	4.4%
99	Manquant	39	0.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># HC2: Nombre de pieces utilisees pour dormir</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		2952	7.7%
2		8341	21.7%
3		8861	23.0%
4		6631	17.2%
5		4147	10.8%
6		3046	7.9%
7		1500	3.9%
8		891	2.3%
9		509	1.3%
10		494	1.3%
11		325	0.8%
12		114	0.3%
13		63	0.2%
15		77	0.2%
16		29	0.1%

<b># HC2: Nombre de pieces utilisees pour dormir</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
17		71	0.2%
20		37	0.1%
25		50	0.1%
32		41	0.1%
99	Manquant	325	0.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC3: Principal material du sol</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Terre/sable	23172	60.2%
12	Bouse	996	2.6%
21	Planche a bois	30	0.1%
22	Palmes/bambou	89	0.2%
31	Parquet or bois cire	14	0.0%
32	Vinyle ou asphalte	0	
33	Carrelage	520	1.4%
34	Ciment	13535	35.2%
35	Moquette	50	0.1%
96	Autres	53	0.1%
99	Manquant	45	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC4: Principal material du toit</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Pas de toit	94	0.2%
12	Chaume/feuille de palmier	12873	33.4%
21	Terre battue	7678	19.9%
22	Palmes/bambou	37	0.1%
31	Metal (Toles)	16618	43.2%
32	Bois	979	2.5%
33	Zinc/fibre de ciment	9	0.0%
34	Tuiles	86	0.2%
35	Ciment	99	0.3%
36	Shingles	0	
96	Autres	0	
99	Manquant	31	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC5: Principal meterial des murs</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		

### # HC5: Principal materiel des murs

Value	Label	Cases	Percentage
11	Pas de mur	320	0.8%
13	Mottes de terre	3597	9.3%
14	Brique en banco	21232	55.1%
15	Paille	786	2.0%
21	Pierre avec boue	88	0.2%
22	Contre-plaque	0	
23	Carton	0	
24	Brique en banco avec boue	5449	14.2%
25	Brique en banco avec ciment	2965	7.7%
31	Ciment	3494	9.1%
32	Pierre avec chaux/ciment	107	0.3%
33	Briques	391	1.0%
34	Blocs de ciment	27	0.1%
96	Autres	6	0.0%
99	Manquant	42	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC6: Type de combustible utilise pour la cuisine

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Electricite	0	
2	Gaz propane liquifie (GPL) (gaz bouteille)	637	1.7%
3	Gaz naturel	24	0.1%
4	Bio-gaz	22	0.1%
5	kerosene	0	
6	Charbon/lignite	38	0.1%
7	Charbon de bois	921	2.4%
8	Bois	34853	90.5%
9	Paille/banchages/herbes	1524	4.0%
10	Bouse	133	0.3%
11	residus agricoles	175	0.5%
12	Petrole	3	0.0%
13	Ne prÃ©pare pas / Ne fais pas la cuisine	153	0.4%
96	Autres	9	0.0%
99	Manquant	12	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC7: Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37818 /-] [Invalid=686 /-]

Value	Label	Cases	Percentage
1	feu a ciel ouvert	33616	88.9%
2	Foyer/Four ouvert	3844	10.2%
3	Foyer/Four ferme	137	0.4%

<b># HC7: Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un</b>			
Value	Label	Cases	Percentage
4	Ne prÃ©pare pas	149	0.4%
6	Autre	3	0.0%
9	Manquant	69	0.2%
Systemmiss		686	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC7A: Est-ce-que le feu/four a une cheminee ou une hotte</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=358 /-] [Invalid=38146 /-]	
Value	Label	Cases	Percentage
1	Oui	64	17.9%
2	Non	188	52.5%
9	Manquant	106	29.6%
Systemmiss		38146	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC8: Lieu ou vous faites la cuisine</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	A la maison	4139	10.7%
2	Dans un autre batiment	9441	24.5%
3	A l'exterieur	24712	64.2%
4	Ne prÃ©pare pas	148	0.4%
6	Autre	14	0.0%
9	Manquant	50	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9A: Electricite</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	4076	10.6%
2	Non	34363	89.2%
9	Manquant	65	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9B: Radio</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=38504 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Oui	27972	72.6%
2	Non	10495	27.3%
9	Manquant	37	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC9C: Television</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	5313	13.8%
2	Non	33161	86.1%
9	Manquant	30	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9D: Telephone mobile</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4799	12.5%
2	Non	33662	87.4%
9	Manquant	43	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9E: Telephone non-mobile (fixe)</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1311	3.4%
2	Non	37160	96.5%
9	Manquant	33	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9F: Refrigerateur</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1748	4.5%
2	Non	36722	95.4%
9	Manquant	34	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10A: Montre</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	27233	70.7%
2	Non	11260	29.2%
9	Manquant	11	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10B: Bicyclette</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		

<b># HC10B: Bicyclette</b>			
Value	Label	Cases	Percentage
1	Oui	34755	90.3%
2	Non	3738	9.7%
9	Manquant	11	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10C: Motocyclette/scooter</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	13379	34.7%
2	Non	25101	65.2%
9	Manquant	24	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10D: Charrette avec animal</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	14943	38.8%
2	Non	23543	61.1%
9	Manquant	18	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10E: Voiture/Camion</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1048	2.7%
2	Non	37419	97.2%
9	Manquant	37	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC11: Est-ce qu'un membre de votre menage possede une terre qui pe</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	33452	86.9%
2	Non	5052	13.1%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC12: Combien d'hectares de terres agricoles</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=33452 /-] [Invalid=5052 /-]		
Value	Label	Cases	Percentage
0		482	1.4%

## # HC12: Combien d'hectares de terres agricoles

Value	Label	Cases	Percentage
1		3037	9.1%
2		6618	19.8%
3		5994	17.9%
4		4491	13.4%
5		3109	9.3%
6		1551	4.6%
7		759	2.3%
8		638	1.9%
9		182	0.5%
10		1226	3.7%
11		60	0.2%
12		420	1.3%
13		108	0.3%
14		33	0.1%
15		316	0.9%
16		21	0.1%
17		11	0.0%
18		85	0.3%
20		114	0.3%
21		2	0.0%
24		42	0.1%
25		11	0.0%
29		21	0.1%
30		63	0.2%
31		8	0.0%
35		27	0.1%
40		11	0.0%
44		6	0.0%
45		9	0.0%
97	Plus de 97	11	0.0%
98	NSP	3960	11.8%
99	Manquant	26	0.1%
Sysmiss		5052	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC12A: Les récoltes de cette terre suffisent pour les besoins du me</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=33452 /-] [Invalid=5052 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	17596	52.6%
2	Non	15647	46.8%
3	Recoltes non consommées par le ménage	64	0.2%
8	NSP	145	0.4%
Sysmiss		5052	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC12B: Nombre de mois couvert par les récoltes</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=15647 /-] [Invalid=22857 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		92	0.6%
2		498	3.2%
3		885	5.7%
4		1541	9.8%
5		1809	11.6%
6		3319	21.2%
7		2208	14.1%
8		2303	14.7%
9		1488	9.5%
10		1117	7.1%
11		146	0.9%
98	NSP	241	1.5%
Sysmiss		22857	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC13: Est-ce que votre ménage possède du bétail, troupeau ou des a</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	32328	84.0%
2	Non	6135	15.9%
9	Manquant	41	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14A: Nombre de Vaches laitières ou de taureaux</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		13096	40.5%
1		2608	8.1%
2		5084	15.7%
3		1945	6.0%

### # HC14A: Nombre de Vaches laitieres ou de taureaux

Value	Label	Cases	Percentage
4		2072	6.4%
5		1324	4.1%
6		800	2.5%
7		512	1.6%
8		383	1.2%
9		197	0.6%
10		1023	3.2%
11		77	0.2%
12		207	0.6%
13		82	0.3%
14		19	0.1%
15		260	0.8%
16		74	0.2%
17		147	0.5%
18		43	0.1%
19		15	0.0%
20		833	2.6%
21		15	0.0%
22		13	0.0%
23		28	0.1%
24		13	0.0%
25		135	0.4%
26		43	0.1%
27		32	0.1%
29		15	0.0%
30		337	1.0%
31		4	0.0%
32		14	0.0%
35		18	0.1%
36		4	0.0%
37		32	0.1%
40		205	0.6%
42		4	0.0%
43		12	0.0%
45		16	0.0%
46		4	0.0%
50		177	0.5%
60		79	0.2%
65		19	0.1%
70		24	0.1%
72		4	0.0%
80		23	0.1%
97	Plus de 97	127	0.4%
98	NSP	162	0.5%
99	Manquant	9	0.0%

**# HC14A: Nombre de Vaches laitières ou de taureaux**

Value	Label	Cases	Percentage
Sysmiss		6135	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HC14B: Nombre de Chevaux**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]
---------------------------	------------------------------------

Value	Label	Cases	Percentage
0		31864	98.4%
1		408	1.3%
2		80	0.2%
4		6	0.0%
10		5	0.0%
60		6	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		6135	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HC14C: Nombre d'Anes ou de mules**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]
---------------------------	------------------------------------

Value	Label	Cases	Percentage
0		14623	45.2%
1		10506	32.5%
2		3947	12.2%
3		1873	5.8%
4		852	2.6%
5		299	0.9%
6		121	0.4%
7		55	0.2%
8		16	0.0%
9		5	0.0%
10		13	0.0%
15		29	0.1%
18		14	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	16	0.0%
Sysmiss		6135	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HC14D: Nombre de chevres**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]
---------------------------	------------------------------------

## # HC14D: Nombre de chevres

Value	Label	Cases	Percentage
0		9574	29.6%
1		1533	4.7%
2		3317	10.2%
3		2614	8.1%
4		2435	7.5%
5		2885	8.9%
6		1502	4.6%
7		1175	3.6%
8		379	1.2%
9		301	0.9%
10		2834	8.8%
11		94	0.3%
12		364	1.1%
13		119	0.4%
14		100	0.3%
15		848	2.6%
16		75	0.2%
17		124	0.4%
18		68	0.2%
19		18	0.1%
20		995	3.1%
21		45	0.1%
22		35	0.1%
23		9	0.0%
24		6	0.0%
25		87	0.3%
26		13	0.0%
27		8	0.0%
30		256	0.8%
32		9	0.0%
33		5	0.0%
35		35	0.1%
38		9	0.0%
40		102	0.3%
42		13	0.0%
43		23	0.1%
45		8	0.0%
50		38	0.1%
60		30	0.1%
65		15	0.0%
70		9	0.0%
80		5	0.0%
97	Plus de 97	54	0.2%
98	NSP	201	0.6%
99	Manquant	0	

<b># HC14D: Nombre de chevres</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Sysmiss		6135	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14E: Nombre de moutons</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		14294	44.2%
1		1281	4.0%
2		2782	8.6%
3		1886	5.8%
4		1657	5.1%
5		1765	5.5%
6		1224	3.8%
7		958	3.0%
8		414	1.3%
9		265	0.8%
10		2369	7.3%
11		122	0.4%
12		303	0.9%
13		140	0.4%
14		128	0.4%
15		639	2.0%
16		81	0.3%
17		148	0.5%
18		112	0.3%
19		17	0.1%
20		783	2.4%
21		50	0.2%
22		58	0.2%
23		12	0.0%
24		28	0.1%
25		79	0.2%
26		31	0.1%
27		19	0.1%
29		17	0.1%
30		243	0.8%
31		7	0.0%
32		27	0.1%
34		19	0.1%
35		42	0.1%
38		12	0.0%
40		103	0.3%
41		1	0.0%
45		9	0.0%

### # HC14E: Nombre de moutons

Value	Label	Cases	Percentage
48		15	0.0%
50		32	0.1%
56		7	0.0%
60		6	0.0%
80		32	0.1%
97	Plus de 97	53	0.2%
98	NSP	99	0.3%
99	Manquant	0	
Sysmiss		6135	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HC14F: Nombre de Porcs/ Cochons

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		26101	80.6%
1		1436	4.4%
2		1144	3.5%
3		629	1.9%
4		521	1.6%
5		558	1.7%
6		412	1.3%
7		372	1.1%
8		213	0.7%
9		79	0.2%
10		321	1.0%
11		89	0.3%
12		143	0.4%
13		26	0.1%
14		13	0.0%
15		53	0.2%
16		42	0.1%
18		17	0.1%
19		10	0.0%
20		81	0.3%
21		18	0.1%
23		15	0.0%
24		13	0.0%
25		8	0.0%
30		9	0.0%
40		3	0.0%
97	Plus de 97	0	
98	NSP	39	0.1%
99	Manquant	4	0.0%
Sysmiss		6135	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HC14G: Nombre de poulets

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		5694	17.6%
1		804	2.5%
2		1665	5.1%
3		1683	5.2%
4		1595	4.9%
5		2531	7.8%
6		1377	4.3%
7		1237	3.8%
8		595	1.8%
9		487	1.5%
10		4941	15.3%
11		252	0.8%
12		619	1.9%
13		170	0.5%
14		63	0.2%
15		1594	4.9%
16		146	0.5%
17		152	0.5%
18		94	0.3%
19		24	0.1%
20		2511	7.8%
21		67	0.2%
22		44	0.1%
23		64	0.2%
24		10	0.0%
25		392	1.2%
26		62	0.2%
27		30	0.1%
28		17	0.1%
29		9	0.0%
30		1118	3.5%
32		25	0.1%
34		5	0.0%
35		60	0.2%
36		8	0.0%
40		462	1.4%
43		13	0.0%
44		5	0.0%
45		36	0.1%
46		16	0.0%
48		17	0.1%
50		356	1.1%
53		5	0.0%

### # HC14G: Nombre de poulets

Value	Label	Cases	Percentage
60		143	0.4%
65		8	0.0%
70		41	0.1%
71		5	0.0%
80		41	0.1%
93		11	0.0%
97	Plus de 97	252	0.8%
98	NSP	813	2.5%
99	Manquant	0	
Sysmiss		6135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14H: Nombre de pindades

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		22268	68.8%
1		240	0.7%
2		657	2.0%
3		836	2.6%
4		845	2.6%
5		1057	3.3%
6		736	2.3%
7		694	2.1%
8		359	1.1%
9		293	0.9%
10		1530	4.7%
11		88	0.3%
12		297	0.9%
13		178	0.5%
14		164	0.5%
15		412	1.3%
16		57	0.2%
17		61	0.2%
18		73	0.2%
19		26	0.1%
20		587	1.8%
21		57	0.2%
22		13	0.0%
23		5	0.0%
24		28	0.1%
25		92	0.3%
26		15	0.0%
30		219	0.7%
31		31	0.1%

**# HC14H: Nombre de pindades**

Value	Label	Cases	Percentage
33		16	0.0%
35		59	0.2%
36		18	0.1%
40		57	0.2%
42		13	0.0%
45		13	0.0%
46		6	0.0%
50		44	0.1%
60		7	0.0%
70		9	0.0%
97	Plus de 97 ans	35	0.1%
98	NSP	174	0.5%
99	Manquant	0	
Sysmiss		6135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC14I: Nombre de Dindon**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		32071	99.1%
1		28	0.1%
2		91	0.3%
3		49	0.2%
4		10	0.0%
5		18	0.1%
6		34	0.1%
7		5	0.0%
8		9	0.0%
10		16	0.0%
14		20	0.1%
15		18	0.1%
97	Plus de 97 ans	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		6135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC14J: Nombre de Canard**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		32103	99.2%
1		5	0.0%
2		85	0.3%
3		47	0.1%

### # HC14J: Nombre de Canard

Value	Label	Cases	Percentage
4		12	0.0%
5		11	0.0%
6		41	0.1%
7		20	0.1%
9		5	0.0%
10		26	0.1%
20		14	0.0%
97	Plus de 97 ans	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		6135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14K: Nombre de Pigeon

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		31919	98.6%
2		11	0.0%
3		15	0.0%
4		37	0.1%
5		23	0.1%
6		36	0.1%
8		20	0.1%
10		83	0.3%
12		11	0.0%
14		8	0.0%
15		32	0.1%
16		31	0.1%
20		58	0.2%
28		14	0.0%
30		31	0.1%
37		14	0.0%
40		5	0.0%
50		9	0.0%
97	Plus de 97 ans	0	
98	NSP	12	0.0%
99	Manquant	0	
Sysmiss		6135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14L: Autres

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=32369 /-] [Invalid=6135 /-]

Value	Label	Cases	Percentage
0		32185	99.4%

**# HC14L: Autres**

Value	Label	Cases	Percentage
1		12	0.0%
2		27	0.1%
3		8	0.0%
4		8	0.0%
6		37	0.1%
7		14	0.0%
97	Plus de 97 ans	0	
98	NSP	0	
99	Manquant	78	0.2%
Sysmiss		6135	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15A: Est-ce que vous ou quelqu'un dans votre menage est proprieta**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Proprietaire	35179	91.4%
2	Locataire	1583	4.1%
3	Location gratuite/occupant illegal/autre	1742	4.5%
9	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15B: Est-ce que vous ou quelqu'un dans ce menage a un titre /acte**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=35179 /-] [Invalid=3325 /-]

Value	Label	Cases	Percentage
1	Oui	5622	16.0%
2	Non	29475	83.8%
9	Manquant	82	0.2%
Sysmiss		3325	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15CA: Permis Urbain d'Habiter (PUH)**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3575 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		3575	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15CB: Certification d'impot foncier**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=454 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		454	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC15CC: Facture d'electricite/eau/telephone etc</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=698 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		698	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CE: Attestation d'attribution</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># HC15CX: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1599 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
*		1599	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CY: Aucun/pas de document</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=176 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		176	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=103 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		103	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15D: Est-ce que vous avez un contrat ecrit pour la location</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3325 /-] [Invalid=35179 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	303	9.1%
2	Non	2998	90.2%
9	Manquant	24	0.7%
Sysmiss		35179	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EA: Agreement informel (par ecrit)</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		10	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15EB: Oral agreement (Non-document)</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=958 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		958	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EC: Occupation avec accord du proprietaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1185 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		1185	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ED: Occupation sans accord du proprietaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=19 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		19	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EX: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		7	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EY: Aucun/pas de document</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=878 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		878	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=49 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		49	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15F: Vous sentez vous en securite de ne pas etre exulse(e) de cet</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	26686	69.3%
2	Non	10059	26.1%

**# HC15F: Vous sentez vous en securite de ne pas etre exulse(e) de cet**

Value	Label	Cases	Percentage
8	NSP	1735	4.5%
9	Manquant	24	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15G: Avez vous ete expluse de votre maison durant ces 5 dernieres**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	534	1.4%
2	Non	37897	98.4%
9	Manquant	73	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15HA: Region d'eboulement**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=344 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		344	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15HB: Region predisposee a linondation**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=563 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		563	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15HC: Bord de riviere**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1810 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
C		1810	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15HD: Colline raide**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2306 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
D		2306	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HC15HE: Montagne/tas d'ordures**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1812 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
E		1812	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC15HF: Region de pollution industrielle</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		7	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HG: Chemin de fer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=167 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		167	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HH: Centrale electrique</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># HC15HI: Pont aerien</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		38	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=32019 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		32019	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=78 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		78	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IA: Craquements/ouverture dans les murs</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3582 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		3582	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IB: Pas de fenetre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8218 /-] [Invalid=0 /-]		

<b># HC15IB: Pas de fenetre</b>			
Value	Label	Cases	Percentage
B		8218	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IC: Fenetre avec vitres casses/pas de vitre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=86 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		86	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ID: trous visibles dans le toit</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=716 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
D		716	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IE: Toit incomplet</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=273 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
E		273	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15IF: Porte peu solide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=16264 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		16264	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=18901 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		18901	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=49 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		49	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JA: Passage tres etroit entre les maisons au lieu de route</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4720 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		4720	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JB: Trop de cables electriques connectant voisinage &amp; poste d'al</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=49 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		49	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=33695 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		33695	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=55 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		55	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># TOHL6: Nombre total de femmes 15-49</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]		
Statistics [NW/ W]	[Valid=38504 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		3073	8.0%
1		13513	35.1%
2		10846	28.2%
3		5685	14.8%
4		2626	6.8%
5		1321	3.4%
6		762	2.0%
7		336	0.9%
8		103	0.3%
9		109	0.3%
11		39	0.1%
12		91	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TOHL7A: Nombre d'enfant de 2 a 14 ans</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]		
Statistics [NW/ W]	[Valid=38504 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		2502	6.5%
1		3907	10.1%
2		5437	14.1%
3		6750	17.5%
4		6044	15.7%
5		4031	10.5%
6		3320	8.6%
7		2040	5.3%
8		1710	4.4%
9		1050	2.7%
10		427	1.1%
11		356	0.9%
12		291	0.8%
13		141	0.4%
14		148	0.4%
15		55	0.1%
16		78	0.2%
17		125	0.3%
20		92	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TOHL8: Nombre total d'enfants de moins de 5 ans</b>			
Information	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
Statistics [NW/ W]	[Valid=38504 /-] [Invalid=0 /-]		

### # TOHL8: Nombre total d'enfants de moins de 5 ans

Value	Label	Cases	Percentage
0		10218	26.5%
1		12534	32.6%
2		8781	22.8%
3		4074	10.6%
4		1568	4.1%
5		555	1.4%
6		350	0.9%
7		297	0.8%
8		48	0.1%
10		29	0.1%
18		50	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL8A: Nombre total de personnes tres malades

**Information** [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		36009	93.5%
1		2050	5.3%
2		374	1.0%
3		71	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL9: Nombre total de mere decedee

**Information** [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		35472	92.1%
1		2053	5.3%
2		578	1.5%
3		232	0.6%
4		82	0.2%
5		76	0.2%
6		11	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TOHL10A: Nombre total de mere tres malade

**Information** [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=38504 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		38287	99.4%
1		194	0.5%
2		18	0.0%
4		5	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># TOHL11: Nombre total de pere decede</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		33320	86.5%
1		2198	5.7%
2		1282	3.3%
3		797	2.1%
4		378	1.0%
5		315	0.8%
6		40	0.1%
7		63	0.2%
8		27	0.1%
9		14	0.0%
10		44	0.1%
11		26	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TOHL12A: Nombre total de pere tres malade</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		38362	99.6%
1		84	0.2%
2		27	0.1%
3		19	0.0%
4		12	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># OV2: Est-ce qu'un membre de votre famille est decede au cours des</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=37153 /-] [Invalid=1351 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	5548	14.9%
2	Non	31524	84.8%
9	Manquant	81	0.2%
Sysmiss		1351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># OV3: Parmi les decedes y'a-t-il des personnes agees de 18-59 ans</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5629 /-] [Invalid=32875 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1685	29.9%
2	Non	3815	67.8%
9	Manquant	129	2.3%
Sysmiss		32875	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># OV4: Parmi les decedes y'a-t-il quelqu'un de tres malade au moins</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1685 /-] [Invalid=36819 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	767	45.5%
2	Non	918	54.5%
9	Manquant	0	
Sysmiss		36819	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># hhweight: Household Weight</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0.0520283154172858-10.2466641761264] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=0.963 /-] [StdDev=0.813 /-]		
<b># mline: Mother's line number</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-44] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20517 /-] [Invalid=17987 /-] [Mean=3.393 /-] [StdDev=3.587 /-]		
<b># melevel: Mother's education</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20517 /-] [Invalid=17987 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	None	16240	79.2%
2	Primary	1225	6.0%
3	Secondary +	420	2.0%
4	Non-standard curriculum	0	
5	Mother not in household	2613	12.7%
9	Missing/DK	19	0.1%
Sysmiss		17987	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># fline: Father's line number</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-41] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20517 /-] [Invalid=17987 /-] [Mean=1.137 /-] [StdDev=1.884 /-]		
<b># felevel: Father's education</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=20517 /-] [Invalid=17987 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	None	14631	71.3%
2	Primary	1658	8.1%
3	Secondary +	513	2.5%
4	Non-standard curriculum	0	
5	Father not in household	3611	17.6%
9	Missing/DK	104	0.5%
Sysmiss		17987	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># helevel: Education of household head</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	None	33028	85.8%
2	Primary	3535	9.2%
3	Secondary +	1673	4.3%
4	Non-standard curriculum	0	
9	Missing/DK	268	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># milieu: Milieu</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Urbain	5691	14.8%
2	Rural	32813	85.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># langue: Langue du chef de menage</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Dioula	1315	3.4%
2	Dagara	2596	6.7%
3	Peuls	2458	6.4%
4	Senoufo	1662	4.3%
5	Gourmantche	2955	7.7%
6	Gourounsi	1513	3.9%
8	Mossi	20234	52.6%
11	Bissa	1531	4.0%
12	Autres langues	4198	10.9%
13	Manquant	42	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># hh1_xl: conversion_num_grappe</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-197] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=100.752 /-] [StdDev=55.514 /-]		
<b># wlthscor: Score de bien ˆatre economique</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -0.860454009894442-5.18400792601981] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-] [Mean=-0.0207 /-] [StdDev=0.96 /-]		
<b># wlthind5: Quintiles de bien ˆatre economique</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38504 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Le plus pauvre	8734	22.7%

**# wlthind5: Quintiles de bien-être économique**

Value	Label	Cases	Percentage
2	Second	8072	21.0%
3	Moyen	8685	22.6%
4	Quatrième	7702	20.0%
5	Le plus riche	5311	13.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : wm\_base\_femme

### # HH1: Numero de la grappe

**Information** [Type= continuous] [Format=numeric] [Range= 1-197] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=97.414 /-] [StdDev=56.108 /-]

### # HH2: Numero du menage

**Information** [Type= continuous] [Format=numeric] [Range= 1-538] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=75.839 /-] [StdDev=69.03 /-]

### # LN: Numero de ligne

**Information** [Type= continuous] [Format=numeric] [Range= 1-48] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=4.749 /-] [StdDev=4.139 /-]

### # WMR: Region

**Information** [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Boucle du Mouhoun	526	6.4%
2	Cascade	820	10.1%
3	Centre	1078	13.2%
4	Centre-Sud	518	6.3%
5	Centre-Est	471	5.8%
6	Centre-Nord	582	7.1%
7	Centre-Ouest	816	10.0%
8	Est	562	6.9%
9	Hauts-Bassins	562	6.9%
10	Nord	649	8.0%
11	Plateau-Central	621	7.6%
12	Sahel	486	6.0%
13	Sud-Ouest	468	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FDHH: Heure

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1	0.0%
2		4	0.0%
3		1	0.0%
4		4	0.0%
5		2	0.0%
6		73	0.9%
7		304	3.7%
8		522	6.4%
9		591	7.2%
10		597	7.3%
11		552	6.8%

## File : wm\_base\_femme

### # FDHH: Heure

Value	Label	Cases	Percentage
12		530	6.5%
13		447	5.5%
14		438	5.4%
15		439	5.4%
16		471	5.8%
17		512	6.3%
18		455	5.6%
19		279	3.4%
20		112	1.4%
21		43	0.5%
22		5	0.1%
99	Manquant	1777	21.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # FDHM: Minute

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		288	3.5%
1		90	1.1%
2		124	1.5%
3		74	0.9%
4		69	0.8%
5		198	2.4%
6		58	0.7%
7		79	1.0%
8		52	0.6%
9		51	0.6%
10		245	3.0%
11		55	0.7%
12		111	1.4%
13		55	0.7%
14		56	0.7%
15		275	3.4%
16		80	1.0%
17		88	1.1%
18		64	0.8%
19		57	0.7%
20		321	3.9%
21		57	0.7%
22		109	1.3%
23		62	0.8%
24		49	0.6%
25		184	2.3%

## File : wm\_base\_femme

### # FDHM: Minuite

Value	Label	Cases	Percentage
26		64	0.8%
27		73	0.9%
28		70	0.9%
29		55	0.7%
30		373	4.6%
31		69	0.8%
32		127	1.6%
33		67	0.8%
34		62	0.8%
35		221	2.7%
36		78	1.0%
37		78	1.0%
38		69	0.8%
39		54	0.7%
40		251	3.1%
41		60	0.7%
42		94	1.2%
43		70	0.9%
44		45	0.6%
45		276	3.4%
46		61	0.7%
47		74	0.9%
48		87	1.1%
49		47	0.6%
50		219	2.7%
51		60	0.7%
52		107	1.3%
53		57	0.7%
54		65	0.8%
55		154	1.9%
56		46	0.6%
57		58	0.7%
58		79	1.0%
59		59	0.7%
99	Manquant	1779	21.8%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WM1: Numero de grappe

**Information** [Type= continuous] [Format=numeric] [Range= 1-197] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=97.414 /-] [StdDev=56.108 /-]

### # WM2: Numero du menage

**Information** [Type= continuous] [Format=numeric] [Range= 1-538] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=75.839 /-] [StdDev=69.03 /-]

## File : wm\_base\_femme

### # WM4: Numero de ligne de la femme

**Information** [Type= continuous] [Format=numeric] [Range= 1-48] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=4.749 /-] [StdDev=4.139 /-]

### # WM6D: Jour de l'interview

**Information** [Type= continuous] [Format=numeric] [Range= 1-31] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-] [Mean=15.371 /-] [StdDev=8.56 /-]

### # WM6M: Mois de l'interview

**Information** [Type= discrete] [Format=numeric] [Range= 3-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		121	1.5%
4		4336	53.1%
5		3410	41.8%
6		292	3.6%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WM6Y: Annee de l'interview

**Information** [Type= discrete] [Format=numeric] [Range= 2006-2006] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2006		8159	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WMV: Nombre de visite

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		7408	90.8%
2		560	6.9%
3		183	2.2%
4		1	0.0%
6		4	0.0%
9		3	0.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WM7: Resultat de l'interview de la femme

**Information** [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Rempli	7316	89.7%
2	Pas a la maison	377	4.6%
3	Refusee	37	0.5%
4	Rempli partiellement	3	0.0%
5	Incapacite	82	1.0%
6	Autre	344	4.2%

## File : wm\_base\_femme

### # WM7: Resultat de l'interview de la femme

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WML: Langue de l'interview

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

Statistics [NW/ W] [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1	Francais	750	10.3%
2	Moore	3644	49.8%
3	Dioula	1598	21.8%
4	Fulfulde/Peul	265	3.6%
5	Autre	1059	14.5%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WMI: Recours a un interprete

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

Statistics [NW/ W] [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1	Oui	1038	14.2%
2	Non	6278	85.8%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WMCB: Numero du Controleur Bureau

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=\*]

Statistics [NW/ W] [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1		1757	24.0%
2		955	13.1%
3		1339	18.3%
4		544	7.4%
5		1246	17.0%
6		1475	20.2%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WMAS: Numero de l'agent de saisie

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=\*]

Statistics [NW/ W] [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		579	7.1%
2		544	6.7%
3		570	7.0%
4		592	7.3%
5		381	4.7%
6		380	4.7%

## File : wm\_base\_femme

### # WMAS: Numero de l'agent de saisie

Value	Label	Cases	Percentage
7		438	5.4%
8		482	5.9%
9		725	8.9%
10		638	7.8%
11		517	6.3%
12		437	5.4%
13		474	5.8%
14		519	6.4%
15		497	6.1%
16		386	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WM8D: Jour de naissance de la femme

**Information** [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=\*]

**Statistics [NW/ W]** [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1		50	0.7%
2		39	0.5%
3		47	0.6%
4		51	0.7%
5		51	0.7%
6		38	0.5%
7		53	0.7%
8		38	0.5%
9		45	0.6%
10		53	0.7%
11		47	0.6%
12		69	0.9%
13		34	0.5%
14		34	0.5%
15		47	0.6%
16		36	0.5%
17		44	0.6%
18		29	0.4%
19		32	0.4%
20		41	0.6%
21		27	0.4%
22		37	0.5%
23		36	0.5%
24		37	0.5%
25		44	0.6%
26		28	0.4%
27		43	0.6%
28		42	0.6%

## File : wm\_base\_femme

### # WM8D: Jour de naissance de la femme

Value	Label	Cases	Percentage
29		27	0.4%
30		39	0.5%
31		39	0.5%
98	NSP	6039	82.5%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WM8M: Mois de naissance de la femme

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1		143	2.0%
2		120	1.6%
3		145	2.0%
4		125	1.7%
5		136	1.9%
6		87	1.2%
7		84	1.1%
8		104	1.4%
9		130	1.8%
10		114	1.6%
11		100	1.4%
12		119	1.6%
97	Inconsistant	0	
98	NSP	5909	80.8%
99	Manquant	0	
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WM8Y: Annee de naissance de la femme

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1956-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1956		5	0.1%
1957		57	0.8%
1958		60	0.8%
1959		79	1.1%
1960		102	1.4%
1961		100	1.4%
1962		87	1.2%
1963		94	1.3%
1964		104	1.4%
1965		79	1.1%
1966		169	2.3%

## File : wm\_base\_femme

### # WM8Y: Annee de naissance de la femme

Value	Label	Cases	Percentage
1967		104	1.4%
1968		119	1.6%
1969		105	1.4%
1970		107	1.5%
1971		159	2.2%
1972		122	1.7%
1973		111	1.5%
1974		131	1.8%
1975		130	1.8%
1976		200	2.7%
1977		130	1.8%
1978		157	2.1%
1979		179	2.4%
1980		170	2.3%
1981		199	2.7%
1982		140	1.9%
1983		128	1.7%
1984		157	2.1%
1985		127	1.7%
1986		193	2.6%
1987		189	2.6%
1988		184	2.5%
1989		195	2.7%
1990		209	2.9%
1991		130	1.8%
9997	Inconsistant	0	
9998	NSP	2604	35.6%
9999	Manquant	1	0.0%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WM9: Age de la femme

**Information** [Type= continuous] [Format=numeric] [Range= 15-49] [Missing=\*]

**Statistics [NW/ W]** [Valid=7316 /-] [Invalid=843 /-] [Mean=29.22 /-] [StdDev=9.646 /-]

### # WM10: Avez-vous frequente l'ecole

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1	Oui	1514	20.7%
2	Non	5802	79.3%
9	Manquant	0	
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : wm\_base\_femme

### # WM11: Quel est le plus haut niveau atteint

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=1514 /-] [Invalid=6645 /-]

Value	Label	Cases	Percentage
1	Primaire	846	55.9%
2	Secondaire 1er cycle	491	32.4%
3	Secondaire 2eme	136	9.0%
4	Superieur	39	2.6%
6	Programme non-formel	0	
9	Manquant	2	0.1%
Sysmiss		6645	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WM12: Quelle est la derniere annee/classe achevee

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=1514 /-] [Invalid=6645 /-]

Value	Label	Cases	Percentage
0		46	3.0%
1		169	11.2%
2		232	15.3%
3		297	19.6%
4		251	16.6%
5		198	13.1%
6		318	21.0%
97	Inconsistant	0	
98	NSP	0	
99	Manquant	3	0.2%
Sysmiss		6645	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WM14: Pouvez vous me lire certaines parties de la phrase

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=846 /-] [Invalid=7313 /-]

Value	Label	Cases	Percentage
1	Ne peut pas lire du tout	256	30.3%
2	Peut lire certaines parties	314	37.1%
3	Peut lire toute la phrase	271	32.0%
4	Pa de carte dans la langue	1	0.1%
5	Aveugle/muet, probleme de vue/audition	0	
9	Manquant	4	0.5%
Sysmiss		7313	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CM1: Avez-vous donnee naissance a des enfants

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=7316 /-] [Invalid=843 /-]

## File : wm\_base\_femme

### # CM1: Avez-vous donnee naissance a des enfants

Value	Label	Cases	Percentage
1	Oui	5637	77.1%
2	Non	1679	22.9%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM2AD: Jour de naissance de votre premier enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1		46	0.8%
2		57	1.0%
3		60	1.1%
4		49	0.9%
5		77	1.4%
6		52	0.9%
7		47	0.8%
8		44	0.8%
9		42	0.7%
10		66	1.2%
11		31	0.5%
12		82	1.5%
13		40	0.7%
14		36	0.6%
15		64	1.1%
16		37	0.7%
17		41	0.7%
18		35	0.6%
19		38	0.7%
20		81	1.4%
21		38	0.7%
22		48	0.9%
23		36	0.6%
24		56	1.0%
25		51	0.9%
26		44	0.8%
27		35	0.6%
28		43	0.8%
29		22	0.4%
30		38	0.7%
31		14	0.2%
97	Incoherent	0	
98	NSP	4186	74.3%
99	Manquant	1	0.0%

## File : wm\_base\_femme

### # CM2AD: Jour de naissance de votre premier enfant

Value	Label	Cases	Percentage
Sysmiss		2522	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CM2AM: Mois de naissance de votre premier enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1		174	3.1%
2		198	3.5%
3		227	4.0%
4		197	3.5%
5		153	2.7%
6		155	2.7%
7		136	2.4%
8		177	3.1%
9		161	2.9%
10		178	3.2%
11		158	2.8%
12		154	2.7%
97	Incoherent	0	
98	NSP	3568	63.3%
99	Manquant	1	0.0%
Sysmiss		2522	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CM2AY: Annee de naissance de votre premier enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1972-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1972		2	0.0%
1973		4	0.1%
1974		11	0.2%
1975		11	0.2%
1976		39	0.7%
1977		39	0.7%
1978		41	0.7%
1979		50	0.9%
1980		57	1.0%
1981		75	1.3%
1982		65	1.2%
1983		67	1.2%
1984		67	1.2%
1985		77	1.4%
1986		121	2.1%

## File : wm\_base\_femme

### # CM2AY: Année de naissance de votre premier enfant

Value	Label	Cases	Percentage
1987		66	1.2%
1988		89	1.6%
1989		103	1.8%
1990		118	2.1%
1991		112	2.0%
1992		109	1.9%
1993		106	1.9%
1994		144	2.6%
1995		121	2.1%
1996		151	2.7%
1997		128	2.3%
1998		146	2.6%
1999		172	3.1%
2000		173	3.1%
2001		190	3.4%
2002		143	2.5%
2003		204	3.6%
2004		193	3.4%
2005		232	4.1%
2006		64	1.1%
9997	Incoherent	0	
9998	NSP	2146	38.1%
9999	Manquant	1	0.0%
Sysmiss		2522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM2B: Nombre d'annees depuis votre premier enfant

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=2146 /-] [Invalid=6013 /-]		
Value	Label	Cases	Percentage
0		3	0.1%
1		3	0.1%
2		25	1.2%
3		50	2.3%
4		42	2.0%
5		87	4.1%
6		94	4.4%
7		113	5.3%
8		86	4.0%
9		101	4.7%
10		115	5.4%
11		66	3.1%
12		99	4.6%
13		70	3.3%

## File : wm\_base\_femme

### # CM2B: Nombre d'annees depuis votre premier enfant

Value	Label	Cases	Percentage
14		72	3.4%
15		122	5.7%
16		73	3.4%
17		89	4.1%
18		65	3.0%
19		75	3.5%
20		145	6.8%
21		44	2.1%
22		72	3.4%
23		60	2.8%
24		43	2.0%
25		119	5.5%
26		46	2.1%
27		42	2.0%
28		32	1.5%
29		16	0.7%
30		56	2.6%
31		9	0.4%
32		4	0.2%
34		2	0.1%
97	Incoherent	0	
99	Manquant	6	0.3%
Sysmiss		6013	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM3: Avez-vous des filles ou filles vivants actuellement avec vous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]		
Value	Label	Cases	Percentage
1	Oui	5355	95.0%
2	Non	282	5.0%
Sysmiss		2522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM4A: Nombre de fils qui vivent avec vous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5355 /-] [Invalid=2804 /-]		
Value	Label	Cases	Percentage
0		1037	19.4%
1		1903	35.5%
2		1312	24.5%
3		711	13.3%
4		276	5.2%
5		84	1.6%

## File : wm\_base\_femme

### # CM4A: Nombre de fils qui vivent avec vous

Value	Label	Cases	Percentage
6		24	0.4%
7		8	0.1%
Sysmiss		2804	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM4B: Nombre de filles qui vivent avec vous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5355 /-] [Invalid=2804 /-]

Value	Label	Cases	Percentage
0		1215	22.7%
1		2044	38.2%
2		1289	24.1%
3		595	11.1%
4		169	3.2%
5		36	0.7%
6		6	0.1%
7		1	0.0%
Sysmiss		2804	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM5: Avez-vous des files ou des filles qui ne vivent pas avec vous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1	Oui	2259	40.1%
2	Non	3378	59.9%
Sysmiss		2522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM6A: Nombre de files qui ne vivent pas avec vous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2259 /-] [Invalid=5900 /-]

Value	Label	Cases	Percentage
0		956	42.3%
1		910	40.3%
2		285	12.6%
3		86	3.8%
4		15	0.7%
5		6	0.3%
6		1	0.0%
Sysmiss		5900	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM6B: Nombre de files qui ne vivent pas avec vous

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
--------------------	--

## File : wm\_base\_femme

### # CM6B: Nombre de files qui ne vivent pas avec vous

Statistics [NW/ W] [Valid=2259 /-] [Invalid=5900 /-]

Value	Label	Cases	Percentage
0		571	25.3%
1		1003	44.4%
2		459	20.3%
3		162	7.2%
4		50	2.2%
5		12	0.5%
6		2	0.1%
Sysmiss		5900	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM7: Avez-vous des files ou filles decedes

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

Statistics [NW/ W] [Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1	Oui	2812	49.9%
2	Non	2825	50.1%
Sysmiss		2522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM8A: Nombre de fils decedes

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=\*]

Statistics [NW/ W] [Valid=2812 /-] [Invalid=5347 /-]

Value	Label	Cases	Percentage
0		907	32.3%
1		1307	46.5%
2		423	15.0%
3		122	4.3%
4		32	1.1%
5		16	0.6%
6		2	0.1%
7		2	0.1%
8		1	0.0%
Sysmiss		5347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM8B: Nombre de filles decedees

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=\*]

Statistics [NW/ W] [Valid=2812 /-] [Invalid=5347 /-]

Value	Label	Cases	Percentage
0		1032	36.7%
1		1222	43.5%
2		387	13.8%
3		122	4.3%

## File : wm\_base\_femme

### # CM8B: Nombre de filles decedees

Value	Label	Cases	Percentage
4		40	1.4%
5		8	0.3%
7		1	0.0%
System Miss		5347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM9: Nombre total d'enfants

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1		800	14.2%
2		780	13.8%
3		776	13.8%
4		749	13.3%
5		624	11.1%
6		545	9.7%
7		470	8.3%
8		347	6.2%
9		249	4.4%
10		175	3.1%
11		79	1.4%
12		24	0.4%
13		14	0.2%
14		4	0.1%
15		1	0.0%
System Miss		2522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM11D: Jour de naissance de votre dernier enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1		141	2.5%
2		128	2.3%
3		108	1.9%
4		100	1.8%
5		116	2.1%
6		96	1.7%
7		106	1.9%
8		112	2.0%
9		102	1.8%
10		163	2.9%
11		95	1.7%
12		133	2.4%

## File : wm\_base\_femme

### # CM11D: Jour de naissance de votre dernier enfant

Value	Label	Cases	Percentage
13		85	1.5%
14		88	1.6%
15		147	2.6%
16		90	1.6%
17		98	1.7%
18		107	1.9%
19		93	1.6%
20		135	2.4%
21		116	2.1%
22		100	1.8%
23		101	1.8%
24		115	2.0%
25		99	1.8%
26		103	1.8%
27		86	1.5%
28		115	2.0%
29		84	1.5%
30		76	1.3%
31		41	0.7%
97	Incoherent	1	0.0%
98	NSP	2352	41.7%
99	Manquant	5	0.1%
Sysmiss		2522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CM11M: Mois de naissance de votre dernier enfant

Value	Label	Cases	Percentage
1		445	7.9%
2		440	7.8%
3		512	9.1%
4		474	8.4%
5		374	6.6%
6		329	5.8%
7		276	4.9%
8		373	6.6%
9		351	6.2%
10		373	6.6%
11		349	6.2%
12		352	6.2%
97	Incoherent	1	0.0%
98	NSP	983	17.4%
99	Manquant	5	0.1%

## File : wm\_base\_femme

### # CM11M: Mois de naissance de votre dernier enfant

Value	Label	Cases	Percentage
Sysmiss		2522	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CM11Y: Année de naissance de votre dernier enfant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1978-9999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5637 /-] [Invalid=2522 /-]

Value	Label	Cases	Percentage
1978		1	0.0%
1979		1	0.0%
1980		1	0.0%
1981		4	0.1%
1982		2	0.0%
1983		4	0.1%
1984		5	0.1%
1985		9	0.2%
1986		9	0.2%
1987		7	0.1%
1988		22	0.4%
1989		18	0.3%
1990		29	0.5%
1991		23	0.4%
1992		28	0.5%
1993		36	0.6%
1994		42	0.7%
1995		65	1.2%
1996		68	1.2%
1997		87	1.5%
1998		119	2.1%
1999		145	2.6%
2000		264	4.7%
2001		261	4.6%
2002		386	6.8%
2003		774	13.7%
2004		1084	19.2%
2005		1314	23.3%
2006		430	7.6%
9997	Incoherent	0	
9998	NSP	398	7.1%
9999	Manquant	1	0.0%
Sysmiss		2522	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CM11A: Nombre d'années après votre dernière naissance

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

**File : wm\_base\_femme****# CM11A: Nombre d'années après votre dernière naissance**

Statistics [NW/ W] [Valid=5637 /-] [Invalid=2522 /-] [Mean=3.247 /-] [StdDev=4.107 /-]

**# CM12: Avez-vous donné naissance à un enfant durant les 24 derniers**

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=5637 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
N		3253	57.7%
Y		2384	42.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# CM13: Voulez-vous tomber enceinte à ce moment là ou attendre plus**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=2384 /-] [Invalid=5775 /-]

Value	Label	Cases	Percentage
1	A ce moment-là	1843	77.3%
2	Plutard	424	17.8%
3	Ne plus/ne pas avoir d'enfant	64	2.7%
9	Manquant	53	2.2%
Sysmiss		5775	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# TT1: Avez-vous une carte de vaccination**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=2384 /-] [Invalid=5775 /-]

Value	Label	Cases	Percentage
1	Oui (carte vue)	1583	66.4%
2	Oui (ccarte non vue)	278	11.7%
3	Non	512	21.5%
8	NSP	2	0.1%
9	Manquant	9	0.4%
Sysmiss		5775	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# TT2: Durant votre dernière grossesse avez vous reçu une piqûre anti**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=2384 /-] [Invalid=5775 /-]

Value	Label	Cases	Percentage
1	Oui	1917	80.4%
2	Non	452	19.0%
8	NSP	6	0.3%
9	Manquant	9	0.4%
Sysmiss		5775	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# TT3: Combien de fois avez-vous eu cette injection anti-tétanos**

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**File : wm\_base\_femme****# TT3: Combien de fois avez-vous eu cette injection anti-tetanos**

Statistics [NW/ W] [Valid=1917 /-] [Invalid=6242 /-]

Value	Label	Cases	Percentage
1		357	18.6%
2		1098	57.3%
3		339	17.7%
4		59	3.1%
5		57	3.0%
98	NSP	7	0.4%
99	Manquant	0	
Sysmiss		6242	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># TT5: Avez vous-avant votre grossesse reçu une injection contre le</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=831 /-] [Invalid=7328 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	300	36.1%
2	Non	507	61.0%
8	NSP	14	1.7%
9	Manquant	10	1.2%
Sysmiss		7328	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TT6: Combien de fois avez-vous reçu cette injection</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=300 /-] [Invalid=7859 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		100	33.3%
2		81	27.0%
3		49	16.3%
4		22	7.3%
5		38	12.7%
6		2	0.7%
7		1	0.3%
10		1	0.3%
12		1	0.3%
16		1	0.3%
98	NSP	0	
99	Manquant	4	1.3%
Sysmiss		7859	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TT7M: En quel mois avez-vous reçu la dernière injection</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=300 /-] [Invalid=7859 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		11	3.7%
2		14	4.7%
3		10	3.3%
4		3	1.0%
5		10	3.3%
6		14	4.7%
7		12	4.0%
8		8	2.7%
9		10	3.3%
10		8	2.7%
11		5	1.7%
12		17	5.7%
97	Incoherent	0	

<b># TT7M: En quel mois avez-vous reçu la dernière injection</b>			
Value	Label	Cases	Percentage
98	NSP	176	58.7%
99	Manquant	2	0.7%
Sysmiss		7859	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TT7Y: En quelle année avez-vous reçu la dernière injection</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1992-9999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=300 /-] [Invalid=7859 /-]		
Value	Label	Cases	Percentage
1992		3	1.0%
1993		2	0.7%
1994		3	1.0%
1995		1	0.3%
1996		2	0.7%
1997		5	1.7%
1998		3	1.0%
1999		12	4.0%
2000		18	6.0%
2001		12	4.0%
2002		33	11.0%
2003		25	8.3%
2004		22	7.3%
2005		15	5.0%
9997	Incoherent	0	
9998	NSP	142	47.3%
9999	Manquant	2	0.7%
Sysmiss		7859	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># TT8: Nombre d'années depuis la dernière injection anti-tétanos</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=144 /-] [Invalid=8015 /-]		
Value	Label	Cases	Percentage
0		2	1.4%
1		12	8.3%
2		25	17.4%
3		36	25.0%
4		18	12.5%
5		13	9.0%
6		13	9.0%
7		3	2.1%
8		6	4.2%
9		2	1.4%
10		4	2.8%
11		2	1.4%
12		1	0.7%

<b># TT8: Nombre d'annees depuis la derniere injection anti-tetanos</b>			
Value	Label	Cases	Percentage
13		2	1.4%
15		2	1.4%
99	Manquant	3	2.1%
Sysmiss		8015	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN1: Avez-vous recu une dose de vitamine A apres la naissance de</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2384 /-] [Invalid=5775 /-]		
Value	Label	Cases	Percentage
1	Oui	1070	44.9%
2	Non	1290	54.1%
8	NSP	13	0.5%
9	Manquant	11	0.5%
Sysmiss		5775	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2A: Soin prenatal: Medecin</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=15 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		15	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2B: Soin prenatal: Sage-femme/Maieuticien</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=467 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		467	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2C: Soin prenatal : Infirmier/infirmiere</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=595 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		595	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2D: Soin prenatal: Accoucheuse auxiliaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=986 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
D		986	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2F: Soin prenatal: Accoucheuse traditionnelle</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

<b># MN2F: Soin prenatal: Accoucheuse traditionnelle</b>			
<b>Statistics [NW/ W]</b>		[Valid=19 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
F		19	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2G: Soin prenatal: Agent de sante communautaire</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=9 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
G		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2H: Soin prenatal: Parente/Amie</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># MN2X: Soin prenatal: Autre</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
X		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2Y: Soin prenatal: Personne</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=362 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Y		362	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2Z: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=9 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Z		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN2AA: Lieu de consultation</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2022 /-] [Invalid=6137 /-]	
Value	Label	Cases	Percentage
11	Votre Domicile	11	0.5%
12	Autre Domicile	14	0.7%
20	CSPS	99	4.9%
21	Hopital	21	1.0%
22	MaternitÃ©	823	40.7%
23	Dispensaire	608	30.1%
24	CM ( Centre Medical)	214	10.6%

**# MN2AA: Lieu de consultation**

Value	Label	Cases	Percentage
25	CMA (Centre Medical avec Antenne chirurg	54	2.7%
26	Autre public	155	7.7%
32		10	0.5%
33	Clinique privee	0	
36	Autre medical prive	1	0.0%
96	Autre	4	0.2%
99	Manquant	8	0.4%
Sysmiss		6137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN3A: Poids**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]

Value	Label	Cases	Percentage
1	Oui	1997	98.8%
2	Non	17	0.8%
9	Manquant	8	0.4%
Sysmiss		6137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN3B: Tension**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]

Value	Label	Cases	Percentage
1	Oui	1934	95.6%
2	Non	80	4.0%
9	Manquant	8	0.4%
Sysmiss		6137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN3C: Urine**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]

Value	Label	Cases	Percentage
1	Oui	1691	83.6%
2	Non	323	16.0%
9	Manquant	8	0.4%
Sysmiss		6137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN3D: Sang**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]

Value	Label	Cases	Percentage
1	Oui	756	37.4%
2	Non	1256	62.1%

<b># MN3D: Sang</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
9	Manquant	10	0.5%
Sysmiss		6137	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN3AA: Informations ou conseils recu sur la planification familiale</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1016	50.2%
2	Non	990	49.0%
8	NSP	5	0.2%
9	Manquant	11	0.5%
Sysmiss		6137	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN3BB: Soins prénatals : avez vous recu du fer/folate</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1885	93.2%
2	Non	117	5.8%
8	NSP	10	0.5%
9	Manquant	10	0.5%
Sysmiss		6137	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN4: Avez-vous recu des conseils sur le sida ou le virus du sida</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	891	44.1%
2	Non	1114	55.1%
8	NSP	4	0.2%
9	Manquant	13	0.6%
Sysmiss		6137	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN5: Avez-vous effectuée un test du VIH/SIDA</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2022 /-] [Invalid=6137 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	173	8.6%
2	Non	1815	89.8%
8	NSP	25	1.2%
9	Manquant	9	0.4%
Sysmiss		6137	

**# MN5: Avez-vous effectue un test du VIH/SIDA**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN6: Avez-vous obtenu les resultats du test**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=173 /-] [Invalid=7986 /-]

Value	Label	Cases	Percentage
1	Oui	142	82.1%
2	Non	31	17.9%
8	NSP	0	
9	Manquant	0	
Sysmiss		7986	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN6A: Avez vous pris des mÃ©dicament contre le paludisme pendant vo**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=2022 /-] [Invalid=6137 /-]

Value	Label	Cases	Percentage
1	Oui	1856	91.8%
2	Non	149	7.4%
8	NSP	9	0.4%
9	Manquant	8	0.4%
Sysmiss		6137	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN6BA: SP/Fansidar/Maloxine**

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=34 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		34	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN6BB: Chloroquine/Nivaquine/Camoquine**

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=1741 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		1741	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN6BC: Amodiaquine**

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
C		5	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN6BD: Quinine/Quinimax**

Information [Type= discrete] [Format=character] [Missing=\*]

Statistics [NW/ W] [Valid=9 /-] [Invalid=0 /-]

<b># MN6BD: Quinine/Quinimax</b>			
Value	Label	Cases	Percentage
D		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BE: Combinaison basÃ©e sur l'ArtÃ©misine</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># MN6BF: Autre Antipaludeen</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=50 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		50	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BG: Paracetamol/Panadol/Acetaminophen</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=144 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
G		144	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BH: Aspirine</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
H		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BI: Ibuprofen</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
I		7	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BX: Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
X		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BY: NSP</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=26 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Y		26	100.0%

<b># MN6BY: NSP</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6BZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=3 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6D: Nombre de fois mÃ©dicament Sp/Fansidar Pris pendant la grosse</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=34 /-] [Invalid=8125 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		4	11.8%
2		9	26.5%
3		4	11.8%
4		1	2.9%
94	Durant le premier trimestre de la grossesse	3	8.8%
95	Durant le deuxiÃ¨me trimestre de la grossesse	1	2.9%
96	Durant le troisiÃ¨me trimestre de la grossesse	1	2.9%
97	Pendant toute la grossesse	2	5.9%
98	NSP	2	5.9%
99	Manquant	7	20.6%
Sysmiss		8125	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN6E: Durant la grossesse avez vous dormi sous une moustiquaire</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2022 /-] [Invalid=6137 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	699	34.6%
2	Non	1295	64.0%
8	NSP	2	0.1%
9	Manquant	26	1.3%
Sysmiss		6137	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7A: Assistance a l'accouchement: Medecin</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=11 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		11	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7B: Assistance a l'accouchement: safe-femme/Maieuticien</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=380 /-] [Invalid=0 /-]	

<b># MN7B: Assistance a l'accouchement: safe-femme/Maieuticien</b>			
Value	Label	Cases	Percentage
B		380	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7C: Assistance e laccouchement : infirmier/infirmiere</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=156 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		156	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7F: Assistance a l'accouchement: Accoucheuse traditionnelle</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=611 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
D		611	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7D: Assistance a l'accouchement: Accoucheuse auxiliaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=662 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		662	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7G: Assistance a l'accouchement: Agent de sante communautaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=56 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
G		56	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7H: Assistance a l'accouchement: Parente/Amie</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=475 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
H		475	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7X: Assistance a l'accouchement: Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=25 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
X		25	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN7Y: Assistance a l'accouchement: Personne</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

**# MN7Y: Assistance a l'accouchement: Personne**

Statistics [NW/ W] [Valid=117 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Y		117	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># MN7Z: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=38 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		38	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN8: Ou avez-vous accouche</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2384 /-] [Invalid=5775 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Votre domicile	1198	50.3%
12	Autre domicile	56	2.3%
20	Hopital	48	2.0%
21	CSPS	555	23.3%
22	MaternitÃ©	295	12.4%
23	Dispensaire	31	1.3%
24	Clinique Gouvernementale/Centre de sante gouvernementale	57	2.4%
25	CMA ( Centre medical avec antenne chirurgical	61	2.6%
26	Autre public	21	0.9%
27	Poste de sante primaire	21	0.9%
31	Hopital privee	0	
32	Clinique privee	9	0.4%
33	Maternite privee	1	0.0%
36	Autre medical prive	2	0.1%
96	Autre	13	0.5%
99	Manquant	16	0.7%
Sysmiss		5775	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN8A: Qui a choisit le lieu pour l'accouchement</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2384 /-] [Invalid=5775 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	Suprise/Personne / Brusque	296	12.4%
1	Enquete	989	41.5%
2	Conjoint / Partenaire	865	36.3%
3	Parent / ami de enquete	61	2.6%
4	Beaux parent de enquete	78	3.3%
5	Autre	80	3.4%
9	Manquant	15	0.6%
Sysmiss		5775	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MN9: Taille de votre dernier enfant</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2384 /-] [Invalid=5775 /-]		

**# MN9: Taille de votre dernier enfant**

Value	Label	Cases	Percentage
1	Tres gros	126	5.3%
2	Plus gros que la moyenne	546	22.9%
3	Moyen	1211	50.8%
4	Plus petit que la moyenne	341	14.3%
5	tres petit	81	3.4%
8	NSP	59	2.5%
9	Manquant	20	0.8%
Sysmiss		5775	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN10: L'enfant a-t-il ete pese a sa naissance**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2384 /-] [Invalid=5775 /-]

Value	Label	Cases	Percentage
1	Oui	1006	42.2%
2	Non	1351	56.7%
8	NSP	16	0.7%
9	Manquant	11	0.5%
Sysmiss		5775	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN11A: Poids du carnet ou memoire**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1006 /-] [Invalid=7153 /-]

Value	Label	Cases	Percentage
1	Carnet	792	78.7%
2	Memoire	77	7.7%
9	Manquant	137	13.6%
Sysmiss		7153	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN11: Poids a la naissance en (Kilogramme)**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-9.999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1006 /-] [Invalid=7153 /-] [Mean=3.929 /-] [StdDev=2.471 /-]

**# MN12: Avez-vous allaite**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2384 /-] [Invalid=5775 /-]

Value	Label	Cases	Percentage
1	Oui	2347	98.4%
2	Non	21	0.9%
9	Manquant	16	0.7%
Sysmiss		5775	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN13U: Unite**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
--------------------	--

**# MN13U: Unite**

<b>Statistics [NW/ W]</b>	[Valid=2347 /-] [Invalid=5812 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0	Immédiatement	469	20.0%
1	Heure	936	39.9%
2	Jours	863	36.8%
9	Manquant	79	3.4%
Sysmiss		5812	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MN13N: Nombre**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=2347 /-] [Invalid=5812 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0		493	21.0%
1		598	25.5%
2		417	17.8%
3		250	10.7%
4		115	4.9%
5		97	4.1%
6		62	2.6%
7		39	1.7%
8		51	2.2%
9		14	0.6%
10		30	1.3%
11		14	0.6%
12		34	1.4%
13		9	0.4%
14		10	0.4%
15		8	0.3%
16		3	0.1%
17		6	0.3%
18		5	0.2%
19		2	0.1%
20		9	0.4%
21		1	0.0%
24		1	0.0%
98	NSP	76	3.2%
99	Manquant	3	0.1%
Sysmiss		5812	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MA1: Etes-vous actuellement mariee ou vivez-vous avec un homme**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]
---------------------------	----------------------------------

Value	Label	Cases	Percentage
1	Oui, actuellement mariee	4939	67.5%

<b># MA1: Etes-vous actuellement mariee ou vivez-vous avec un homme</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
2	Oui, vit avec un homme	680	9.3%
3	Non , pas en union	1697	23.2%
System		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MA2: Age de votre Mari/partenaire</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5619 /-] [Invalid=2540 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
10		1	0.0%
12		1	0.0%
17		1	0.0%
19		2	0.0%
20		14	0.2%
21		12	0.2%
22		21	0.4%
23		27	0.5%
24		33	0.6%
25		71	1.3%
26		45	0.8%
27		58	1.0%
28		64	1.1%
29		55	1.0%
30		180	3.2%
31		62	1.1%
32		107	1.9%
33		66	1.2%
34		79	1.4%
35		173	3.1%
36		83	1.5%
37		102	1.8%
38		101	1.8%
39		55	1.0%
40		221	3.9%
41		62	1.1%
42		101	1.8%
43		70	1.2%
44		73	1.3%
45		131	2.3%
46		67	1.2%
47		56	1.0%
48		69	1.2%
49		44	0.8%
50		165	2.9%
51		63	1.1%

### # MA2: Age de votre Mari/partenaire

Value	Label	Cases	Percentage
52		49	0.9%
53		50	0.9%
54		46	0.8%
55		75	1.3%
56		54	1.0%
57		49	0.9%
58		46	0.8%
59		26	0.5%
60		93	1.7%
61		24	0.4%
62		27	0.5%
63		22	0.4%
64		6	0.1%
65		23	0.4%
66		30	0.5%
67		13	0.2%
68		14	0.2%
69		7	0.1%
70		48	0.9%
71		13	0.2%
72		13	0.2%
73		6	0.1%
74		5	0.1%
75		7	0.1%
76		6	0.1%
77		6	0.1%
78		2	0.0%
79		2	0.0%
80		9	0.2%
81		2	0.0%
82		3	0.1%
83		1	0.0%
84		2	0.0%
85		2	0.0%
90		2	0.0%
96		1	0.0%
97		1	0.0%
98	NSP	2262	40.3%
99	Manquant	37	0.7%
Sysmiss		2540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MA2A: Votre Mari/Partenaire a d'autres Ã©pouses/femmes en plus de v

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5619 /-] [Invalid=2540 /-]

**# MA2A: Votre Mari/Partenaire a d'autres Ã©pouses/femmes en plus de v**

Value	Label	Cases	Percentage
1	Oui	2858	50.9%
2	Non	2761	49.1%
Sysmiss		2540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MA2B: Nombre d'autres femmes**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=2858 /-] [Invalid=5301 /-]

Value	Label	Cases	Percentage
1		1845	64.6%
2		715	25.0%
3		208	7.3%
4		70	2.4%
5		10	0.3%
6		2	0.1%
8		5	0.2%
98	NSP	1	0.0%
99	Manquant	2	0.1%
Sysmiss		5301	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MA3: Avez-vous deja ete marie ou avez-vous deja vecu avec un homm**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1697 /-] [Invalid=6462 /-]

Value	Label	Cases	Percentage
1	Oui, a ete mariee	229	13.5%
2	Oui, a vecu avec un homme	46	2.7%
3	Non	1422	83.8%
Sysmiss		6462	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MA4: Situation matrimoniale**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=275 /-] [Invalid=7884 /-]

Value	Label	Cases	Percentage
1	Veuve	153	55.6%
2	Divrocee	39	14.2%
3	Separee	83	30.2%
Sysmiss		7884	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# MA5: Avez-vous ete mariee ou vecu avec un homme une fois ou plus**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5894 /-] [Invalid=2265 /-]

Value	Label	Cases	Percentage
1	Une fois	5059	85.8%

<b># MA5: Avez-vous ete mariee ou vecu avec un homme une fois ou plus</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
2	Plus d'une fois	773	13.1%
9	Manquant	62	1.1%
Sysmiss		2265	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MA6M: Mois de votre premiere union</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5894 /-] [Invalid=2265 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		74	1.3%
2		81	1.4%
3		72	1.2%
4		99	1.7%
5		83	1.4%
6		81	1.4%
7		51	0.9%
8		56	1.0%
9		49	0.8%
10		46	0.8%
11		35	0.6%
12		75	1.3%
97	Inconsistant	0	
98	NSP	5075	86.1%
99	Manquant	17	0.3%
Sysmiss		2265	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># MA6Y: Annee de votre premiere union</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1969-9999] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5894 /-] [Invalid=2265 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1969		1	0.0%
1972		3	0.1%
1973		2	0.0%
1974		7	0.1%
1975		11	0.2%
1976		21	0.4%
1977		22	0.4%
1978		21	0.4%
1979		18	0.3%
1980		39	0.7%
1981		26	0.4%
1982		24	0.4%
1983		30	0.5%
1984		30	0.5%
1985		35	0.6%

### # MA6Y: Annee de votre premiere union

Value	Label	Cases	Percentage
1986		53	0.9%
1987		28	0.5%
1988		32	0.5%
1989		53	0.9%
1990		55	0.9%
1991		41	0.7%
1992		35	0.6%
1993		45	0.8%
1994		50	0.8%
1995		56	1.0%
1996		84	1.4%
1997		59	1.0%
1998		58	1.0%
1999		71	1.2%
2000		79	1.3%
2001		72	1.2%
2002		78	1.3%
2003		89	1.5%
2004		86	1.5%
2005		111	1.9%
2006		72	1.2%
9998	NSP	4284	72.7%
9999	Manquant	13	0.2%
Sysmiss		2265	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MA8: Age a votre premiere union

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5155 /-] [Invalid=3004 /-]

Value	Label	Cases	Percentage
10		23	0.4%
11		14	0.3%
12		46	0.9%
13		66	1.3%
14		148	2.9%
15		663	12.9%
16		607	11.8%
17		1607	31.2%
18		552	10.7%
19		722	14.0%
20		350	6.8%
21		136	2.6%
22		81	1.6%
23		29	0.6%
24		25	0.5%

**# MA8: Age a votre premiere union**

Value	Label	Cases	Percentage
25		29	0.6%
26		6	0.1%
27		9	0.2%
28		2	0.0%
29		3	0.1%
30		7	0.1%
31		1	0.0%
32		2	0.0%
35		2	0.0%
97	Inconsistant	0	
98	NSP	0	
99	Manquant	25	0.5%
Sysmiss		3004	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# CP1: Etes-vous actuellement enceinte**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1	Oui actuellement enceinte	667	9.1%
2	Non	6605	90.3%
8	Pas sur /NSP	44	0.6%
9	Manquant	0	
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# CP1A: Voulez-vous tomber enceinte ou voulez-vous attendre plutar**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=667 /-] [Invalid=7492 /-]

Value	Label	Cases	Percentage
1	A ce moment	490	73.5%
2	Plus tard	161	24.1%
3	Ne voulait plus d'enfants	10	1.5%
9	Manquant	6	0.9%
Sysmiss		7492	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# CP2: utilisez-vous une methode pour retarder ou eviter une grosse**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6649 /-] [Invalid=1510 /-]

Value	Label	Cases	Percentage
1	Oui	1033	15.5%
2	Non	5602	84.3%
9	Manquant	14	0.2%
Sysmiss		1510	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># CP3A: Methode actuelle: Sterilisation feminine</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		5	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3B: Methode actuelle: Sterilisation masculine</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># CP3C: Methode actuelle: Pilule</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=256 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		256	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3D: Methode actuelle: DIU</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=14 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		14	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3E: Methode actuelle: Injections</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=262 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
E		262	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3F: Methode actuelle: Implants</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=94 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		94	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3G: Methode actuelle: Condom</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=171 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		171	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3H: Methode actuelle: Condom feminin</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1 /-] [Invalid=0 /-]		

<b># CP3H: Methode actuelle: Condom feminin</b>			
Value	Label	Cases	Percentage
H		1	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3I: methode actuelle: Diaphragme</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
I		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3J: Methode actuelle: Mousse/gelee</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># CP3K: methode actuelle: Methode de l'allaitement maternel et de l'</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=68 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
K		68	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3L: Methode actuelle: Abstinence periodique</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=184 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
L		184	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3M: Methode actuelle: Retrait</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
M		4	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3X: Methode actuelle: Autre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
X		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3Z: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Z		2	100.0%

<b># CP3Z: Manquant</b>			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP3AA: Variable de controle</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=8159 /-]	
Value	Label	Cases	Percentage
Sysmiss		8159	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP4A: Voudriez-vous avoir un autre enfant ou ne pas en avoir</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5075 /-] [Invalid=3084 /-]	
Value	Label	Cases	Percentage
1	Avoir (un /autre) enfant	3242	63.9%
2	Pas d'autres du tout/Aucun	1349	26.6%
3	Dit qu'elle ne peut pas tomber enceinte	208	4.1%
4	le temps de Dieu/ Depend de Dieu	0	
8	Indecise/NSP	275	5.4%
9	Manquant	1	0.0%
Sysmiss		3084	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP4A1: Voudriez vous avoir un autre enfant ou pas du tout</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1574 /-] [Invalid=6585 /-]	
Value	Label	Cases	Percentage
1	Avoir un autre enfant	1491	94.7%
2	Pas d'autre du tout/Aucun	16	1.0%
3	Dit qu'elle ne peut pas tomber enceinte	16	1.0%
4	le temps de Dieu/ Depend de Dieu	0	
8	Indécise/NSP	50	3.2%
9	Manquant	1	0.1%
Sysmiss		6585	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP4B: À propos de l'enfant que vous attendez voudriez vous avoir un autre</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=667 /-] [Invalid=7492 /-]	
Value	Label	Cases	Percentage
1	Avoir un autre enfant	550	82.5%
2	Pas d'autre du tout/Aucun	83	12.4%
3	Dit qu'elle ne peut pas tomber enceinte	0	
4	le temps de Dieu/ Depend de Dieu	0	
8	Indécise/NSP	34	5.1%
9	Manquant	0	
Sysmiss		7492	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># CP4CU: Temps d'attente en (unites)</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5283 /-] [Invalid=2876 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Mois	46	0.9%
2	Annee	3153	59.7%
9	Special	2084	39.4%
Sysmiss		2876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP4CN: Temps d'attente en (nombre)</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5283 /-] [Invalid=2876 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1		348	6.6%
2		667	12.6%
3		918	17.4%
4		588	11.1%
5		472	8.9%
6		103	1.9%
7		39	0.7%
8		11	0.2%
9		5	0.1%
10		34	0.6%
11		3	0.1%
12		3	0.1%
15		1	0.0%
20		4	0.1%
22		1	0.0%
25		1	0.0%
93	Bientot/maintenant	602	11.4%
94	Elle ne peut pas tomber enceinte	8	0.2%
95	After marriage	753	14.3%
96	Autre	40	0.8%
98	NSP	672	12.7%
99	Manquant	10	0.2%
Sysmiss		2876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># CP4E: Pensez-vous que vous etes physiquement apte a etre en etat d</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6425 /-] [Invalid=1734 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	4082	63.5%
2	Non	1575	24.5%
8	NSP	744	11.6%
9	Manquant	24	0.4%

<b># CP4E: Pensez-vous que vous etes physiquement apte a etre en etat d</b>			
Value	Label	Cases	Percentage
Systemiss		1734	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG1: Avez-vous entendu parle de l'excision</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	Oui	7011	95.8%
2	Non	304	4.2%
9	Manquant	1	0.0%
Systemiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG2: Avez-vous deja entendu parler de cette pratique qui consiste</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=305 /-] [Invalid=7854 /-]		
Value	Label	Cases	Percentage
1	Oui	16	5.2%
2	Non	287	94.1%
9	Manquant	2	0.7%
Systemiss		7854	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG3: Avez-vous ete excise</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7027 /-] [Invalid=1132 /-]		
Value	Label	Cases	Percentage
1	Oui	5179	73.7%
2	Non	1742	24.8%
8	NSP	100	1.4%
9	Manquant	6	0.1%
Systemiss		1132	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG4: Vous-a-t-on couper quelque chose dans la zone genitale</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5179 /-] [Invalid=2980 /-]		
Value	Label	Cases	Percentage
1	Oui	4792	92.5%
2	Non	69	1.3%
8	NSP	302	5.8%
9	Manquant	16	0.3%
Systemiss		2980	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG5: Vous-a-t-on entailler les parties genitales sans rien couper</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

**# FG5: Vous-a-t-on entailler les parties genitales sans rien couper**

Statistics [NW/ W] [Valid=387 /-] [Invalid=7772 /-]

Value	Label	Cases	Percentage
1	Oui	50	12.9%
2	Non	22	5.7%
8	NSP	288	74.4%
9	Manquant	27	7.0%
Sysmiss		7772	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FG6: Vous -a-ton ferme la zone du vaccin par une couture</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5179 /-] [Invalid=2980 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	182	3.5%
2	Non	4464	86.2%
8	NSP	482	9.3%
9	Manquant	51	1.0%
Sysmiss		2980	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG7: Qui a procede a votre excision</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=5179 /-] [Invalid=2980 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
11	Exciseuse traditionnelle / grand-mere Mere de lenquete	4787	92.4%
12	Accoucheuse traditionnelle	58	1.1%
13	Homme/ traditionnel Homme	14	0.3%
16	Autre traditionnelle person	3	0.1%
21	Medecin	2	0.0%
22	Infirmiere/sage-femme	26	0.5%
26	Autre professionnel de sante	6	0.1%
98	NSP	256	4.9%
99	Manquant	27	0.5%
Sysmiss		2980	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG9: Combien de vos filles ont ete excisees</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=4389 /-] [Invalid=3770 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0	Aucune filles excisee	3244	73.9%
1		532	12.1%
2		330	7.5%
3		157	3.6%
4		65	1.5%
5		26	0.6%
6		7	0.2%
7		2	0.0%
8		1	0.0%
98	NSP	0	
99	Manquant	25	0.6%
Sysmiss		3770	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG11: A-t-on enleve quelque chose de ses parties genitales</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=1145 /-] [Invalid=7014 /-]	

### # FG11: A-t-on enlevé quelque chose de ses parties génitales

Value	Label	Cases	Percentage
1	Oui	1072	93.6%
2	Non	13	1.1%
8	NSP	34	3.0%
9	Manquant	26	2.3%
Sysmiss		7014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG12: Lui a-t-on seulement entaillé ses parties sans rien couper

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=73 /-] [Invalid=8086 /-]

Value	Label	Cases	Percentage
1	Oui	11	15.1%
2	Non	2	2.7%
8	NSP	33	45.2%
9	Manquant	27	37.0%
Sysmiss		8086	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG13: Lui a-t-on fermé totalement la zone du vagin par une couture

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1145 /-] [Invalid=7014 /-]

Value	Label	Cases	Percentage
1	Oui	37	3.2%
2	Non	1045	91.3%
8	NSP	31	2.7%
9	Manquant	32	2.8%
Sysmiss		7014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG14: Quel âge avait votre fille au moment de l'excision

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1145 /-] [Invalid=7014 /-]

Value	Label	Cases	Percentage
0		211	18.4%
1		88	7.7%
2		113	9.9%
3		104	9.1%
4		77	6.7%
5		177	15.5%
6		53	4.6%
7		153	13.4%
8		22	1.9%
9		20	1.7%
10		24	2.1%
11		6	0.5%
12		10	0.9%

### # FG14: Quel age avait votre fille au moment de l'excision

Value	Label	Cases	Percentage
13		6	0.5%
14		3	0.3%
15		11	1.0%
16		1	0.1%
18		1	0.1%
20		1	0.1%
97	Inconsistant	0	
98	NSP	39	3.4%
99	Manquant	25	2.2%
Sysmiss		7014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG15: Qui a procede a l'excision

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1145 /-] [Invalid=7014 /-]

Value	Label	Cases	Percentage
11	Exciseuse traditionnelle / grand-mere	973	85.0%
12	Matrone/Accoucheuse traditionnelle	9	0.8%
16	Autre traditionnelle person	1	0.1%
21	Medecin	1	0.1%
22	Infirmiere/sage-femme	12	1.0%
26	Autre professionnel de sante	0	
98	NSP	41	3.6%
99	Manquant	108	9.4%
Sysmiss		7014	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG15A: pensez vous quz l'excision a des effets nefastes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7027 /-] [Invalid=1132 /-]

Value	Label	Cases	Percentage
1	Oui	4716	67.1%
2	Non	1096	15.6%
8	NSP	1215	17.3%
Sysmiss		1132	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG15BA: Dimunition du plaisir

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=333 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		333	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FG15BB: Problemes a l'accouchement

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3049 /-] [Invalid=0 /-]

<b># FG15BB: Problemes a laccouchement</b>			
Value	Label	Cases	Percentage
B		3049	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BC: Provoque des maladies</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2066 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		2066	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BD: Fistules</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=37 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
D		37	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BE: Incontinence urinaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=53 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
E		53	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BF: Retention des regles</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=58 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		58	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BG: Frigidite</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=80 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
G		80	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BH: Infection a VIH/Sida</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=572 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
H		572	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BI: Mort</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

<b># FG15BI: Mort</b>			
<b>Statistics [NW/ W]</b>		[Valid=1939 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		1939	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BJ: Hemorragie / Saignement</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=230 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
J		230	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BK: Perte de connaissance / Evanouissement</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=9 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
K		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BL: StÃ©rilite</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=168 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
L		168	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BM: Douleur pendant les rapports/ peur des rapports sexuels</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=29 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
M		29	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BO: Rend Handicape</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># FG15BX: Autre</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=74 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		74	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BY: NSP</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=40 /-] [Invalid=0 /-]	

<b># FG15BY: NSP</b>			
Value	Label	Cases	Percentage
Y		40	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG15BZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=19 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Z		19	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG16: Pensez-vous que cette pratique doit continuer ou disparaître</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7027 /-] [Invalid=1132 /-]	
Value	Label	Cases	Percentage
1	Maintenue	817	11.6%
2	Disparaitre	5551	79.0%
3	Cela depend	220	3.1%
8	NSP	406	5.8%
9	Manquant	33	0.5%
Sysmiss		1132	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FG16A: Saviez vous la loi interdisant la pratique de l'excision au</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7027 /-] [Invalid=1132 /-]	
Value	Label	Cases	Percentage
1	Oui	6373	90.7%
2	Non	463	6.6%
8	NSP	191	2.7%
Sysmiss		1132	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># DV1A: Sort sans lui dire</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7316 /-] [Invalid=843 /-]	
Value	Label	Cases	Percentage
1	Oui	3573	48.8%
2	Non	3545	48.5%
8	NSP	191	2.6%
9	Manquant	7	0.1%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># DV1B: Neglige les enfants</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7316 /-] [Invalid=843 /-]	

<b># DV1B: Neglige les enfants</b>			
Value	Label	Cases	Percentage
1	Oui	3586	49.0%
2	Non	3537	48.3%
8	NSP	185	2.5%
9	Manquant	8	0.1%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># DV1C: Argumente avec lui</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	Oui	3995	54.6%
2	Non	3118	42.6%
8	NSP	196	2.7%
9	Manquant	7	0.1%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># DV1D: Refuse sexe</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	Oui	3017	41.2%
2	Non	3924	53.6%
8	NSP	367	5.0%
9	Manquant	8	0.1%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># DV1E: Brule la nourriture</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	Oui	1676	22.9%
2	Non	5467	74.7%
8	NSP	165	2.3%
9	Manquant	8	0.1%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># SB1: Age lors de vos premiers rapports sexuels</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2645 /-] [Invalid=5514 /-]		
Value	Label	Cases	Percentage
0	N'a jamais eu d'activite sexuelle	914	34.6%
10		12	0.5%

### # SB1: Age lors de vos premiers rapports sexuels

Value	Label	Cases	Percentage
11		4	0.2%
12		21	0.8%
13		23	0.9%
14		72	2.7%
15		190	7.2%
16		220	8.3%
17		295	11.2%
18		138	5.2%
19		80	3.0%
20		42	1.6%
21		15	0.6%
22		4	0.2%
23		4	0.2%
24		1	0.0%
95	1ere fois en commençant a vivre avec (1er) mari/partenaire	593	22.4%
97	Inconsistant	0	
99	Manquant	17	0.6%
Sysmiss		5514	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SB2U: Unite depuis vos derniers rapports sexuels

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1731 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
1	Jours	544	31.4%
2	Semaine	335	19.4%
3	Mois	617	35.6%
4	Annee	218	12.6%
9	NSP/Manquant	17	1.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SB2N: Nombre depuis vos derniers rapports sexuels

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1731 /-] [Invalid=6428 /-]

Value	Label	Cases	Percentage
0		8	0.5%
1		637	36.8%
2		394	22.8%
3		230	13.3%
4		139	8.0%
5		124	7.2%
6		83	4.8%
7		28	1.6%
8		24	1.4%
9		22	1.3%

### # SB2N: Nombre depuis vos derniers rapports sexuels

Value	Label	Cases	Percentage
10		18	1.0%
11		7	0.4%
97	Inconsistant	0	
98	NSP	0	
99	Manquant	17	1.0%
Sysmiss		6428	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SB3: Est-ce-qu'un condom a ete utilise lors de vos derniers rappo

Value	Label	Cases	Percentage
1	Oui	365	24.1%
2	Non	1110	73.4%
9	Manquant	38	2.5%
Sysmiss		6646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SB4: Lien de parente avec l'homme avec qui vous avez eu vos derni

Value	Label	Cases	Percentage
1	C'est mon mari/partenaire cohabitant	1096	72.4%
2	C'est mon petit ami/fiance	354	23.4%
3	C'est un autre ami	40	2.6%
4	C'est une rencontre occasionelle	7	0.5%
6	Autre	0	
9	Manquant	16	1.1%
Sysmiss		6646	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SB5: Quel est l'age de cette personne

Value	Label	Cases	Percentage
16		2	0.5%
17		4	1.0%
18		10	2.4%
19		16	3.8%
20		28	6.7%
21		20	4.8%
22		28	6.7%
23		21	5.0%
24		11	2.6%
25		43	10.3%
26		13	3.1%

<b># SB5: Quel est l'age de cette personne</b>			
Value	Label	Cases	Percentage
27		20	4.8%
28		16	3.8%
29		10	2.4%
30		23	5.5%
31		3	0.7%
32		12	2.9%
33		5	1.2%
34		8	1.9%
35		3	0.7%
36		1	0.2%
37		4	1.0%
38		1	0.2%
39		1	0.2%
40		1	0.2%
41		1	0.2%
43		1	0.2%
98	NSP	89	21.3%
99	Manquant	22	5.3%
Sysmiss		7742	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># SB6: Avez-vous eu d'autres rapports sexuels durant les 12 dernier</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1513 /-] [Invalid=6646 /-]		
Value	Label	Cases	Percentage
1	Oui	32	2.1%
2	Non	1466	96.9%
9	Manquant	15	1.0%
Sysmiss		6646	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># SB7: Un condom a t-il ete utilise lors de vos rapports sexuels av</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=33 /-] [Invalid=8126 /-]		
Value	Label	Cases	Percentage
1	Oui	18	54.5%
2	Non	12	36.4%
9	Manquant	3	9.1%
Sysmiss		8126	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># SB8: Lien de parente avec cet autre homme</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=33 /-] [Invalid=8126 /-]		
Value	Label	Cases	Percentage
1	C'est mon mari/partenaire cohabitant	4	12.1%

**# SB8: Lien de parente avec cet autre homme**

Value	Label	Cases	Percentage
2	C'est mon petit ami/fiance	6	18.2%
3	C'est un autre ami	19	57.6%
4	C'est une rencontre occasionnelle	3	9.1%
6	Autre	0	
9	Manquant	1	3.0%
Sysmiss		8126	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# SB9: Quel age avait cette personne**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 16-99] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=29 /-] [Invalid=8130 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
16		1	3.4%
20		1	3.4%
22		2	6.9%
23		1	3.4%
25		4	13.8%
26		1	3.4%
27		2	6.9%
30		3	10.3%
35		1	3.4%
37		2	6.9%
98	NSP	10	34.5%
99	Manquant	1	3.4%
Sysmiss		8130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# SB10: Mis a part ces deux hommes avez-vous eu d'autres rapports se**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=33 /-] [Invalid=8126 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1	Oui	3	9.1%
2	Non	29	87.9%
9	Manquant	1	3.0%
Sysmiss		8126	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# SB11: Nombre de rapports sexuels durant les 12 derniers mois**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 3-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=4 /-] [Invalid=8155 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
3		2	50.0%
5		1	25.0%
98	NSP	0	
99	Manquant	1	25.0%
Sysmiss		8155	

**# SB11: Nombre de rapports sexuels durant les 12 derniers mois**

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HA1: Avez-vous entendu parler du VIH/Sida**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
1	Oui	6862	93.8%
2	Non	453	6.2%
9	Manquant	1	0.0%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HA2: Reduire le risque d'avoir le sida en ayant seulement un part**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	5931	86.4%
2	Non	426	6.2%
8	NSP	502	7.3%
9	Manquant	3	0.0%
Sysmiss		1297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HA3: Est-ce-que'on peut contracter le sida par des moyens surnatu**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	1190	17.3%
2	Non	3867	56.4%
8	NSP	1790	26.1%
9	Manquant	15	0.2%
Sysmiss		1297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HA4: Reduire le risque d'avoir le sida en utilisant un condom**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	4785	69.7%
2	Non	803	11.7%
8	NSP	1238	18.0%
9	Manquant	36	0.5%
Sysmiss		1297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HA5: Est-ce-qu'on peut contracter le sida en se faisant piquer pa**

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

Statistics [NW/ W] [Valid=6862 /-] [Invalid=1297 /-]

**# HA5: Est-ce-qu'on peut contracter le sida en se faisant piquer pa**

Value	Label	Cases	Percentage
1	Oui	3343	48.7%
2	Non	2371	34.6%
8	NSP	1116	16.3%
9	Manquant	32	0.5%
Sysmiss		1297	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># HA6: Reduire le risque de contracter le sida en s'abstenant de ra</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		
Value	Label	Cases	Percentage
1	Oui	5710	83.2%
2	Non	618	9.0%
8	NSP	512	7.5%
9	Manquant	22	0.3%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA7: Avoir le sida en mangeant avec quelqu'un qui a le sida</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		
Value	Label	Cases	Percentage
1	Oui	1938	28.2%
2	Non	3909	57.0%
8	NSP	997	14.5%
9	Manquant	18	0.3%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA7A: Peut on avoir le sida en recevant une injection d'une aiguil</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		
Value	Label	Cases	Percentage
1	Oui	6136	89.4%
2	Non	204	3.0%
8	NSP	513	7.5%
9	Manquant	9	0.1%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA8: Est-ce-qu'une personne paraissant en bonne santte peut avoir</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		
Value	Label	Cases	Percentage
1	Oui	4176	60.9%
2	Non	1307	19.0%
8	NSP	1333	19.4%
9	Manquant	46	0.7%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA9A: Est-ce-que le sida peut etre transmis durant la grossesse</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		

**# HA9A: Est-ce-que le sida peut etre transmis durant la grossesse**

Value	Label	Cases	Percentage
1	Oui	4975	72.5%
2	Non	864	12.6%
8	NSP	1021	14.9%
9	Manquant	2	0.0%
Sysmiss		1297	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HA9B: Est-ce-que le sida peut etre transmisspendant l'acouchement**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	5023	73.2%
2	Non	713	10.4%
8	NSP	1124	16.4%
9	Manquant	2	0.0%
Sysmiss		1297	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HA9C: Est-ce-que le sida peut etre transmis pendant l'allaitement**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	5281	77.0%
2	Non	619	9.0%
8	NSP	960	14.0%
9	Manquant	2	0.0%
Sysmiss		1297	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HA10: Une enseignante qui a le sida devrait-elle etre autorisee a**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	2844	41.4%
2	Non	3252	47.4%
8	NSP/Pas sure/ca depend	731	10.7%
9	Manquant	35	0.5%
Sysmiss		1297	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HA11: Est-ce-que vous acheteriez des legumes frais ches une person**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]

Value	Label	Cases	Percentage
1	Oui	1347	19.6%
2	Non	5260	76.7%

<b># HA11: Est-ce-que vous acheteriez des legumes frais ches une person</b>			
Value	Label	Cases	Percentage
8	NSP/Pas sure/ca depend	248	3.6%
9	Manquant	7	0.1%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA12: Voudriez- vous garder secret l'etat d'une personne de votre</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		
Value	Label	Cases	Percentage
1	Oui	4139	60.3%
2	Non	2348	34.2%
8	NSP/Pas sure/ca depend	372	5.4%
9	Manquant	3	0.0%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA13: Seriez-vous pret a prendre soin d'une personne de votre mena</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6862 /-] [Invalid=1297 /-]		
Value	Label	Cases	Percentage
1	Oui	5117	74.6%
2	Non	1342	19.6%
8	NSP/Pas sure/ca depend	398	5.8%
9	Manquant	5	0.1%
Sysmiss		1297	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA15: Avez-vous deja effectue le test du sida</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6691 /-] [Invalid=1468 /-]		
Value	Label	Cases	Percentage
1	Oui	549	8.2%
2	Non	6136	91.7%
9	Manquant	6	0.1%
Sysmiss		1468	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA16: Avez-vous recu les resultats du test</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=549 /-] [Invalid=7610 /-]		
Value	Label	Cases	Percentage
1	Oui	480	87.4%
2	Non	49	8.9%
9	Manquant	20	3.6%
Sysmiss		7610	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HA17: Aviez-vous demande a le faire ou vous l-at-on propose</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=549 /-] [Invalid=7610 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	A demande le test	277	50.5%
2	Propose et accepte	245	44.6%
3	Exige	18	3.3%
9	Manquant	9	1.6%
Sysmiss		7610	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA18: Connaissez-vous un endroit ou on peut effectuer le test du s</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6142 /-] [Invalid=2017 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1858	30.3%
2	Non	4275	69.6%
9	Manquant	9	0.1%
Sysmiss		2017	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HA18A: Connaissez vous autre endroit pour effectuer le test de Sida</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=171 /-] [Invalid=7988 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	71	41.5%
2	Non	94	55.0%
9	Manquant	6	3.5%
Sysmiss		7988	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># FFHH: Heure</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 3-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
3		2	0.0%
4		4	0.1%
5		1	0.0%
6		45	0.6%
7		216	3.0%
8		452	6.2%
9		531	7.3%
10		602	8.2%
11		554	7.6%
12		541	7.4%
13		452	6.2%
14		436	6.0%

### # FFHH: Heure

Value	Label	Cases	Percentage
15		414	5.7%
16		447	6.1%
17		481	6.6%
18		485	6.6%
19		340	4.6%
20		141	1.9%
21		63	0.9%
22		11	0.2%
99	Manquant	1098	15.0%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # FFHM: Minutes

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=7316 /-] [Invalid=843 /-]

Value	Label	Cases	Percentage
0		236	3.2%
1		90	1.2%
2		95	1.3%
3		66	0.9%
4		68	0.9%
5		156	2.1%
6		46	0.6%
7		75	1.0%
8		58	0.8%
9		49	0.7%
10		244	3.3%
11		49	0.7%
12		78	1.1%
13		66	0.9%
14		52	0.7%
15		254	3.5%
16		63	0.9%
17		87	1.2%
18		76	1.0%
19		54	0.7%
20		288	3.9%
21		62	0.8%
22		96	1.3%
23		56	0.8%
24		59	0.8%
25		186	2.5%
26		65	0.9%
27		89	1.2%
28		86	1.2%

### # FFHM: Minutes

Value	Label	Cases	Percentage
29		78	1.1%
30		331	4.5%
31		54	0.7%
32		87	1.2%
33		66	0.9%
34		51	0.7%
35		208	2.8%
36		71	1.0%
37		73	1.0%
38		92	1.3%
39		64	0.9%
40		228	3.1%
41		62	0.8%
42		103	1.4%
43		81	1.1%
44		54	0.7%
45		262	3.6%
46		61	0.8%
47		77	1.1%
48		103	1.4%
49		90	1.2%
50		229	3.1%
51		55	0.8%
52		115	1.6%
53		64	0.9%
54		58	0.8%
55		156	2.1%
56		64	0.9%
57		70	1.0%
58		92	1.3%
59		69	0.9%
99	Manquant	1099	15.0%
Sysmiss		843	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MDHH: Heure

Value	Label	Cases	Percentage
2		5	0.1%
3		1	0.0%
4		4	0.0%
5		11	0.1%
6		158	1.9%
7		496	6.1%

### # MDHH: Heure

Value	Label	Cases	Percentage
8		669	8.2%
9		770	9.4%
10		596	7.3%
11		626	7.7%
12		498	6.1%
13		490	6.0%
14		488	6.0%
15		434	5.3%
16		531	6.5%
17		557	6.8%
18		382	4.7%
19		161	2.0%
20		87	1.1%
21		17	0.2%
22		3	0.0%
99	Manquant	1175	14.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MDHM: Minuite

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		651	8.0%
1		107	1.3%
2		166	2.0%
3		65	0.8%
4		74	0.9%
5		255	3.1%
6		57	0.7%
7		88	1.1%
8		65	0.8%
9		58	0.7%
10		390	4.8%
11		36	0.4%
12		54	0.7%
13		84	1.0%
14		28	0.3%
15		292	3.6%
16		80	1.0%
17		44	0.5%
18		55	0.7%
19		59	0.7%
20		361	4.4%
21		34	0.4%
22		59	0.7%

### # MDHM: Minuite

Value	Label	Cases	Percentage
23		50	0.6%
24		39	0.5%
25		232	2.8%
26		42	0.5%
27		63	0.8%
28		51	0.6%
29		32	0.4%
30		575	7.0%
31		30	0.4%
32		100	1.2%
33		44	0.5%
34		58	0.7%
35		186	2.3%
36		48	0.6%
37		38	0.5%
38		84	1.0%
39		55	0.7%
40		428	5.2%
41		47	0.6%
42		69	0.8%
43		79	1.0%
44		29	0.4%
45		286	3.5%
46		48	0.6%
47		51	0.6%
48		74	0.9%
49		52	0.6%
50		280	3.4%
51		62	0.8%
52		74	0.9%
53		46	0.6%
54		55	0.7%
55		155	1.9%
56		67	0.8%
57		45	0.6%
58		97	1.2%
59		47	0.6%
99	Manquant	1179	14.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HH3: Numero de l'enqueteur

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-] [Mean=45.58 /-] [StdDev=22.484 /-]

### # HH4: Numero du Controleur

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 6-99] [Missing=*]
--------------------	---

# HH4: Numero du Controleur			
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-] [Mean=43.598 /-] [StdDev=22.594 /-]	
# HH4A: Chef d'Equipe			
Information		[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-] [Mean=5.281 /-] [StdDev=8.791 /-]	
# HH5D: Jour de l'enquete			
Information		[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]	
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-] [Mean=15.438 /-] [StdDev=8.584 /-]	
# HH5M: Mois de l'enquete			
Information		[Type= discrete] [Format=numeric] [Range= 3-6] [Missing=*]	
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
3		170	2.1%
4		4324	53.0%
5		3387	41.5%
6		278	3.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH5Y: Annee de l'enquete			
Information		[Type= discrete] [Format=numeric] [Range= 2006-2006] [Missing=*]	
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
2006		8159	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HHV: Nombre de Visite			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		7734	94.8%
2		323	4.0%
3		95	1.2%
6		7	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH6: Milieu			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=8159 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Ouagadougou	763	9.4%
2	Autres villes	782	9.6%
3	Rural	6614	81.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HH7: Region			
Information		[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]	

**# HH7: Region**

<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Boucle du Mouhoun	526	6.4%
2	Cascade	820	10.1%
3	Centre	1078	13.2%
4	Centre-Sud	518	6.3%
5	Centre-Est	471	5.8%
6	Centre-Nord	582	7.1%
7	Centre-Ouest	816	10.0%
8	Est	562	6.9%
9	Hauts-Bassins	562	6.9%
10	Nord	649	8.0%
11	Plateau-Central	621	7.6%
12	Sahel	486	6.0%
13	Sud-Ouest	468	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HH9: Resultat de l' interview**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
--------------------	--

<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Rempli	8159	100.0%
2	Pas a la maison	0	
3	Refuse	0	
4	Logement non trouve/detrui	0	
6	Autre	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# HH10: Repondant HH questionnaire**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1		5562	68.2%
2		1874	23.0%
3		165	2.0%
4		89	1.1%
5		115	1.4%
6		81	1.0%
7		63	0.8%
8		47	0.6%
9		57	0.7%
10		27	0.3%
11		17	0.2%
12		14	0.2%
13		4	0.0%
14		12	0.1%

<b># HH10: Repondant HH questionnaire</b>			
Value	Label	Cases	Percentage
15		4	0.0%
16		5	0.1%
18		3	0.0%
19		6	0.1%
99	Missing	14	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HH11: Nombre total des membres du menage</b>	
Information	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]
Statistics [NW/ W]	[Valid=8159 /-] [Invalid=0 /-] [Mean=9.758 /-] [StdDev=5.82 /-]

<b># HH12: Total femmes eligibles</b>	
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2492	30.5%
2		2568	31.5%
3		1494	18.3%
4		764	9.4%
5		405	5.0%
6		228	2.8%
7		105	1.3%
8		32	0.4%
9		36	0.4%
11		11	0.1%
12		24	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HH13: Nombre de questionnaire femme remplis</b>	
Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		249	3.1%
1		2854	35.0%
2		2497	30.6%
3		1310	16.1%
4		611	7.5%
5		339	4.2%
6		150	1.8%
7		96	1.2%
8		9	0.1%
9		21	0.3%
10		11	0.1%
12		12	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HH14: Total Enfant de moins de 5 ans</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1917	23.5%
1		2773	34.0%
2		1893	23.2%
3		933	11.4%
4		352	4.3%
5		118	1.4%
6		76	0.9%
7		64	0.8%
8		14	0.2%
10		7	0.1%
18		12	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH15: Nombre de questionnaires enfants de moins de 5 ans remplis</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-18] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		2147	26.3%
1		2841	34.8%
2		1745	21.4%
3		861	10.6%
4		342	4.2%
5		91	1.1%
6		64	0.8%
7		35	0.4%
8		14	0.2%
10		7	0.1%
18		12	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HHL: Langue de l'Interview</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Francais	834	10.2%
2	Moore	4156	50.9%
3	Dioula	1883	23.1%
4	Fululde/Peul	292	3.6%
5	Autre	994	12.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HHI: Recours Ã Interprete</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		

<b># HHI: Recours Ã Interprete</b>			
Value	Label	Cases	Percentage
1	Oui	995	12.2%
2	Non	7164	87.8%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH16: Numero de l'agent de saisie</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		579	7.1%
2		544	6.7%
3		570	7.0%
4		592	7.3%
5		381	4.7%
6		380	4.7%
7		438	5.4%
8		482	5.9%
9		725	8.9%
10		638	7.8%
11		517	6.3%
12		437	5.4%
13		474	5.8%
14		519	6.4%
15		497	6.1%
16		386	4.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HH16A: Numero du Controleur Bureau</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		1937	23.7%
2		1033	12.7%
3		1508	18.5%
4		595	7.3%
5		1403	17.2%
6		1683	20.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS1: Principale source d'eau que boivent les membre du menage</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	158	1.9%
12	Dans la cour/parcelle	429	5.3%
13	Robinet public/borne fontaine	1344	16.5%

### # WS1: Principale source d'eau que boivent les membre du menage

Value	Label	Cases	Percentage
21	Puits a pompe/forage	3585	43.9%
31	Puits protege	738	9.0%
32	Puits non protege	1532	18.8%
41	Source protegee	6	0.1%
42	Source non protegee	48	0.6%
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	94	1.2%
81	Eau de surface	212	2.6%
91	Eau en bouteille	9	0.1%
96	Autre	4	0.0%
99	Manquant	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS2: Principale source d'eau utilisee pour autres choses

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9 /-] [Invalid=8150 /-]

Value	Label	Cases	Percentage
11	Eau de robinet dns le logement	1	11.1%
12	Dans la cour/parcelle	7	77.8%
13	Robinet public/borne fontaine	1	11.1%
21	Puits a pompe/forage	0	
31	Puits protege	0	
32	Puits non protege	0	
41	Source protegee	0	
42	Source non protegee	0	
51	Eau de pluie	0	
61	Camion citerne	0	
71	Charrette avec petite citerne/tonneau	0	
81	Eau de surface	0	
91	Eau en bouteille	0	
96	Autre	0	
99	Manquant	0	
Sysmiss		8150	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # WS3: Temps pour aller chercher de leau et revenir

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7564 /-] [Invalid=595 /-]

Value	Label	Cases	Percentage
1		26	0.3%
2		34	0.4%
3		56	0.7%
4		33	0.4%
5		393	5.2%
6		12	0.2%

### # WS3: Temps pour aller chercher de leau et revenir

Value	Label	Cases	Percentage
7		48	0.6%
8		45	0.6%
9		8	0.1%
10		851	11.3%
12		16	0.2%
13		4	0.1%
14		3	0.0%
15		711	9.4%
16		8	0.1%
17		17	0.2%
18		1	0.0%
20		844	11.2%
22		1	0.0%
25		138	1.8%
28		1	0.0%
30		1346	17.8%
35		73	1.0%
36		4	0.1%
40		310	4.1%
42		1	0.0%
45		196	2.6%
50		68	0.9%
52		1	0.0%
55		1	0.0%
60		994	13.1%
65		2	0.0%
70		13	0.2%
75		7	0.1%
80		23	0.3%
90		131	1.7%
100		4	0.1%
105		3	0.0%
120		402	5.3%
130		4	0.1%
140		1	0.0%
145		3	0.0%
150		7	0.1%
160		11	0.1%
180		89	1.2%
190		2	0.0%
240		30	0.4%
300		35	0.5%
360		1	0.0%
720		5	0.1%
995	Eau sur place	358	4.7%

**# WS3: Temps pour aller chercher de leau et revenir**

Value	Label	Cases	Percentage
998	NSP	171	2.3%
999	Manquant	18	0.2%
Sysmiss		595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# WS4: Qui se rend habituellement a la source d'eau**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=7206 /-] [Invalid=953 /-]

Value	Label	Cases	Percentage
1	Une femme adulte	6642	92.2%
2	Un homme adulte	180	2.5%
3	Une jeune fille de moins de 15 ans	257	3.6%
4	Un jeune garcon de moins de 15 ans	50	0.7%
8	NSP	7	0.1%
9	Manquant	70	1.0%
Sysmiss		953	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# WS5: Traitez vous l'eau avant de la boire**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Oui	1368	16.8%
2	Non	6782	83.1%
8	NSP	5	0.1%
9	Manquant	4	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# WS6A: La faire bouillir**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
A		14	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# WS6B: Y ajouter de l'eau de javel/chlore**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=73 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
B		73	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# WS6C: La filtrer a travers un linge**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=978 /-] [Invalid=0 /-]

**# WS6C: La filtrer a travers un linge**

Value	Label	Cases	Percentage
C		978	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# WS6D: Utiliser un filtre (ceramique, sable, composite)**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=230 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
D		230	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# WS6E: Desinfection solaire**

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]

<b># WS6F: Laisser reposer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=80 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
F		80	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6X: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		6	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS6Z: NSP</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=9 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		9	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS7: Type de toilettes</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 12-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
12	Chasse branchee a fosse septique	77	0.9%
13	Chasse branchee a latrines	47	0.6%
21	Latrines amelierees auto aerees (LAA)	38	0.5%
22	Latrines couvertes	76	0.9%
23	Latrines a fosses/trou ouvert	2564	31.4%
95	Pas de toilettes ou brousse ou champ	5321	65.2%
96	Autres	14	0.2%
99	Manquant	22	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS8: Partagez-vous ces toilettes avec d'autres menages</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2838 /-] [Invalid=5321 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1077	37.9%
2	Non	1726	60.8%
9	Manquant	35	1.2%
Sysmiss		5321	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># WS9: Au total , combien de menages utilisent ces toiltettes</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1077 /-] [Invalid=7082 /-]		

### # WS9: Au total , combien de menages utilisent ces toitures

Value	Label	Cases	Percentage
1		113	10.5%
2		266	24.7%
3		211	19.6%
4		146	13.6%
5		99	9.2%
6		55	5.1%
7		32	3.0%
8		12	1.1%
9		11	1.0%
10	Dix menages ou plus	101	9.4%
98	NSP	31	2.9%
99	Manquant	0	
Sysmiss		7082	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1A: Religion du chef de menage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Catholique	1552	19.0%
2	Protestante	309	3.8%
3	Musulmane	4852	59.5%
4	Traditionnelle/Animiste	1434	17.6%
6	Autre religion	11	0.1%
9	Manquant	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1B: Langue maternelle du chef de menage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Bobo/Bwaba/Bwamu	140	1.7%
2	Dagara	240	2.9%
3	Dioula/Bambara	125	1.5%
4	Fulfulde	410	5.0%
5	Gourmantchema	565	6.9%
6	Gourounsi	377	4.6%
7	Lobiri/Birifor	298	3.7%
8	Moore	4375	53.6%
9	Senoufo	163	2.0%
10	Touareg/Bella	76	0.9%
11	Bissa	305	3.7%
12	Djerma	3	0.0%
13	Goin	144	1.8%
14	Marka/dafing	248	3.0%

### # HC1B: Langue maternelle du chef de menage

Value	Label	Cases	Percentage
15	Sambla	13	0.2%
16	Samo	180	2.2%
17	Tamatchek	1	0.0%
18	Toussian	36	0.4%
19	Vigue	13	0.2%
20	Autres africains	52	0.6%
96	Autre Langue	387	4.7%
99	Manquant	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC1C: Ethnie du chef de menage

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Bobo/Bwaba/Bwamu	138	1.7%
2	Dagari	244	3.0%
3	Dioula	120	1.5%
4	Fulfulde/Peul	413	5.1%
5	Gourmantche	568	7.0%
6	Gourounsi	386	4.7%
7	Lobi/Birifor	302	3.7%
8	Mossi	4370	53.6%
9	Senoufo	166	2.0%
10	Touareg/Bella	79	1.0%
11	Bissa	305	3.7%
12	Djerma	3	0.0%
13	Goin	144	1.8%
14	Marka/dafing	248	3.0%
15	Sambla	13	0.2%
16	Samo	180	2.2%
17	Tamatchek	1	0.0%
18	Toussian	36	0.4%
19	Vigue	13	0.2%
20	Autres africains	52	0.6%
96	Autre Langue	370	4.5%
99	Manquant	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC2: Nombre de pieces utilisees pour dormir

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		647	7.9%
2		1713	21.0%
3		1861	22.8%
4		1421	17.4%

### # HC2: Nombre de pieces utilisees pour dormir

Value	Label	Cases	Percentage
5		903	11.1%
6		647	7.9%
7		322	3.9%
8		189	2.3%
9		106	1.3%
10		101	1.2%
11		78	1.0%
12		27	0.3%
13		15	0.2%
15		13	0.2%
16		9	0.1%
17		13	0.2%
20		6	0.1%
25		12	0.1%
32		12	0.1%
99	Manquant	64	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC3: Principal material du sol

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11	Terre/sable	4598	56.4%
12	Bouse	193	2.4%
21	Planche a bois	7	0.1%
22	Palmes/bambou	16	0.2%
31	Parquet or bois cire	4	0.0%
32	Vinyle ou asphalte	0	
33	Carrelage	187	2.3%
34	Ciment	3122	38.3%
35	Moquette	12	0.1%
96	Autres	12	0.1%
99	Manquant	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC4: Principal material du toit

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11	Pas de toit	20	0.2%
12	Chaume/feuille de palmier	2523	30.9%
21	Terre battue	1515	18.6%
22	Palmes/bambou	7	0.1%
31	Metal (Toles)	3846	47.1%
32	Bois	192	2.4%
33	Zinc/fibre de ciment	1	0.0%

#### # HC4: Principal material du toit

Value	Label	Cases	Percentage
34	Tuiles	18	0.2%
35	Ciment	31	0.4%
36	Shingles	0	
96	Autres	0	
99	Manquant	6	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#### # HC5: Principal materiel des murs

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
11	Pas de mur	67	0.8%
13	Mottes de terre	705	8.6%
14	Brique en banco	4245	52.0%
15	Paille	149	1.8%
21	Pierre avec boue	20	0.2%
22	Contre-plaque	0	
23	Carton	0	
24	Brique en banco avec boue	1149	14.1%
25	Brique en banco avec ciment	719	8.8%
31	Ciment	968	11.9%
32	Pierre avec chaux/ciment	27	0.3%
33	Briques	93	1.1%
34	Blocs de ciment	7	0.1%
96	Autres	1	0.0%
99	Manquant	9	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.












#### # HC6: Type de combustible utilise pour la cuisine

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Electricite	0	
2	Gaz propane liquifie (GPL) (gaz bouteille)	216	2.6%
3	Gaz naturel	8	0.1%
4	Bio-gaz	5	0.1%
5	kerosene	0	
6	Charbon/lignite	14	0.2%
7	Charbon de bois	228	2.8%
8	Bois	7306	89.5%
9	Paille/banchages/herbes	319	3.9%
10	Bouse	24	0.3%
11	residus agricoles	34	0.4%
12	Petrole	0	
13	Ne prÃ©pare pas / Ne fais pas la cuisine	2	0.0%
96	Autres	2	0.0%

<b># HC6: Type de combustible utilise pour la cuisine</b>			
Value	Label	Cases	Percentage
99	Manquant	1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC7: Cuisinez vous sur un feu a ciel ouvert, un four ouvert ou un</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7930 /-] [Invalid=229 /-]		
Value	Label	Cases	Percentage
1	feu a ciel ouvert	6871	86.6%
2	Foyer/Four ouvert	1007	12.7%
3	Foyer/Four ferme	37	0.5%
4	Ne prÃ©pare pas	2	0.0%
6	Autre	0	
9	Manquant	13	0.2%
Sysmiss		229	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC7A: Est-ce-que le feu/four a une cheminee ou une hotte</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=52 /-] [Invalid=8107 /-]		
Value	Label	Cases	Percentage
1	Oui	18	34.6%
2	Non	27	51.9%
9	Manquant	7	13.5%
Sysmiss		8107	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC8: Lieu ou vous faites la cuisine</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	A la maison	928	11.4%
2	Dans un autre batiment	2080	25.5%
3	A l'exterieur	5139	63.0%
4	Ne prÃ©pare pas	2	0.0%
6	Autre	3	0.0%
9	Manquant	7	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9A: Electricite</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	1149	14.1%
2	Non	6999	85.8%
9	Manquant	11	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC9B: Radio</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	6140	75.3%
2	Non	2012	24.7%
9	Manquant	7	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9C: Television</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1394	17.1%
2	Non	6761	82.9%
9	Manquant	4	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9D: Telephone mobile</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	1285	15.7%
2	Non	6866	84.2%
9	Manquant	8	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9E: Telephone non-mobile (fixe)</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	409	5.0%
2	Non	7747	95.0%
9	Manquant	3	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC9F: Refrigerateur</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	565	6.9%
2	Non	7589	93.0%
9	Manquant	5	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10A: Montre</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	

<b># HC10A: Montre</b>			
Value	Label	Cases	Percentage
1	Oui	5977	 73.3%
2	Non	2181	 26.7%
9	Manquant	1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10B: Bicyclette</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	7356	 90.2%
2	Non	802	 9.8%
9	Manquant	1	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10C: Motocyclette/scooter</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	3108	 38.1%
2	Non	5046	 61.8%
9	Manquant	5	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10D: Charrette avec animal</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	3045	 37.3%
2	Non	5110	 62.6%
9	Manquant	4	0.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC10E: Voiture/Camion</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	332	 4.1%
2	Non	7819	 95.8%
9	Manquant	8	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC11: Est-ce qu'un membre de votre menage possede une terre qui pe</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Oui	6785	 83.2%

<b># HC11: Est-ce qu'un membre de votre ménage possède une terre qui pe</b>			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
2	Non	1374	16.8%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC12: Combien d'hectares de terres agricoles</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6785 /-] [Invalid=1374 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		102	1.5%
1		609	9.0%
2		1359	20.0%
3		1196	17.6%
4		892	13.1%
5		628	9.3%
6		327	4.8%
7		161	2.4%
8		140	2.1%
9		40	0.6%
10		232	3.4%
11		17	0.3%
12		81	1.2%
13		25	0.4%
14		5	0.1%
15		69	1.0%
16		6	0.1%
17		1	0.0%
18		17	0.3%
20		22	0.3%
24		8	0.1%
25		2	0.0%
29		5	0.1%
30		12	0.2%
31		2	0.0%
35		6	0.1%
40		3	0.0%
44		1	0.0%
45		2	0.0%
97	Plus de 97	2	0.0%
98	NSP	809	11.9%
99	Manquant	4	0.1%
Sysmiss		1374	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC12A: Les récoltes de cette terre suffisent pour les besoins du me</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6785 /-] [Invalid=1374 /-]		

### # HC12A: Les récoltes de cette terre suffisent pour les besoins du me

Value	Label	Cases	Percentage
1	Oui	3572	52.6%
2	Non	3167	46.7%
3	Recoltes non consommées par le ménage	16	0.2%
8	NSP	30	0.4%
Systemiss		1374	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC12B: Nombre de mois couvert par les récoltes

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=3167 /-] [Invalid=4992 /-]
--------------------	-----------------------------------

Value	Label	Cases	Percentage
1		16	0.5%
2		98	3.1%
3		173	5.5%
4		309	9.8%
5		382	12.1%
6		660	20.8%
7		437	13.8%
8		477	15.1%
9		311	9.8%
10		225	7.1%
11		31	1.0%
98	NSP	48	1.5%
Systemiss		4992	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC13: Est-ce que votre ménage possède du bétail, troupeau ou des a

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
-------------	--

Statistics [NW/ W]	[Valid=8159 /-] [Invalid=0 /-]
--------------------	--------------------------------

Value	Label	Cases	Percentage
1	Oui	6607	81.0%
2	Non	1544	18.9%
9	Manquant	8	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14A: Nombre de Vaches laitières ou de taureaux

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
-------------	---

Statistics [NW/ W]	[Valid=6615 /-] [Invalid=1544 /-]
--------------------	-----------------------------------

Value	Label	Cases	Percentage
0		2734	41.3%
1		538	8.1%
2		1021	15.4%
3		417	6.3%
4		401	6.1%
5		255	3.9%
6		156	2.4%

### # HC14A: Nombre de Vaches laitieres ou de taureaux

Value	Label	Cases	Percentage
7		112	1.7%
8		76	1.1%
9		34	0.5%
10		203	3.1%
11		16	0.2%
12		40	0.6%
13		19	0.3%
14		2	0.0%
15		49	0.7%
16		13	0.2%
17		35	0.5%
18		9	0.1%
19		2	0.0%
20		175	2.6%
21		4	0.1%
22		2	0.0%
23		6	0.1%
24		2	0.0%
25		23	0.3%
26		10	0.2%
27		6	0.1%
29		5	0.1%
30		56	0.8%
31		1	0.0%
32		3	0.0%
35		4	0.1%
37		4	0.1%
40		40	0.6%
42		1	0.0%
43		2	0.0%
45		3	0.0%
46		1	0.0%
50		37	0.6%
60		19	0.3%
65		5	0.1%
70		6	0.1%
72		1	0.0%
80		4	0.1%
97	Plus de 97	25	0.4%
98	NSP	36	0.5%
99	Manquant	2	0.0%
Sysmiss		1544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14B: Nombre de Chevaux

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**# HC14B: Nombre de Chevaux**

<b>Statistics [NW/ W]</b>	[Valid=6615 /-] [Invalid=1544 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0		6510	98.4%
1		84	1.3%
2		17	0.3%
4		1	0.0%
10		1	0.0%
60		2	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		1544	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HC14C: Nombre d'Anes ou de mules**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=6615 /-] [Invalid=1544 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0		3077	46.5%
1		2085	31.5%
2		795	12.0%
3		372	5.6%
4		175	2.6%
5		57	0.9%
6		23	0.3%
7		13	0.2%
8		5	0.1%
9		2	0.0%
10		3	0.0%
15		5	0.1%
18		1	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	2	0.0%
Sysmiss		1544	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# HC14D: Nombre de chevres**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=6615 /-] [Invalid=1544 /-]
---------------------------	-----------------------------------

Value	Label	Cases	Percentage
0		2021	30.6%
1		316	4.8%
2		625	9.4%
3		510	7.7%
4		515	7.8%

### # HC14D: Nombre de chevres

Value	Label	Cases	Percentage
5		614	9.3%
6		281	4.2%
7		239	3.6%
8		78	1.2%
9		65	1.0%
10		576	8.7%
11		19	0.3%
12		71	1.1%
13		20	0.3%
14		19	0.3%
15		171	2.6%
16		16	0.2%
17		27	0.4%
18		17	0.3%
19		4	0.1%
20		210	3.2%
21		12	0.2%
22		6	0.1%
23		2	0.0%
24		1	0.0%
25		16	0.2%
27		2	0.0%
30		56	0.8%
32		3	0.0%
35		6	0.1%
38		1	0.0%
40		20	0.3%
42		2	0.0%
43		6	0.1%
45		1	0.0%
50		6	0.1%
60		6	0.1%
65		2	0.0%
70		2	0.0%
97	Plus de 97	7	0.1%
98	NSP	44	0.7%
99	Manquant	0	
Sysmiss		1544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14E: Nombre de moutons

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6615 /-] [Invalid=1544 /-]		
Value	Label	Cases	Percentage
0		2970	44.9%

### # HC14E: Nombre de moutons

Value	Label	Cases	Percentage
1		275	4.2%
2		560	8.5%
3		369	5.6%
4		342	5.2%
5		351	5.3%
6		252	3.8%
7		187	2.8%
8		77	1.2%
9		57	0.9%
10		481	7.3%
11		22	0.3%
12		66	1.0%
13		28	0.4%
14		19	0.3%
15		133	2.0%
16		18	0.3%
17		24	0.4%
18		30	0.5%
19		5	0.1%
20		155	2.3%
21		9	0.1%
22		16	0.2%
23		3	0.0%
24		4	0.1%
25		14	0.2%
26		5	0.1%
27		4	0.1%
29		3	0.0%
30		47	0.7%
32		6	0.1%
34		4	0.1%
35		10	0.2%
38		2	0.0%
40		19	0.3%
45		2	0.0%
48		3	0.0%
50		7	0.1%
56		1	0.0%
80		5	0.1%
97	Plus de 97	7	0.1%
98	NSP	23	0.3%
99	Manquant	0	
Sysmiss		1544	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HC14F: Nombre de Porcs/ Cochons

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=6615 /-] [Invalid=1544 /-]

Value	Label	Cases	Percentage
0		5340	80.7%
1		287	4.3%
2		222	3.4%
3		133	2.0%
4		99	1.5%
5		113	1.7%
6		88	1.3%
7		75	1.1%
8		42	0.6%
9		18	0.3%
10		70	1.1%
11		24	0.4%
12		31	0.5%
13		5	0.1%
14		2	0.0%
15		11	0.2%
16		10	0.2%
18		1	0.0%
20		19	0.3%
21		3	0.0%
23		2	0.0%
24		3	0.0%
25		2	0.0%
30		2	0.0%
40		2	0.0%
97	Plus de 97	0	
98	NSP	10	0.2%
99	Manquant	1	0.0%
Sysmiss		1544	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HC14G: Nombre de poulets

**Information** [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=6615 /-] [Invalid=1544 /-]

Value	Label	Cases	Percentage
0		1186	17.9%
1		160	2.4%
2		347	5.2%
3		335	5.1%
4		334	5.0%
5		518	7.8%
6		279	4.2%
7		241	3.6%

### # HC14G: Nombre de poulets

Value	Label	Cases	Percentage
8		121	1.8%
9		98	1.5%
10		1027	15.5%
11		49	0.7%
12		116	1.8%
13		38	0.6%
14		13	0.2%
15		324	4.9%
16		27	0.4%
17		28	0.4%
18		18	0.3%
19		5	0.1%
20		489	7.4%
21		15	0.2%
22		8	0.1%
23		13	0.2%
24		2	0.0%
25		78	1.2%
26		14	0.2%
27		7	0.1%
28		4	0.1%
29		2	0.0%
30		243	3.7%
32		8	0.1%
35		14	0.2%
36		1	0.0%
40		98	1.5%
43		3	0.0%
45		7	0.1%
46		5	0.1%
48		3	0.0%
50		73	1.1%
53		2	0.0%
60		24	0.4%
65		1	0.0%
70		10	0.2%
71		2	0.0%
80		7	0.1%
93		2	0.0%
97	Plus de 97	54	0.8%
98	NSP	162	2.4%
99	Manquant	0	
Sysmiss		1544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HC14H: Nombre de pindades

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=\*]

Statistics [NW/ W] [Valid=6615 /-] [Invalid=1544 /-]

Value	Label	Cases	Percentage
0		4566	69.0%
1		50	0.8%
2		129	2.0%
3		162	2.4%
4		156	2.4%
5		225	3.4%
6		149	2.3%
7		152	2.3%
8		64	1.0%
9		64	1.0%
10		303	4.6%
11		17	0.3%
12		66	1.0%
13		33	0.5%
14		33	0.5%
15		87	1.3%
16		10	0.2%
17		11	0.2%
18		16	0.2%
19		3	0.0%
20		129	2.0%
21		15	0.2%
22		3	0.0%
23		1	0.0%
24		5	0.1%
25		26	0.4%
26		3	0.0%
30		46	0.7%
31		9	0.1%
33		3	0.0%
35		10	0.2%
36		5	0.1%
40		9	0.1%
42		3	0.0%
45		3	0.0%
46		1	0.0%
50		11	0.2%
70		1	0.0%
97	Plus de 97	7	0.1%
98	NSP	29	0.4%
99	Manquant	0	
Sysmiss		1544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

<b># HC14I: Nombre de Dindon</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6615 /-] [Invalid=1544 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6550	99.0%
1		6	0.1%
2		24	0.4%
3		12	0.2%
4		1	0.0%
5		4	0.1%
6		6	0.1%
7		1	0.0%
8		1	0.0%
10		3	0.0%
14		4	0.1%
15		3	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		1544	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14J: Nombre de Canard</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6615 /-] [Invalid=1544 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6567	99.3%
1		1	0.0%
2		14	0.2%
3		7	0.1%
4		4	0.1%
5		2	0.0%
6		10	0.2%
7		4	0.1%
10		4	0.1%
20		2	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	0	
Sysmiss		1544	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC14K: Nombre de Pigeon</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=6615 /-] [Invalid=1544 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		6525	98.6%

### # HC14K: Nombre de Pigeon

Value	Label	Cases	Percentage
2		1	0.0%
3		3	0.0%
4		7	0.1%
5		7	0.1%
6		6	0.1%
8		3	0.0%
10		16	0.2%
12		3	0.0%
14		2	0.0%
15		8	0.1%
16		6	0.1%
20		12	0.2%
28		2	0.0%
30		8	0.1%
37		2	0.0%
40		1	0.0%
50		2	0.0%
97	Plus de 97	0	
98	NSP	1	0.0%
99	Manquant	0	
Sysmiss		1544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC14L: Autres

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6615 /-] [Invalid=1544 /-]

Value	Label	Cases	Percentage
0		6572	99.3%
1		3	0.0%
2		6	0.1%
3		1	0.0%
4		2	0.0%
6		11	0.2%
7		2	0.0%
97	Plus de 97	0	
98	NSP	0	
99	Manquant	18	0.3%
Sysmiss		1544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HC15A: Est-ce que vous ou quelqu'un dans votre menage est proprieta

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Proprietaire	7307	89.6%
2	Locataire	428	5.2%

<b># HC15A: Est-ce que vous ou quelqu'un dans votre menage est proprieta</b>			
Value	Label	Cases	Percentage
3	Location gratuite/occupant illegal/autre	424	5.2%
9	Manquant	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15B: Est-ce que vous ou quelqu'un dans ce menage a un titre /acte</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7307 /-] [Invalid=852 /-]		
Value	Label	Cases	Percentage
1	Oui	1339	18.3%
2	Non	5945	81.4%
9	Manquant	23	0.3%
Sysmiss		852	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CA: Permis Urbain d'Habiter (PUH)</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=861 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		861	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CB: Certification d'impot foncier</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=118 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
B		118	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CC: Facture d'electricite/eau'telephone etc</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=204 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
C		204	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15CE: Attestation d'attribution</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=0 /-] [Invalid=0 /-]	
<b># HC15CX: Autres</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=395 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
*		395	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CY: Aucun/pas de document</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=37 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		37	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15CZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=23 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		23	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15D: Est-ce que vous avez un contrat écrit pour la location</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=852 /-] [Invalid=7307 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	93	10.9%
2	Non	753	88.4%
9	Manquant	6	0.7%
Sysmiss		7307	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EA: Agreement informel (par écrit)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=2 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EB: Oral agreement (Non-document)</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=257 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		257	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15EC: Occupation avec accord du proprietaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=288 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
C		288	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ED: Occupation sans accord du proprietaire</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
D		4	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EX: Autres</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=2 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
X		2	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EY: Aucun/pas de document</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=215 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		215	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15EZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=13 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		13	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15F: Vous sentez vous en securite de ne pas etre exulse(e) de cet</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
1	Oui	5565	68.2%
2	Non	2203	27.0%
8	NSP	386	4.7%
9	Manquant	5	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15G: Avez vous ete expulse de votre maison durant ces 5 dernieres</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]		

<b># HC15G: Avez vous ete expluse de votre maison durant ces 5 dernieres</b>			
Value	Label	Cases	Percentage
1	Oui	117	1.4%
2	Non	8028	98.4%
9	Manquant	14	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HA: Region d'eboulement</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=69 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
A		69	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HB: Region predisposee a linondation</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=119 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
B		119	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HC: Bord de riviere</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=361 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
C		361	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HD: Colline raide</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=450 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
D		450	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HE: Montagne/tas d'ordures</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=385 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
E		385	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HF: Region de pollution industrielle</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=3 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
F		3	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># HC15HG: Chemin de fer</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=36 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
G		36	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HH: Centrale electrique</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=0 /-] [Invalid=0 /-]		
<b># HC15HI: Pont aerien</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=8 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
I		8	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=6834 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Y		6834	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15HZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=15 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
Z		15	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IA: Craquements/ouverture dans les murs</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=751 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
A		751	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IB: Pas de fenetre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=1636 /-] [Invalid=0 /-]		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
B		1636	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IC: Fenetre avec vitres casses/pas de vitre</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=22 /-] [Invalid=0 /-]		

<b># HC15IC: Fenetre avec vitres casses/pas de vitre</b>			
Value	Label	Cases	Percentage
C		22	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15ID: trous visibles dans le toit</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=142 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
D		142	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IE: Toit incomplet</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=56 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
E		56	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IF: Porte peu solide</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=3240 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
F		3240	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IY: Aucun des codes ci-dessus</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=4205 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Y		4205	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15IZ: Manquant</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=10 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Z		10	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JA: Passage tres etroit entre les maisons au lieu de route</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=974 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
A		974	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JB: Trop de cables electriques connectant voisinage &amp; poste d'al</b>			
<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]		

<b># HC15JB: Trop de cables electriques connectant voisinage &amp; poste d'al</b>			
<b>Statistics [NW/ W]</b>		[Valid=12 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
B		12	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JY: Aucun des codes ci-dessus</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7165 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Y		7165	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># HC15JZ: Manquant</b>			
<b>Information</b>		[Type= discrete] [Format=character] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=12 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Z		12	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># wmweight: Women Weight</b>			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= 0-10.0939048881053] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-] [Mean=0.897 /-] [StdDev=0.855 /-]	
<b># langue: Langue du chef de menage</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7316 /-] [Invalid=843 /-]	
Value	Label	Cases	Percentage
1	Dioula	246	3.4%
2	Dagara	503	6.9%
3	Peuls	444	6.1%
4	Senoufo	343	4.7%
5	Gourmantche	477	6.5%
6	Gourounsi	349	4.8%
8	Mossi	3873	52.9%
11	Bissa	283	3.9%
12	Autres langues	792	10.8%
13	Manquant	6	0.1%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># cmcdoiw: Date of interview women (CMC)</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1275-1278] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1275		121	1.5%
1276		4336	53.1%
1277		3410	41.8%

<b># cmcdoiw: Date of interview women (CMC)</b>			
Value	Label	Cases	Percentage
1278		292	3.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># wdob: Date of birth (CMC)</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 677-1097] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-] [Mean=921.558 /-] [StdDev=115.514 /-]		
<b># wage: Age</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	15-19	1479	20.2%
2	20-24	1166	15.9%
3	25-29	1307	17.9%
4	30-34	1045	14.3%
5	35-39	905	12.4%
6	40-44	793	10.8%
7	45-49	621	8.5%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># agem: Age au premier mariage/union</b>			
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 5-99] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=5879 /-] [Invalid=2280 /-] [Mean=17.925 /-] [StdDev=5.901 /-]		
<b># mstatus: Statut matrimonial/Union</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	Currently married/en union	5619	76.8%
2	Formerly married/in union	275	3.8%
3	Never married/in union	1422	19.4%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># melevel: Education</b>			
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
<b>Statistics [NW/ W]</b>	[Valid=7316 /-] [Invalid=843 /-]		
Value	Label	Cases	Percentage
1	None	5802	79.3%
2	Primary	846	11.6%
3	Secondary +	666	9.1%
4	Non-standard curriculum	0	
9	Manquant	2	0.0%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

<b># ceb: Children ever born</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7316 /-] [Invalid=843 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1679	22.9%
1		800	10.9%
2		780	10.7%
3		776	10.6%
4		749	10.2%
5		624	8.5%
6		545	7.4%
7		470	6.4%
8		347	4.7%
9		249	3.4%
10		175	2.4%
11		79	1.1%
12		24	0.3%
13		14	0.2%
14		4	0.1%
15		1	0.0%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># deadkids: Dead children</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7316 /-] [Invalid=843 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		4504	61.6%
1		1468	20.1%
2		680	9.3%
3		363	5.0%
4		172	2.4%
5		75	1.0%
6		37	0.5%
7		12	0.2%
8		2	0.0%
9		2	0.0%
10		1	0.0%
Sysmiss		843	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
<b># surviv: Number of children surviving</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=7316 /-] [Invalid=843 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		1781	24.3%
1		985	13.5%

**# surviv: Number of children surviving**

Value	Label	Cases	Percentage
2		980	13.4%
3		904	12.4%
4		879	12.0%
5		686	9.4%
6		491	6.7%
7		354	4.8%
8		166	2.3%
9		54	0.7%
10		28	0.4%
11		6	0.1%
12		2	0.0%
Systemmiss		843	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# milieu: Milieu**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Urbain	1545	18.9%
2	Rural	6614	81.1%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# hh1\_xl: conversion\_num\_grappe**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-197] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=8159 /-] [Invalid=0 /-] [Mean=95.704 /-] [StdDev=56.761 /-]

<b># wlthscor: Score de bien-être économique</b>			
<b>Information</b>		[Type= continuous] [Format=numeric] [Range= -0.860454009894442-5.18400792601981] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-] [Mean=0.102 /-] [StdDev=1.063 /-]	
<b># wlthind5: Quintiles de bien-être économique</b>			
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]	
<b>Statistics [NW/ W]</b>		[Valid=8159 /-] [Invalid=0 /-]	
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Percentage</b>
0		843	10.3%
1	Le plus pauvre	1477	18.1%
2	Second	1457	17.9%
3	Moyen	1602	19.6%
4	Quatrième	1474	18.1%
5	Le plus riche	1306	16.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

## File : who\_h\_données\_anthropométriques

### # HH1: Cluster number

**Information** [Type= continuous] [Format=numeric] [Range= 1-197] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=101.232 /-] [StdDev=57.129 /-]

### # HH2: Household number

**Information** [Type= continuous] [Format=numeric] [Range= 1-524] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=72.092 /-] [StdDev=63.02 /-]

### # LN: Line number

**Information** [Type= continuous] [Format=numeric] [Range= 2-46] [Missing=\*]

**Statistics [NW/ W]** [Valid=5677 /-] [Invalid=0 /-] [Mean=7.801 /-] [StdDev=4.469 /-]

### # BMI: Body Mass Index WHO

**Information** [Type= continuous] [Format=numeric] [Range= 3.64675578527416-99.99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5282 /-] [Invalid=395 /-] [Mean=18.087 /-] [StdDev=15.738 /-]

### # zBMI: Body Mass Index z-score WHO

**Information** [Type= continuous] [Format=numeric] [Range= -5-99.99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-] [Mean=22.9 /-] [StdDev=42.544 /-]

### # HAZ2: Height for age z-score WHO

**Information** [Type= continuous] [Format=numeric] [Range= -6-99.99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-] [Mean=18.686 /-] [StdDev=40.55 /-]

### # WAZ2: Weight for age z-score WHO

**Information** [Type= continuous] [Format=numeric] [Range= -5.96-99.99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-] [Mean=17.193 /-] [StdDev=39.413 /-]

### # WHZ2: Weight for height z-score WHO

**Information** [Type= continuous] [Format=numeric] [Range= -5-99.99] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-] [Mean=9.877 /-] [StdDev=30.896 /-]

### # whzflag: Weight for height flag WHO

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		4729	89.5%
1		554	10.5%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # wazflag: Weight for age flag WHO

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		4308	81.5%
1		975	18.5%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : who\_h\_données\_anthropométriques

### # hazflag: Height for age flag WHO

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		4232	80.1%
1		1051	19.9%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # bmiflag: BMI flag WHO

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		4051	76.7%
1		1232	23.3%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # whznoage: Weight for height - Age flag WHO

**Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=\*]

**Statistics [NW/ W]** [Valid=5283 /-] [Invalid=394 /-]

Value	Label	Cases	Percentage
0		4589	86.9%
1		694	13.1%
Sysmiss		394	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*